



Discovering ONTAP clusters

Cloud Manager

Ben Cammett, Tom Onacki
September 22, 2021

Table of Contents

- Discovering ONTAP clusters 1
 - Checking for on-premises clusters that have not been added to Cloud Manager 1
 - Discovering clusters from the Active IQ page 2
 - Discovering clusters from the Canvas page 3

Discovering ONTAP clusters

Cloud Manager can discover the ONTAP clusters in your on-premises environment, in a NetApp Private Storage configuration, and in the IBM Cloud. Adding on-prem clusters to the Cloud Manager Canvas enables you to manage these clusters using the same tools as your Cloud Volumes ONTAP and other cloud storage solutions.

In addition to being able to provision storage on those systems, adding these systems to Cloud Manager also makes it easy to configure critical cloud-based services for those clusters. This includes replicating data to the cloud, backing up data to the cloud, tiering cold data to the cloud, and running compliance scans on that data.

What you'll need

- A Connector installed in a cloud provider or on your premises.

If you want to tier cold data to the cloud, then you should review requirements for the Connector based on where you plan to tier cold data.

- [Learn about Connectors](#)
- [Switching between Connectors](#)
- [Learn about Cloud Tiering](#)

- The cluster management IP address and the password for the admin user account to add the cluster to Cloud Manager.

Cloud Manager discovers ONTAP clusters using HTTPS. If you use custom firewall policies, they must meet the following requirements:

- The Connector host must allow outbound HTTPS access through port 443.

If the Connector is in the cloud, all outbound communication is allowed by the predefined security group.

- The ONTAP cluster must allow inbound HTTPS access through port 443.

The default "mgmt" firewall policy allows inbound HTTPS access from all IP addresses. If you modified this default policy, or if you created your own firewall policy, you must associate the HTTPS protocol with that policy and enable access from the Connector host.

- A valid set of NetApp Support Site credentials for accessing the Active IQ page. See how to [add NetApp Support Site accounts to Cloud Manager](#).

Checking for on-premises clusters that have not been added to Cloud Manager


You can use the Active IQ service in Cloud Manager to discover, view, and manage your on-prem ONTAP clusters that are under a support contract.



If your support contract expires, the systems are removed from the Active IQ page. However, you can continue to manage these systems in their working environment. See how to [renew your support contract from Active IQ Digital Advisor](#).

Steps

1. From Cloud Manager, click the **Active IQ** tab.
2. Select the Active IQ login associated with your NSS account if necessary.



Your ONTAP clusters that have a valid support contract are displayed with a status of whether they have been discovered in Cloud Manager.

3. If you want to manage the clusters that are listed as "Undiscovered" using Cloud Manager, click **Discover** and follow the prompts to add them.

Discovering clusters from the Active IQ page

You can discover your ONTAP clusters and add them to a working environment from the Active IQ page.

Steps

1. From the **Active IQ** page, click the **Cluster Inventory** tab.

Cluster Name	Cluster Status	OS Version	IP Address	
durlabdu01	Discovered	9.8RC1	10.10.10.10	
durbku99	Undiscovered	9.8	10.10.10.10	Discover
blrcclu02	Undiscovered	9.7P7	10.10.10.10	Discover


2. Click **Discover** for the cluster that you want to manage through Cloud Manager.
3. On the *Choose a Location* page **On-Premises ONTAP** is pre-selected, so just click **Continue**.
4. On the *ONTAP Cluster Details* page, enter the password for the admin user account and click **Add**.

Note that the cluster management IP address is populated based on information from Active IQ.

5. On the *Details & Credentials* page the cluster name is added as the Working Environment Name, so just click **Go**.

Result

Cloud Manager discovers the cluster and adds it to a working environment in the Canvas using the cluster name as the working environment name.



You can enable services for this cluster in the right panel to replicate data to and from the cluster, set up data tiering to the cloud, back up volumes to the cloud, or run compliance scans on the volumes. You can also create new volumes or launch System Manager to perform advanced tasks.

Discovering clusters from the Canvas page

You can discover your ONTAP clusters and add them to a working environment from the Canvas page. These steps can be used in cases where the cluster is not listed in the Active IQ page because it currently has no support contract.

Steps

1. On the Canvas page, click **Add Working Environment** and select **On-Premises ONTAP**.
2. If you're prompted, create a Connector.

Refer to the links above for more details.

3. On the *ONTAP Cluster Details* page, enter the cluster management IP address, the password for the admin user account, and click **Add**.
4. On the *Details & Credentials* page, enter a name and description for the working environment, and then click **Go**.

Result

Cloud Manager discovers the cluster and adds it to a working environment in the Canvas.

You can enable services for this cluster in the right panel to replicate data to and from the cluster, set up data tiering to the cloud, back up volumes to the cloud, or run compliance scans on the volumes. You can also create new volumes or launch System Manager to perform advanced tasks.

Copyright Information

Copyright © 2021 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.