

Bubble bay

Revise 360 lesson plan — 60 minutes

Unit	OCR J277 2.1 Algorithms — Paper 2, Computational thinking, algorithms and programming
Lesson	Bubble bay (lesson 8 of the unit)
Lesson ID	a1-l08
Experience ID	a1-l08
Plan ID	PLAN-AL-L08
Content version	acc5eb842c27
Website	https://revise360.co.uk/experience.html?id=a1-l08

Big question, outcomes and success criteria

Big question — How does a bubble sort work, and why is it slow?

Prerequisites

The lesson before this one is a1-l07. Pupils should already have finished it: the starter below retrieves from it.

Earlier in the unit: a1-l01, a1-l02, a1-l03, a1-l04, a1-l05, a1-l06.

Assessable outcomes

1. **a1-l08-o1** — understand the bubble sort algorithm
2. **a1-l08-o2** — be able to show the steps of a bubble sort
3. **a1-l08-o3** — know the advantages and disadvantages of a bubble sort

Success criteria the pupil can check against

Taken from the briefs the independent activities themselves show, so these are the words the pupil sees. Their work has met the outcome when it does these things.

- Print the sorted numbers on one line, separated by a single space. **a1-l08-s6-a3**
- Do not use Python's own sort. **a1-l08-s6-a3**

Vocabulary, resources and preparation

Key vocabulary — Bubble sort, Pass

Resources

SLIDES	presentations/AL_L08_BubbleBay_Lesson.pptx
WORKSHEET	worksheets/AL_L08_BubbleBay_Worksheet.docx
ONLINE EXPERIENCE	experience.html?id=a1-l08

Before the lesson

1. Sign in on the **teacher dashboard** (teacher.html) and open **Class logins**. Enter the class or group and the usernames, one per line, then print the login cards. A pupil cannot sign in without one, so do this before the lesson rather than in it.
2. Print the worksheet, one per pupil.

3. Open the slides and the experience once yourself, on the machine you will be teaching from, so the 360 image is already cached.
4. Check headsets or devices are charged and on the school network.

How pupils get in

1. Go to `topics.html` on `revise360.co.uk`.
2. Sign in with the **username and PIN from the login card**. The class is already set against the card.
3. Choose the topic, then this lesson's card.

Worth knowing before you promise anything. In this build `APP_CONFIG.backendUrl` is empty, so logins, login cards and progress are stored on the device the pupil used. The teacher dashboard says so too. A pupil who moves to a different machine starts again, so keep a class on the same devices within a unit, and treat the paper worksheet as the record that travels.

Teaching sequence

Sixty minutes including transitions. The online block is the one to move if your lesson is shorter: see the adaptation at the end.

MIN	PHASE	TEACHER	PUPILS	EVIDENCE TO CHECK
0-5	Retrieve	Starter on the board or the worksheet, from the last lesson and this lesson's prerequisites.	Answer the starter on the worksheet.	The starter box on <code>AL_L08_BubbleBay_Worksheet.docx</code> is filled in.
5-8	Review the starter	Take answers; correct the one most got wrong.	Correct their own starter.	A correction written, not just a tick.
8-18	Explain and model	The new idea in two or three steps, with the example worked in front of the class.	Listen and answer questions about the example.	They can say why, not only what.
18-21	Set up and settle	Sign-in, launch, and what to write before anyone taps an answer.	Sign in, open the lesson, find One comparison.	Everyone is in and on station 1.
21-43	Online: work the stations in order	Pupils read each wall, write the key fact and the challenge, then answer at the badge.	Read each wall, write the key fact and the challenge, then answer at the badge.	The worksheet has writing on it for each of the 6 stations before the badge is tapped.
43-48	Check understanding	The hinge question, hands down.	Answer the hinge question, hands down.	The split across the options.
48-56	Apply	Exam practice on the worksheet, in silence.	Exam practice, in silence.	worksheet, Exam practice a) to c)
56-60	Exit and set up the next lesson	The exit question and the retrieval link to next lesson.	Write the exit answer.	One sentence that answers the big question.

The explanation and the worked example

This is what the walls of the experience say, station by station. Teach the first two or three from the front before anyone puts a headset on; the rest the pupils read for themselves.

1. One comparison

- Compare the first two items.
- If they are in the wrong order, swap them.
- Move along one and compare the next pair.

Challenge on this wall: Describe what happens to one pair of items in a bubble sort.

2. One pass

- A pass goes from one end of the list to the other, comparing every neighbouring pair.
- After one pass the largest value has moved all the way to the end.
- That is why it is called a bubble sort: values bubble up to their place.

Challenge on this wall: Carry out one pass on 5, 2, 9, 1 and write the result.

3. Repeating the passes

- After each pass, one more value is in its final place.
- The algorithm repeats until a pass makes no swaps at all.
- A list of n items needs up to n minus 1 passes.

Challenge on this wall: How many passes would 5, 4, 3, 2, 1 need? Explain why.

4. Why it is slow

- Each pass makes almost as many comparisons as there are items.
- There can be almost as many passes as items, so the work grows with the square of the list size.
- Doubling the list roughly quadruples the work.

Challenge on this wall: Explain why a bubble sort is unsuitable for a list of 100,000 items.

5. Its advantages

- It is very simple to write, so it is hard to get wrong.
- It sorts in place: it needs no second copy of the list.
- On a nearly sorted list it finishes quickly, because the first pass makes almost no swaps.

Challenge on this wall: Give two situations where a bubble sort is an acceptable choice.

6. Answering bubble sort questions

- Show the list after each pass, not after each swap, unless asked otherwise.
- Say which items are being compared.
- State the stopping condition: a pass with no swaps.

Challenge on this wall: Show every pass of a bubble sort on 4, 1, 3, 2.

Retrieval and the check for understanding

Starter — You have seven cards in a random order. Describe, precisely, how you would put them in order using only swaps between neighbours.

Answer space: 3 lines on the worksheet.

The answer is in the teacher answers for this unit, not on this plan: a plan left on a desk should not give it away.

Hinge question

Use this one, hands down, before anyone moves on to independent work. It is a real activity from the experience (a1 - 108 - s4 - c1), so the wording a pupil sees matches the wording you say.

A list doubles in size. Roughly what happens to the work a bubble sort does?

Correct: It roughly quadruples

What a pupil might choose instead

- It doubles
- It stays the same
- It increases by one pass

Count the hands on each. If more than a few of the class are on one wrong option, that option is the misconception to teach against before anyone goes on: go back to the station this question sits on and work through its example again, aloud, before the independent work.

The course's own response to a wrong answer here: The comparisons per pass and the number of passes both grow.

One response, not four. one response covers every wrong option; it does not say what to revisit for each one, so decide your own reteach for each option before the lesson - the list above is the start of it.

Guided to independent practice

STAGE	ACTIVITIES	WHAT IT IS
Guided	11	Support is in the activity: an example to run, an output to predict, one thing to change, a gap to fill.
Independent	4	The pupil writes or fixes it with the brief and nothing else.
Challenge	0	The hardest activity on each station. It is not optional and it is not extra: it is the last step of the station.

Scaffolds already in the product, and how they fade

- **Hint** is a ladder, not a door: the first rung names the idea, the next shows the shape of the code, the next how it starts, the last animates the technique on different data. A pupil asks for each rung. None of them is the answer.
- **Run** is free and unmarked; **Check my answer** marks. A pupil may run as often as they like, which is what makes trial and error safe.
- **I need help** says to ask you, and says plainly that the question still has to be completed. It does not notify anyone and it does not unlock anything.
- The worked example appears on every early activity and on none of the late ones. That fade is deliberate; it is not a missing example.

Accessibility

- **Read aloud** on every task window reads the task and its brief, with the prescribed values read as values rather than as punctuation.
- Text is 16px or larger throughout, and a question window scrolls rather than shrinking its type.
- Prescribed data is boxed and in a monospace face as well as coloured, so it still reads as code in black and white, in a high-contrast mode, and to a pupil who does not separate green from amber.
- **Lower literacy and EAL:** pre-teach the vocabulary above; let the pupil say the key fact before writing it; accept the key fact in two or three words.
- **SEND:** the sequence is compulsory but the pace is not. A pupil may finish a station next lesson; the progress saves after every answer and reopens at their earliest unfinished question.
- A headset is never required. Every experience works on a laptop or a tablet with a mouse or a finger.

Delivering the online experience

Before anyone enters

- Worksheet out, pen in hand. The rule is write first, then answer at the badge: the first answer is the one that counts.
- Say where the stations are. They are numbered around the room: 1 and 2 to the right, 3 and 4 behind, 5 and 6 to the left, and the final challenge on the floor.
- Say that a badge marked **Not yet** is not a fault. It opens when the station they are on is finished.

The stations, and what to record at each

#	STATION	ACTIVITIES	RECORD ON PAPER
1	One comparison	2	One comparison in a bubble sort...
2	One pass	2	One pass of a bubble sort...
3	Repeating the passes	2	A bubble sort repeats until...
4	Why it is slow	2	A bubble sort is slow because...

#	STATION	ACTIVITIES	RECORD ON PAPER
5	Its advantages	2	A bubble sort is useful because...
6	Answering bubble sort questions	3	To answer a bubble sort question, I should...
final	Final challenge: bubble it	2	the answer to the station's challenge

Where to pause

Stop the class after station 2 and take answers to its challenge out loud. That is the point where a pupil who has misread the technique can still be put right cheaply.

Afterwards

Headsets off and down. Ask three pupils for the key fact from a station of your choosing, in their own words and not read off the sheet. Then the exit question.

Assessment, evidence and unfinished work

ID	QUESTION	MARKS	WHERE
a1-108-x1	Describe how a bubble sort works.	3	worksheet, Exam practice a); deck, Exam practice slide
a1-108-x2	Show the contents of the list 5, 2, 9, 1 after the first pass of a bubble sort.	2	worksheet, Exam practice b); deck, Exam practice slide
a1-108-x3	Explain one advantage and one disadvantage of using a bubble sort.	4	worksheet, Exam practice c); deck, Exam practice slide

Expected answers

Model answers and marking guidance are teacher-only and are not printed on this plan. They are in the unit's teacher guide pack, and the per-activity marking for this lesson is in `answers/records/a1-108.json`, which is not published with the website.

Common errors

The wrong options the activities offer are the errors this lesson expects. The commonest to watch for:

- **In a bubble sort, which items are compared?** — The first and last items; The middle and the first
- **When does a bubble sort swap two items?** — Every time it compares them; Only at the end of a pass
- **What is guaranteed after one complete pass?** — The list is sorted; The smallest value is first
- **How does a bubble sort know it has finished?** — It counts to the length of the list; It checks the first and last items
- **A list of 6 items is in exactly reverse order. How many passes are nee** — One; Six

Unfinished work

Record where each pupil stopped, not a tick. They resume at their earliest unfinished question, and a station left half-done is the thing to open next lesson. Do not mark the lesson complete for a pupil who did not finish it: the score screen already shows what was and was not done, and that is the honest record.

Exit, next lesson and homework

Exit check

One of these, written, not a show of hands:

- How one pass works
- Repeating passes and stopping
- Advantages and disadvantages

The confidence columns on the worksheet are a supplement to this, not a substitute: a pupil who rates themselves confident and cannot answer the exit question has told you nothing.

Retrieval link to next lesson

Next is a1 - 109, Split and insert. Use this lesson's big question as next lesson's starter, so the first thing they do is retrieve it.

Homework

Finish any station left open, on the website, from the question they stopped at. If the class has no devices at home, set the exam practice on the worksheet instead and mark it next lesson.

Shorter lessons, longer lessons and no internet

A 40 to 45 minute lesson

Keep the starter, the explanation and the model at full length: cutting those is what makes the online work fail. Take the time out of the online block and the apply phase. Pupils stop where they are; their progress saves after every answer and reopens at their earliest unfinished question, so the next lesson starts there.

If the internet or the devices are unavailable

Teach from the slides and the worksheet. The slides carry the same teaching as the station walls, and the worksheet carries the key facts, the challenges and the exam practice. Set the online stations when the devices are back.

There is no offline version of the experience, and this plan does not contain one. Do not hand out a printed walkthrough of the stations as a substitute: the experiences are used on the website.

Revise 360 — a product of Revise 360 Ltd, created by Olly Pettitt. An independent resource: not written, endorsed or approved by OCR or any exam board. Classroom use and personal study only.