

Address sorting office

Revise 360 lesson plan — 60 minutes

Unit	OCR J277 1.3 Computer networks, connections and protocols — Paper 1, Computer systems
Lesson	Address sorting office (lesson 11 of the unit)
Lesson ID	nw-111
Experience ID	nw-111
Plan ID	PLAN-NW-L11
Content version	7e879707737f
Website	https://revise360.co.uk/experience.html?id=nw-111

Big question, outcomes and success criteria

Big question — What are the differences between the three types of network address?

Prerequisites

The lesson before this one is nw-110. Pupils should already have finished it: the starter below retrieves from it.
Earlier in the unit: nw-101, nw-102, nw-103, nw-104, nw-105, nw-106, nw-107, nw-108-test, nw-109.

Assessable outcomes

1. **nw-111-o1** — understand the uses of MAC and IP addressing
2. **nw-111-o2** — understand the difference between IPv4 and IPv6
3. **nw-111-o3** — understand the need for IPv6

Vocabulary, resources and preparation

Key vocabulary — MAC address, IP address

Resources

SLIDES	presentations/NW_L11_AddressSortingOffice_Lesson.pptx
WORKSHEET	worksheets/NW_L11_AddressSortingOffice_Worksheet.docx
ONLINE EXPERIENCE	experience.html?id=nw-111

Before the lesson

1. Sign in on the **teacher dashboard** (teacher.html) and open **Class logins**. Enter the class or group and the usernames, one per line, then print the login cards. A pupil cannot sign in without one, so do this before the lesson rather than in it.
2. Print the worksheet, one per pupil.
3. Open the slides and the experience once yourself, on the machine you will be teaching from, so the 360 image is already cached.
4. Check headsets or devices are charged and on the school network.

How pupils get in

1. Go to `topics.html` on `revise360.co.uk`.

2. Sign in with the **username and PIN from the login card**. The class is already set against the card.
3. Choose the topic, then this lesson's card.

Worth knowing before you promise anything. In this build APP_CONFIG.backendUrl is empty, so logins, login cards and progress are stored on the device the pupil used. The teacher dashboard says so too. A pupil who moves to a different machine starts again, so keep a class on the same devices within a unit, and treat the paper worksheet as the record that travels.

Teaching sequence

Sixty minutes including transitions. The online block is the one to move if your lesson is shorter: see the adaptation at the end.

MIN	PHASE	TEACHER	PUPILS	EVIDENCE TO CHECK
0-5	Retrieve	Starter on the board or the worksheet, from the last lesson and this lesson's prerequisites.	Answer the starter on the worksheet.	The starter box on NW_L11_AddressSortingOffice_Worksheet.docx is filled in.
5-8	Review the starter	Take answers; correct the one most got wrong.	Correct their own starter.	A correction written, not just a tick.
8-18	Explain and model	The new idea in two or three steps, with the example worked in front of the class.	Listen and answer questions about the example.	They can say why, not only what.
18-21	Set up and settle	Sign-in, launch, and what to write before anyone taps an answer.	Sign in, open the lesson, find MAC addresses.	Everyone is in and on station 1.
21-43	Online: work the stations in order	Pupils read each wall, write the key fact and the challenge, then answer at the badge.	Read each wall, write the key fact and the challenge, then answer at the badge.	The worksheet has writing on it for each of the 6 stations before the badge is tapped.
43-48	Check understanding	The hinge question, hands down.	Answer the hinge question, hands down.	The split across the options.
48-56	Apply	Exam practice on the worksheet, in silence.	Exam practice, in silence.	worksheet, Exam practice a) to d)
56-60	Exit and set up the next lesson	The exit question and the retrieval link to next lesson.	Write the exit answer.	One sentence that answers the big question.

The explanation and the worked example

This is what the walls of the experience say, station by station. Teach the first two or three from the front before anyone puts a headset on; the rest the pupils read for themselves.

1. MAC addresses

- Media Access Control address: a unique address given to every network interface card when it is made.
- 48 bits, written as 12 hexadecimal digits in pairs.
- Used by switches to send frames to the right device on a LAN.

Challenge on this wall: Why does every NIC need a unique MAC address?

2. IP addresses

- Internet Protocol address: identifies a device on a network so data can be routed to it.
- Given by the network, so it can change when a device moves to another network.
- Used by routers to send packets across networks.

Challenge on this wall: Why can your phone's IP address change, but its MAC address stays the same?

3. IPv4

- 32 bits, written as four numbers from 0 to 255 separated by dots.
- Part of the address identifies the network; the rest identifies the device (node).
- There are about 4.3 billion possible addresses: not enough for every device today.

Challenge on this wall: Why can't an IPv4 number be bigger than 255?

4. IPv6

- 128 bits, written as eight groups of four hexadecimal digits separated by colons.
- Created because IPv4 addresses were running out.
- Allows about 340 undecillion (3.4×10^{38}) addresses.

Challenge on this wall: State the reason we need IPv6.

5. LAN or WAN addressing?

- Within a LAN, switches use MAC addresses to deliver frames.
- Between networks, routers use IP addresses to route packets.
- Every device has both.

Challenge on this wall: Which address would a switch use, and which would a router use?

6. Network and device parts

- In 192.168.1.20, the first part (192.168.1) identifies the network.
- The last part (20) identifies the device, or node, on that network.
- Devices on the same network share the network part.

Challenge on this wall: Two laptops are 192.168.1.20 and 192.168.1.35. Are they on the same network? How can you tell?

Retrieval and the check for understanding

Starter — A parcel needs a house number and a postcode to arrive. Suggest why a computer might need more than one kind of address too.

Answer space: 3 lines on the worksheet.

The answer is in the teacher answers for this unit, not on this plan: a plan left on a desk should not give it away.

Hinge question

Use this one, hands down, before anyone moves on to independent work. It is a real activity from the experience (nw-111-s4-c1), so the wording a pupil sees matches the wording you say.

Why was IPv6 introduced?

Correct: The world was running out of IPv4 addresses

What a pupil might choose instead

- IPv4 was too slow
- IPv4 couldn't use Wi-Fi
- To replace MAC addresses

Count the hands on each. If more than a few of the class are on one wrong option, that option is the misconception to teach against before anyone goes on: go back to the station this question sits on and work through its example again, aloud, before the independent work.

The course's own response to a wrong answer here: Billions of phones, computers and smart devices need addresses.

One response, not four. one response covers every wrong option; it does not say what to revisit for each one, so decide your own reteach for each option before the lesson - the list above is the start of it.

Guided to independent practice

STAGE	ACTIVITIES	WHAT IT IS
Guided	13	Support is in the activity: an example to run, an output to predict, one thing to change, a gap to fill.
Independent	0	The pupil writes or fixes it with the brief and nothing else.
Challenge	0	The hardest activity on each station. It is not optional and it is not extra: it is the last step of the station.

Every activity in this lesson is guided: a pupil chooses between options and never produces anything of their own. Plan the independent work yourself - the exam practice on the worksheet is the obvious place - and do not read a full score here as evidence that a pupil can do it unaided.

Scaffolds already in the product, and how they fade

- **Hint** is a ladder, not a door: the first rung names the idea, the next shows the shape of the code, the next how it starts, the last animates the technique on different data. A pupil asks for each rung. None of them is the answer.
- **Run** is free and unmarked; **Check my answer** marks. A pupil may run as often as they like, which is what makes trial and error safe.
- **I need help** says to ask you, and says plainly that the question still has to be completed. It does not notify anyone and it does not unlock anything.
- The worked example appears on every early activity and on none of the late ones. That fade is deliberate; it is not a missing example.

Accessibility

- **Read aloud** on every task window reads the task and its brief, with the prescribed values read as values rather than as punctuation.
- Text is 16px or larger throughout, and a question window scrolls rather than shrinking its type.
- Prescribed data is boxed and in a monospace face as well as coloured, so it still reads as code in black and white, in a high-contrast mode, and to a pupil who does not separate green from amber.
- **Lower literacy and EAL:** pre-teach the vocabulary above; let the pupil say the key fact before writing it; accept the key fact in two or three words.
- **SEND:** the sequence is compulsory but the pace is not. A pupil may finish a station next lesson; the progress saves after every answer and reopens at their earliest unfinished question.
- A headset is never required. Every experience works on a laptop or a tablet with a mouse or a finger.

Delivering the online experience

Before anyone enters

- Worksheet out, pen in hand. The rule is write first, then answer at the badge: the first answer is the one that counts.
- Say where the stations are. They are numbered around the room: 1 and 2 to the right, 3 and 4 behind, 5 and 6 to the left, and the final challenge on the floor.
- Say that a badge marked **Not yet** is not a fault. It opens when the station they are on is finished.

The stations, and what to record at each

#	STATION	ACTIVITIES	RECORD ON PAPER
1	MAC addresses	2	A MAC address is...
2	IP addresses	2	An IP address is...
3	IPv4	2	An IPv4 address is written as...
4	IPv6	2	IPv6 was introduced because...

#	STATION	ACTIVITIES	RECORD ON PAPER
5	LAN or WAN addressing?	2	MAC addresses are used... IP addresses are used...
6	Network and device parts	2	The network part of an IPv4 address... The node part...
final	Final challenge: sort the mail	1	the answer to the station's challenge

Where to pause

Stop the class after station 2 and take answers to its challenge out loud. That is the point where a pupil who has misread the technique can still be put right cheaply.

Afterwards

Headsets off and down. Ask three pupils for the key fact from a station of your choosing, in their own words and not read off the sheet. Then the exit question.

Assessment, evidence and unfinished work

ID	QUESTION	MARKS	WHERE
nw-111-x1	State what a MAC address identifies.	1	worksheet, Exam practice a); deck, Exam practice slide
nw-111-x2	Explain why IPv6 addresses were needed.	2	worksheet, Exam practice b); deck, Exam practice slide
nw-111-x3	Describe two differences between an IPv4 address and an IPv6 address.	4	worksheet, Exam practice c); deck, Exam practice slide
nw-111-x4	Explain why a device keeps its MAC address but can be given a different IP address.	3	worksheet, Exam practice d); deck, Exam practice slide

Expected answers

Model answers and marking guidance are teacher-only and are not printed on this plan. They are in the unit's teacher guide pack, and the per-activity marking for this lesson is in `answers/records/nw-111.json`, which is not published with the website.

Common errors

The wrong options the activities offer are the errors this lesson expects. The commonest to watch for:

- **When is a MAC address given to a device?** — Every time it joins a network; When you name the device
- **Which is a MAC address?** — 180.17.255.1; 2001:0DB8:AC10:FE01::
- **What is an IP address used for?** — Encrypting Wi-Fi data; Naming a website
- **Which device mainly uses IP addresses to forward data?** — A switch; A printer
- **Which is a valid IPv4 address?** — 256.10.3.4; 10.0.0

Unfinished work

Record where each pupil stopped, not a tick. They resume at their earliest unfinished question, and a station left half-done is the thing to open next lesson. Do not mark the lesson complete for a pupil who did not finish it: the score screen already shows what was and was not done, and that is the honest record.

Exit, next lesson and homework

Exit check

One of these, written, not a show of hands:

- Uses of MAC and IP addresses
- The difference between IPv4 and IPv6
- Why IPv6 is needed

The confidence columns on the worksheet are a supplement to this, not a substitute: a pupil who rates themselves confident and cannot answer the exit question has told you nothing.

Retrieval link to next lesson

Next is nw-112, Protocol city. Use this lesson's big question as next lesson's starter, so the first thing they do is retrieve it.

Homework

Finish any station left open, on the website, from the question they stopped at. If the class has no devices at home, set the exam practice on the worksheet instead and mark it next lesson.

Shorter lessons, longer lessons and no internet

A 40 to 45 minute lesson

Keep the starter, the explanation and the model at full length: cutting those is what makes the online work fail. Take the time out of the online block and the apply phase. Pupils stop where they are; their progress saves after every answer and reopens at their earliest unfinished question, so the next lesson starts there.

If the internet or the devices are unavailable

Teach from the slides and the worksheet. The slides carry the same teaching as the station walls, and the worksheet carries the key facts, the challenges and the exam practice. Set the online stations when the devices are back.

There is no offline version of the experience, and this plan does not contain one. Do not hand out a printed walkthrough of the stations as a substitute: the experiences are used on the website.

Revise 360 — a product of Revise 360 Ltd, created by Olly Pettitt. An independent resource: not written, endorsed or approved by OCR or any exam board. Classroom use and personal study only.