



ZAP by
Checkmarx

ZAP by Checkmarx Scanning Report

Sites: <https://firefox.settings.services.mozilla.com> <https://firefox-settings-attachments.cdn.mozilla.net> <http://localhost:3000>

Generated on So., 17 Mai 2026 20:39:12

ZAP Version: 2.16.1

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
Hoch	1
Mittel	4
Gering	5
Informational	5

Warnungen

Name	Risk Level	Number of Instances
SQL Injection	Hoch	1
Content Security Policy (CSP) Header Not Set	Mittel	105
Cross-Domain Misconfiguration	Mittel	127
Missing Anti-clickjacking Header	Mittel	23
Session ID in URL Rewrite	Mittel	92
Private IP Disclosure	Gering	1
Strict-Transport-Security Header Not Set	Gering	2
Timestamp Disclosure - Unix	Gering	235
X-Content-Type-Options Header Missing	Gering	94
ZAP is Out of Date	Gering	3
Information Disclosure - Suspicious Comments	Informational	4
Modern Web Application	Informational	74
Re-examine Cache-control Directives	Informational	4
Retrieved from Cache	Informational	4
User Agent Fuzzer	Informational	120

Alert Detail

Hoch	SQL Injection
------	---------------

Beschreibung	SQL injection may be possible.
URL	http://localhost:3000/rest/products/search?q=%27%28
Methode	GET
Angriff	'(
Evidence	HTTP/1.1 500 Internal Server Error
Zusätzliche Informationen:	
Instances	1
Solution	Do not trust client side input, even if there is client side validation in place. In general, type check all data on the server side. If the application uses JDBC, use PreparedStatement or CallableStatement, with parameters passed by '?' If the application uses ASP, use ADO Command Objects with strong type checking and parameterized queries. If database Stored Procedures can be used, use them. Do <i>not</i> concatenate strings into queries in the stored procedure, or use 'exec', 'exec immediate', or equivalent functionality! Do not create dynamic SQL queries using simple string concatenation. Escape all data received from the client. Apply an 'allow list' of allowed characters, or a 'deny list' of disallowed characters in user input. Apply the principle of least privilege by using the least privileged database user possible. In particular, avoid using the 'sa' or 'db-owner' database users. This does not eliminate SQL injection, but minimizes its impact. Grant the minimum database access that is necessary for the application.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/SQL_Injection_Prevention_Cheat_Sheet.html
CWE Id	89
WASC Id	19
Plugin Id	40018

Mittel	Content Security Policy (CSP) Header Not Set
Beschreibung	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://localhost:3000
Methode	GET
Angriff	
Evidence	
Zusätzliche	

Informationen:	
URL	http://localhost:3000/
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/ftp
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/ftp/
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/ftp/coupons_2013.md.bak
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/ftp/eastere.gg
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/ftp/encrypt.pyc
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/ftp/package-lock.json.bak
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/ftp/package.json.bak

Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/ftp/quarantine
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/ftp/suspicious_errors.yml
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TJME2352.js
Methode	GET

Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/main.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/assets/public/styles.css
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	

Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/chunk-I2PSG472.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:43:13
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:59:18
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/main.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	

URL	http://localhost:3000/juice-shop/build/routes/polyfills.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/scripts.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/build/routes/styles.css
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/main.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/styles.css
Methode	GET
Angriff	
Evidence	

Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:280:10
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:286:9
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:328:13
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:365:14
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:376:14
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:421:3
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/layer.js:95:5
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/main.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/polyfills.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/scripts.js
Methode	GET

Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/styles.css
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-I2PSG472.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-

URL	TWZW5B45.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/main.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/styles.css
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-BBQJZN7H.js
Methode	GET

Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/index.js:149:39
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/main.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/polyfills.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/scripts.js
Methode	GET
Angriff	

Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/juice-shop/node_modules/serve-index/styles.css
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/sitemap.xml
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put91g8&sid=zTkQgebUpn-_xwPyAAAU
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put922M&sid=O48solXcsqSWtU7mAAAY
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put92k6&sid=TFJABWEInm2DYb3eAAAc
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93yB&sid=IBN5ReFf4VtKlqjkAAAc
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93yB&sid=PoYm1ySH4g_TTZi1AAAg
Methode	POST

Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put944o&sid=IVZwy6zGaU0BMS5SAAAi
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94aM&sid=BU-Koln-O66OKJ69AAAm
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94Ci&sid=WwSq8lSSe6WOad0hAAAk
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94gx&sid=vbMnXCO73wE_a5P0AAAQ
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94ph&sid=U6TGxawydUiKHSw2AAAQ
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94rV&sid=mBMsv3d03qBNvt_ZAAAr
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
	http://localhost:3000/socket.io/?

URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94zZ&sid=948cWVnv23tZRd4sAAAU
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Kc&sid=WHTjiFXJPiU7154-AAAw
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95kD&sid=b7EOo5rGbxaKXe1DAAA2
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95po&sid=MoD7AgnkSNQhqMvqAAA4
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95rT&sid=laePs1qk4hIW8Ad1AAA6
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95TI&sid=w0pUor5TnN7353OQAAAY
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95UO&sid=-bLqaTn_3ZFJEBypAAAZ
Methode	POST
Angriff	
Evidence	

Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put965c&sid=BcdgUIX6JxiYfM7UAAA-
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96EF&sid=ftdDmpYHHo_9Q1KkAABA
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96G7&sid=PUwABSBxaQNMw01fAABC
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96U2&sid=n0U8rtFHHqmeZSvMAABE
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
Instances	105
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693

WASC Id	15
Plugin Id	10038

Mittel	Cross-Domain Misconfiguration
Beschreibung	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
URL	http://localhost:3000
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/api/Challenges/?name=Score%20Board
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/api/Quantitys/
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/i18n/en.json
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *

Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/hackingInstructor.png
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/JuiceShop_Logo.png
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/apple_juice.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/apple_pressings.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web

Zusätzliche Informationen:	browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/artwork2.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/banana_juice.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/carrot_juice.jpeg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/eggfruit_juice.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/fan_facemask.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration

	could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/fruit_press.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/green_smoothie.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/lemon_juice.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/melon_bike.jpeg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/assets/public/images/products/permafrost.jpg
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.

URL	http://localhost:3000/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp

Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/acquisitions.md
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/announcement_encrypted.md
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/coupons_2013.md.bak
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/eastere.gg
Methode	GET

Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/encrypt.pyc
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/incident-support.kdbx
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/legal.md
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/package-lock.json.bak
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/package.json.bak
Methode	GET
Angriff	

Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/quarantine
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/quarantine/juicy_malware_linux_amd_64.url
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/quarantine/juicy_malware_linux_arm_64.url
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/quarantine/juicy_malware_macos_64.url
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/quarantine/juicy_malware_windows_64.exe.url
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *

Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/ftp/suspicious_errors.yml
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/hacking-instructor-OYUKCDGG.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web

Zusätzliche Informationen:	browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/main.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration

	could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/styles.css
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.

URL	http://localhost:3000/juice-shop/build/routes/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:43:13
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:59:18
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/main.js

Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/polyfills.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/scripts.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/build/routes/styles.css
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-24EZLZ4I.js

Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-I2PSG472.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/main.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/styles.css
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:280:10

Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:286:9
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:328:13
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:365:14
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:376:14
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:421:3
Methode	GET

Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/layer.js:95:5
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/main.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/polyfills.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/scripts.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/styles.css
Methode	GET
Angriff	

Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-I2PSG472.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TJME2352.js
Methode	GET

Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/main.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/scripts.js
Methode	GET

Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/styles.css
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-I2PSG472.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TJME2352.js
Methode	GET
Angriff	

Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/index.js:149:39
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/main.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/polyfills.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/scripts.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *

Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/styles.css
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/main.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/media/font-mfizz-4UOGIENA.woff
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/media/MaterialIcons-Regular-6R3D3MIQ.woff2
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/polyfills.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web

Zusätzliche Informationen:	browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/rest/admin/application-configuration
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/rest/admin/application-version
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/rest/languages
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/rest/products/search?q=
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/robots.txt
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration

	could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/scripts.js
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/sitemap.xml
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	Access-Control-Allow-Origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://firefox.settings.services.mozilla.com/v1/buckets/monitor/collections/changes/changeset?collection=crash-reports-ondemand&bucket=main&_expected=0
Methode	GET
Angriff	
Evidence	access-control-allow-origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://firefox.settings.services.mozilla.com/v1/buckets/monitor/collections/changes/changeset?collection=mfcdm-origins-list&bucket=main&_expected=0
Methode	GET
Angriff	
Evidence	access-control-allow-origin: *
Zusätzliche Informationen:	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration

	could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
Instances	127
Solution	Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance). Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.
Reference	https://vulncat.fortify.com/en/detail?id=desc.config.dotnet.html5_overly_permissive_cors_policy
CWE Id	264
WASC Id	14
Plugin Id	10098

Mittel	Missing Anti-clickjacking Header
Beschreibung	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put91g8&sid=zTkQgebUpn-_xwPyAAAU
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put922M&sid=O48solXcsqSWtU7mAAAY
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put92k6&sid=TFJABWEInm2DYb3eAAAc
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93NA&sid=IBN5ReFf4VtKlqjkAAAE
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93yB&sid=PoYm1ySH4g_TTZi1AAAg
Methode	POST

Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put944o&sid=IVZwy6zGaU0BMS5SAAAi
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94aM&sid=BU-Koln-O66OKJ69AAAm
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94Ci&sid=WwSq8lSSe6WOad0hAAAk
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94gx&sid=vbMnXCO73wE_a5P0AAAQ
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94ph&sid=U6TGxawydUiKHSw2AAAQ
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94rV&sid=mBMsv3d03qBNvt_ZAAAr
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
	http://localhost:3000/socket.io/?

URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94zZ&sid=948cWVnv23tZRd4sAAAu
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Kc&sid=WHTjiFXJPiU7154-AAAw
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95kD&sid=b7EOo5rGbxaKXe1DAAA2
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95po&sid=MoD7AgnkSNQhqMvqAAA4
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95rT&sid=laePs1qk4hIW8Ad1AAA6
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95TI&sid=w0pUor5TnN7353OQAAAy
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95UO&sid=-bLqaTn_3ZFJEBypAAAz
Methode	POST
Angriff	
Evidence	

Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put965c&sid=BcdgUIX6JxiYfM7UAAA-
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96EF&sid=ftdDmpYHHo_9Q1KkAABA
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96G7&sid=PUwABSBxaQNMw01fAABC
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96U2&sid=n0U8rtFHHqmeZSvMAABE
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	
Instances	23
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Mittel	Session ID in URL Rewrite
Beschreibung	URL rewrite is used to track user session ID. The session ID may be disclosed via cross-site referer header. In addition, the session ID might be stored in browser history or server logs.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put91g9&sid=zTkQgebUpn-_xwPyAAAU
Methode	GET
Angriff	
Evidence	zTkQgebUpn-_xwPyAAAU
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put91hH&sid=zTkQgebUpn-_xwPyAAAU
Methode	GET
Angriff	
Evidence	zTkQgebUpn-_xwPyAAAU
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put922N&sid=O48solXcsqSWtU7mAAAY
Methode	GET
Angriff	
Evidence	O48solXcsqSWtU7mAAAY
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put9237&sid=O48solXcsqSWtU7mAAAY
Methode	GET
Angriff	
Evidence	O48solXcsqSWtU7mAAAY
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put92k7&sid=TFJABWEInm2DYb3eAAAc
Methode	GET
Angriff	
Evidence	TFJABWEInm2DYb3eAAAc
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put92kX&sid=TFJABWEInm2DYb3eAAAc
Methode	GET
Angriff	
Evidence	TFJABWEInm2DYb3eAAAc
Zusätzliche Informationen:	

URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93NA.0&sid=IBN5ReFf4VtKlqjkAAAE
Methode	GET
Angriff	
Evidence	IBN5ReFf4VtKlqjkAAAE
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93NY&sid=IBN5ReFf4VtKlqjkAAAE
Methode	GET
Angriff	
Evidence	IBN5ReFf4VtKlqjkAAAE
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93yB.0&sid=PoYm1ySH4g_TTZi1AAAg
Methode	GET
Angriff	
Evidence	PoYm1ySH4g_TTZi1AAAg
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93yo&sid=PoYm1ySH4g_TTZi1AAAg
Methode	GET
Angriff	
Evidence	PoYm1ySH4g_TTZi1AAAg
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94-S&sid=948cWVnv23tZRd4sAAAU
Methode	GET
Angriff	
Evidence	948cWVnv23tZRd4sAAAU
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put944p&sid=IVZwy6zGaU0BMS5SAAAI
Methode	GET
Angriff	
Evidence	IVZwy6zGaU0BMS5SAAAI
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put945W&sid=IVZwy6zGaU0BMS5SAAAI
Methode	GET
Angriff	
Evidence	IVZwy6zGaU0BMS5SAAAI

Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94aN&sid=BU-Koln-O66OKJ69AAAm
Methode	GET
Angriff	
Evidence	BU-Koln-O66OKJ69AAAm
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94Cj&sid=WwSq8ISse6WOad0hAAAk
Methode	GET
Angriff	
Evidence	WwSq8ISse6WOad0hAAAk
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94dd&sid=BU-Koln-O66OKJ69AAAm
Methode	GET
Angriff	
Evidence	BU-Koln-O66OKJ69AAAm
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94E0&sid=WwSq8ISse6WOad0hAAAk
Methode	GET
Angriff	
Evidence	WwSq8ISse6WOad0hAAAk
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94g_&sid=vbMnXCO73wE_a5P0AAAo
Methode	GET
Angriff	
Evidence	vbMnXCO73wE_a5P0AAAo
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94jL&sid=vbMnXCO73wE_a5P0AAAo
Methode	GET
Angriff	
Evidence	vbMnXCO73wE_a5P0AAAo
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94pi&sid=U6TGxawydUiKHSw2AAAq
Methode	GET

Angriff	
Evidence	U6TGxawydUiKHSw2AAAq
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94rV.0&sid=mBMsv3d03qBNvt_ZAAAr
Methode	GET
Angriff	
Evidence	mBMsv3d03qBNvt_ZAAAr
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94sL&sid=U6TGxawydUiKHSw2AAAq
Methode	GET
Angriff	
Evidence	U6TGxawydUiKHSw2AAAq
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94sS&sid=mBMsv3d03qBNvt_ZAAAr
Methode	GET
Angriff	
Evidence	mBMsv3d03qBNvt_ZAAAr
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94za&sid=948cWVnv23tZRd4sAAAu
Methode	GET
Angriff	
Evidence	948cWVnv23tZRd4sAAAu
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Kd&sid=WHTjiFXJPiU7154-AAAw
Methode	GET
Angriff	
Evidence	WHTjiFXJPiU7154-AAAw
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95kF&sid=b7EOo5rGbxaKXe1DAAA2
Methode	GET
Angriff	
Evidence	b7EOo5rGbxaKXe1DAAA2
Zusätzliche Informationen:	

URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95l2&sid=b7EOo5rGbxaKXe1DAAA2
Methode	GET
Angriff	
Evidence	b7EOo5rGbxaKXe1DAAA2
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95LV&sid=WHTjiFXJPiU7154-AAAw
Methode	GET
Angriff	
Evidence	WHTjiFXJPiU7154-AAAw
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95po.0&sid=MoD7AgnkSNQhqMvqAAA4
Methode	GET
Angriff	
Evidence	MoD7AgnkSNQhqMvqAAA4
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95gg&sid=MoD7AgnkSNQhqMvqAAA4
Methode	GET
Angriff	
Evidence	MoD7AgnkSNQhqMvqAAA4
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95rU&sid=laePs1qk4hIW8Ad1AAA6
Methode	GET
Angriff	
Evidence	laePs1qk4hIW8Ad1AAA6
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95ry&sid=laePs1qk4hIW8Ad1AAA6
Methode	GET
Angriff	
Evidence	laePs1qk4hIW8Ad1AAA6
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Tm&sid=w0pUor5TnN7353OQAAAY
Methode	GET
Angriff	
Evidence	w0pUor5TnN7353OQAAAY

Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95UP&sid=-bLqaTn_3ZFJEBypAAAz
Methode	GET
Angriff	
Evidence	-bLqaTn_3ZFJEBypAAAz
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95UP&sid=w0pUor5TnN7353OQAAAY
Methode	GET
Angriff	
Evidence	w0pUor5TnN7353OQAAAY
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Wp&sid=-bLqaTn_3ZFJEBypAAAz
Methode	GET
Angriff	
Evidence	-bLqaTn_3ZFJEBypAAAz
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put965d&sid=BcdgUIX6JxiYfM7UAAA-
Methode	GET
Angriff	
Evidence	BcdgUIX6JxiYfM7UAAA-
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put966b&sid=BcdgUIX6JxiYfM7UAAA-
Methode	GET
Angriff	
Evidence	BcdgUIX6JxiYfM7UAAA-
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bJ&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	
Evidence	A9ogMLAG7IPmxGSrAABG
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET

Angriff	
Evidence	A9ogMLAG7IPmxGSrAABG
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96EG&sid=ftdDmpYHHo_9Q1KkAABA
Methode	GET
Angriff	
Evidence	ftdDmpYHHo_9Q1KkAABA
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96FR&sid=ftdDmpYHHo_9Q1KkAABA
Methode	GET
Angriff	
Evidence	ftdDmpYHHo_9Q1KkAABA
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96G8&sid=PUwABSBxaQNMw01fAABC
Methode	GET
Angriff	
Evidence	PUwABSBxaQNMw01fAABC
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Ht&sid=PUwABSBxaQNMw01fAABC
Methode	GET
Angriff	
Evidence	PUwABSBxaQNMw01fAABC
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96U3&sid=n0U8rtFHHqmeZSvMAABE
Methode	GET
Angriff	
Evidence	n0U8rtFHHqmeZSvMAABE
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Ug&sid=n0U8rtFHHqmeZSvMAABE
Methode	GET
Angriff	
Evidence	n0U8rtFHHqmeZSvMAABE
Zusätzliche Informationen:	

URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=-bLqaTn_3ZFJEBypAAAz
Methode	GET
Angriff	
Evidence	-bLqaTn_3ZFJEBypAAAz
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=948cWVnv23tZRd4sAAAU
Methode	GET
Angriff	
Evidence	948cWVnv23tZRd4sAAAU
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	
Evidence	A9ogMLAG7IPmxGSrAABG
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=b7EOo5rGbxakXe1DAAA2
Methode	GET
Angriff	
Evidence	b7EOo5rGbxakXe1DAAA2
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=BcdgUIX6JxiYfM7UAAA-
Methode	GET
Angriff	
Evidence	BcdgUIX6JxiYfM7UAAA-
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=BU-Koln-O66OKJ69AAAm
Methode	GET
Angriff	
Evidence	BU-Koln-O66OKJ69AAAm
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=ftdDmpYHHo_9Q1KkAABA
Methode	GET
Angriff	
Evidence	ftdDmpYHHo_9Q1KkAABA

Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=laePs1qk4hIW8Ad1AAA6
Methode	GET
Angriff	
Evidence	laePs1qk4hIW8Ad1AAA6
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=IBN5ReFf4VtKlqjkAAAE
Methode	GET
Angriff	
Evidence	IBN5ReFf4VtKlqjkAAAE
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=IVZwy6zGaU0BMS5SAAAI
Methode	GET
Angriff	
Evidence	IVZwy6zGaU0BMS5SAAAI
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=mBMsv3d03qBNvt_ZAAAR
Methode	GET
Angriff	
Evidence	mBMsv3d03qBNvt_ZAAAR
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=MoD7AgnkSNQhqMvqAAA4
Methode	GET
Angriff	
Evidence	MoD7AgnkSNQhqMvqAAA4
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=n0U8rtFHHqmeZSvMAABE
Methode	GET
Angriff	
Evidence	n0U8rtFHHqmeZSvMAABE
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=O48solXcsqSWtU7mAAAY
Methode	GET

Angriff	
Evidence	O48soIXcsqSWtU7mAAAY
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=PoYm1ySH4g_TTZi1AAAg
Methode	GET
Angriff	
Evidence	PoYm1ySH4g_TTZi1AAAg
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=PUwABSBxaQNMw01fAABC
Methode	GET
Angriff	
Evidence	PUwABSBxaQNMw01fAABC
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=TFJABWEInm2DYb3eAAAc
Methode	GET
Angriff	
Evidence	TFJABWEInm2DYb3eAAAc
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=U6TGxawydUiKHSw2AAAq
Methode	GET
Angriff	
Evidence	U6TGxawydUiKHSw2AAAq
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=vbMnXCO73wE_a5P0AAAo
Methode	GET
Angriff	
Evidence	vbMnXCO73wE_a5P0AAAo
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=w0pUor5TnN7353OQAAAY
Methode	GET
Angriff	
Evidence	w0pUor5TnN7353OQAAAY
Zusätzliche Informationen:	

URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=WHTjiFXJPiU7154-AAAww
Methode	GET
Angriff	
Evidence	WHTjiFXJPiU7154-AAAww
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=WwSq8ISse6WOad0hAAAk
Methode	GET
Angriff	
Evidence	WwSq8ISse6WOad0hAAAk
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=zTkQgebUpn-_xwPyAAAu
Methode	GET
Angriff	
Evidence	zTkQgebUpn-_xwPyAAAu
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put91g8&sid=zTkQgebUpn-_xwPyAAAu
Methode	POST
Angriff	
Evidence	zTkQgebUpn-_xwPyAAAu
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put922M&sid=O48solXcsqSWtU7mAAAY
Methode	POST
Angriff	
Evidence	O48solXcsqSWtU7mAAAY
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put92k6&sid=TFJABWEInm2DYb3eAAAc
Methode	POST
Angriff	
Evidence	TFJABWEInm2DYb3eAAAc
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93NA&sid=IBN5ReFf4VtKlqjkAAAE
Methode	POST
Angriff	
Evidence	IBN5ReFf4VtKlqjkAAAE

Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93yB&sid=PoYm1ySH4g_TTZi1AAAg
Methode	POST
Angriff	
Evidence	PoYm1ySH4g_TTZi1AAAg
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put944o&sid=IVZwy6zGaU0BMS5SAAAI
Methode	POST
Angriff	
Evidence	IVZwy6zGaU0BMS5SAAAI
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94aM&sid=BU-Koln-O66OKJ69AAAm
Methode	POST
Angriff	
Evidence	BU-Koln-O66OKJ69AAAm
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94Ci&sid=WwSq8lSSe6WOad0hAAAk
Methode	POST
Angriff	
Evidence	WwSq8lSSe6WOad0hAAAk
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94gx&sid=vbMnXCO73wE_a5P0AAAo
Methode	POST
Angriff	
Evidence	vbMnXCO73wE_a5P0AAAo
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94ph&sid=U6TGxawydUiKHSw2AAAq
Methode	POST
Angriff	
Evidence	U6TGxawydUiKHSw2AAAq
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94rV&sid=mBMsv3d03qBNvt_ZAAAr
Methode	POST

Angriff	
Evidence	mBMsv3d03qBNvt_ZAAAr
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94zZ&sid=948cWVnv23tZRd4sAAAU
Methode	POST
Angriff	
Evidence	948cWVnv23tZRd4sAAAU
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Kc&sid=WHTjiFXJPiU7154-AAAw
Methode	POST
Angriff	
Evidence	WHTjiFXJPiU7154-AAAw
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95kD&sid=b7EOo5rGbxaKXe1DAAA2
Methode	POST
Angriff	
Evidence	b7EOo5rGbxaKXe1DAAA2
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95po&sid=MoD7AgnkSNQhqMvqAAA4
Methode	POST
Angriff	
Evidence	MoD7AgnkSNQhqMvqAAA4
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95rT&sid=laePs1qk4hIW8Ad1AAA6
Methode	POST
Angriff	
Evidence	laePs1qk4hIW8Ad1AAA6
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95TI&sid=w0pUor5TnN7353OQAAAY
Methode	POST
Angriff	
Evidence	w0pUor5TnN7353OQAAAY
Zusätzliche Informationen:	

URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95UO&sid=-bLqaTn_3ZFJEBypAAAz
Methode	POST
Angriff	
Evidence	-bLqaTn_3ZFJEBypAAAz
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put965c&sid=BcdgUIX6JxiYfM7UAAA-
Methode	POST
Angriff	
Evidence	BcdgUIX6JxiYfM7UAAA-
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	
Evidence	A9ogMLAG7IPmxGSrAABG
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96EF&sid=ftdDmpYHHo_9Q1KkAABA
Methode	POST
Angriff	
Evidence	ftdDmpYHHo_9Q1KkAABA
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96G7&sid=PUwABSBxaQNMw01fAABC
Methode	POST
Angriff	
Evidence	PUwABSBxaQNMw01fAABC
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96U2&sid=n0U8rtFHHqmeZSvMAABE
Methode	POST
Angriff	
Evidence	n0U8rtFHHqmeZSvMAABE
Zusätzliche Informationen:	
Instances	92
Solution	For secure content, put session ID in a cookie. To be even more secure consider using a combination of cookie and URL rewrite.
Reference	https://seclists.org/webappsec/2002/q4/111
CWE Id	598

WASC Id	13
Plugin Id	3

Gering	Private IP Disclosure
Beschreibung	A private IP (such as 10.x.x.x, 172.x.x.x, 192.168.x.x) or an Amazon EC2 private hostname (for example, ip-10-0-56-78) has been found in the HTTP response body. This information might be helpful for further attacks targeting internal systems.
URL	http://localhost:3000/rest/admin/application-configuration
Methode	GET
Angriff	
Evidence	192.168.99.100:3000
Zusätzliche Informationen:	192.168.99.100:3000 192.168.99.100:4200
Instances	1
Solution	Remove the private IP address from the HTTP response body. For comments, use JSP /ASP/PHP comment instead of HTML/JavaScript comment which can be seen by client browsers.
Reference	https://tools.ietf.org/html/rfc1918
CWE Id	497
WASC Id	13
Plugin Id	2

Gering	Strict-Transport-Security Header Not Set
Beschreibung	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS /SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/704427e0-f9b3-48fb-a23c-780feb05cb0f
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/d2658c83-bed0-440c-ac56-714c38bc9f21
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	
Instances	2
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html https://owasp.org/www-community/Security-Headers https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security https://caniuse.com/stricttransportsecurity https://datatracker.ietf.org/doc/html/rfc6797

CWE Id	319
WASC Id	15
Plugin Id	10035

Gering	Timestamp Disclosure - Unix
Beschreibung	A timestamp was disclosed by the application/web server. - Unix
URL	http://localhost:3000
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/assets/public/favicon_js.ico
Methode	GET

Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1981395349

Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.

URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/main.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/main.js
Methode	GET

Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/main.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/scripts.js
Methode	GET
Angriff	

Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/styles.css
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/styles.css
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/styles.css
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche	

Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/chunk-I2PSG472.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/chunk-I2PSG472.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/chunk-I2PSG472.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TJME2352.js

Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:43:13
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:43:13
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:43:13
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:59:18
Methode	GET

Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:59:18
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:59:18
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/main.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/main.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/main.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/polyfills.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/polyfills.js
Methode	GET
Angriff	
Evidence	1981395349

Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/polyfills.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/scripts.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/scripts.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/scripts.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/build/routes/styles.css
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/build/routes/styles.css
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/build/routes/styles.css
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1650485437

Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TJME2352.js
Methode	GET

Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/main.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/main.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/main.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/styles.css
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/styles.css
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/styles.css
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-l2PSG472.js
Methode	GET

Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:280:10
Methode	GET
Angriff	

Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:280:10
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:280:10
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:286:9
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:286:9
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:286:9
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:328:13
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:328:13
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche	

Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:328:13
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:365:14
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:365:14
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:365:14
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:376:14
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:376:14
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:376:14
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:421:3

Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:421:3
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:421:3
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/layer.js:95:5
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/layer.js:95:5
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/layer.js:95:5
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/main.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/main.js
Methode	GET

Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/main.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/polyfills.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/polyfills.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/polyfills.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/scripts.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/scripts.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/scripts.js
Methode	GET
Angriff	
Evidence	2038834951

Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/styles.css
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/styles.css
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/styles.css
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	

Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-l2PSG472.js

Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-I2PSG472.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.

URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/main.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/main.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/main.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/polyfills.js

Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/styles.css
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/styles.css
Methode	GET
Angriff	

Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/styles.css
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	2038834951

Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.

URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/index.js:149:39
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/index.js:149:39
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/index.js:149:39
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/main.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/main.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/main.js
Methode	GET

Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/polyfills.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/polyfills.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/polyfills.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/scripts.js
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/scripts.js
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/scripts.js
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/styles.css
Methode	GET
Angriff	

Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/styles.css
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/styles.css
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/rest/admin/application-configuration
Methode	GET
Angriff	
Evidence	1969196030
Zusätzliche Informationen:	1969196030, which evaluates to: 2032-05-26 16:53:50.
URL	http://localhost:3000/rest/admin/application-configuration
Methode	GET
Angriff	
Evidence	1970691216
Zusätzliche Informationen:	1970691216, which evaluates to: 2032-06-13 00:13:36.
URL	http://localhost:3000/rest/products/search?q=
Methode	GET
Angriff	
Evidence	1969196030
Zusätzliche Informationen:	1969196030, which evaluates to: 2032-05-26 16:53:50.
URL	http://localhost:3000/rest/products/search?q=
Methode	GET
Angriff	
Evidence	1970691216
Zusätzliche Informationen:	1970691216, which evaluates to: 2032-06-13 00:13:36.
URL	http://localhost:3000/sitemap.xml
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche	

Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/sitemap.xml
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/sitemap.xml
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	1650485437
Zusätzliche Informationen:	1650485437, which evaluates to: 2022-04-20 22:10:37.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	1680327869
Zusätzliche Informationen:	1680327869, which evaluates to: 2023-04-01 07:44:29.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	1701244813
Zusätzliche Informationen:	1701244813, which evaluates to: 2023-11-29 09:00:13.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	1818181818
Zusätzliche Informationen:	1818181818, which evaluates to: 2027-08-13 20:30:18.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	1839622642
Zusätzliche Informationen:	1839622642, which evaluates to: 2028-04-18 00:17:22.
URL	http://localhost:3000/styles.css

Methode	GET
Angriff	
Evidence	1863874346
Zusätzliche Informationen:	1863874346, which evaluates to: 2029-01-23 15:52:26.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	1917098446
Zusätzliche Informationen:	1917098446, which evaluates to: 2030-10-01 17:20:46.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	1981395349
Zusätzliche Informationen:	1981395349, which evaluates to: 2032-10-14 21:35:49.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	2033195021
Zusätzliche Informationen:	2033195021, which evaluates to: 2034-06-06 10:23:41.
URL	http://localhost:3000/styles.css
Methode	GET
Angriff	
Evidence	2038834951
Zusätzliche Informationen:	2038834951, which evaluates to: 2034-08-10 17:02:31.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/704427e0-f9b3-48fb-a23c-780feb05cb0f
Methode	GET
Angriff	
Evidence	1775697003
Zusätzliche Informationen:	1775697003, which evaluates to: 2026-04-09 03:10:03.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/d2658c83-bed0-440c-ac56-714c38bc9f21
Methode	GET
Angriff	
Evidence	1775697003
Zusätzliche Informationen:	1775697003, which evaluates to: 2026-04-09 03:10:03.
Instances	235

Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	https://cwe.mitre.org/data/definitions/200.html
CWE Id	497
WASC Id	13
Plugin Id	10096

Gering	X-Content-Type-Options Header Missing
Beschreibung	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put91d2
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put91g9&sid=zTkQgebUpn-_xwPyAAAU
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put91hH&sid=zTkQgebUpn-_xwPyAAAU
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put920i
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put922N&sid=O48solXcsqSWtU7mAAAY
Methode	GET

Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put9237&sid=O48soIXcsqSWtU7mAAAY
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put92hR
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put92k7&sid=TFJABWEInm2DYb3eAAAc
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put92kX&sid=TFJABWEInm2DYb3eAAAc
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93Lz
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93NA .

URL	0&sid=IBN5ReFf4VtKlqjAAAAe
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93NY&sid=IBN5ReFf4VtKlqjAAAAe
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93xJ
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93yB.0&sid=PoYm1ySH4g_TTZi1AAAg
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93yo&sid=PoYm1ySH4g_TTZi1AAAg
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94-S&sid=948cWVnv23tZRd4sAAAU
Methode	GET
Angriff	
Evidence	
Zusätzliche	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers

Informationen:	sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put943Q
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put944p&sid=IVZwy6zGaU0BMS5SAAAI
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put945W&sid=IVZwy6zGaU0BMS5SAAAI
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94aN&sid=BU-Koln-O66OKJ69AAAm
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94Bp
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94Cj&sid=WwSq8lSSe6WOad0hAAAk
Methode	GET
Angriff	
Evidence	

Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94dd&sid=BU-Koln-O66OKJ69AAAm
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94E0&sid=WwSq8ISse6WOad0hAAAk
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94eI
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94g_&sid=vbMnXCO73wE_a5P0AAAo
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94jL&sid=vbMnXCO73wE_a5P0AAAo
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94oI
Methode	GET

Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94oR
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94pi&sid=U6TGxawydUiKHSw2AAAq
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94rV.0&sid=mBMsv3d03qBNvt_ZAAAr
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94sL&sid=U6TGxawydUiKHSw2AAAq
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94sS&sid=mBMsv3d03qBNvt_ZAAAr
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94y8
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94Yd
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94za&sid=948cWVnv23tZRd4sAAAU
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95ig
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Jg
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Kd&sid=WHTjiFXJPiU7154-AAAw
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

	will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95kF&sid=b7EOo5rGbxakXe1DAAA2
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95l2&sid=b7EOo5rGbxakXe1DAAA2
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95LV&sid=WHTjiFXJPiU7154-AAAw
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95mJ
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95po.0&sid=MoD7AgnkSNQhqMvgAAA4
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95q8
Methode	GET
Angriff	
Evidence	

Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95gg&sid=MoD7AgnkSNQhqMvqAAA4
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95rU&sid=laePs1qk4hIW8Ad1AAA6
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95ry&sid=laePs1qk4hIW8Ad1AAA6
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95SH
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Sw
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Tm&sid=w0pUor5TnN7353OQAAAy
Methode	GET

Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95UP&sid=-bLqaTn_3ZFJEBypAAAz
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95UP&sid=w0pUor5TnN7353OQAAAY
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Wp&sid=-bLqaTn_3ZFJEBypAAAz
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put961_
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put965d&sid=BcdgUIX6JxiYfM7UAAA-
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put966b&sid=BcdgUIX6JxiYfM7UAAA-
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bJ&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96C6
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96EG&sid=ftdDmpYHHo_9Q1KkAABA
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Ej
Methode	GET
Angriff	
Evidence	
Zusätzliche	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers

Informationen:	sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96FR&sid=ftdDmpYHHo_9Q1KkAABA
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96G8&sid=PUwABSBxaQNMw01fAABC
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Ht&sid=PUwABSBxaQNMw01fAABC
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96SR
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96U3&sid=n0U8rtFHHqmeZSvMAABE
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Ug&sid=n0U8rtFHHqmeZSvMAABE
Methode	GET
Angriff	

Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/704427e0-f9b3-48fb-a23c-780feb05cb0f
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/d2658c83-bed0-440c-ac56-714c38bc9f21
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put91g8&sid=zTkQgebUpn-_xwPyAAAU
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put922M&sid=O48solXcsqSWtU7mAAAY
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put92k6&sid=TFJABWEInm2DYb3eAAAc

Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93NA&sid=IBN5ReFf4VtKlqjkAAAE
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put93yB&sid=PoYm1ySH4g_TTZi1AAAg
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put944o&sid=IVZwy6zGaU0BMS5SAAAI
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94aM&sid=BU-Koln-O66OKJ69AAAm
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94Ci&sid=WwSq8lSSe6WOad0hAAAk
Methode	POST
Angriff	
Evidence	
Zusätzliche	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers

Informationen:	sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94gx&sid=vbMnXCO73wE_a5P0AAAo
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94ph&sid=U6TGxawydUiKHSw2AAAq
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94rV&sid=mBMsv3d03qBNvt_ZAAAr
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put94zZ&sid=948cWVnv23tZRd4sAAAu
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95Kc&sid=WHTjiFXJPiU7154-AAAw
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95kD&sid=b7EOo5rGbxaKXe1DAAA2
Methode	POST
Angriff	

Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95po&sid=MoD7AgnkSNQhqMvqAAA4
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95rT&sid=laePs1qk4hIW8Ad1AAA6
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95TI&sid=w0pUor5TnN7353OQAAAy
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put95UO&sid=-bLqaTn_3ZFJEBypAAAz
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put965c&sid=BcdgUIX6JxiYfM7UAAA-
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
	http://localhost:3000/socket.io/?

URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96EF&sid=ftdDmpYHHo_9Q1KkAABA
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96G7&sid=PUwABSBxaQNMw01fAABC
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96U2&sid=n0U8rtFHHqmeZSvMAABE
Methode	POST
Angriff	
Evidence	
Zusätzliche Informationen:	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	94
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security-Headers
CWE Id	693
WASC Id	15
Plugin Id	10021
Gering	ZAP is Out of Date
	The version of ZAP you are using to test your app is out of date and is no longer being updated.

Beschreibung	The risk level is set based on how out of date your ZAP version is.
URL	http://localhost:3000/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	The latest version of ZAP is 2.17.0
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/d2658c83-bed0-440c-ac56-714c38bc9f21
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	The latest version of ZAP is 2.17.0
URL	https://firefox.settings.services.mozilla.com/v1/buckets/monitor/collections/changes/changeset?collection=mfcdm-origins-list&bucket=main&_expected=0
Methode	GET
Angriff	
Evidence	
Zusätzliche Informationen:	The latest version of ZAP is 2.17.0
Instances	3
Solution	Download the latest version of ZAP from https://www.zaproxy.org/download/ and install it.
Reference	https://www.zaproxy.org/download/
CWE Id	1104
WASC Id	45
Plugin Id	10116

Informational	Information Disclosure - Suspicious Comments
Beschreibung	The response appears to contain suspicious comments which may help an attacker.
URL	http://localhost:3000/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	db
Zusätzliche Informationen:	The following pattern was used: \bDB\b and was detected in likely comment: "//angular.dev/best-practices/security#preventing-cross-site-scripting-xss",v=class extends Error {code;constructor(t,n){super(Ye(", see evidence field for the suspicious comment /snippet.
URL	http://localhost:3000/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	admin
Zusätzliche Informationen:	The following pattern was used: \bADMIN\b and was detected in likely comment: "//"))}`: t}else{let t=dh(i,(e,r)=>r===w?[Zi(i.children[w],!1)]:[`\${r}`:\${Zi(e,!1)}`]);return Object.keys(i.children).length===1&&i", see evidence field for the suspicious comment/snippet.

URL	http://localhost:3000/hacking-instructor-OYUKCDGG.js
Methode	GET
Angriff	
Evidence	query
Zusätzliche Informationen:	The following pattern was used: \bQUERY\b and was detected in likely comment: "//w.soundcloud.com/player/?url=https%3A//api.soundcloud.com/tracks/771984076&auto_play=true&h", see evidence field for the suspicious comment/snippet.
URL	http://localhost:3000/main.js
Methode	GET
Angriff	
Evidence	query
Zusätzliche Informationen:	The following pattern was used: \bQUERY\b and was detected in likely comment: "///+e.host),typeof t=="string"&&(t.charAt(0)==="/"&&(t.charAt(1)==="/"?t=e.protocol+t:t=e.host+t),/^(https? wss?):\\/.test(t) ", see evidence field for the suspicious comment /snippet.
Instances	4
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	615
WASC Id	13
Plugin Id	10027

Informational	Modern Web Application
Beschreibung	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	http://localhost:3000
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.

URL	http://localhost:3000/ftp/
Methode	GET
Angriff	
Evidence	ftp
Zusätzliche Informationen:	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script>

Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/main.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/polyfills.js
Methode	GET
Angriff	

Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/assets/public/styles.css
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>

Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:43:13
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/fileServer.js:59:18
Methode	GET
Angriff	

Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/main.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/polyfills.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/scripts.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/build/routes/styles.css
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>

Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/main.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/polyfills.js
Methode	GET

Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/assets/public/styles.css
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>

	cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:280:10
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:286:9

Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:328:13
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:365:14
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:376:14
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/index.js:421:3
Methode	GET
Angriff	
	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme":</pre>

Evidence	"classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/layer.js:95:5
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/main.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/polyfills.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/scripts.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.

URL	http://localhost:3000/juice-shop/node_modules/express/lib/router/styles.css
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-BBQJZN7H.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-I2PSG472.js
Methode	GET

Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/favicon_js.ico
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/main.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit</pre>

	cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/polyfills.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/scripts.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/assets/public/styles.css
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-24EZLZ4I.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } }));</script>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-BBQJZN7H.js

Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-l2PSG472.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TJME2352.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/chunk-TWZW5B45.js
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/index.js:149:39
Methode	GET
Angriff	
	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme":</pre>

Evidence	"classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/main.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/polyfills.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/scripts.js
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	http://localhost:3000/juice-shop/node_modules/serve-index/styles.css
Methode	GET
Angriff	
Evidence	<script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } } } } };
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.

URL	http://localhost:3000/sitemap.xml
Methode	GET
Angriff	
Evidence	<pre><script> window.addEventListener("load", function(){ window.cookieconsent.initialise({ "palette": { "popup": { "background": "var(--theme-primary)", "text": "var(--theme-text)" }, "button": { "background": "var(--theme-accent)", "text": "var(--theme-text)" } }, "theme": "classic", "position": "bottom-right", "content": { "message": "This website uses fruit cookies to ensure you get the juiciest tracking experience.", "dismiss": "Me want it!", "link": "But me wait!", "href": "https://www.youtube.com/watch?v=9PnbKL3wuH4" } })); </script></pre>
Zusätzliche Informationen:	No links have been found while there are scripts, which is an indication that this is a modern web application.
Instances	74
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	Re-examine Cache-control Directives
Beschreibung	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/704427e0-f9b3-48fb-a23c-780feb05cb0f
Methode	GET
Angriff	
Evidence	public, max-age=31536000, immutable
Zusätzliche Informationen:	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/d2658c83-bed0-440c-ac56-714c38bc9f21
Methode	GET
Angriff	
Evidence	public, max-age=31536000, immutable
Zusätzliche Informationen:	
URL	https://firefox.settings.services.mozilla.com/v1/buckets/monitor/collections/changes/changeset?collection=crash-reports-ondemand&bucket=main&_expected=0
Methode	GET
Angriff	
Evidence	max-age=60
Zusätzliche Informationen:	
URL	https://firefox.settings.services.mozilla.com/v1/buckets/monitor/collections/changes/changeset?collection=mfcdm-origins-list&bucket=main&_expected=0
Methode	GET
Angriff	

Evidence	max-age=60
Zusätzliche Informationen:	
Instances	4
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015

Informational	Retrieved from Cache
Beschreibung	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/704427e0-f9b3-48fb-a23c-780feb05cb0f
Methode	GET
Angriff	
Evidence	HIT
Zusätzliche Informationen:	
URL	https://firefox-settings-attachments.cdn.mozilla.net/main-workspace/tracking-protection-lists/d2658c83-bed0-440c-ac56-714c38bc9f21
Methode	GET
Angriff	
Evidence	HIT
Zusätzliche Informationen:	
URL	https://firefox.settings.services.mozilla.com/v1/buckets/monitor/collections/changes/changeset?collection=crash-reports-ondemand&bucket=main&_expected=0
Methode	GET
Angriff	
Evidence	HIT
Zusätzliche Informationen:	
URL	https://firefox.settings.services.mozilla.com/v1/buckets/monitor/collections/changes/changeset?collection=mfcdm-origins-list&bucket=main&_expected=0
Methode	GET
Angriff	
Evidence	HIT
Zusätzliche	

Informationen:	
Instances	4
Solution	Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user: Cache-Control: no-cache, no-store, must-revalidate, private Pragma: no-cache Expires: 0 This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.
Reference	https://tools.ietf.org/html/rfc7234 https://tools.ietf.org/html/rfc7231 https://www.rfc-editor.org/rfc/rfc9110.html
CWE Id	525
WASC Id	
Plugin Id	10050

Informational	User Agent Fuzzer
Beschreibung	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Zusätzliche Informationen:	

URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets
Methode	GET
Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Zusätzliche Informationen:	

URL	http://localhost:3000/assets
Methode	GET
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	

URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/i18n
Methode	GET
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public

Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public

Methode	GET
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public
Methode	GET
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET

Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET

Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images
Methode	GET
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)

Angriff	Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/assets/public/images/products
Methode	GET
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)

Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)

Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/media
Methode	GET
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET

Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	

URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bx&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	

Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	

Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96Yh
Methode	GET
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET

Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=websocket&sid=A9ogMLAG7IPmxGSrAABG
Methode	GET
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	

Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/91.0.4472.124 Safari/537.36
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG

Methode	POST
Angriff	Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:93.0) Gecko/20100101 Firefox/91.0
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/5.0 (compatible; Yahoo! Slurp; http://help.yahoo.com/help/us/ysearch/slurp)
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/5.0 (iPhone; CPU iPhone OS 8_0_2 like Mac OS X) AppleWebKit/600.1.4 (KHTML, like Gecko) Version/8.0 Mobile/12A366 Safari/600.1.4
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	Mozilla/5.0 (iPhone; U; CPU iPhone OS 3_0 like Mac OS X; en-us) AppleWebKit/528.18 (KHTML, like Gecko) Version/4.0 Mobile/7A341 Safari/528.16
Evidence	
Zusätzliche Informationen:	
URL	http://localhost:3000/socket.io/?EIO=4&transport=polling&t=Put96bl&sid=A9ogMLAG7IPmxGSrAABG
Methode	POST
Angriff	msnbot/1.1 (+http://search.msn.com/msnbot.htm)
Evidence	
Zusätzliche Informationen:	
Instances	120
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	

Plugin Id	10104
-----------	-----------------------