



**Somaiya Vidyavihar University**  
**K. J. Somaiya College of Engineering, Mumbai-77**

**Batch: B4          Roll No.: 16010122828**

**Experiment No. 07**

**Grade: AA / AB / BB / BC / CC / CD /DD**

**Signature of the Staff In-charge with date**

**TITLE: Design and Demonstrate database Connectivity between PHP & MYSQL**

**AIM:** Design and Demonstrate database Connectivity between PHP & MYSQL

---

**Expected OUTCOME of Experiment:**

**CO5: Apply database operations by integrating SQL queries and session variables.**

---

**Books/ Journals/ Websites referred:**

1. Head First HTML5 Programming published by Shroff/O'Reilly in 2011.
2. HTML, XHTML, and CSS Bible, 5th Edition By Steven Schafe.
3. <https://developer.mozilla.org/en-US/docs/Web/Guide/HTML/HTML5>
4. [https://www.w3schools.com/php/php\\_mysql\\_connect.asp](https://www.w3schools.com/php/php_mysql_connect.asp)

**Pre Lab/ Prior Concepts:**

## **PHP**

The PHP Hypertext Preprocessor (PHP) is a programming language that allows web developers to create dynamic content that interacts with databases. PHP is basically used for developing web based software applications. This tutorial helps you to build your base with PHP.

The different server side technologies should be considered in the design of web pages.



**Somaiya Vidyavihar University**  
**K. J. Somaiya College of Engineering, Mumbai-77**

The technology used can be PHP, ASP, JSP, ASP.NET etc.

PHP started out as a small open source project that evolved as more and more people found out how useful it was. Rasmus Lerdorf unleashed the first version of PHP way back in 1994.

- PHP is a recursive acronym for "PHP: Hypertext Preprocessor".
- PHP is a server side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites.
- It is integrated with a number of popular databases, including MySQL, PostgreSQL, Oracle, Sybase, Informix, and Microsoft SQL Server.
- PHP is pleasingly zippy in its execution, especially when compiled as an Apache module on the Unix side. The MySQL server, once started, executes even very complex queries with huge result sets in record-setting time.
- PHP supports a large number of major protocols such as POP3, IMAP, and LDAP. PHP4 added support for Java and distributed object architectures (COM and CORBA), making n-tier development a possibility for the first time.
- PHP is forgiving: PHP language tries to be as forgiving as possible.
- PHP Syntax is C-Like.

***Common uses of PHP***

- PHP performs system functions, i.e. from files on a system it can create, open, read, write, and close them.
- PHP can handle forms, i.e. gather data from files, save data to a file, through email you can send data, return data to the user.
- You add, delete, modify elements within your database through PHP.
- Access cookies variables and set cookies.



**Somaiya Vidyavihar University**  
**K. J. Somaiya College of Engineering, Mumbai-77**

- Using PHP, you can restrict users to access some pages of your website.
- It can encrypt data.

### *Characteristics of PHP*

Five important characteristics make PHP's practical nature possible –

- Simplicity
- Efficiency
- Security
- Flexibility
- Familiarity

### *"Hello World" Script in PHP*

To get a feel for PHP, first start with simple PHP scripts. Since "Hello, World!" is an essential example, first we will create a friendly little "Hello, World!" script.

As mentioned earlier, PHP is embedded in HTML. That means that in amongst your normal HTML (or XHTML if you're cutting-edge) you'll have PHP statements like this –

```
<html>
  <head>
    <title>Hello World</title>
  </head>
  <body>
    <?php echo "Hello, World!";?>
  </body>
</html>
```

It will produce following result –

Hello, World!



**Somaiya Vidyavihar University**  
**K. J. Somaiya College of Engineering, Mumbai-77**

If you examine the HTML output of the above example, you'll notice that the PHP code is not present in the file sent from the server to your Web browser. All of the PHP present in the Web page is processed and stripped from the page; the only thing returned to the client from the Web server is pure HTML output.

All PHP code must be included inside one of the three special markup tags ATE are recognised by the PHP Parser.

```
<?php PHP code goes here ?>  
<?  PHP code goes here ?>  
<script language="php"> PHP code goes here </script>
```

A most common tag is the `<?php...?>` and we will also use the same tag in our tutorial.

From the next chapter we will start with PHP Environment Setup on your machine and then we will dig out almost all concepts related to PHP to make you comfortable with the PHP language.

#### *Installation of Php:*

In order to develop and run PHP Web pages three vital components need to be installed on your computer system.

- Web Server – PHP will work with virtually all Web Server software, including Microsoft's Internet Information Server (IIS) but then most often used is freely available Apache Server. Download Apache for free here – <https://httpd.apache.org/download.cgi>
- Database – PHP will work with virtually all database software, including Oracle and Sybase but most commonly used is freely available MySQL database. Download MySQL for free here – <https://www.mysql.com/downloads/>
- PHP Parser – In order to process PHP script instructions a parser must be installed to generate HTML output that can be sent to the Web Browser. This tutorial will guide you how to install PHP parser on your computer.

The INSERT INTO statement is used to insert new rows in a database table.



**Somaiya Vidyavihar University**  
**K. J. Somaiya College of Engineering, Mumbai-77**

### Syntax Insert Data Into MySQL

1. The SQL query must be quoted in PHP
2. String values inside the SQL query must be quoted
3. Numeric values must not be quoted
4. The word NULL must not be quoted

The INSERT INTO statement is used to add new records to a MySQL table:

```
INSERT INTO table_name (column1, column2, column3,...)  
VALUES (value1, value2, value3,...)
```

### *Inserting Data into a MySQL Database Table*

Now that you've understood how to create database and tables in MySQL. In this experiment you will learn how to execute SQL query to insert records into a table.

The INSERT INTO statement is used to insert new rows in a database table.

Let's make a SQL query using the INSERT INTO statement with appropriate values, after that we will execute this insert query through passing it to the PHP `mysqli_query ()` function to insert data in table.



**Somaiya Vidyavihar University**  
**K. J. Somaiya College of Engineering, Mumbai-77**

## Implementation Details: Code

In this section students need to specify how the details are applied for server side programming in their application.

### Steps for execution of the code

First, we have connected the database

Then we pass the insert query to insert the register values into the database which are then used to verify login.

```
<?php
session_start();
$username = "";
$email    = "";
$batchcode = "";
$errors = array();
$db = mysqli_connect('localhost', 'root', '', 'dfsms');
// REGISTER USER
if (isset($_POST['reg_user'])) {
    $fullname = mysqli_real_escape_string($db, $_POST['fullname']);
    $username = mysqli_real_escape_string($db, $_POST['username']);
    $email = mysqli_real_escape_string($db, $_POST['email']);
    $phonenumber = mysqli_real_escape_string($db, $_POST['phonenumber']);
    $password = mysqli_real_escape_string($db, $_POST['password']);
    $passwordc = mysqli_real_escape_string($db, $_POST['passwordc']);
    $workas = mysqli_real_escape_string($db, $_POST['workas']);
    $headname = mysqli_real_escape_string($db, $_POST['headname']);
    $location = mysqli_real_escape_string($db, $_POST['location']);
    $location2 = mysqli_real_escape_string($db, $_POST['location2']);
    $location3 = mysqli_real_escape_string($db, $_POST['location3']);
    if (empty($username)) { array_push($errors, "Username is required"); }
    if (empty($fullname)) { array_push($errors, "fullname is required"); }
    if (empty($phonenumber)) { array_push($errors, "phonenumber is required"); }
    if (empty($workas)) { array_push($errors, "workas is required"); }
    if (empty($headname)) { array_push($errors, "headname is required"); }
    if (empty($location)) { array_push($errors, "location is required"); }
    if (empty($location2)) { array_push($errors, "location2 is required"); }
    if (empty($location3)) { array_push($errors, "location3 is required"); }
    if (empty($email)) { array_push($errors, "Email is required"); }
    if (empty($password)) { array_push($errors, "Password is required"); }
    if (empty($passwordc)) { array_push($errors, "Password is required"); }
    if ($password != $passwordc) {
        array_push($errors, "The two passwords do not match");
    }
    $user_check_query = "SELECT * FROM registerinthis WHERE username='$username' OR email='$email' OR
phonenumber='$phonenumber' LIMIT 1";
    $result = mysqli_query($db, $user_check_query);
    $user = mysqli_fetch_assoc($result);

    if ($user) {
        if ($user['username'] === $username) {
            array_push($errors, "Username already exists");
        }
        if ($user['phonenumber'] === $phonenumber) {
```



**Somaiya Vidyavihar University**  
**K. J. Somaiya College of Engineering, Mumbai-77**

```
        array_push($errors, "Phonenumber already exists");
    }
    if ($user['email'] === $email) {
        array_push($errors, "email already exists");
    }
}
if (count($errors) == 0) {
    $password = ($password);
    $query = "INSERT INTO registerinthis (username, email, password , fullname, phonenumber, workas, headname, location,
location2, location3)
VALUES('$username', '$email', '$password', '$fullname', '$phonenumber', '$workas', '$headname', '$location', '$location2',
'$location3')";
    mysqli_query($db, $query);
    $_SESSION['username'] = $username;
    $_SESSION['fullname'] = $fullname;
    $_SESSION['email'] = $email;
    $_SESSION['phonenumber'] = $phonenumber;
    $_SESSION['password'] = $password;
    $_SESSION['workas'] = $workas;
    $_SESSION['headname'] = $headname;
    $_SESSION['location'] = $location;
    $_SESSION['location2'] = $location2;
    $_SESSION['location3'] = $location3;
    $_SESSION['success'] = "You are now logged in";
    header('location: index.php');
}
}
// LOGIN USER
if (isset($_POST['login_user'])) {
    $username = mysqli_real_escape_string($db, $_POST['username']);
    $password = mysqli_real_escape_string($db, $_POST['password']);
    if (empty($username)) {
        array_push($errors, "Username is required");
    }
    if (empty($password)) {
        array_push($errors, "Password is required");
    }
    if (count($errors) == 0) {
        $password = ($password);
        $query = "SELECT * FROM registerinthis WHERE username='$username' AND password='$password'";
        $results = mysqli_query($db, $query);
        if (mysqli_num_rows($results) == 1) {
            $_SESSION['username'] = $username;
            $_SESSION['password'] = $password;
            $_SESSION['success'] = "You are now logged in";
            header('location: index.php');
        } else {
            array_push($errors, "Wrong username/password combination");
        }
    }
}
}
?>
```



**Somaiya Vidyavihar University**  
**K. J. Somaiya College of Engineering, Mumbai-77**

**Post Lab Descriptive Questions (Add questions from examination point view)**

1) What are the advantages of server side technologies that you used?

Website owners can create their own applications and make use of content management system to easily create and update content on the web without coding as the server-side scripting languages like PHP can be configured to run CMS applications.

2) Which function is used for database connectivity in PHP?

```
<?php
$dbhost= 'localhost';
$dbuser = 'root';
$dbpass = 'example_password';
$link = mysqli_connect($dbhost, $dbuser,$dbpass);
if($link===false){
    die("ERROR: Could not connect. " .mysqli_error());
}
echo 'Connect successfully!';
$sql = 'CREATE Database testing1';
if($link->query($sql)===TRUE){
    echo "Database created successfully";
}
else{
    echo "Error creating database: " . $link->error;
}
mysqli_close($link);
?>
```

Connect successfully!Database created successfully





**Somaiya Vidyavihar University**  
**K. J. Somaiya College of Engineering, Mumbai-77**

3) How would you redirect the page in PHP?

Ans: Redirection from one page to another in PHP is commonly achieved using the following two ways:

**Using Header Function in PHP:**

The header() function is an inbuilt function in PHP which is used to send the raw HTTP (Hyper Text Transfer Protocol) header to the client.

**Syntax:**

header( \$header, \$replace, \$http\_response\_code )

**Date:**

**Signature of faculty in-charge**