*Name: Prashant Ranjan* *Roll: 24MC3035*

## Sol 1:

```cpp
#include <iostream>
using namespace std;

class Number {
    int a, b;
    void display() {
        cout << "a = " << a << ", b = " << b << endl;
    }
public:
    void setValues(int x, int y) {
        a = x;
        b = y;
        display();
    }
};

int main() {
    Number obj;
    obj.setValues(10, 20);
    return 0;
}
```



Output:

a = 10, b = 20

D:\OOPs\OOPs_3\x64\Debug\OOPs_3.exe (process 5896) exited with code 0 (0x0).

Press any key to close this window . . .

---

Sol 2:

```
#include <iostream>
using namespace std;

class Processor {
    int a;
    float b;
public:
    void process(float num) {
        float square = num * num;
        a = static_cast<int>(num);
        b = num - a;
        int c = (a * a) + (b * b);
        cout << "Square: " << square << endl;
        cout << "Integer part: " << a << endl;
        cout << "Fractional part: " << b << endl;
        cout << "Sum of squares: " << c << endl;
    }
};

int main() {
    Processor obj;
    float num;
    cout << "Enter a float number: ";
    cin >> num;
    obj.process(num);
    return 0;
}
```




Output:

Enter a float number: 3.06

Square: 9.3636

Integer part: 3

Fractional part: 0.0599999

Sum of squares: 9

D:\OOPs\OOPs_3\x64\Debug\OOPs_3.exe (process 15548) exited with code 0 (0x0).

Press any key to close this window . . .

---

Sol 3:

```
#include <iostream>
using namespace std;

int main() {
    int num, sum = 0;
    cout << "Enter a 5-digit number: ";
    cin >> num;
```

```
    while (num > 0) {
        sum += num % 10;
        num /= 10;
    }

    cout << "Sum of digits: " << sum << endl;
    return 0;
}
```




Output:

Enter a 5-digit number: 12345

Sum of digits: 15

D:\OOPs\OOPs_3\x64\Debug\OOPs_3.exe (process 19700) exited with code 0 (0x0).

Press any key to close this window . . .