

Prashant Ranjan - 24MC3035


// 1. Write a program in C++ to find the area of circle using input value.



1.cpp

```
#include <iostream>
using namespace std;

int main() {
    double radius, area, pi = 3.14159265359;
    cout << "Enter the radius of circle: ";
    cin >> radius;
    area = pi * pow(radius, 2);
    cout << "Area of circle: " << area << endl;
    return 0;
}
```




// 2. Write a program in C++ to Arithmetic operations of two integers



2.cpp

```
#include <iostream>
using namespace std;

int main() {
    int num1, num2;
    cout << "Enter two integers: ";
    cin >> num1 >> num2;
    cout << "Sum: " << num1 + num2 << endl;
    cout << "Difference: " << num1 - num2 << endl;
    cout << "Product: " << num1 * num2 << endl;
    cout << "Quotient: " << num1 / num2 << endl;
    cout << "Remainder: " << num1 % num2 << endl;
    return 0;
}
```




//3. Write a program in C++ to print the upper case letters to lower case.



3.cpp

```
#include <iostream>
#include <cctype>
using namespace std;

int main() {
    char upper;
    cout << "Enter an uppercase letter: ";
    cin >> upper;
    cout << "Lowercase: " << char(tolower(upper)) << endl;
    return 0;
}
```




//4. Write a program in C++ to show of a numeric value of a variable using //hex, oct, and dec manipulator functions.



4.cpp

```
#include <iostream>
#include <iomanip>
using namespace std;

int main() {
    int num;
    cout << "Enter a number: ";
    cin >> num;
    cout << "Decimal: " << dec << num << endl;
    cout << "Octal: " << oct << num << endl;
    cout << "Hexadecimal: " << hex << num << endl;
    return 0;
}
```




```
// 5. Write a program in C++ to check whether the given character upper,  
// lower , number or not.
```



5.cpp

```
#include <iostream>
#include <cctype>
using namespace std;

int main() {
    char ch;
    cout << "Enter a character: ";
    cin >> ch;
    if (isupper(ch)) cout << "Uppercase letter" << endl;
    else if (islower(ch)) cout << "Lowercase letter" << endl;
    else if (isdigit(ch)) cout << "Number" << endl;
    else cout << "Other character" << endl;
    return 0;
}
```




// 6. Write a program in C++ to find biggest of three given numbers.



6.cpp

```
#include <iostream>
using namespace std;

int main() {
    int a, b, c;
    cout << "Enter three numbers: ";
    cin >> a >> b >> c;
    int max = (a > b) ? (a > c ? a : c) : (b > c ? b : c);
    cout << "Biggest number: " << max << endl;
    return 0;
}
```




// 7. Write a program in C++ to display the name of the day in a week here
// given input range is 1 to 7.



7.cpp

```
#include <iostream>
using namespace std;

int main() {
    int day;
    cout << "Enter day number (1-7): ";
    cin >> day;
    switch (day) {
        case 1: cout << "Monday"; break;
        case 2: cout << "Tuesday"; break;
        case 3: cout << "Wednesday"; break;
        case 4: cout << "Thursday"; break;
        case 5: cout << "Friday"; break;
        case 6: cout << "Saturday"; break;
        case 7: cout << "Sunday"; break;
        default: cout << "Invalid input";
    }
    return 0;
}
```



// 8. Write a program in C++ to display the even or odd numbers between 1
// to 100 using while loop.



8.cpp

```
#include <iostream>
using namespace std;

int main() {
    int i = 1;
    cout << "Even numbers: ";
    while (i <= 100) {
        if (i % 2 == 0) cout << i << " ";
        i++;
    }
    cout << "\nOdd numbers: ";
    i = 1;
    while (i <= 100) {
        if (i % 2 != 0) cout << i << " ";
        i++;
    }
    return 0;
}
```

The screenshot shows the Microsoft Visual Studio IDE with the following components:

- Editor:** Displays the C++ code for 8.cpp, which prints even and odd numbers from 1 to 100.
- Solution Explorer:** Shows the project structure for 'OOps_1', including references, external dependencies, header files, resource files, and source files (OOps_1.cpp).
- Output Window:** Displays the program's output, showing even numbers (2, 4, 6, ..., 100) and odd numbers (1, 3, 5, ..., 99) on separate lines. It also shows the program exiting with code 0.

```
Even numbers: 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60 62 64 66 68 70 72 74 76 78 80 82 84 86 88 90 92 94 96 98 100
Odd numbers: 1 3 5 7 9 11 13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 51 53 55 57 59 61 63 65 67 69 71 73 75 77 79 81 83 85 87 89 91 93 95 97 99
D:\OOps_1\x64\Debug\OOps_1.exe (process 23364) exited with code 0 (0x0).
Press any key to close this window . . .
```



// 9. Write a program in C++ to print a word form of given number between
// 0 to 9 using Switch.



9.cpp

```
#include <iostream>
using namespace std;

int main() {
    int num;
    cout << "Enter a number (0-9): ";
    cin >> num;
    switch (num) {
        case 0: cout << "Zero"; break;
        case 1: cout << "One"; break;
        case 2: cout << "Two"; break;
        case 3: cout << "Three"; break;
        case 4: cout << "Four"; break;
        case 5: cout << "Five"; break;
        case 6: cout << "Six"; break;
        case 7: cout << "Seven"; break;
        case 8: cout << "Eight"; break;
        case 9: cout << "Nine"; break;
        default: cout << "Invalid number";
    }
    return 0;
}
```



// 10. Write a program in C++ to find the smallest of 10 numbers.



10.cpp

```
#include <iostream>
#include <climits>
using namespace std;

int main() {
    int smallest = INT_MAX, num;
    cout << "Enter 10 numbers: ";
    for (int i = 0; i < 10; i++) {
        cin >> num;
        if (num < smallest) smallest = num;
    }
    cout << "Smallest number: " << smallest << endl;
    return 0;
}
```

