

Launch One ec2 instance and connect with mobaXterm → sethostname Terraform

Got to Github devopsScript by reayaz → [terraformAL2.sh](#)

Copy the code and create the file in the ec2-instance Paste it→ name as [terr.sh](#)

Run → sh [terr.sh](#)

```
rm -rf *
```

```
clear
```

```
Ls -al
```

```
```sh
terraform init
```
```

```
vi main.tf
```

```
terraform init
```

```
```hcl
provider "aws" {
 region = "ap-south-1"
}

resource "aws_instance" "myinstance" {
 ami = "ami-08fe5144e4659a3b3"
 instance_type = "t2.micro"

 tags = {
 Name = "outputvarexample-server"
 }
}

output "instance-information" {
 value = [
 aws_instance.myinstance.public_ip,
 aws_instance.myinstance.private_ip,
 aws_instance.myinstance.public_dns
]
}
```
```

```
terraform validate
```

Attach the Terra Role to Ec2 instance.

```
terraform plan
```

```
terraform apply --auto-approve
terraform destroy --auto-approve
```

```
ls
vi terraform.tfvars
```hcl
mybucket = "tf-example-reyaz-s3-bkt"
```
```

```
vi variables.tf
```hcl
variable "mybucket" {
 type = string
 description = "This is my devops test bucket from TF"
 default = ""
}
```
```

```
vi provider.tf
```hcl
terraform {
 required_providers {
 aws = {
 source = "hashicorp/aws"
 version = "5.91.0"
 }
 }
}
```
```

```
provider "aws" {
  region = "ap-south-1"
}
```
```

```
```bash
vi main.tf
```
```

```
```hcl
resource "aws_s3_bucket" "example" {
  bucket = var.mybucket
}
```
```

```
```bash
yum install tree -y
```
```

```
```bash
tree
```

```
rm -rf ter.sh
```
```

```
```bash
terraform validate
```

```
terraform apply -auto-approve
```
```

Go to S3 on aws console check the bkt that we just created.

vi terraform.tfvars

```
```hcl
instance_ami = "ami-08fe5144e4659a3b3"
instance_type = "t2.micro"
key_name      = "530PMBATCH"
instance_name = "MyinstanceB"
```
```

vi [variable.tf](#)

```
```hcl
variable "instance_ami" {
  type = string
  default = ""
}
```

```
variable "instance_type" {
  type = string
  default = ""
}
```

```
variable "key_name" {  
  type    = string  
  default = ""  
}
```

```
variable "instance_name" {  
  type    = string  
  default = ""  
}  
...
```

vi [main.tf](#)

```
```hcl  
resource "aws_instance" "myinstance" {
 ami = var.instance_ami
 instance_type = var.instance_type
 key_name = var.key_name

 tags = {
 Name = var.instance_name
 }
}
...`
```

```
```bash  
vi terraform.tfvars
```

vi variables.tf

vi main.tf

tree

terraform validate

```
vi output.tf  
...
```

vi [output.tf](#)

```
```:hcl
output "instance_public_ip" {
 value = aws_instance.myinstance.public_ip
}

output "instance_id" {
 value = aws_instance.myinstance.id
}

output "instance_public_dns" {
 value = aws_instance.myinstance.public_dns
}

output "instance_arn" {
 value = aws_instance.myinstance.arn
}
...

```

tree

cat [provider.tf](#)

terraform apply - - auto-approve

terraform destroy - - auto-approve

vi [main.tf](#)

```
```:hcl
provider "aws" {
  region = "ap-south-1"
}

resource "aws_instance" "myinstance" {
  ami          = "ami-08fe5144e4659a3b3"
  instance_type = "t2.micro"

  tags = {
    Name = "taint-server-example"
  }
}

resource "aws_s3_bucket" "mys3bucket" {
  bucket = "test-bkt-lala-reya"
}
...

terraform apply --auto-approve
terraform state list

```

```
terraform taint aws_s3_bucket.mys3bucket
```bash
terraform taint aws_instance.myinstance
```

```
terraform untaint aws_instance.myinstance
```

```
terraform apply --auto-approve
```
```bash
terraform destroy --auto-approve
```
```

vi [main.tf](#)

```
```hcl
locals {
 project_name = "My-Awesome-DevOps1"
 environment = "Students"
 instance_count = 2

 tags = {
 Name = "${local.project_name}-${local.environment}"
 }
}

resource "aws_instance" "myinstance" {
 ami = "ami-08fe5144e4659a3b3"
 instance_type = "t2.micro"
 count = local.instance_count
 tags = local.tags
}

output "instance_id" {
 value = aws_instance.myinstance[*].id
}
```
```

```
terraform apply --auto-approve
```

```
terraform destroy --auto-approve
```