

Atto for BASIC Engine Cheat Sheet

Navigation within a Buffer

Ctrl+A	Beginning of line
Ctrl+B	Backward character
Ctrl+D	Delete character
Ctrl+E	End of line
Ctrl+F	Forward character
Ctrl+N	Next line
Ctrl+P	Previous line
Ctrl+V	Page down
Esc-B	Backwards word (Buggy)
Esc-F	Forward word (Buggy)
Esc-G	Go to line
Esc-V	Page up
Esc-<	Beginning of buffer
Esc->	End of buffer
Ctrl+Page Up	Move to first line of file
Ctrl+Page Down	Move to end of file
Esc-Home	Beginning of Buffer
Esc-End	End of Buffer
Home	Beginning-of-line
End	End-of-line
Left	Move left one character
Right	Move right one character
Up	Move to the previous line
Down	Move to the next line

Editing within a Buffer

Ctrl+H	Backspace
Ctrl+I	Tab
Ctrl+J	Newline
Ctrl+K	Delete to EOL
Ctrl+L	Refresh display
Ctrl+M	Carriage return

Ctrl+R	Search backwards from cursor
Ctrl+S	Search forwards in buffer
Ctrl+W	Cut selection to cut buffer
Ctrl+Y	Paste from cut buffer
Esc-K	Cut selection to cut buffer
Esc-R	Search and Replace (forwards from cursor)
Esc-W	Copy selection to cut buffer
Esc-@	Set mark
Del	Delete character under cursor
Backspace	Delete character to the left of cursor
Insert	Toggle between Insert and Overwrite modes

Ctrl-<spacebar> Set mark at current position. <???>

General Commands:

Ctrl+X-Ctrl+C	Exit. Any unsaved files will require confirmation.
Ctrl+X-Ctrl+F	Find file; read into a new buffer created from filename.
Ctrl+X-Ctrl+S	Save current buffer to disk, using the buffer's filename as the name of the file
Ctrl+X-Ctrl+W	Write current buffer to disk. Type in a new filename at the prompt to
Ctrl+X-I	Insert file at point
Ctrl+X-=	Show character at position

Navigating Between Buffers

Ctrl+X-Ctrl+N	Next buffer
Ctrl+X-N	Next buffer
Ctrl+X-K	Cut buffer
Ctrl+X-1	Delete other windows
Ctrl+X-2	Split current window
Ctrl+X-O	Switch to other window
Ins	Toggle overwrite mode



Cutting, Copying and Pasting

A region is defined as the area between the last set mark and the current cursor position. The Cut buffer is the text which has been most recently deleted or copied.

Generally, the procedure for copying or moving text is:

- 1) Mark out a region using ESC-@ at the beginning and move the cursor to the end.
- 2) Delete it (with Ctrl+W) or copy it (with Esc-W) into the Cut buffer.
- 3) Move the cursor to the desired location and paste it back (with Ctrl+Y).

Searching and Replacing

Ctrl+S or Ctrl+R enters the search prompt, where you type the search string.

Backspace will reduce the search string, any other character will extend it.

Ctrl+S at the search prompt will search forward, and will wrap at end of the buffer.

Ctrl+R at the search prompt will search backwards, and will wrap at start of the buffer.

Esc will escape from the search prompt and return to the point of the match.

Ctrl-G will abort the search and return to point before the search started.

Definitions

+ Press the keys at the same time.
eg. Ctrl+S, press the Ctrl key and the S key.

- Press the keys in sequence.
eg. Esc-S, press the Esc key then press the S key.

Ctrl+X Commands

eg. Ctrl+X-Ctrl+S, press the Ctrl and the X key, then press the Ctrl and the S key.

Buffer A place where text is stored and edited. It can be loaded from a file, saved to a file or closed without saving.

Region A continuous sequence of characters that have been marked using the 'Set Mark' (Esc-@) command and the current cursor location within the buffer.

Cut buffer The buffer where text is stored when a Region is cut or copied.