


How to Sign in and Access an API Using RapidAPI


1 Navigate to <https://rapidapi.com/>

2 Click "Sign in"



3


Log in to your RapidAPI account. I'm going to log in with Github in this guide, but log in however you'd like



The image shows the RapidAPI login page. At the top right is the 'RapidAPI' logo. Below it are three social login buttons: 'Login with Google' (blue), 'Login with Github' (dark grey with a brown circle around the Github icon), and 'Login with Facebook' (white with a blue border). Below these is a horizontal line with 'or' in the center. Underneath are two input fields: 'Email (required)' with a placeholder 'Enter your email' and 'Password (required)' with a placeholder 'Enter your password'. To the right of the password field is a link 'Forgot password?'. On the right side of the page, there is a blue sidebar with the text 'Find an API' and 'Thousands of APIs'. Below this, there are three checkmarks with corresponding text: 'Discover APIs', 'Test from your app', and 'Connect using your API key'.


4

Once you're logged in, click into the search bar.




The image shows the RapidAPI API Hub page. At the top left is the 'RapidAPI' logo. To its right is a search bar with the placeholder text 'Search for APIs' and a brown circle around it. Further right are links for 'API Hub' and 'Organizations'. Below the header is a large blue banner with the text 'Welcome to the Rapid API Hub' and 'Discover and connect to thousands of APIs'. Below the banner are two buttons: 'Public APIs' and 'Private APIs'. At the bottom left, there is a 'Categories' section with a link to 'Sports'. At the bottom right, there is a section titled 'Discover More APIs' with the text 'Browse through our collections to learn about new use cases to implement in your app'.

- 5 Type "Full-Text" and select the first option, "Full-Text RSS".



- 6 For 'RapidAPI App', select the appropriate app. If there is no app listed, click, 'Add New App' and follow the instructions to create an app.



7

Under 'Code Snippets' > 'const options' > 'headers', will be a header, 'X-RapidAPI-Key', the value to the right is your API key. Copy it to your clipboard, then run Springboard.

The image shows two side-by-side screenshots. The left screenshot is from the RapidAPI dashboard, displaying the configuration for the 'full-text-rss.p.rapidapi.com' endpoint. It includes fields for 'default-application_6696504', 'rapidapi.com', and a 'Key' field containing the API key '18b91426b7msh621f7e1bcf7971ap106273j'. The right screenshot is a code editor showing the JavaScript code for the 'full-text-rss.p.rapidapi.com' endpoint. The code is for a Node.js Axios request. It sets the method to 'POST', the URL to 'https://full-text-rss.p.rapidapi.com/extract.php', and the headers to include 'content-type: application/x-www-form-urlencoded', 'X-RapidAPI-Key: 18b91426b7msh621f7e1bcf7971ap106273j', and 'X-RapidAPI-Host: full-text-rss.p.rapidapi.com'. The API key is highlighted with a red circle.

```
(Node.js) Axios Copy Code

const axios = require('axios');

const encodedParams = new URLSearchParams();
encodedParams.set('url', 'chomsky.info/articles/20131105.htm');
encodedParams.set('inputhtml', '<html><head><title>Example</title><body><article itemprop="articleBody"><p>Test</p></article></body></html>');
encodedParams.set('xss', '1');
encodedParams.set('lang', '2');
encodedParams.set('links', 'remove');
encodedParams.set('content', '1');

const options = {
  method: 'POST',
  url: 'https://full-text-rss.p.rapidapi.com/extract.php',
  headers: {
    'content-type': 'application/x-www-form-urlencoded',
    'X-RapidAPI-Key': '18b91426b7msh621f7e1bcf7971ap106273j',
    'X-RapidAPI-Host': 'full-text-rss.p.rapidapi.com'
  },
  data: encodedParams,
};

const response = await axios.post('https://full-text-rss.p.rapidapi.com/extract.php', encodedParams, options);
```