

CYBER MASTER SERIES / CERTIFICATION STUDY SERIES

CC

STUDY GUIDE

Certified in Cybersecurity

Free Community Edition

COMPREHENSIVE CERTIFICATION COMPANION

Edition 2026.1 • Exam outline effective 1 September 2026 • Last reviewed 18 August 2026
Targets the ISC2 CC Certification Exam Outline effective 1 September 2026

TAHER AMINE ELHOUARI

Senior Advisor • Accredited Auditor • Certified Trainer • 300+ Certifications

www.TaherAmine.org • contact@taheramine.org

Learn it. Certify it. Apply it. Master it.

About this edition

Edition 2026.1 is built specifically for the ISC2 Certified in Cybersecurity (CC) examination outline that becomes effective 1 September 2026. It is a comprehensive certification companion: more detailed than a revision sheet, but intentionally shorter and more exam-directed than a full textbook. The objective is to help entry-level candidates build accurate mental models; understand why controls exist and recognize how foundational concepts connect in practice.

Field	Value
Guide	CC Study Guide — Free Community Edition
Series	Cyber Master Series — Certification Study Series
Edition	2026.1
Target outline	ISC2 CC Certification Exam Outline — effective 1 September 2026 (v01/2026)
Last reviewed	18 August 2026
Author	Taher Amine ELHOUARI
Public web edition	Publication page: https://www.taheramine.org/cyber-master-series/certification-guides/cc/
Public PDF	Published after final author approval/export
License	CC BY-NC 4.0 unless a release states otherwise

IMPORTANT TRANSITION DATE

This guide targets the new CC outline effective 1 September 2026. If you take the CC exam before that date, use the currently active outline and do not assume the 2026 domain weights apply yet.

Source hierarchy

- The ISC2 CC Certification Exam Outline effective 1 September 2026 determines domain names, weights, objective numbering and required scope.
- ISC2 certification, examination and official update pages are used for current exam format, availability, prerequisite and transition information.
- NIST, ISO/IEC and other primary technical sources are used only to clarify supporting concepts; they do not replace ISC2 wording or expand the exam into another certification curriculum.
- Examples, memory aids, scenarios and study strategy are independently authored. No recalled live exam questions, dumps or NDA-protected content are used.

INDEPENDENCE & TRADEMARKS

CC and ISC2 are registered marks of ISC2, Inc. This independent educational guide is not affiliated with, sponsored by, approved by, or endorsed by ISC2.

How to use this guide

The refreshed CC exam is entry-level but broad. Do not try to memorize every acronym in isolation. Build a chain of understanding: what must be protected, what can go wrong, who has authority, which control or process fits, and what evidence proves the action worked.

DEPTH STANDARD

Every official objective is covered. Supporting material is explicitly labeled when it goes beyond the outline and is included only when it improves understanding or helps distinguish commonly confused concepts.

Phase	What to do
1 — Map	Read the Exam Overview and objective map. Note the five domains and the 1 September 2026 effective date.
2 — Learn	Study domain-by-domain. Focus on relationships rather than isolated vocabulary.
3 — Apply	Use scenario lenses. Identify the actor, authority, asset/data, risk and appropriate control or process.
4 — Review	Use the Quick Reference chapter and memory visuals during final-week reinforcement.
5 — Validate	Check the current ISC2 outline and exam policies again shortly before the exam.

Contents

1. Exam Overview & 2026 Changes
2. Domain 1 — Security Principles (24%)
3. Domain 2 — Security Governance (17.3%)
4. Domain 3 — Identity and Access Management (IAM) Concepts (20%)
5. Domain 4 — Networking and Cloud Security Concepts (21.3%)
6. Domain 5 — Security Operations and Incident Response (17.3%)
7. Quick Reference
8. Exam Strategy
9. Sources & Further Study
10. About Taher Amine ELHOUARI

TRAINING & TAILORED SUPPORT

This guide is free for independent study. Taher Amine ELHOUARI also provides paid cybersecurity fundamentals training, workshops, mentoring and tailored learning programs for individuals, teams and organizations. For structured support, visit www.TaherAmine.org or contact contact@taheramine.org.

1. Exam Overview & 2026 Changes

The upcoming outline is the first major content update to CC since the certification launched in 2022. ISC2 keeps five domains but reorganizes them around the work expected from modern entry-level practitioners, with greater emphasis on governance, identity lifecycle, cloud security, threat intelligence, incident response and security testing. ISC2 also states that foundational AI concepts are integrated across all five domains; AI is therefore treated in this guide as a cross-domain thread, not as a separate numbered objective.

Exam attribute	CC 2026 information
Exam model	Computerized Adaptive Testing (CAT)
Administration time	2 hours
Items	100–125
Item types	Multiple choice and advanced item types
Passing grade	700 out of 1000 points
Exam availability	English, Simplified Chinese, Japanese, German, Spanish
Testing center	Pearson VUE Testing Center
Experience	No specific prerequisites; basic IT knowledge is recommended. No cybersecurity work experience or formal degree is required.

CAT BEHAVIOR

ISC2 does not allow candidates to skip an item and return later. Read the question carefully, make the best-supported choice and move on. Do not infer your pass/fail status from how difficult an item feels.

2026 domain weights

Domain	Weight	Core emphasis
1. Security Principles	24%	Cybersecurity concepts, risk, governance, controls and professional/ethical conduct.
2. Security Governance	17.3%	GRC, redundancy, awareness/culture and measurement/reporting.
3. IAM Concepts	20%	Identity lifecycle, least privilege, separation of duties and access-control models.
4. Networking & Cloud Security	21.3%	Network concepts, segmentation, Zero Trust, cloud characteristics/models and shared security.
5. Security Operations & IR	17.3%	Data security, operations, threat intelligence, incident response, assets and testing.

What changed from the previous outline

Previous outline	2026 outline	What changed
Security Principles — 26%	Security Principles — 24%	Updated terminology, AAA, broader governance concepts, due care and due diligence.
BC/DR & Incident Response — 10%	Security Governance — 17.3%	GRC, security culture, metrics/KRIs and reporting become a dedicated governance domain; BC/DR remain under redundancy.
Access Controls — 22%	IAM Concepts — 20%	Identity lifecycle, provisioning/review/deprovisioning and IAM tools/frameworks are explicit.
Network Security — 24%	Networking & Cloud Security — 21.3%	Dedicated cloud security coverage, Zero Trust, modern segmentation, wireless and embedded systems.
Security Operations — 18%	Security Operations & Incident Response — 17.3%	Threat actors, CTI, threat frameworks, IR, asset lifecycle and security testing expand the operations focus.




Figure 1 — Memory map for the 2026 CC domain weights.

AI THREAD ACROSS ALL FIVE DOMAINS

ISC2 explains that foundational AI concepts are integrated throughout the refreshed CC body of knowledge. In this guide, AI examples are clearly marked as contextual reinforcement: secure AI data and identities, recognize AI-assisted detection, understand governance/ethical implications, isolate sensitive AI environments, and avoid leaking protected information into unapproved AI services.

DOMAIN 1

Security Principles

Objectives 1.1–1.5

24%

EXAM WEIGHT

Domain 1 establishes the language used everywhere else in the guide. The exam can ask you to identify the security objective, recognize the risk, distinguish governance from controls and select conduct that respects authorization and professional responsibility.

1.1

Understand cybersecurity concepts

Security starts with the outcomes an organization wants to preserve. Confidentiality, integrity and availability are the classic information-security objectives. AAA describes how access is authenticated, authorized and recorded for accountability. Non-repudiation and privacy add important trust and information-handling concerns.

Concept	Plain-language meaning	Simple example
Confidentiality	Prevent unauthorized disclosure.	Sensitive payroll data is visible only to approved roles.
Integrity	Protect accuracy and completeness against unauthorized change.	A software package is checked before installation to detect tampering.
Availability	Ensure authorized users can access systems/data when needed.	Redundant services and tested recovery reduce outage impact.
Authentication	Verify the claimed identity.	MFA confirms a user with more than one factor.
Authorization	Decide what an authenticated identity is allowed to do.	A user can view invoices but cannot approve payments.
Accounting	Record relevant activity so actions can be traced and reviewed.	Administrative changes are logged with identity, time and result.
Non-repudiation	Support evidence that an actor performed an action and cannot credibly deny it.	A digital signature can support origin/integrity evidence when key custody is trustworthy.
Privacy	Handle personal information according to applicable rights, expectations and requirements.	Collect only needed personal data and restrict its use/retention.




Figure 2 — CIA protects security outcomes; AAA governs the access gate.

AI CONTEXT

The same principles apply to AI-enabled systems. Confidentiality matters when prompts or datasets contain sensitive information; integrity matters when training/retrieval data or model behavior can be manipulated; availability matters when AI becomes a business dependency.

1.2**Understand risk management concepts**

Risk management connects business value to uncertainty. The outline names the risk management lifecycle and processes; at CC level, the essential reasoning is to identify what matters, recognize threats and weaknesses, assess potential consequence, select a treatment and monitor whether risk changes.

Term	Remember
Asset	Something of value that needs protection.
Threat	A circumstance or actor that could cause harm.
Vulnerability	A weakness that could be exploited or contribute to failure.
Likelihood	How plausible/frequent the event is in the stated context.
Impact	The consequence if the event occurs.
Inherent risk	Risk before considering selected controls.
Residual risk	Risk remaining after controls are considered.
Risk appetite	The amount/type of risk an organization is willing to pursue or retain in pursuit of objectives.
Risk tolerance	Acceptable variation or threshold around a specific risk/objective.

Common treatment choices

Treatment	Meaning	Example
Mitigate / reduce	Apply controls to reduce likelihood and/or impact.	MFA and least privilege reduce account-compromise exposure.
Avoid	Stop the activity that creates the unacceptable risk.	Do not launch a service if required controls cannot be met.
Transfer / share	Shift or share defined financial/operational consequences through another party or mechanism.	Insurance or contractual risk allocation.
Accept	Make an authorized decision to retain the risk.	A low-impact residual risk is documented within risk appetite.



Figure 3 — Risk is managed continuously: identify, assess, treat and monitor.

EXAM TRAP

A vulnerability is not automatically a high risk. Exposure, asset value, threat context, existing controls and business impact matter.

1.3**Understand governance concepts**

Governance provides direction, decision rights and accountability. The exam distinguishes external obligations from internal management instruments. Focus on what each instrument is for rather than memorizing document names.

Instrument	Purpose	Question it answers
Regulation / law	Creates externally enforceable obligations.	What must the organization obey?
Framework / guideline	Organizes recommended practices or a structured approach.	How can we structure security work?
Policy	States management intent and mandatory organizational direction.	What does management require?
Standard	Defines specific mandatory internal requirements or approved methods.	What minimum must be met?
Procedure	Explains the steps used to perform a task consistently.	How do I perform this activity?




Figure 4 — Governance moves from obligation/direction toward execution.

MEMORY ANCHOR

Policies state direction. Standards define mandatory detail. Procedures describe the steps. Frameworks/guidelines organize practices. Laws/regulations impose external obligations.

1.4

Understand cybersecurity controls

The official outline groups controls by implementation type: technical, administrative and physical. A second useful supporting lens is function — what the control is trying to do.

Control type	Examples	What changes
Technical	MFA, firewall, encryption, endpoint protection, logging.	Technology enforces or monitors a security requirement.
Administrative	Policy, training, risk assessment, access review, vendor process.	People/process/governance shape behavior and decisions.
Physical	Locks, guards, barriers, cameras, environmental safeguards.	Physical access and environmental risk are constrained.

Functional lens	Meaning	Example
Preventive	Reduce the chance an unwanted event succeeds.	Least privilege; strong authentication.
Detective	Identify suspicious or policy-violating activity.	Monitoring and alerting.
Corrective	Fix or limit impact after a problem is discovered.	Remove malware; restore secure configuration.
Recovery	Restore service/data/capability after disruption.	Validated restore from protected backup.

DEFENSE IN DEPTH

Do not expect one control to solve the whole problem. Sensitive access may combine identity proofing, MFA, least privilege, segmentation, logging and review.

1.5

Maintain professional and ethical conduct

Cybersecurity professionals may hold privileged access, sensitive information and the ability to affect critical systems. Ethical conduct means acting within authorization, law and professional obligations, using reasonable care and escalating when appropriate.

Concept	Meaning
Professional code of conduct	Expected professional behavior, accountability and responsible use of authority.
Due care	Taking reasonable protective action expected under the circumstances.
Due diligence	Sustained investigation, verification and monitoring before and after decisions.
Authorization	Do not exceed approved scope simply because you technically can.
Competence	Recognize limits, validate assumptions and seek qualified help when needed.

ISC2 ETHICS NOTE

The 2026 CC outline explicitly names the ISC2 Code of Ethics, due care and due diligence. ISC2 also published a broader Code of Professional Conduct in 2026, but the Code of Ethics remains in place and certification requirements remain based on it.

Domain 1 Deep Dive — Reason from objective to decision

Use a stable sequence instead of jumping directly to a tool: identify the security objective, identify the risk, identify the rule or governance requirement, then select a control that fits the actor's authority and the situation.

Scenario	First question	Best reasoning direction
Employee can open payroll records not required for the role.	Is access authorized and necessary?	Least privilege / authorization review; remove unnecessary access.
Critical configuration changed without approval.	Which objective and governance process failed?	Integrity + change control + evidence of who/what changed it.
New privacy obligation affects retention.	What must change first?	Governance requirement → policy/standard/procedure → control implementation.
Security analyst discovers a system outside assigned scope.	What authority exists?	Do not exceed scope; preserve evidence and escalate through approved channels.

DOMAIN 1 EXAM TRAPS

Privacy is not simply confidentiality. Authentication is not authorization. A policy is not a procedure. A vulnerability is not the same as risk. A technical control is not automatically stronger than an administrative or physical control.

Domain 1 Review

- CIA = confidentiality, integrity, availability.
- AAA = authentication, authorization, accounting.
- Risk is a lifecycle; controls reduce risk but residual risk remains.
- Governance instruments operate at different levels: law/regulation, framework/guideline, policy, standard, procedure.
- Controls can be technical, administrative or physical.
- Due care is responsible action; due diligence is sustained investigation and verification.

DOMAIN 2

Security Governance

Objectives 2.1–2.4

17.3%

EXAM WEIGHT

Security Governance is the biggest structural change in the 2026 outline. It connects management direction, risk decisions, compliance evidence, resilience, culture and measurement. The goal is not paperwork for its own sake; it is repeatable decision-making and accountability.

2.1

Plan Governance, Risk and Compliance (GRC)

GRC is a coordinated approach to directing security, making risk-informed decisions and demonstrating that required obligations are addressed. A GRC tool can organize data and workflows, but it cannot replace ownership, policy, controls or judgment.

GRC element	Primary question	Evidence/result
Governance	Who sets direction, owns decisions and is accountable?	Policies, objectives, roles, approvals and oversight.
Risk	What uncertainty can affect objectives and how should it be treated?	Risk register, assessment, treatment decision and residual-risk acceptance.
Compliance	Which obligations/requirements apply and can we demonstrate adherence?	Control mapping, evidence, assessments, remediation tracking.




Figure 5 — Governance directs, risk prioritizes and compliance demonstrates.

COMPLIANCE ≠ SECURITY

A checklist can be complete while real risk remains. Compliance is evidence that defined requirements were addressed; security decisions still depend on threats, architecture, scope and effectiveness.

2.2

Understand redundancy

The outline keeps Business Continuity (BC) and Disaster Recovery (DR) under redundancy. At entry level, distinguish the problem each mechanism addresses: avoiding single points of failure, keeping critical business capability running, restoring technology and recovering data.

Concept	Primary goal	Common confusion
Redundancy	Provide alternate components/paths so a failure does not stop the service.	More than one component is not useful if both share the same failure point.
Business Continuity (BC)	Maintain critical business capability during disruption.	BC is broader than technology recovery.
Disaster Recovery (DR)	Restore technology/services after major disruption.	DR is not the same as routine high availability.
Backup	Maintain recoverable copies of data/configuration.	A backup is not recovery until restoration is tested and timely.

SUPPORTING CONCEPTS: RTO AND RPO

RTO (target time to restore) and RPO (target maximum tolerable data loss measured in time) are not named in the 2026 CC outline, but they are useful foundational concepts for understanding why recovery design and backup frequency differ.




Figure 6 — Redundancy, backup, continuity and disaster recovery solve different problems.

2.3

Understand security awareness

Security awareness is part of organizational culture. It helps people recognize suspicious behavior, use approved safeguards and report concerns quickly. Awareness should reinforce security leadership and make safe behavior easier, not create a culture where people hide mistakes.

Threat / behavior	What to recognize	Good response
Phishing	Deceptive messages that pressure the user to click, disclose or act.	Pause, verify through a trusted channel and report using the approved process.
Smishing / vishing	Phishing through SMS or voice.	Do not trust caller/message identity alone; independently verify sensitive requests.
Pretexting impersonation	A believable story is used to obtain access or information.	Confirm identity/authority through an independent channel.
Password protection	Weak/reused credentials increase compromise impact.	Use unique credentials, approved password management and MFA where required.
Tailgating	Someone follows an authorized person into a restricted area.	Follow physical access policy; challenge/report according to procedure.




Figure 7 — A strong security culture turns people into an early-warning signal.

AI CONTEXT

Generative AI can make phishing, impersonation and synthetic media more convincing. The control principle is unchanged: verify high-impact requests through trusted, independent channels.

2.4

Measure cybersecurity effectiveness

Measurement should support decisions. A useful metric is clearly defined, repeatable, relevant to the audience and connected to an action or threshold. The outline explicitly names key metrics, Key Risk Indicators (KRIs), dashboards, scorecards and reports.

Measure	What it tells you	Example
Key metric	Performance/state of an important security activity.	Percentage of critical systems with MFA enforced.
KRI	Signal that risk exposure may be increasing or approaching a threshold.	Number of unsupported internet-facing assets.
Dashboard	Visual summary for frequent monitoring.	Current exposure, incidents, overdue actions and trends.
Scorecard	Structured view of performance against defined criteria.	Control-area status by target/owner.
Report	Context-rich communication for a specific audience/decision.	Quarterly risk and control report to leadership.

Weak metric	Why it is weak	Better direction
“Number of alerts”	More alerts may mean better visibility or more noise.	High-severity alerts investigated within defined target and with outcome.
“Training completed”	Completion does not prove behavior changed.	Reporting rate, simulation trend and observed behavior over time.
“100% compliant”	May hide scope, exceptions or ineffective controls.	Compliance status plus residual risk, exceptions, evidence quality and actions.

Domain 2 Deep Dive — Governance as a decision system

A mature foundational answer usually connects four things: leadership direction, risk ownership, control/evidence and communication. Security awareness is one governance mechanism; metrics are another. BC/DR ensures important capability can continue or recover when normal operations fail.

Scenario	Weak reaction	Stronger governance response
Policy says MFA is mandatory but adoption is uneven.	Assume policy alone makes the organization compliant.	Define scope/owner, measure coverage, manage exceptions and track corrective action.
Leadership wants to know whether security is improving.	Show raw tool output only.	Use a small decision-oriented set of metrics/KRIs, trends, material risks and actions.
Critical service has backups but no restoration test.	Call backup “DR complete.”	Test restore/recovery capability and compare results with business needs.
Phishing reports are low.	Assume users are safe.	Assess culture, reporting process, simulation trend and whether reporting is trusted/easy.

DOMAIN 2 EXAM TRAPS

GRC tools do not replace governance. Compliance does not equal security. Backup does not equal disaster recovery. Awareness is broader than phishing simulations. A dashboard is useful only when the measures are meaningful and decision-oriented.

Domain 2 Review

- Governance sets direction and accountability; risk prioritizes uncertainty; compliance demonstrates obligations/evidence.
- Redundancy, BC, DR and backup solve different problems.
- Security awareness includes culture, leadership, social engineering recognition and safe behavior.
- Metrics and KRIs should be defined, contextual and connected to decisions.

DOMAIN 3

Identity and Access Management (IAM) Concepts

Objectives 3.1–3.2

20%

EXAM WEIGHT

The refreshed CC outline moves beyond static access-control models and explicitly introduces identity lifecycle management. Identity is a security boundary: access should exist only for a defined purpose, owner and period, and it should change as roles or services change.

3.1

Understand identity life cycle management

Lifecycle activity	What should happen	Common risk if weak
Role definition	Define responsibilities and the access needed to perform them.	Overbroad roles and unclear ownership.
Provision	Create identity and grant approved initial access.	Default/excess permissions or shared accounts.
Review	Confirm access is still required and appropriate.	Dormant, stale or excessive access remains.
Role change	Adjust access when duties, location, project or risk changes.	Old privileges remain after a move/change.
Deprovision	Disable/remove access promptly when no longer needed.	Former users/services retain usable access.




Figure 8 — Identity lifecycle: define, provision, review/change and deprovision.

Identity types to recognize

Identity type	Example	Security emphasis
Human user	Employee, contractor.	MFA, lifecycle, role, access review, behavior.
Privileged identity	Administrator, root, security operator.	Stronger MFA, limited standing privilege, separate accounts and monitoring.
Service / machine identity	Application account, API client, workload identity.	No shared hard-coded secrets; ownership, rotation, least privilege and lifecycle.
Shared account	Generic/team login.	Avoid where possible because accountability and lifecycle become weak.

SUPPORTING KNOWLEDGE: AUTHENTICATION FACTORS

MFA combines independent factors such as something you know, something you have and something you are. Two passwords are still the same factor category; strong authentication does not replace authorization.

AI CONTEXT

Bots, automated agents and AI services are identities too. They need an owner, provisioning, scoped permissions, review and deprovisioning just like other service identities.

3.2**Understand logical access controls**

Logical access control decides what an authenticated identity may do. The outline explicitly names Principle of Least Privilege (PoLP), Separation of Duties (SoD) and access-control models.

Principle	Meaning	Example
Least privilege	Grant only the access needed for the task and time.	Help-desk staff can reset passwords but cannot modify payroll.
Need-to-know	Limit access to information required for the assigned purpose.	Project data is limited to approved participants.
Separation of Duties	Split incompatible or high-risk tasks across people/processes.	One person creates a vendor; another approves payment.
Default deny	Access is denied unless explicitly permitted.	A new role starts with no sensitive access until approved.

Access model	Decision basis	Memory cue
DAC — Discretionary Access Control	Resource owner/authorized owner decides access.	OWNER decides.
MAC — Mandatory Access Control	Centrally enforced labels/classification and policy.	LABELS decide.
RBAC — Role-Based Access Control	Permissions are assigned to roles; users receive roles.	ROLE decides.
ABAC — Attribute-Based Access Control (supporting context)	Attributes and policy conditions such as user, resource, device, action or context.	ATTRIBUTES decide.




Figure 9 — Access-model memory cues; ABAC is supporting modern context.

Access decision sequence

1. Identify the identity and how it was authenticated.
2. Identify the resource/action being requested.
3. Apply the relevant policy/model and role/attributes.
4. Enforce least privilege and separation of duties where required.
5. Log or review high-impact access according to policy.

Scenario	Model / principle to consider	Reasoning anchor
File owner grants access to another user.	DAC	Owner/authorized owner controls access.
Access follows centrally enforced classification labels.	MAC	Policy/labels govern access.
Permissions come from job function.	RBAC	Role maps to permissions.
Decision uses user/resource/device/time conditions.	ABAC (supporting)	Attributes/context drive a policy decision.
One employee cannot both create and approve a payment.	SoD	Split incompatible high-risk actions.
Help-desk account has domain-admin rights “just in case.”	Least privilege	Reduce rights to what the assigned work requires.

DOMAIN 3 EXAM TRAPS

Authentication proves identity; it does not determine authorization. Least privilege does not mean “no privilege.” Separation of duties is not another name for least privilege. Deprovisioning is a security control, not an HR-only task.

Domain 3 Review

- Know the lifecycle: define role, provision, review/change, deprovision.
- Review access periodically; remove stale, dormant and orphaned access.
- PoLP limits permissions; SoD separates conflicting duties.
- Recognize DAC, MAC and RBAC; understand ABAC as supporting context.
- Automated/service identities need the same ownership and lifecycle discipline as human identities.

DOMAIN 4

Networking and Cloud Security Concepts

Objectives 4.1–4.3

21.3%

EXAM WEIGHT

Domain 4 combines classic networking fundamentals with modern segmentation, Zero Trust and explicit cloud security. The exam is not asking for network-engineer depth; it expects you to recognize layers, common service behavior, security boundaries and shared responsibility.

4.1

Understand network security

Use network models as orientation tools. A layer tells you what kind of function is involved and helps you choose controls without relying on vendor-specific commands.

OSI layer	Purpose orientation	Examples
7 Application	User/application services.	HTTP/HTTPS, DNS, application protocols.
6 Presentation	Representation, encoding and cryptographic formatting concepts.	Data formatting/translation, encoding, encryption-related functions.
5 Session	Establish/manage application sessions conceptually.	Session/dialog management.
4 Transport	End-to-end delivery between hosts.	TCP, UDP.
3 Network	Logical addressing and routing.	IP, routers.
2 Data Link	Local network frames and media access.	Ethernet, MAC addresses, switches.
1 Physical	Bits/signals on physical/wireless media.	Copper, fiber, radio.




Figure 10 — Network layers are reasoning aids, not trivia lists.

Concept	Remember
TCP	Connection-oriented transport with sequencing/reliability mechanisms.
UDP	Connectionless transport with lower overhead; reliability is not built in the same way.
IPv4	32-bit addressing; NAT is common but not a security boundary by itself.
IPv6	128-bit addressing; organizations still need filtering, monitoring and secure configuration.
VPN	Creates a protected logical path across an untrusted/intermediate network; authorization still matters.
Firewall	Enforces network/application traffic policy according to its capabilities and rules.
Wi-Fi	Wireless access requires strong authentication/encryption and controlled configuration.
Bluetooth	Short-range wireless; pairing, discoverability and device hygiene matter.
ICS / embedded / IoT	Operational constraints, long lifecycles and safety/availability can change security priorities.

Common ports — know the service, not only the number

Port	Typical service	Security note
22	SSH	Secure remote administration; protect privileged access.
53	DNS	Name resolution; secure configuration and monitoring matter.
80	HTTP	Unencrypted web traffic unless protected by another mechanism.
443	HTTPS	HTTP over TLS; validate certificate/trust and application security too.
3389	RDP	Remote desktop; restrict exposure and require strong identity controls.

PORT-NUMBER TRAP

Port numbers help identify common services, but security decisions should not assume a port guarantees the actual application or that encrypted traffic is automatically safe.

4.2

Understand network security architecture

Segmentation limits how far a compromise can spread and separates trust zones or workloads. Zero Trust removes implicit trust based only on network location; access is explicitly evaluated according to identity, context and policy.

Architecture concept	Purpose	Important distinction
Firewall zone	Group systems with similar trust/security requirements and control traffic between zones.	A zone is only useful when traffic policy is enforced.
VLAN	Logical Layer 2 segmentation/broadcast separation.	A VLAN alone is not a complete security boundary.
Micro-segmentation	Fine-grained policy between workloads/services.	Useful for reducing lateral movement; enforcement may use identity/context as well as network attributes.
Defense in depth	Use multiple complementary controls across identity, network, application, data and monitoring.	No single layer is assumed perfect.
Zero Trust	Do not grant implicit trust because an identity/device is “inside.”	ZT is an architecture/principle set, not a single product.




Figure 11 — Segmentation creates zones; Zero Trust makes each access decision explicit.

ZERO TRUST NOTE

NIST SP 800-207 describes Zero Trust as an approach focused on protecting resources and removing implicit trust based on network location. Context may change, so access can be re-evaluated; “inside the network” is not a permanent trust decision.

AI CONTEXT

AI-assisted network tools can flag anomalous traffic, but an automated detection is evidence to evaluate, not automatic truth. Sensitive AI development/training environments may also need segmentation and controlled data paths.

4.3**Understand cloud security**

The clean baseline is NIST SP 800-145: five essential cloud characteristics, three service models and four deployment models. The CC outline also expects the shared security model — who is responsible for which controls and outcomes.

Cloud characteristic	Meaning
On-demand self-service	Users can provision capabilities without requiring human interaction for each request.
Broad network access	Capabilities are available over networks through standard mechanisms.
Resource pooling	Provider resources serve multiple consumers and are dynamically assigned.
Rapid elasticity	Capabilities can scale outward/inward quickly, often appearing effectively unlimited to the consumer.
Measured service	Usage can be metered, monitored and reported.

Service model	Customer generally focuses more on	Provider generally operates more of
IaaS	Guest OS, applications, data, identities, workload/network configuration.	Physical infrastructure and virtualization layer.
PaaS	Application code, data, identities, service configuration.	Runtime/platform and underlying infrastructure.
SaaS	Data, users/identities, tenant configuration and lawful use.	Application stack and underlying platform/infrastructure.

Deployment model	Basic idea
Public cloud	Cloud infrastructure available for open use by the general public/market through a provider.
Private cloud	Cloud infrastructure provisioned for exclusive use by one organization.
Community cloud	Cloud infrastructure provisioned for exclusive use by a specific community with shared concerns.
Hybrid cloud	Two or more distinct cloud infrastructures remain unique but are bound together for portability/interoperability.




Figure 12 — Cloud characteristics and service models; responsibility shifts but does not disappear.

SHARED SECURITY MODEL

The exact boundary varies by provider/service. The customer typically retains responsibility for its data, identities, configuration choices and legal obligations, while the provider operates the layers included in the service. Always verify actual contract/service documentation.

Domain 4 Deep Dive — Boundaries and responsibilities

Scenario	Boundary / responsibility cue	Best conceptual response
Remote staff need access to an internal service.	Untrusted/intermediate network.	Use an approved secure remote-access pattern with strong identity and scoped authorization.
A user is on the corporate LAN and requests a sensitive admin action.	Zero Trust principle.	Evaluate identity, device/context and authorization; do not trust location alone.
Sensitive SaaS tenant has risky sharing settings.	Customer tenant configuration.	Fix configuration, review identity/access and validate provider/customer responsibilities.
Cloud service has a provider outage.	Provider availability responsibility + customer resilience design.	Use contractual/SLA information and the organization's own continuity/recovery architecture.
Public cloud workload stores regulated data.	Shared responsibility + data/legal obligations.	Confirm data location/processing, classification, access, encryption and contractual obligations.

DOMAIN 4 EXAM TRAPS

A VLAN alone is not a complete security boundary. A VPN protects a path but does not automatically authorize every resource. Zero Trust is not a product. Private cloud is not automatically more secure than public cloud. Shared responsibility changes by service and contract.

Domain 4 Review

- Know the purpose of OSI/TCP-IP models without memorizing implementation trivia.
- Understand TCP vs UDP, IP basics, VPNs, firewalls, wireless and embedded/ICS/IoT concerns.
- Segmentation reduces lateral movement and blast radius; defense in depth layers controls.
- Zero Trust removes implicit trust based on network location.
- Know NIST's five cloud characteristics, IaaS/PaaS/SaaS and the four deployment models.
- Shared responsibility means responsibility shifts — it never disappears.

DOMAIN 5

Security Operations and Incident Response

Objectives 5.1–5.5

17.3%

EXAM WEIGHT

Domain 5 is the most operationally expanded part of the 2026 outline. It links data protection, telemetry, triage, threat intelligence, incident response, asset lifecycle and security testing. The exam rewards disciplined operations: evidence, prioritization, authorization and repeatable process.

5.1

Understand data security

Data protection starts by knowing what the data is and how it should be handled. The outline explicitly includes classification, labeling, masking, sanitization, symmetric/asymmetric encryption, hashing and quantum-resistant cryptography.

Technique	Primary purpose	Key distinction
Classification	Assign sensitivity/handling category.	Classification should drive controls.
Labeling	Mark/associate the classification with data.	A label is useful only if people/systems act on it.
Masking	Obscure sensitive values for lower-trust use.	May preserve format while reducing exposure.
Sanitization	Make data on media/storage infeasible to recover according to the selected method.	Deletion alone may not meet sanitization needs.
Symmetric encryption	Confidentiality using the same secret key for encryption/decryption.	Fast for bulk data; key sharing/protection matters.
Asymmetric encryption	Uses a public/private key pair for cryptographic operations.	Common for key establishment/signature-related workflows; slower than bulk symmetric encryption.
Hashing	One-way digest for integrity or verifier use.	Hashing is not encryption and does not provide confidentiality by itself.




Figure 13 — Data controls have different jobs; start with classification and the protection goal.

Quantum-resistant cryptography — foundational view

The 2026 outline explicitly names quantum-resistant cryptography. At CC level, understand the reason rather than memorizing algorithms: sufficiently capable quantum computers would threaten important widely used public-key cryptography, so organizations need crypto-agility, inventory and migration planning. NIST has standardized post-quantum mechanisms such as ML-KEM for key establishment and ML-DSA / SLH-DSA for digital signatures.

CRYPTO TRAP

Key-establishment mechanisms and digital signatures are not bulk-data encryption. Hashing is one-way. A digital signature can support integrity/origin evidence but does not make the signed data confidential.

5.2

Understand security operations

Security operations turn telemetry into decisions. Logging and monitoring produce events; triage evaluates what matters; threat intelligence and frameworks add context; incidents receive coordinated response.

Term	Meaning
Telemetry / log	Recorded observations from systems, identities, networks, applications or security tools.
Event	An observable occurrence in a system or network.
Alert	A rule/analytic/tool indicates an event or pattern may require attention.
Triage	Initial evaluation to validate, prioritize, enrich and route the signal.
Incident	A security event/situation that requires coordinated response under the organization's criteria.
Correlation	Connect related events/signals to improve context and understanding.




Figure 14 — Security operations funnel: telemetry → events → alerts → triage → incidents.

Threat actors and motivations

Actor type	Typical motivation/context
Cybercriminal	Financial gain, fraud, extortion or resale of access/data.
Nation-state / state-aligned	Strategic, geopolitical, espionage or disruptive objectives.
Insider	Malicious intent, negligence or misuse of legitimate access.
Hacktivist	Ideological/political/social cause and publicity.
Competitor / industrial espionage	Commercial advantage or theft of intellectual property.
Opportunistic attacker / script user	Easy targets, experimentation, reputation or curiosity.

Cyber threat intelligence (CTI)

CTI is analyzed information about threats that helps decisions. Good intelligence is relevant to the organization and communicates context, confidence and implications — not just a list of IP addresses. Threat frameworks such as MITRE ATT&CK can help teams describe adversary behavior consistently; CC candidates do not need to memorize the entire knowledge base.

AI CONTEXT

Modern monitoring tools may use AI to correlate telemetry or reduce alert fatigue. Treat automated output as a prioritization aid: preserve source evidence, validate high-impact conclusions and retain human oversight for consequential actions.

5.3

Understand Incident Response (IR)

The official objective focuses on a data handling policy that implements the Incident Response Plan (IRP) and on IR exercises such as testing and tabletop exercises. The practical implication is that roles, escalation, evidence handling and communication should be prepared before an incident.

Activity	What should happen
Prepare	Define plan, roles, contacts, logging/evidence requirements, escalation and containment options.
Detect / report	Identify and validate suspicious activity and route it according to the plan.
Assess / decide	Determine scope, priority, impact, authority and next actions.
Respond	Contain/eradicate as authorized while preserving evidence and business considerations.
Recover / improve	Restore services safely, monitor for recurrence and update controls/playbooks from lessons learned.




Figure 15 — NIST SP 800-61 Rev. 3 and ISO/IEC 27035-1:2023 are supporting reference lenses, not replacement exam objectives.

CURRENT STANDARDS CONTEXT

NIST SP 800-61 Rev. 3 (2025) integrates incident response into broader cybersecurity risk management and CSF 2.0. ISO/IEC 27035-1:2023 provides general incident-management principles and process covering preparation, detection/reporting, assessment, response and lessons learned. For CC, use these as mental models; follow the ISC2 objective wording first.

Exercises

Exercise	Purpose
Tabletop	Discussion-based walkthrough of a scenario, roles, decisions and communications.
Technical / functional test	Hands-on validation of tools, procedures, evidence collection, containment or recovery elements.
Full-scale exercise	Broader realistic simulation involving multiple functions and operational dependencies.

EVIDENCE MINDSET

During a suspected incident, preserve what is needed to understand scope and cause. Containment is important, but destructive “cleanup” before evidence is secured can make the investigation harder. Follow authorization and the incident-response plan.

5.4

Understand asset protection

Security depends on knowing what assets exist, who owns them, the approved configuration, support status and how changes are controlled. Asset lifecycle management includes End of Life (EOL) software/devices, where patches or vendor support may no longer exist.

Lifecycle activity	Security action
Acquire / onboard	Record asset, owner, purpose, classification and required baseline.
Configure / deploy	Apply approved configuration, access, logging and protection.
Operate / maintain	Patch/update, monitor, review access and manage change.
Change / transfer	Update ownership, configuration, dependencies and records.
End of life / end of support	Plan replacement, isolate/compensate if temporarily retained, remove unsupported dependencies.
Retire / dispose	Remove access, sanitize data/media as appropriate and update inventory.



Figure 16 — Asset protection is a lifecycle, not just patching.

Configuration vs change management

Configuration management	Change management
Maintains known/approved state, baselines and relationships.	Evaluates and controls proposed changes through review, authorization, validation and rollback planning.
Answers: “What should this asset look like now?”	Answers: “How do we safely move from current state to a new state?”

EOL RISK

End-of-life software/device risk grows because patches, vendor support or compatible controls may no longer exist. The answer is not always “patch”; treatment may require upgrade, replace, isolate, restrict or retire.

5.5

Understand security testing

Testing validates security readiness and weaknesses. The outline includes team-based readiness testing, application testing and physical/social-engineering penetration concepts. Every test requires authorization, scope and safe handling of evidence/results.

Testing concept	Primary purpose
Blue team	Defend, monitor, detect, investigate and respond.
Red team	Authorized adversary simulation against agreed objectives/scope.
Purple team	Collaborative improvement between offensive and defensive perspectives.
Vulnerability scanning	Identify known or suspected weaknesses, usually at scale.
Static analysis (SAST)	Analyze code/binaries without executing the application.
Dynamic analysis (DAST)	Test a running application externally.
Threat modeling	Reason about assets, trust boundaries, threats and mitigations before/while designing.
Physical/social testing	Authorized testing of physical/human controls, including phishing, tailgating or impersonation scenarios.




Figure 17 — Red attacks, blue defends, purple collaborates; testing methods answer different questions.

Vulnerability scan	Penetration test
Broad automated identification of potential weaknesses.	Authorized attempt to validate exploitability/attack paths within scope.
Good for frequent coverage and inventory-driven hygiene.	Good for deeper scenario validation; point-in-time and scope-limited.

AUTHORIZATION IS PART OF TESTING

Security testing without permission can be unsafe or unlawful. Scope, rules of engagement, evidence handling and communication are part of the professional test process.

Domain 5 Deep Dive — From signal to resilient operation

Domain 5 brings the guide together. Data protection reduces exposure; logging creates evidence; triage prioritizes; CTI adds context; incident response coordinates action; asset/change management keeps the environment supportable; testing validates assumptions.

Scenario	What matters first	Good foundational response
SIEM generates thousands of alerts.	Triage quality, correlation, context and priority.	Do not treat every alert as an incident; validate and prioritize.
User reports suspicious email after clicking.	Potential compromise + evidence + scope.	Follow IR process, preserve evidence, assess account/device impact and contain as authorized.
Critical server reaches EOL.	Unsupported asset risk and dependencies.	Plan replacement; use temporary compensating controls only with explicit risk treatment.
Vulnerability scanner reports a critical finding.	Exposure, exploitability, asset value and context.	Prioritize through risk, not severity score alone.
Red-team activity is observed by defenders.	Authorization and exercise scope.	Verify exercise channel/plan before treating authorized testing as a hostile incident.

DOMAIN 5 EXAM TRAPS

Event ≠ alert ≠ incident. Hashing ≠ encryption. Vulnerability scanning ≠ penetration testing. Backup ≠ evidence. Red-team activity requires authorization. Unsupported assets may require replacement or isolation rather than a nonexistent patch.

Domain 5 Review

- Classification/labeling should drive data handling; masking, encryption, hashing and sanitization have different goals.
- Know symmetric vs asymmetric cryptography and why quantum-resistant migration matters at a foundational level.
- Security operations use logging, correlation, context and triage to decide what matters.
- Threat actors differ in motivation; CTI and frameworks help organize context.
- IR should be prepared, exercised, evidence-aware and governed by authorization.
- Asset lifecycle, EOL, configuration and change management are security controls.
- Know blue/red/purple, vulnerability scanning, SAST/DAST, threat modeling and physical/social testing distinctions.

7. Quick Reference

Use this section during final review. It compresses high-value distinctions into memory anchors; it is not a substitute for studying the full domains.

Foundation

Concept	Remember	Common confusion
Confidentiality	Only authorized access/disclosure.	Not the same as privacy.
Integrity	Accurate, complete, authorized change only.	Encryption alone does not guarantee integrity.
Availability	Reliable access when needed.	Redundancy helps but recovery still matters.
Authentication	Who are you?	Not authorization.
Authorization	What may you do?	Requires identity/context/policy.
Accounting	What did you do?	Supports traceability/accountability.

Risk & governance

Concept	Memory anchor
Risk lifecycle	Identify → assess → treat → monitor.
Risk treatment	Mitigate, avoid, transfer/share, accept.
Policy	Management direction.
Standard	Specific mandatory internal requirement.
Procedure	How to perform the task.
Due care	Take reasonable responsible action.
Due diligence	Investigate/verify/monitor over time.

Governance & resilience

Concept	Remember
GRC	Governance directs; risk prioritizes; compliance demonstrates.
Redundancy	Alternate components/paths reduce single-point failure.
BC	Keep critical business capability functioning.
DR	Restore technology/capability after major disruption.
Backup	Recoverable copy; restore must be tested.
KRI	Indicator that risk exposure may be increasing/approaching threshold.

IAM

Concept	Remember
Identity lifecycle	Define role → provision → review/change → deprovision.
Least privilege	Only required permissions for task/time.
SoD	Separate conflicting/high-risk duties.
DAC	Owner/authorized owner decides.
MAC	Mandatory labels/policy.
RBAC	Role/job function.
ABAC (supporting)	Attributes/context + policy.

Networking & cloud

Concept	Remember
TCP	Connection-oriented transport; reliability mechanisms.
UDP	Connectionless; lower overhead, no equivalent built-in delivery assurance.
VPN	Protected logical path across an untrusted network; still needs authorization.
Segmentation	Limit paths and reduce lateral movement/blast radius.
Zero Trust	No implicit trust based only on network location.
Cloud characteristics	On-demand, broad access, resource pooling, rapid elasticity, measured service.
Service models	IaaS, PaaS, SaaS.
Deployment models	Public, private, community, hybrid.
Shared security	Responsibility shifts by service/provider but does not disappear.

Data & operations

Concept	Remember
Masking	Obscure values to reduce exposure.
Sanitization	Make data infeasible to recover using an appropriate method.
Symmetric crypto	Same secret key for encrypt/decrypt.
Asymmetric crypto	Public/private key pair.
Hashing	One-way digest; not encryption.
Event → alert → incident	Observation → signal needing attention → situation requiring response.
CTI	Analyzed threat information that supports decisions.
IR	Prepare, detect/report, assess, respond, recover/improve as a memory model.
Asset lifecycle	Inventory → baseline → change/monitor → retire/dispose.

Testing

Concept	Remember
Blue	Defend/detect/respond.
Red	Authorized adversary simulation.
Purple	Red + blue collaboration for improvement.
Vulnerability scan	Broad identification of potential weaknesses.
Penetration test	Validate exploitability/attack paths within scope.
SAST	Analyze code without running it.
DAST	Test a running application externally.
Threat modeling	Reason about assets, trust boundaries, threats and mitigations before/while designing.

8. Exam Strategy

The CC exam validates foundational judgment. Strong answers usually respect role, authorization, policy, least privilege, evidence and appropriate escalation. Avoid “hero mode” — an entry-level practitioner should not take actions outside assigned authority simply because they seem technically effective.

RULE 01 — READ FOR THE ACTOR

Who are you in the scenario: user, junior analyst, administrator, manager, auditor or business owner? Do not choose an action that exceeds the role’s authority.

RULE 02 — ANSWER THE QUESTION ACTUALLY ASKED

Do not solve a larger problem than the scenario presents. Identify whether it asks for a principle, control, process, first action or best long-term treatment.

RULE 03 — RESPECT GOVERNANCE AND SEQUENCE

When ownership, policy, change control or incident handling matters, prefer the answer that follows the authorized process and preserves evidence.

RULE 04 — CHOOSE LEAST PRIVILEGE

Grant only the access needed. Do not “solve” a permissions issue by giving broader rights.

RULE 05 — PRESERVE EVIDENCE DURING INCIDENTS

Contain safely, but do not erase the data/logs needed to understand what happened unless the response plan explicitly requires the action.

RULE 06 — SEPARATE CONCEPTS

Authentication ≠ authorization. Event ≠ incident. BC ≠ DR. Hashing ≠ encryption. Scan ≠ penetration test.

RULE 07 — AVOID ABSOLUTE SHORTCUTS

Words like “always” and “never” can be traps unless the requirement is truly absolute. Context matters.

RULE 08 — PREFER SCALABLE PRINCIPLES OVER VENDOR TRIVIA

CC tests concepts. Know why a control works and what problem it solves; do not over-focus on one vendor interface.

CAT time management

- You cannot skip an item and return later. Make the best-supported decision before moving on.
- You have 2 hours for 100–125 items. Maintain a steady pace without rushing simple questions or spending too long on one item.
- Read all answer choices and eliminate options that violate authorization, policy, least privilege or the stated objective.
- Check ISC2.org shortly before exam day for current exam policies and operational details.

Final-week sequence

- 1) Re-read the official 2026 objective list and confirm you can explain every numbered objective without notes.
- 2) Use the Quick Reference tables to identify weak distinctions.
- 3) Review the memory visuals: foundation, risk, GRC, resilience, IAM, network/Zero Trust, cloud responsibility, data toolkit, operations, IR, assets and testing.
- 4) Revisit only weak sections rather than rereading the whole guide linearly.
- 5) Verify current ISC2 scheduling and exam-day policies.

9. Sources & Further Study

The ISC2 CC exam outline determines scope. The references below validate current exam facts or provide authoritative supporting context. Always verify current editions/status before operational use.

- ISC2 — CC Certification Exam Outline effective 1 September 2026 — https://edge.sitecorecloud.io/internationalf173-xmc4e73-prodbc0f-9660/media/Project/ISC2/Main/Media/documents/exam-outlines/2026/EXAMS-CC_Exam_Outline-English-Revised-01-2026-Final.pdf
- ISC2 — Inside the Updated ISC2 Certified in Cybersecurity Exam (6 Aug 2026) — <https://www.isc2.org/insights/2026/08/inside-the-updated-isc2-cc-exam>
- ISC2 — CC Certification / Exam Information — <https://www.isc2.org/certifications/cc>
- ISC2 — Frequently Asked Questions (exam behavior / CC) — <https://www.isc2.org/frequently-asked-questions>
- ISC2 — Code of Ethics — <https://www.isc2.org/ethics>
- ISC2 — Code of Professional Conduct context — <https://www.isc2.org/insights/2026/03/code-of-professional-conduct-the-why-and-how>
- NIST SP 800-145 — The NIST Definition of Cloud Computing — <https://csrc.nist.gov/pubs/sp/800/145/final>
- NIST SP 800-207 — Zero Trust Architecture — <https://csrc.nist.gov/pubs/sp/800/207/final>
- NIST SP 800-61 Rev. 3 — Incident Response Recommendations and Considerations for Cybersecurity Risk Management — <https://csrc.nist.gov/pubs/sp/800/61/r3/final>
- NIST SP 800-88 Rev. 2 — Guidelines for Media Sanitization — <https://csrc.nist.gov/pubs/sp/800/88/r2/final>
- NIST FIPS 203 — ML-KEM — <https://csrc.nist.gov/pubs/fips/203/final>
- NIST FIPS 204 — ML-DSA — <https://csrc.nist.gov/pubs/fips/204/final>
- NIST FIPS 205 — SLH-DSA — <https://csrc.nist.gov/pubs/fips/205/final>
- ISO/IEC 27035-1:2023 — Information security incident management — Part 1: Principles and process — <https://www.iso.org/standard/78973.html>
- MITRE ATT&CK — <https://attack.mitre.org/>
- CIS Controls — <https://www.cisecurity.org/controls>

SOURCE-FAITHFUL RULE

The official ISC2 outline determines what candidates must cover. NIST/ISO/CIS/MITRE references provide supporting context; they do not silently change the CC objective wording or turn this guide into another certification body's curriculum.

10. About Taher Amine ELHOUARI

Taher Amine ELHOUARI is a senior cybersecurity advisor, accredited auditor, certified trainer, practitioner and international speaker whose work spans cybersecurity governance, GRC, audit and assurance, cloud security, SOC/CSIRT operations, incident response, cyber resilience, risk management, technical security and professional capacity building. For this CC edition, that experience is translated into entry-level foundations: clear mental models, practical security reasoning and a path from first principles toward professional practice.

Selected profile	Details
Certifications & credentials	300+ professional certifications, certificates and credentials across cybersecurity, audit, GRC, cloud, risk, resilience, offensive security, project management and related disciplines.
Training	PECB Certified GOLD Trainer — ID GT20395871; among others.
Professional contribution	Global Advisory Board Member — EC-Council C CISO and C PENT; Subject Matter Expert / contributor with ISC2 and Hack The Box; SME and contributor with AfricaCERT.
Community leadership	Founding leadership with OWASP Algiers, CSA Algeria, and CAS Algeria (Conformity Assessment Society).
International contribution	International speaker; served on the Program Committee of a FIRST event conducted in collaboration with AfricaCERT.
Technical competition	Multiple-time Top 10 finisher in international CTF competitions.
Selected credentials	DBA, MBA, MSc, PMP, CISSP-SME, CCISO, CMSA, ISO/IEC 27001 ISMS MASTER, ISO 22301 BCMS MASTER, CCSK, CCZT, TAISE, OOSE, eCPPT, eCTHP, among others.



Connect

Website: www.taheramine.org

LinkedIn: www.linkedin.com/in/MrTaherAmine

Email: contact@taheramine.org

TRAINING, WORKSHOPS & TAILORED SUPPORT

Preparing for ISC2 CC on your own is completely possible with disciplined study. If you want a structured path, live explanation, team training or tailored support, **Taher Amine ELHOUARI** also provides paid cybersecurity fundamentals training, workshops, mentoring and customized learning programs for individuals, teams and organizations.

License & legal notice

© 2026 Taher Amine ELHOUARI. Original content in this guide is released under Creative Commons Attribution-NonCommercial 4.0 International (CC BY-NC 4.0), unless a specific element or release states otherwise.

Certification names, marks, standards and third-party references belong to their respective owners. CC and ISC2 are registered marks of ISC2, Inc. This guide is independently authored and is not affiliated with, sponsored by, approved by, or endorsed by ISC2.

FREE COMMUNITY EDITION

If this guide helps you, share the official project link, bookmark **TaherAmine.org**, and star/watch the GitHub repository (**GitHub: github.com/MrTaherAmine/cyber-master-series-certification-guides**) for future releases.

Corrections and improvement suggestions are welcome through the project contribution channels.