

EXPERIMENT 9

Student Name: Sumit Chauhan

UID: 24BAI70884

Branch: AIT-CSE

Section/Group: 24AIT_KRG-G2

Semester: 4

Subject Name: Database Management System

Subject Code: 24CSH-298

Experiment 9 – Design of a PL/SQL Package with Procedures and Shared Cursor (Enterprise Applications)

Experiment

Designing and implementing a PL/SQL package that contains procedures and a shared cursor to fetch and display employee details. This experiment demonstrates modular programming, code reusability, and efficient data handling using packages in PL/SQL.

Aim

To create and implement a PL/SQL package consisting of a package specification and package body that includes procedures and a shared cursor for retrieving and displaying employee data.

Objective

- To understand the concept and structure of PL/SQL packages
- To differentiate between package specification and package body
- To implement procedures inside packages
- To use shared cursors for efficient data retrieval
- To develop modular and reusable database programs

Software Requirements

Database Management System:

Oracle Database Express Edition (Oracle XE) / PostgreSQL

Database Administration Tool:

Oracle SQL Developer / pgAdmin

Problem Statement

In enterprise-level database applications, related operations must be grouped together for better maintainability, performance, and reusability. A PL/SQL package provides a structured

EXPERIMENT 9

approach to organize procedures and shared cursors, ensuring efficient data retrieval and modular program design.

Practical / Experiment Steps

1. Create an employee table with relevant attributes
2. Insert sample data into the table
3. Create package specification declaring procedures and cursor
4. Create package body defining logic for procedures and cursor
5. Use a shared cursor to fetch employee records
6. Execute the package procedure
7. Display the output

Procedure

1. Open Oracle SQL Developer and connect to the database
2. Create the employee table
3. Insert sample records
4. Create package specification
5. Create package body
6. Compile the package successfully
7. Execute package procedure
8. Display employee details output

Input / Output Details

Input

Table: employee (id, name, gender, salary)

Step-wise Output

EXPERIMENT 9

Step 1 – Create Employee Table

```
8  
9  ✓ CREATE TABLE employee (  
10      ... id NUMBER PRIMARY KEY,  
11      ... name VARCHAR2(50),  
12      ... gender VARCHAR2(10),  
13      ... salary NUMBER  
14  );
```

```
SQL> CREATE TABLE employee (  
    id NUMBER PRIMARY KEY,  
    name VARCHAR2(50),  
    gender VARCHAR2(10),  
    salary NUMBER  
);
```

Query result

Script output

DBMS output

Explain Plan

SQL history



```
SQL> CREATE TABLE employee (  
    id NUMBER PRIMARY KEY,  
    name VARCHAR2(50),  
    gender VARCHAR2(10),...
```

Show more...



Table EMPLOYEE created.

Elapsed: 00:00:00.024

EXPERIMENT 9

Step 2 – Insert Sample Data

```
17  -- This step inserts sample employee records
18  INSERT INTO employee VALUES (1, 'Amit', 'Male', 50000);
19  INSERT INTO employee VALUES (2, 'Neha', 'Female', 60000);
20  INSERT INTO employee VALUES (3, 'Raj', 'Male', 55000);
21  INSERT INTO employee VALUES (4, 'Priya', 'Female', 65000);
22
23  COMMIT;
24
```

```
SQL> INSERT INTO employee VALUES (1, 'Amit', 'Male', 50000);
1 row inserted.
Elapsed: 00:00:00.002

SQL> INSERT INTO employee VALUES (2, 'Neha', 'Female', 60000);
1 row inserted.
Elapsed: 00:00:00.002

SQL> INSERT INTO employee VALUES (3, 'Raj', 'Male', 55000);
1 row inserted.
Elapsed: 00:00:00.002

SQL> INSERT INTO employee VALUES (4, 'Priya', 'Female', 65000);
1 row inserted.
Elapsed: 00:00:00.002

SQL> COMMIT;
Commit complete.
Elapsed: 00:00:00.002
```

Query result

Script output

DBMS output

Explain Plan

SQL history



SQL> INSERT INTO employee VALUES (4, 'Priya', 'Female', 65000)



1 row inserted.

Elapsed: 00:00:00.002

SQL> COMMIT



Commit complete.

Elapsed: 00:00:00.002

[Terms and Conditions](#)

[Your Privacy Rights](#)

[Delete Your FreeSQL Account](#)

[Cookie Preferences](#)

EXPERIMENT 9

Step 3 – Create Package Specification

```

25  STEP 3. PACKAGE SPECIFICATION
26  -- Declares procedures and cursor structure (interface of package)
27  CREATE OR REPLACE PACKAGE emp_package AS
28
29  ...-- Procedure declaration to display employees
30  ... PROCEDURE display_employees;
31
32  END emp_package;


```

```

-- Step 3. Package Specification
-- Declares procedures and cursor structure (interface of package)
-- Create or replace package emp_package as
--
-- ...-- Procedure declaration to display employees
-- ... PROCEDURE display_employees;
--
-- End emp_package;

```

Query result **Script output** DBMS output Explain Plan SQL history



```

SQL> CREATE OR REPLACE PACKAGE emp_package AS

      -- Procedure declaration to display employees
      PROCEDURE display_employees;...

Show more...

```

Package EMP_PACKAGE compiled

Elapsed: 00:00:00.013

EXPERIMENT 9

Step 4 – Create Package Body

```

35  -- STEP 4: PACKAGE BODY
36  -- Defines actual logic of procedures and cursor
37
38  CREATE OR REPLACE PACKAGE BODY emp_package AS
39
40      -- Shared cursor: fetches all employee records
41      CURSOR emp_cursor IS
42          SELECT id, name, gender, salary FROM employee;
43
44      -- Procedure implementation


```

```

-- STEP 4: PACKAGE BODY
-- Defines actual logic of procedures and cursor
-- Shared cursor: fetches all employee records
-- Procedure implementation

```

Query result **Script output** DBMS output Explain Plan SQL history



Show more...

Package EMP_PACKAGE compiled

Elapsed: 00:00:00.013

SQL> CREATE OR REPLACE PACKAGE BODY emp_package AS

```

-- Shared cursor: fetches all employee records
CURSOR emp_cursor IS...

```

Show more...

Package Body EMP_PACKAGE compiled


EXPERIMENT 9

Step 5 – Execute Package Procedure

```
79 /
80
81 -- STEP 5: EXECUTE PACKAGE PROCEDURE
82 -- Calls the procedure inside the package
83 BEGIN
84     emp_package.display_employees;
85 END;
86 /
```

```
SQL> BEGIN
emp_package.display_employees;
END;
/
```

Query result **Script output** DBMS output Explain Plan SQL history



Package Body EMP_PACKAGE compiled

Elapsed: 00:00:00.019

SQL> BEGIN
emp_package.display_employees;
END;

Learning Outcome

After completing this experiment, the learner will be able to:

- Understand the structure of PL/SQL packages
- Create package specification and package body
- Use shared cursors inside packages
- Implement modular and reusable database logic
- Apply package concepts in enterprise applications