SIR Model - Mass Tests

Christian Göth Christian Sallinger Florian Schager Paul Winkler

January 28, 2021

Overview

- Motivation
- 2 Model Description
- 3 Implementation
 - Causal Loop Diagram
 - Stock and Flow
 - Parameters
 - Masstests
 - Results


Motivation

- Covid-19 plaguing the world
- Nationwide mass tests in winter
- Goal: reduce number of unconfirmed cases
- Alternative to lockdown measures


Model Description

- SIR Susceptible-Infectious-Recovered
- Compartment Exposed: freshly infected but not yet infectious
 - SEIR Model
- Split Infectious into Confirmed and Unconfirmed
- Only Unconfirmed contribute to infections
- Recovered people do not contribute anymore

Causal Loop Diagram



AnyLogic Implementation



Parameters

$$\alpha = 0.06$$

infection probability in case of contact

c = 14

contacts per day per person

$$\gamma = 4$$

latency rate for moving from Exposed to Confirmed or Unconfirmed

$$p_c = 0.35, p_u = 0.65; p_c + p_u = 1$$

chance of being transferred to detected or undetected compartment, respectively

$$\beta_c = 0.1, \beta_u = 0.15$$

recovery rates for detected and undetected persons

Masstests and Lockdown

Masstests:

- A portion of people move directly from the Unconfirmed to the Confirmed compartmet
- The flow from the Exposed compartmet is changed accordingly for the duration
- Occur cyclically

A lockdown occurs:

- When a certain number of people are infected (Confirmed + Unconfirmed, "Dunkelziffer")
- Lockdown measures reduce number of contacts
- Lift of lockdown in two steps "Lockdown light"

Additional Assumptions

Some assumptions were made to make a better fit with the real data:

- Less cases for first lockdown
- Stricter first lockdown more people follow the rules
- Infection-Probability lower in summer
- Model time: Start of Pandemic about 1 year in the future, assuming no vaccinations!

Lockdown numbers

Nr. Infected	-	\geq 45,000	$\leq 10,000$	\leq 5,000
contacts per Day	14	2	6	9

Table: Numbers for first lockdown

Nr. Infected	-	$\geq 115,000$	\leq 30,000	\leq 20,000
contacts per Day	9	3	6	9

Table: Numbers for other lockdowns

Here the - column means number of contacts per day before the respective lockdown.

Results

	30 days	21 days	14 days	7 days
35% participation	124	88	83	44
50% participation	88	81	61	11
70% participation	79	49	11	8
90% participation	40	7	7	6

Table: Days of lockdown with different participation rate and interval between masstests

To compare: without any masstests at all the number of days in lockdown would be 168.

The End