
<u>3.1</u>

1.




MongoDB uses SCRAM as its default authentication method.

Password Authentication



Database User Privileges

Configure role based access control by assigning database user a mix of one built-in role, multiple custom roles, and multiple specific privileges. A user will gain access to all actions within the roles assigned to them, not just the actions those roles share in common. **You must choose at least one role or privilege.** Learn more about roles.






User ‡≣	Authentication Method ‡≡	MongoDB Roles	Resources	Actions
A s65122250031	SCRAM	readWriteAnyDatabase@admin	All Resources	✓ EDIT
A user031	SCRAM	readWriteAnyDatabase@admin	All Resources	✓ EDIT DELETE


3.





5.



7.







```
def print_names():
      try:
        cursor = collections_1.find({}, {"_id": 0, "name": 1})
        for document in cursor:
         print(document['name'])
       except Exception as e:
        print("An error occurred:", e)
     print_names()
Laureen Salomone
     Gwyneth Garling
     Kaila Deibler
     Tandra Meadows
     Gwen Honig
     Sadie Jernigan
     Carli Belvins
     Synthia Labelle
     Eugene Magdaleno
     Meagan Oakes
     Richelle Siemers
     Mariette Batdorf
     Rachell Aman
     Aleida Elsass
     Kayce Kenyon
     Ernestine Macfarland
     Houston Valenti
     Terica Brugger
     Lady Lefevers
     Kurtis Jiles
     Barbera Lippman
     Dinah Sauve
     Alica Pasley
     Elizabet Kleine
     Tawana Oberg
     Malisa Jeanes
     Joel Rueter
     Tresa Sinha
     Danika Loeffler
     Chad Rahe
     Joaquina Arbuckle
```