Building a better VHDL testing environment

Joren Guillaume

FEA
Ghent University

Thesis presentation

Outline

UNIVERSITEIT
GENT

Outline

UNIVERSITEIT
GENT

VHDL

- VHSIC Hardware Description Language
- Used for describing digital and mixed-signal systems
- Developed by U.S. Department of Defense
  - Document → Simulate → Synthesize

Testing VHDL

Test benches

- Unit Under Test (UUT)
- Apply stimuli
- Signal/output tracking
  - ▶ Assertions
  - ▶ Comparison to desired result
  - ▶ Wave-check

Test bench
UUT
Signal coupling
Stimuli
Assertions
Stimuli
Assertions
...

Testing VHDL

Problems with testing

- Non-standardized process
- Single point of failure
- Time consuming

Software development techniques

Unit testing
- Unit = smallest behaviour in code
- Test failure ➜ exact location

Test First Development
- Create test before the code
- How will the code behave?

Test Driven Development
- TFD & refactoring
- Proven to significantly reduce errors

Outline

Proposed solution

Standardized testing framework

- Based on software development techniques
- Cross platform
- At the core: Python script
- Utility library
- Continuous Integration system

Python script

1. Identify and group tests   → Prepare
2. Separate groups into new test benches
3. Compile sources and new test benches   } → Process
4. Execute test benches
5. Capture and process results   } → Execute

Preparing test benches

- Use Bitvis utility library
  - Faster coding
  - Improved readability
- Separate independent tests
  - Line by line
  - Start/Stop
  - Partitioned
- Create commands file

Modified test bench example

D flip-flop

- Old test bench:

```
assert q = '0'
    report "Wrong output value at startup" severity FAILURE;
d <= '1';
WAIT FOR clk_period;
assert q = '1'
    report "Wrong output value at first test" severity FAILURE;
```

- Modified test bench:

```
--Test 1
    check_value(q = '0', FAILURE, "Wrong output value at startup");
    write(d, '1', "DFF");
    check_value(q = '1', FAILURE, "Wrong output value at first test");
    ...
--End 1
```

# Processing and compiling

Python script:

- Reads command line arguments
- Reads modified test bench
- Groups tests into new test benches

Processing and compiling

ModelSim:

- Compiles source code
- Compiles test benches

Execution and results

ModelSim:

- Executes each test bench

Python script:

- Captures ModelSim output
- Processes results
  - ▸ Text report
  - ▸ XML report

Prepare Process **Execute**

Automation

Hudson-CI

- Gets latest version from RC
  - ▶ Timed retrieval
  - ▶ Detect changes
- Automated script execution
- Result progress (XML)

Outline

Results

Multiple open-source projects tested

S	W	Job ↓	Last Success	Last Failure	Last Duration	Console	
		VHDL-AES	1 min 15 sec (#30)	3 mo 4 days (#16)	41 sec		
		VHDL-Bitvis	38 sec (#35)	1 mo 7 days (#23)	24 sec		
		VHDL-CRC	3 mo 1 day (#12)	1 min 3 sec (#13)	5,5 sec		
		VHDL-SHA	N/A	52 sec (#5)	6,2 sec		

Results

Precise debugging information

Test Result

3 failures (±0)

110 tests (±0)
Took 0 ms.

add description

All Failed Tests

Test Name	Duration	Age
>>> 2014.12.03 - 14.22 - NRVOYGJC.0114 - SBI check(A:x"1", x"FF"	0.0	4
>>> 2014.12.03 - 14.22 - NRVOYGJC.0115 - SBI check(A:x"0", x"FF"	0.0	4
>>> 2014.12.03 - 14.22 - NRVOYGJC.0116 - SBI check(A:x"4", x"FF"	0.0	4

All Tests

Package	Duration	Fail	(diff)	Skip	(diff)	Total	(diff)
2014.12.03 - 14	0 ms	3	+3	0		110	+110

Future work

- Wider, better tool support
- Lexical analysis
  - Automated partitioning
  - Smart test bench generation
- Adapted CI tool
  - Specific needs of hardware development

End

Thanks for your attention!

Questions?

Outline

UNIVERSITEIT
GENT

Demo

Demo