

Technical Security Assessment Report

Target: 127.0.0.1 | Scan #1 | 2026-10-08 16:26:32 UTC | Profile: standard | Operator: Asus


1	6	36	25	0	69
Assets	Open services	Findings	Unique CVEs	CISA KEV	Risk index

1. Scope and methodology

Target scope	127.0.0.1
Authorization	Target within configured scope file
Start / duration	2026-10-08T16:25:54+00:00 UTC / 38.5s
Scanner	Nmap 7.991 (unprivileged)
Nmap arguments	-oX - --stats-every 3s --reason -T4 -Pn -sT --top-ports 1000 -sV --script banner,http-title,http-server-header,ssl-cert,ftp-anon,smb2-security-mode,smb-protocols,dns-recursion,redis-info 127.0.0.1
Checks performed	port & service discovery, service/version detection, safe NSE scripts, TLS certificate & protocol checks, passive web checks, NVD CVE correlation + FIRST EPSS + CISA KEV
Risk model	Base CVSS (or ENSAT rule score) adjusted for CISA KEV, EPSS, public exploits, internet exposure, asset criticality and business impact. Critical >= 9.0, High >= 7.0, Medium >= 4.0, Low > 0.
Limitations	Running unprivileged: using TCP connect scan; MAC/vendor data is only available with root/Administrator.

2. Risk summary

No critical issues were found; 2 high-risk issues require prompt remediation.



3. Asset inventory

Address	Hostname	OS	MAC / vendor	Crit.	Risk	C/H/M/L
127.0.0.1 (new)	localhost	Windows		Medium	8.0	0/2/28/6

4. Service inventory

Host	Port	Service	Product / version	Notes
127.0.0.1	135/tcp	msrpc	Microsoft Windows RPC	cpe:/o:microsoft:windows
127.0.0.1	445/tcp	microsoft-ds		
127.0.0.1	902/tcp	vmware-auth	VMware Authentication Daemon 1.10 Uses VNC, SOAP	
127.0.0.1	912/tcp	vmware-auth	VMware Authentication Daemon 1.0 Uses VNC, SOAP	
127.0.0.1	3306/tcp	mysql	MySQL 8.0.39	TLS cert until 2034-08-24 (MySQL_Server_8.0.39_Auto_Generated_CA_Certificate); cpe:/a:mysql:mysql:8.0.39
127.0.0.1	5357/tcp	http	Microsoft HTTPAPI httpd 2.0 SSDP/UPnP	Title: Service Unavailable; cpe:/o:microsoft:windows

5. Detailed findings

1. HIGH 8.0 SMB file sharing exposed	
Asset / service	127.0.0.1:445/tcp microsoft-ds
Status	OPEN (first seen 2026-10-08, ID 65438c9d11)
OWASP	A05:2021 Security Misconfiguration
Risk calculation	Base 8.0 (ENSAT rule)
Evidence	TCP/445 microsoft-ds
Impact	SMB is a frequent target for worms, ransomware and credential relay attacks.
Recommendation	Restrict SMB (445) to trusted internal segments, block it at the perimeter and keep hosts patched.
2. HIGH 8.0 MySQL/MariaDB database exposed	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 412b184170)
OWASP	A05:2021 Security Misconfiguration
Risk calculation	Base 8.0 (ENSAT rule)
Evidence	TCP/3306 mysql MySQL 8.0.39
Impact	A directly reachable database invites credential attacks and exploitation of server flaws.
Recommendation	Bind the database to localhost/application networks and allow access only from application servers.
3. MEDIUM 6.0 SMB signing not required	
Asset / service	127.0.0.1:445/tcp microsoft-ds
Status	OPEN (first seen 2026-10-08, ID 5f843a14ed)
OWASP	A05:2021 Security Misconfiguration
Risk calculation	Base 6.0 (ENSAT rule)
Evidence	3.1.1: Message signing enabled but not required
Impact	Without mandatory signing, SMB traffic can be relayed (NTLM relay) to compromise hosts.
Recommendation	Enable 'Digitally sign communications (always)' via Group Policy for clients and servers.
4. MEDIUM 6.0 CVE-2024-21230: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID ba288968b8)
CVE	CVE-2024-21230
CVSS	6.5 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H
EPSS	0.94% (percentile 60%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 6.5 (CVSS 3.1); -0.5 EPSS 0.94% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: Optimizer). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows low privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 6.5 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21230; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/
5. MEDIUM 6.0 CVE-2024-21196: MySQL 8.0.39	

Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 049d04c23c)
CVE	CVE-2024-21196
CVSS	6.5 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H
EPSS	0.88% (percentile 58%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 6.5 (CVSS 3.1); -0.5 EPSS 0.88% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: X Plugin). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows low privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 6.5 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21196; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

6. MEDIUM 6.0	CVE-2025-50078: MySQL 8.0.39
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 11a269a809)
CVE	CVE-2025-50078
CVSS	6.5 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H
EPSS	0.62% (percentile 48%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 6.5 (CVSS 3.1); -0.5 EPSS 0.62% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: DML). Supported versions that are affected are 8.0.0-8.0.42, 8.4.0-8.4.5 and 9.0.0-9.3.0. Easily exploitable vulnerability allows low privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 6.5 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2025-50078; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpujul2025.html

7. MEDIUM 6.0	CVE-2025-50082: MySQL 8.0.39
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 078e3d87b1)
CVE	CVE-2025-50082
CVSS	6.5 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H
EPSS	0.62% (percentile 48%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 6.5 (CVSS 3.1); -0.5 EPSS 0.62% (low exploitation probability)

Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: Optimizer). Supported versions that are affected are 8.0.0-8.0.42, 8.4.0-8.4.5 and 9.0.0-9.3.0. Easily exploitable vulnerability allows low privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 6.5 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2025-50082; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpujul2025.html

8. MEDIUM 6.0 CVE-2025-50083: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID bfa5176bae)
CVE	CVE-2025-50083
CVSS	6.5 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H
EPSS	0.62% (percentile 48%)
CISA KEY	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 6.5 (CVSS 3.1); -0.5 EPSS 0.62% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: Optimizer). Supported versions that are affected are 8.0.0-8.0.42, 8.4.0-8.4.5 and 9.0.0-9.3.0. Easily exploitable vulnerability allows low privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 6.5 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2025-50083; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpujul2025.html

9. MEDIUM 6.0 CVE-2025-50076: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID a35dcc475e)
CVE	CVE-2025-50076
CVSS	6.5 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H
EPSS	0.59% (percentile 46%)
CISA KEY	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 6.5 (CVSS 3.1); -0.5 EPSS 0.59% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: DML). Supported versions that are affected are 8.0.0-8.0.25. Easily exploitable vulnerability allows low privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 6.5 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2025-50076; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpujul2025.html

10. MEDIUM 5.3 CVE-2026-34318: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 8d32c8e642)

CVE	CVE-2026-34318
CVSS	5.8 CVSS 3.1 CVSS:3.1/AV:N/AC:H/PR:H/UI:N/S:C/C:H/I:N/A:N
EPSS	0.33% (percentile 25%)
CISA KEY	No
Exploit available	No public exploit referenced
CWE	CWE-200
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 5.8 (CVSS 3.1); -0.5 EPSS 0.33% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Shell product of Oracle MySQL (component: Shell: Core Client). Supported versions that are affected are 8.0.0-8.0.45, 8.4.0-8.4.8 and 9.0.0-9.6.0. Difficult to exploit vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Shell. While the vulnerability is in MySQL Shell, attacks may significantly impact additional products (scope change). Successful attacks of this vulnerability can result in unauthorized access to critical data or complete access to all MySQL Shell accessible data. CVSS 3.1 Base Score 5.8 (Confidentiality impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:H/PR:H/UI:N/S:C/C:H/I:N/A:N).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2026-34318; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuapr2026.html

11. MEDIUM 5.0	Microsoft RPC endpoint mapper exposed
Asset / service	127.0.0.1:135/tcp msrpc
Status	OPEN (first seen 2026-10-08, ID 51dd8fc072)
OWASP	A05:2021 Security Misconfiguration
Risk calculation	Base 5.0 (ENSAT rule)
Evidence	TCP/135 msrpc Microsoft Windows RPC
Impact	The RPC endpoint mapper reveals service information and is a common lateral-movement path.
Recommendation	Block TCP/135 between untrusted segments and from the internet; allow it only where Windows management requires it.

12. MEDIUM 5.0	CVE-2025-50085: MySQL 8.0.39
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 7a24568488)
CVE	CVE-2025-50085
CVSS	5.5 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:L/A:H
EPSS	0.49% (percentile 40%)
CISA KEY	No
Exploit available	No public exploit referenced
CWE	CWE-863
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 5.5 (CVSS 3.1); -0.5 EPSS 0.49% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: InnoDB). Supported versions that are affected are 8.0.0-8.0.42, 8.4.0-8.4.5 and 9.0.0-9.3.0. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server as well as unauthorized update, insert or delete access to some of MySQL Server accessible data. CVSS 3.1 Base Score 5.5 (Integrity and Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:L/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2025-50085; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpujul2025.html

13. MEDIUM 5.0 Web service does not enforce HTTPS	
Asset / service	127.0.0.1:5357/tcp http
Status	OPEN (first seen 2026-10-08, ID 3e3755f84f)
OWASP	A02:2021 Cryptographic Failures
Risk calculation	Base 5.0 (ENSAT rule)
Evidence	http://127.0.0.1:5357/ answered HTTP 503 without redirecting to HTTPS
Impact	Traffic, sessions and credentials can be intercepted or modified in transit.
Recommendation	Serve the site over HTTPS and redirect all HTTP requests (301) to HTTPS.
14. MEDIUM 4.9 CVE-2024-21236: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 14332b4140)
CVE	CVE-2024-21236
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	1.08% (percentile 64%)
CISA KEY	No
Exploit available	No public exploit referenced
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: InnoDB). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21236; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/
15. MEDIUM 4.9 CVE-2024-21239: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 5b4652d8b9)
CVE	CVE-2024-21239
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	1.01% (percentile 62%)
CISA KEY	No
Exploit available	No public exploit referenced
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: InnoDB). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21239; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

16. MEDIUM 4.8 CVE-2024-21238: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID b19a9dd6d1)
CVE	CVE-2024-21238
CVSS	5.3 CVSS 3.1 CVSS:3.1/AV:N/AC:H/PR:L/UI:N/S:U/C:N/I:N/A:H
EPSS	0.88% (percentile 58%)
CISA KEV	No
Exploit available	No public exploit referenced
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 5.3 (CVSS 3.1); -0.5 EPSS 0.88% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: Thread Pooling). Supported versions that are affected are 8.0.39 and prior, 8.4.1 and prior and 9.0.1 and prior. Difficult to exploit vulnerability allows low privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 5.3 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:H/PR:L/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21238; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0009/

17. MEDIUM 4.5 CVE-2026-34317: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 25163bb220)
CVE	CVE-2026-34317
CVSS	5.0 CVSS 3.1 CVSS:3.1/AV:L/AC:L/PR:L/UI:R/S:U/C:N/I:N/A:H
EPSS	0.14% (percentile 3%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-404
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 5.0 (CVSS 3.1); -0.5 EPSS 0.14% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Shell product of Oracle MySQL (component: Shell: Core Client). Supported versions that are affected are 8.0.0-8.0.45, 8.4.0-8.4.8 and 9.0.0-9.6.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where MySQL Shell executes to compromise MySQL Shell. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Shell. CVSS 3.1 Base Score 5.0 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:L/AC:L/PR:L/UI:R/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2026-34317; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuapr2026.html

18. MEDIUM 4.5 CVE-2026-34319: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 0372e6c42e)
CVE	CVE-2026-34319
CVSS	5.0 CVSS 3.1 CVSS:3.1/AV:L/AC:L/PR:L/UI:R/S:U/C:N/I:N/A:H
EPSS	0.14% (percentile 3%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-204
OWASP	A06:2021 Vulnerable and Outdated Components

Risk calculation	Base 5.0 (CVSS 3.1); -0.5 EPSS 0.14% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Shell product of Oracle MySQL (component: Shell: Core Client). Supported versions that are affected are 8.0.0-8.0.45, 8.4.0-8.4.8 and 9.0.0-9.6.0. Easily exploitable vulnerability allows low privileged attacker with logon to the infrastructure where MySQL Shell executes to compromise MySQL Shell. Successful attacks require human interaction from a person other than the attacker. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Shell. CVSS 3.1 Base Score 5.0 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:L/AC:L/PR:L/UI:R/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2026-34319; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuapr2026.html

19. MEDIUM 4.4 CVE-2024-21218: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID d6a1a60246)
CVE	CVE-2024-21218
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.95% (percentile 60%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.95% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: InnoDB). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21218; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

20. MEDIUM 4.4 CVE-2024-21219: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID e71f081b34)
CVE	CVE-2024-21219
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.95% (percentile 60%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.95% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: DML). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21219; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

21. MEDIUM 4.4 CVE-2024-21193: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 2d06c097f3)
CVE	CVE-2024-21193
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.91% (percentile 59%)
CISA KEV	No
Exploit available	No public exploit referenced
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.91% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: PS). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21193; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

22. MEDIUM 4.4 CVE-2024-21199: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID e9a17503f1)
CVE	CVE-2024-21199
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.90% (percentile 58%)
CISA KEV	No
Exploit available	No public exploit referenced
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.90% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: InnoDB). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21199; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

23. MEDIUM 4.4 CVE-2024-21201: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 0d0f4895ae)
CVE	CVE-2024-21201
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.90% (percentile 58%)
CISA KEY	No
Exploit available	No public exploit referenced
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.90% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: Optimizer). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21201; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

24. MEDIUM 4.4 CVE-2024-21203: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 3b7c458e3c)
CVE	CVE-2024-21203
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.90% (percentile 58%)
CISA KEY	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.90% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: FTS). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21203; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

25. MEDIUM 4.4 CVE-2024-21207: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 223215f12a)
CVE	CVE-2024-21207
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.89% (percentile 58%)
CISA KEY	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components

Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.89% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: InnoDB). Supported versions that are affected are 8.0.38 and prior, 8.4.1 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21207; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0007/

26. MEDIUM 4.4	CVE-2024-21241: MySQL 8.0.39
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID e443d05202)
CVE	CVE-2024-21241
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.87% (percentile 58%)
CISA KEV	No
Exploit available	No public exploit referenced
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.87% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: Optimizer). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21241; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

27. MEDIUM 4.4	CVE-2024-21194: MySQL 8.0.39
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID b94b7bbf97)
CVE	CVE-2024-21194
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.86% (percentile 57%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.86% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: InnoDB). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21194; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

28. MEDIUM 4.4 CVE-2024-21197: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID bfbbe5bed2)
CVE	CVE-2024-21197
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.86% (percentile 57%)
CISA KEV	No
Exploit available	No public exploit referenced
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.86% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: Information Schema). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21197; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

29. MEDIUM 4.4 CVE-2024-21198: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 080749c364)
CVE	CVE-2024-21198
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.86% (percentile 57%)
CISA KEV	No
Exploit available	No public exploit referenced
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.86% (low exploitation probability)
Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: Server: DDL). Supported versions that are affected are 8.0.39 and prior, 8.4.2 and prior and 9.0.1 and prior. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2024-21198; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpuoct2024.html https://security.netapp.com/advisory/ntap-20241025-0006/

30. MEDIUM 4.4 CVE-2025-50077: MySQL 8.0.39	
Asset / service	127.0.0.1:3306/tcp mysql
Status	OPEN (first seen 2026-10-08, ID 725eb332fa)
CVE	CVE-2025-50077
CVSS	4.9 CVSS 3.1 CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H
EPSS	0.64% (percentile 49%)
CISA KEV	No
Exploit available	No public exploit referenced
CWE	CWE-400
OWASP	A06:2021 Vulnerable and Outdated Components
Risk calculation	Base 4.9 (CVSS 3.1); -0.5 EPSS 0.64% (low exploitation probability)

Evidence	Detected MySQL 8.0.39 (cpe:/a:mysql:mysql:8.0.39); NVD lists this version as affected.
Impact	Vulnerability in the MySQL Server product of Oracle MySQL (component: InnoDB). Supported versions that are affected are 8.0.0-8.0.42, 8.4.0-8.4.5 and 9.0.0-9.3.0. Easily exploitable vulnerability allows high privileged attacker with network access via multiple protocols to compromise MySQL Server. Successful attacks of this vulnerability can result in unauthorized ability to cause a hang or frequently repeatable crash (complete DOS) of MySQL Server. CVSS 3.1 Base Score 4.9 (Availability impacts). CVSS Vector: (CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H).
Recommendation	Upgrade or patch MySQL 8.0.39 to a release not affected by CVE-2025-50077; follow the vendor advisory. If patching is delayed, restrict network access to the service.
References	https://www.oracle.com/security-alerts/cpujul2025.html

31. LOW 3.5	Content-Security-Policy header missing
Asset / service	127.0.0.1:5357/tcp http
Status	OPEN (first seen 2026-10-08, ID e598765974)
OWASP	A03:2021 Injection
Risk calculation	Base 3.5 (ENSAT rule)
Evidence	http://127.0.0.1:5357/ : no CSP header
Impact	Without CSP, cross-site scripting flaws are easier to exploit.
Recommendation	Define a Content-Security-Policy that restricts script sources.

32. LOW 3.5	No clickjacking protection
Asset / service	127.0.0.1:5357/tcp http
Status	OPEN (first seen 2026-10-08, ID 18c957b700)
OWASP	A05:2021 Security Misconfiguration
Risk calculation	Base 3.5 (ENSAT rule)
Evidence	http://127.0.0.1:5357/ : neither X-Frame-Options nor CSP frame-ancestors set
Impact	The site can be framed by a malicious page to trick users into clicking (clickjacking).
Recommendation	Send 'X-Frame-Options: DENY' or a CSP 'frame-ancestors' directive.

33. LOW 3.0	Web server discloses software versions
Asset / service	127.0.0.1:5357/tcp http
Status	OPEN (first seen 2026-10-08, ID 9cda5fb369)
OWASP	A05:2021 Security Misconfiguration
Risk calculation	Base 3.0 (ENSAT rule)
Evidence	Server: Microsoft-HTTPAPI/2.0
Impact	Exact versions help attackers pick matching exploits.
Recommendation	Suppress version banners (e.g. ServerTokens Prod, server_tokens off, remove X-Powered-By).

34. LOW 2.5	Recommended security headers missing
Asset / service	127.0.0.1:5357/tcp http
Status	OPEN (first seen 2026-10-08, ID 086c2cd429)
OWASP	A05:2021 Security Misconfiguration
Risk calculation	Base 2.5 (ENSAT rule)
Evidence	http://127.0.0.1:5357/ missing: X-Content-Type-Options, Referrer-Policy, Permissions-Policy
Impact	Missing hardening headers weaken browser-side defences (MIME sniffing, referrer leakage).
Recommendation	Add X-Content-Type-Options: nosniff, a Referrer-Policy and a Permissions-Policy.

35. LOW 2.0 Open service: vmware-auth	
Asset / service	127.0.0.1:902/tcp vmware-auth
Status	OPEN (first seen 2026-10-08, ID c821635da6)
Risk calculation	Base 2.0 (ENSAT rule)
Evidence	TCP/902 vmware-auth VMware Authentication Daemon 1.10 Uses VNC, SOAP
Impact	Every listening service adds attack surface.
Recommendation	Confirm the service is required, patched, authenticated and restricted to the networks that need it.

36. LOW 2.0 Open service: vmware-auth	
Asset / service	127.0.0.1:912/tcp vmware-auth
Status	OPEN (first seen 2026-10-08, ID 6991fcc9dc)
Risk calculation	Base 2.0 (ENSAT rule)
Evidence	TCP/912 vmware-auth VMware Authentication Daemon 1.0 Uses VNC, SOAP
Impact	Every listening service adds attack surface.
Recommendation	Confirm the service is required, patched, authenticated and restricted to the networks that need it.

37. INFO 0.0 Web technology fingerprint	
Asset / service	127.0.0.1:5357/tcp http
Status	OPEN (first seen 2026-10-08, ID dce82e6296)
Risk calculation	Base 0.0 (ENSAT rule); Informational finding
Evidence	Server: Microsoft-HTTPAPI/2.0
Impact	Informational: technologies identified on the site.
Recommendation	Keep the listed components patched and track them in your software inventory.

Appendix: status workflow

OPEN → IN_PROGRESS → REMEDIATED → VERIFIED. ENSAT marks a REMEDIATED issue as VERIFIED automatically when a later scan of the same scope no longer detects it, and reopens it if it reappears. ACCEPTED_RISK and FALSE_POSITIVE are analyst decisions and are never changed automatically.