

Hotel Management

3.7

INFORMATICS PRACTICES PROJECT

DEVELOPED BY:

Mridul soliwal

Aditya Birla Public School

INDEX

S No.	Description	Page No.
1.	Certificate	3
2.	Acknowledgement & References	4
3.	Introduction	5
4.	Source Code	6
5.	Output Screen	19
6.	Hardware & Software Requirement	35

CERTIFICATE

This is to certify that Hotel Management Informatics Practices project is developed by Mridul Soliwal under my supervision in the computer lab of Aditya Birla Public School in the session 2023-24. The work done by them is original.

Santosh Kotwani

Informatics Teacher

Date: 03/12/2019

ACKNOWLEDGEMENT

I would like to express my sincere gratitude to my computer teacher Santosh Motwani for his vital support, guidance and encouragement without which this project would not come forth from my side. Who helped me completing the project by giving ideas, thoughts and made this project easy and accurate.

I wish to thank my parents for their undivided support and interest who inspired me and encouraged me to go my own way, without which I would be unable to complete my project.

REFERENCE

1. www.google.com/Python project
2. www.wikipedia.com/Python and Pandas projects
3. Class Notes.

INTRODUCTION

The Project is based on Hotel Management System which handles all the record of Guest and Staff working in the Hotel. To store the record MySQL server 5.1 is used by connecting MySQL with Python through PyMySQL connector. For the Data Handling Pandas is used and for Graphical Representation Matplotlib interface Pyplot is used.

Mysql Table Structure

1. Guest Table:

```
mysql> use hotel
Database changed
mysql> desc guest
-> ;
```

Field	Type	Null	Key	Default	Extra
guestid	int(11)	NO	PRI	NULL	
nameofguest	varchar(50)	YES		NULL	
type_of_room	varchar(20)	YES		NULL	
nofdays	int(11)	YES		NULL	
cidate	date	YES		NULL	
codate	date	YES		NULL	
room_no	int(11)	YES	UNI	NULL	
source_of_booking	varchar(10)	YES		NULL	
netpay	int(11)	YES		NULL	

```
9 rows in set (0.02 sec)
```

2. Staff Table:

```
mysql> use hotel;
Database changed
mysql> desc staff;
```

Field	Type	Null	Key	Default	Extra
id	int(11)	NO	PRI	NULL	
name	varchar(50)	YES		NULL	
dept	varchar(20)	YES		NULL	
sal	int(11)	YES		NULL	
hiredate	date	YES		NULL	

```
5 rows in set (0.01 sec)
```

Source Code

```
ans="y"
def guest():
    print("\n1. show all the records of guest \n2. add records of guest \n3. search
records \n4. delete records of guest \n5. Graphical representation \n6. update the
records")
    x=int(input("Enter the choice of no:"))
    if x==1:
        showallrecords()
    elif x==2:
        addrecords()
    elif x==3:
        search()
    elif x==4:
        delete()
    elif x==5:
        guestgr()
    elif x==6:
        changerecord()
    elif x!= [1,2,3,4,5,6]:
        print("\t\tINVAILD INPUT")
def guestgr():
    print("1. Rooms booked \n2. Source of booking")
    x=int(input("enter the no:"))
    if x==1:
        roomgraph()
    elif x==2:
        sobgraph()
    elif x!= [1,2]:
        print("INVAILD INPUT")
def roomgraph():
    import pymysql
    import matplotlib.pyplot as plt
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    quer="select count(*) from guest where type_of_room='single';"
    c1.execute(quer)
```

```

x=c1.fetchone()
lst=list(x)
quer="select count(*) from guest where type_of_room='double';"
c1.execute(quer)
y=c1.fetchone()
lst1=list(y)
quer="select count(*) from guest where type_of_room='triple';"
c1.execute(quer)
z=c1.fetchone()
lst2=list(z)
quer="select count(*) from guest where type_of_room='quad';"
c1.execute(quer)
a=c1.fetchone()
lst3=list(a)
lstt=lst+lst1+lst2+lst3
y=["single","double","triple","quad"]
plt.bar(y,lstt,width=0.50)
plt.xlabel("types of rooms")
plt.ylabel("no.ofrooms")
plt.show()
def sobgraph():
    import pymysql
    import matplotlib.pyplot as plt
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    quer='select count(*) from guest where source_of_booking="online";'
    c1.execute(quer)
    x=c1.fetchone()
    lst=list(x)
    quer="select count(*) from guest where source_of_booking='offline';"
    c1.execute(quer)
    y=c1.fetchone()
    lst1=list(y)
    lstt=lst+lst1
    y=["online","offline"]
    plt.bar(y,lstt,width=0.50)
    plt.xlabel("source of booking")
    plt.ylabel("no.ofrooms")
    plt.show()

```

```

def showallrecords():
    import pymysql
    import pandas as pd
    pd.set_option('display.expand_frame_repr',False)
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    query="select * from guest;"
    df=pd.read_sql(query,d1)
    df=df.rename({"guestid":"id","nameofguest":"name","type_of_room":"type of
room","noofdays":"days","cidate":"check in","codate":"check
out","room_no":"room","source_of_booking":"source of booking","netpay":"net
payment"},axis=1)
    print(df)
def addrecords():
    import pymysql
    import pandas as pd
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    ans1="yes"
    while ans1=="yes":
        for i in range(1,201):
            x=i
            quer2="select * from guest where guestid=%d" %x
            c1.execute(quer2)
            if c1.rowcount==0:
                ans1="no"
                break
    y=input("Enter the guest name:")
    an="yes"
    while an=="yes":
        v=input("enter the type of room:")
        if v=="single":
            an="no"
        elif v=="double":
            an="no"
        elif v=="triple":
            an="no"
        elif v=="quad":
            an="no"

```

```

else:
    print("invaild input")
r=int(input("enter the no. of days:"))
ci=input("enter the check in date:")
co=input("entr the check out date:")
ans3="yes"
while ans3=="yes":
    a=input("Enter the source of booking:")
    if a=="offline":
        ans3="nooo"
    elif a=="online":
        ans3="nooo"
    else:
        print("invaild input")
ans2="ye"
if v=="single":
    while ans2=="ye":
        for i in range(1,51):
            c=i
            quer2="select * from guest where room_no=%d" %c
            c1.execute(quer2)
            if c1.rowcount==0:
                ans2="no"
                break
elif v=="double":
    while ans2=="ye":
        for i in range(51,101):
            c=i
            quer2="select * from guest where room_no=%d" %c
            c1.execute(quer2)
            if c1.rowcount==0:
                ans2="no"
                break
elif v=="triple":
    while ans2=="ye":
        for i in range(101,151):
            c=i
            quer2="select * from guest where room_no=%d" %c
            c1.execute(quer2)

```

```

        if c1.rowcount==0:
            ans2="no"
            break
    elif v=="quad":
        while ans2=="ye":
            for i in range(151,201):
                c=i
                quer2="select * from guest where room_no=%d" %c
                c1.execute(quer2)
                if c1.rowcount==0:
                    ans2="no"
                    break
            if v=="single":
                b=2000*r+(2000*r*9/50)
            elif v=="double":
                b=4000*r+(4000*r*9/50)
            elif v=="triple":
                b=6000*r+(6000*r*9/50)
            elif v=="quad":
                b=8000*r+(8000*r*9/50)
            quer="Insert into guest values(%d,'%s','%s',%d,'%s','%s',%d,'%s',%d);" %
(x,y,v,r,ci,co,c,a,b)
            c1.execute(quer)
            d1.commit()
            print("Record Added")
            f=input("Want to see the added record:")
            if f=="y":
                pd.set_option('display.expand_frame_repr',False)
                quer="select * from guest where guestid=%d;"%x
                df=pd.read_sql(quer,d1)
                df1=df.rename({"guestid":"id","nameofguest":"name","type_of_room":"type of
room","noofdays":"days","cidate":"check in","codate":"check
out","room_no":"room","source_of_booking":"source of booking","netpay":"net
payment"},axis=1)
                print(df1)
            else:
                print("Thank You")
def search():
    import pymysql

```

```

import pandas as pd
d1=pymysql.connect(user="root",host="localhost",passwd="",database="hotel")
c1=d1.cursor()
print("1. Id \n2. Name \n3. Source of booking \n4. Room no. \n5. date \n6. Type of
room")
cho=int(input("enter the no. "))
if cho==1:
    pd.set_option('display.expand_frame_repr',False)
    x=int(input("enter the id:"))
    quer="select * from guest where guestid='%d';" %x
    df=pd.read_sql(quer,d1)
    df1=df.rename({"guestid":"id","nameofguest":"name","type_of_room":"type of
room","noofdays":"days","cidate":"check in","codate":"check
out","room_no":"room","source_of_booking":"source of booking","netpay":"net
payment"},axis=1)
    print(df1)
elif cho==2:
    pd.set_option('display.expand_frame_repr',False)
    x=input("enter the name:")
    quer="select * from guest where nameofguest='%s';" %x
    df=pd.read_sql(quer,d1)
    df1=df.rename({"guestid":"id","nameofguest":"name","type_of_room":"type of
room","noofdays":"days","cidate":"check in","codate":"check
out","room_no":"room","source_of_booking":"source of booking","netpay":"net
payment"},axis=1)
    print(df1)
elif cho==3:
    pd.set_option('display.expand_frame_repr',False)
    x=input("enter the source of booking:")
    quer="select * from guest where source_of_booking='%s';" %x
    df=pd.read_sql(quer,d1)
    df1=df.rename({"guestid":"id","nameofguest":"name","type_of_room":"type of
room","noofdays":"days","cidate":"check in","codate":"check
out","room_no":"room","source_of_booking":"source of booking","netpay":"net
payment"},axis=1)
    print(df1)
elif cho==4:
    pd.set_option('display.expand_frame_repr',False)
    x=int(input("enter the room no:"))

```

```

quer="select * from guest where room_no='%d';" %x
df=pd.read_sql(quer,d1)
df1=df.rename({"guestid":"id","nameofguest":"name","type_of_room":"type of
room","noofdays":"days","cdate":"check in","code":"check
out","room_no":"room","source_of_booking":"source of booking","netpay":"net
payment"},axis=1)
print(df1)
elif cho==5:
pd.set_option('display.expand_frame_repr',False)
x=input("enter the date:")
quer="select * from guest where cdate='%s';" %x
df=pd.read_sql(quer,d1)
df1=df.rename({"guestid":"id","nameofguest":"name","type_of_room":"type of
room","noofdays":"days","cdate":"check in","code":"check
out","room_no":"room","source_of_booking":"source of booking","netpay":"net
payment"},axis=1)
print(df1)
elif cho==6:
pd.set_option('display.expand_frame_repr',False)
x=input("enter the type of room:")
quer="select * from guest where type_of_room='%s'" %x
df=pd.read_sql(quer,d1)
df1=df.rename({"guestid":"id","nameofguest":"name","type_of_room":"type of
room","noofdays":"days","cdate":"check in","code":"check
out","room_no":"room","source_of_booking":"source of booking","netpay":"net
payment"},axis=1)
print(df1)
def delete():
import pymysql
d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
c1=d1.cursor()
x=int(input("enter the id:"))
quer="delete from guest where guestid=%d;" %x
rowcount=c1.execute(quer)
if rowcount>0:
d1.commit()
print("Record Deleted")
else:
print("NO RECORD FOUND")

```

```

def changerecord():
    import pymysql
    import pandas as pd
    pd.set_option('display.expand_frame_repr',False)
    d1=pymysql.connect(user="root",host="localhost",passwd="",database="hotel")
    c1=d1.cursor()
    guid=int(input("enter the id:"))
    quer="select * from guest where guestid=%d" % guid
    c1.execute(quer)
    if c1.rowcount>0:
        row=list(c1.fetchone())
        df=pd.read_sql(quer,d1)
        print(df)
        print("\n1. name of guest \n2. source of booking \n3. date \n4. type of room")
        cr=int(input("enter the no:"))
        if cr==1:
            y=input("enter the new name of guest:")
            quer="update guest set name of guest='%s' where guestid=%d" %(y,guid)
            c1.execute(quer)
            d1.commit()
            print("RECORD CHANGED")
        elif cr==2:
            y=input("enter the new source guest:")
            quer="update guest set source_of_booking='%s' where guestid=%d" %(y,guid)
            c1.execute(quer)
            d1.commit()
            print("RECORD CHANGED")
        elif cr==3:
            y=input("enter the new date:")
            quer="update guest set cdate='%s' where guestid=%d" %(y,guid)
            c1.execute(quer)
            d1.commit()
            print("RECORD CHANGED")
        elif cr==4:
            y=input("enter the new type of room:")
            quer="update guest set type_of_room='%s' where guestid=%d" %(y,guid)
            c1.execute(quer)
            d1.commit()
            quer4="select no of days from guest where guestid=%d" %(guid)

```

```

c1.execute(quer4)
r=list(c1.fetchone())
ans2="ye"
if y=="single":
    while ans2=="ye":
        for i in range(1,51):
            c=i
            quer2="select * from guest where room_no=%d" %c
            c1.execute(quer2)
            if c1.rowcount==0:
                ans2="no"
                break
elif y=="double":
    while ans2=="ye":
        for i in range(51,101):
            c=i
            quer2="select * from guest where room_no=%d" %c
            c1.execute(quer2)
            if c1.rowcount==0:
                ans2="no"
                break
elif y=="triple":
    while ans2=="ye":
        for i in range(101,151):
            c=i
            quer2="select * from guest where room_no=%d" %c
            c1.execute(quer2)
            if c1.rowcount==0:
                ans2="no"
                break
elif y=="quad":
    while ans2=="ye":
        for i in range(151,201):
            c=i
            quer2="select * from guest where room_no=%d" %c
            c1.execute(quer2)
            if c1.rowcount==0:
                ans2="no"
                break

```



```

quer1="update guest set room_no='%d' where guestid=%d" %(c,guid)
c1.execute(quer1)
d1.commit()
if y=="single":
    b=2000*r[0]+(2000*r[0]*9/50)
elif y=="double":
    b=4000*r[0]+(4000*r[0]*9/50)
elif y=="triple":
    b=6000*r[0]+(6000*r[0]*9/50)
elif y=="quad":
    b=8000+r[0]+(8000*r[0]*9/50)
quer2="update guest set netpay=%d where guestid=%d" %(b,guid)
c1.execute(quer2)
d1.commit()
print("RECORD CHANGED")
elif cr!= [1,2,3,4,5,6,7]:
    print("INVAILD INPUT")
elif c1.rowcount==0:
    print("NO RECORD FOUND TO CHANGE")
def staff():
    print("\n1. show all the records of staff \n2. add records of staff\n3. search records
of staff \n4. delete records of staff \n5. Graphical representation \n6. update the
records")
    x=int(input("Enter the choice of no. "))
    if x==1:
        allrecords()
    elif x==2:
        addrecordss()
    elif x==3:
        searchrec()
    elif x==4:
        deleterec()
    elif x==5:
        staffgr()
    elif x==6:
        changerec()
    elif x!= [1,2,3,4,5,6]:
        print("\t\tINVAILD INPUT")
def staffgr():

```

```

print("1. Department \n2. Salary")
x=int(input("enter the no:"))
if x==1:
    deptgraph()
elif x==2:
    salgraph()
def deptgraph():
    import pymysql
    import matplotlib.pyplot as plt
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    quer="select count(*) from staff where dept='managment';"
    c1.execute(quer)
    x=c1.fetchone()
    lst=list(x)
    quer="select count(*) from staff where dept='cleaning';"
    c1.execute(quer)
    y=c1.fetchone()
    lst1=list(y)
    quer="select count(*) from staff where dept='food and beverages';"
    c1.execute(quer)
    z=c1.fetchone()
    lst2=list(z)
    lstt=lst+lst1+lst2
    y=["managment","cleaning","food & beverages"]
    plt.bar(y,lstt)
    plt.xlabel("department")
    plt.ylabel("no.ofstaff")
    plt.show()
def salgraph():
    import pymysql
    import matplotlib.pyplot as plt
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    quer="select count(*) from staff where sal=2000;"
    c1.execute(quer)
    x=c1.fetchone()
    lst=list(x)
    quer="select count(*) from staff where sal=4000;"

```

```

c1.execute(quer)
y=c1.fetchone()
lst1=list(y)
quer="select count(*) from staff where sal=6000;"
c1.execute(quer)
z=c1.fetchone()
lst2=list(z)
lstt=lst+lst1+lst2
y=["2000","4000","6000"]
plt.bar(y,lstt)
plt.xlabel("salary")
plt.ylabel("no.ofstaff")
plt.show()
def addrecordss():
    import pymysql
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    print("\n1. cleaning \n2. food and beverages \n3. managment")
    print("")
    ans1="yes"
    while ans1=="yes":
        for i in range(1,201):
            x=i
            quer2="select * from staff where id=%d" %x
            c1.execute(quer2)
            if c1.rowcount==0:
                ans1="no"
                break
        y=input("Enter the name:")
        a=input("Enter the department:")
        if a=="cleaning":
            j=2000
        elif a=="food and beverages":
            j=4000
        elif a=="managment":
            j=6000
        z=input("Enter the hiredate:")
        quer="Insert into staff values(%d,'%s','%s',%d,'%s');" %(x,y,a,j,z)
        c1.execute(quer)

```

```

d1.commit()
print("Record Added")
f=input("Want to see the added record:")
if f=="y":
    quer="select * from staff where id=%d;" %x
    c1.execute(quer)
    rec=c1.fetchone()
    sid,sname,dept,sal,Hdate=rec
    print("staff id= %d"%sid,"staff name= %s"%sname,"depatment=
%s"%dept,"salary= %d"%sal,"hireDate= %s"%Hdate,sep="\n")
else:
    print("THANK YOU")
def deleterec():
    import pymysql
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    x=int(input("enter the id:"))
    quer="delete from staff where id=%d;" %x
    rowcount=c1.execute(quer)
    if rowcount>0:
        d1.commit()
        print("Record Deleted")
    else:
        print("NO RECORD FOUND")
def searchrec():
    import pymysql
    import pandas as pd
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    print("\n1. id \n2. name \n3. dept \n4. salary \n5. hiredate")
    cho=int(input("enter the no.))
    if cho==1:
        pd.set_option('display.expand_frame_repr',False)
        x=int(input("enter the id:"))
        quer="select * from staff where id='%d';" %x
        df=pd.read_sql(quer,d1)
        print(df)
    elif cho==2:
        pd.set_option('display.expand_frame_repr',False)

```

```

x=input("enter the name:")
quer="select * from staff where name='%s';" %x
df=pd.read_sql(quer,d1)
print(df)
elif cho==3:
    pd.set_option('display.expand_frame_repr',False)
    x=input("enter the dept:")
    quer="select * from staff where dept='%s';" %x
    df=pd.read_sql(quer,d1)
    print(df)
elif cho==4:
    pd.set_option('display.expand_frame_repr',False)
    x=int(input("enter the salary:"))
    quer="select * from staff where sal=%d;" %x
    df=pd.read_sql(quer,d1)
    print(df)
elif cho==5:
    pd.set_option('display.expand_frame_repr',False)
    x=input("enter the hire date:")
    quer="select * from staff where hiredate='%s';" %x
    df=pd.read_sql(quer,d1)
    print(df)
elif cho!=1,2,3,4,5:
    print("invaild input")
def changerec():
    import pymysql
    import pandas as pd
    d1=pymysql.connect(user="root",host="localhost",passwd="",database="hotel")
    c1=d1.cursor()
    sid=int(input("enter the id:"))
    quer="select * from staff where id=%d" % sid
    dfgg=pd.read_sql(quer,d1)
    print(dfgg)
    c1.execute(quer)
    if c1.rowcount>0:
        print("1. id \n2. name \n3. department \n4. hire date")
        cr=int(input("enter the no:"))
        if cr==1:
            ans1="yes"

```

```

while ans1=="yes":
    y=int(input("enter the id:"))
    quer1="select * from staff where id=%d" %y
    c1.execute(quer1)
    if c1.rowcount>0:
        print("DUPLICATE INPUT")
    elif c1.rowcount==0:
        ans1="no"
    quer="update staff set id=%d where id=%d" %(y,sid)
    c1.execute(quer)
    d1.commit()
    print("RECORD UPDATED")
elif cr==2:
    y=input("enter the name:")
    quer="update staff set name='%s' where id=%d" %(y,sid)
    c1.execute(quer)
    d1.commit()
    print("RECORD UPDATED")
elif cr==3:
    y=input("enter the deparment:")
    quer="update staff set dept='%s' where id=%d" %(y,sid)
    c1.execute(quer)
    d1.commit()
    if y=="cleaning":
        j=2000
    elif y=="food and beverages":
        j=4000
    elif y=="managment":
        j=6000
    quer1="update staff set sal='%d' where id=%d" %(j,sid)
    c1.execute(quer1)
    d1.commit()
    print("RECORD UPDATED")
elif cr==4:
    y=input("enter the hiredate:")
    quer="update staff set hiredate='%s' where id=%d" %(y,sid)
    c1.execute(quer)
    d1.commit()
    print("RECORD UPDATED")

```

```

elif c1.rowcount==0:
    print("invalid input")
def allrecords():
    import pymysql
    import pandas as pd
    d1=pymysql.connect(host="localhost",user="root",passwd="",database="hotel")
    c1=d1.cursor()
    quer="select * from staff;"
    df=pd.read_sql(quer,d1)
    print(df)
while ans=="y":
    print("* * * * * ***** * *")
    print("* * * * * * * * *")
    print("***** * * * * * *")
    print("* * * * * * * * *")
    print("* * * ***** * ***** *")
    print("1.Guest records \n2.Staff records \n3.Exit")
    x=int(input("enter the no:"))
    if x==1:
        guest()
    elif x==2:
        staff()
    elif x==3:
        quit()
    elif x!=1,2,3:
        print("\t\tINVALID INPUT")
    ans=input("want to continue:")

```

Output Screens:

Guest Data handling

1. Show all the records:

```
1. show all the records of guest
2. add records of guest
3. search records
4. delete records of guest
5. Graphical representation
6. update the records
Enter the choice of no:1
  id  name type of room  nofdays  check in  check out  room  source of booking  net payment
0  1  raghav      single      7  2019-12-01  2019-12-08    3      offline      2520
1  2  raghav      single      7  2018-05-14  2018-05-21    2      offline      2520
2  3   ram      single      7  2019-08-02  2019-08-09    1      offline      2520
3  4   ajay     double      4  2019-05-14  2019-05-18   51      online      2880
4  5   harry     single      4  2019-05-04  2019-05-08    4      offline      1440
5  6   taran     single      4  2019-05-02  2019-05-02    5      online      2144
6  7   veer     triple      8  2019-08-01  2019-08-09  101      online      9720
7  8   ajay      quad       9  2019-12-03  2019-12-12  151      offline     14400
want to continue:y
```

2. Add record of guest:

```
1. show all the records of guest
2. add records of guest
3. search records
4. delete records of guest
5. Graphical representation
6. update the records
Enter the choice of no:2
Enter the guest name:ajay
enter the type of room:single
enter the no. of days:2
enter the check in date:2019-12-05
entr the check out date:2019-12-07
Enter the source of booking:online
Record Added
Want to see the added record:y
  guestid nameofguest type_of_room  nofdays  cidate  codate  room_no  source_of_booking  netpay
0         9       ajay      single      2  2019-12-05  2019-12-07    6      online      1080
```


3. Search records:

1. ID:

Enter the choice of no:3

1. Id
2. Name
3. Source of booking
4. Room no.
6. date
7. Type of room

enter the no.1

enter the id:4

	guestid	nameofguest	type_of_room	nofdays	cidate	codate	room_no	source_of_booking	netpay
0	4	ajay	double	4	2019-05-14	2019-05-18	51	online	2880

2. Name:

Enter the choice of no:3

1. Id
2. Name
3. Source of booking
4. Room no.
6. date
7. Type of room

enter the no.2

enter the name:raghav

	guestid	nameofguest	type_of_room	nofdays	cidate	codate	room_no	source_of_booking	netpay
0	1	raghav	single	7	2019-12-01	2019-12-08	3	offline	2520
1	2	raghav	single	7	2018-05-14	2018-05-21	2	offline	2520

3. Source of Booking:

Enter the choice of no:3

1. Id
2. Name
3. Source of booking
4. Room no.
6. date
7. Type of room

enter the no.3

enter the source of booking:offline

	guestid	nameofguest	type_of_room	nofdays	cidate	codate	room_no	source_of_booking	netpay
0	2	raghav	single	7	2018-05-14	2018-05-21	2	offline	2520
1	3	ram	single	7	2019-08-02	2019-08-09	1	offline	2520
2	5	harry	single	4	2019-05-04	2019-05-08	4	offline	1440
3	8	ajay	quad	9	2019-12-03	2019-12-12	151	offline	14400

4. Room no:

1. Id
 2. Name
 3. Source of booking
 4. Room no.
 6. date
 7. Type of room
- enter the no.4

enter the room no:151

	guestid	nameofguest	type_of_room	nofdays	cidate	codate	room_no	source_of_booking	netpay
0	8	ajay	quad	9	2019-12-03	2019-12-12	151	offline	14400

5. Date:

1. Id
 2. Name
 3. Source of booking
 4. Room no.
 5. date
 6. Type of room
- enter the no.5

enter the date:2019-12-05

	guestid	nameofguest	type_of_room	nofdays	cidate	codate	room_no	source_of_booking	netpay
0	9	ajay	single	2	2019-12-05	2019-12-07	6	online	1080

6. Type of Room:

1. Id
 2. Name
 3. Source of booking
 4. Room no.
 5. date
 6. Type of room
- enter the no.6

enter the type of room:single

	guestid	nameofguest	type_of_room	nofdays	cidate	codate	room_no	source_of_booking	netpay
0	1	raghav	single	7	2019-12-01	2019-12-08	3	offline	2520
1	2	raghav	single	7	2018-05-14	2018-05-21	2	offline	2520
2	3	ram	single	7	2019-08-02	2019-08-09	1	offline	2520
3	5	harry	single	4	2019-05-04	2019-05-08	4	offline	1440
4	6	taran	single	4	2019-05-02	2019-05-02	5	online	2144
5	9	ajay	single	2	2019-12-05	2019-12-07	6	online	1080

4. Delete records:

```
1. show all the records of guest
2. add records of guest
3. search records
4. delete records of guest
5. Graphical representation
6. update the records
Enter the choice of no:4
enter the id:3
Record Deleted
```


5. Graphical Representation:

1. Rooms booked

Input:

```
1. show all the records of guest
2. add records of guest
3. search records
4. delete records of guest
5. Graphical representation
6. update the records
Enter the choice of no:5
1. Rooms booked
2. Source of booking
enter the no:1
```

Output:




2. Source of Booking:

Input:

```
1. show all the records of guest
2. add records of guest
3. search records
4. delete records of guest
5. Graphical representation
6. update the records
Enter the choice of no:5
1. Rooms booked
2. Source of booking
enter the no:2
```

Output:



6. Update the records:

1. Name of guest:

```
Enter the choice of no:6
enter the id:1
  guestid nameofguest type_of_room nofdays   cidate   codate room_no source_of_booking netpay
0      1      raghav      single      7 2019-12-01 2019-12-08      3      offline    2520

1. nameofguest
2. source of booking
3. date
4. type of room
enter the no:1
enter the new name of guest:garv
RECORD CHANGED
```

2. Source of booking:

```
enter the id:1
  guestid nameofguest type_of_room nofdays    cidate    codate room_no source_of_booking netpay
0         1         garv      single        7  2019-12-01  2019-12-08         3          offline   2520

1. nameofguest
2. source of booking
3. date
4. type of room
enter the no:2
enter the new source guest:offline
RECORD CHANGED
```

3. Date:

```
Enter the choice of no:6
enter the id:1
  guestid nameofguest type_of_room nofdays    cidate    codate room_no source_of_booking netpay
0         1         garv      single        7  2019-12-01  2019-12-08         3          offline   2520

1. nameofguest
2. source of booking
3. date
4. type of room
enter the no:3
enter the new date:2019-05-12
RECORD CHANGED
```

4. Type of Room:

```
enter the id:1
  guestid nameofguest type_of_room nofdays    cidate    codate room_no source_of_booking netpay
0         1         garv      single        7  2019-05-12  2019-12-08         3          offline   2520

1. nameofguest
2. source of booking
3. date
4. type of room
enter the no:4
enter the new type of room:quad
RECORD CHANGED
```

Staff Data Handling

1. Show all records:

1. show all the records of staff
2. add records of staff
3. search records of staff
4. delete records of staff
5. Graphical representation
6. update the records

Enter the choice of no.1

	id	name	dept	sal	hiredate
0	1	harry	managment	6000	2009-09-17
1	2	harry	cleaning	2000	2015-02-15
2	3	ishaan	food and beverages	4000	2014-03-17
3	4	ajay	managment	6000	2012-05-01
4	5	om	cleaning	2000	2014-05-21
5	6	rahul	managment	6000	2011-01-12
6	7	raghav	food and beverages	4000	2010-08-19
7	8	divyam	cleaning	2000	2009-05-23
8	200	raghav	cleaning	2000	2002-12-12

2. Add records:

Enter the choice of no.2

1. cleaning
2. food and beverages
3. managment

Enter the name:om

Enter the department:cleaning

Enter the hiredate:2014-05-21

Record Added

Want to see the added record:n

THANK YOU

3. Search the records:

1. ID:

Enter the choice of no.3

1. id
2. name
3. dept
4. salary
5. hiredate

enter the no.1
enter the id:8

	id	name	dept	sal	hiredate
0	8	divyam	cleaning	2000	2009-05-23

want to continue:

2. Name:

Enter the choice of no.3

1. id
2. name
3. dept
4. salary
5. hiredate

enter the no.2

enter the name:raghav

	id	name	dept	sal	hiredate
0	7	raghav	food and beverages	4000	2010-08-19
1	200	raghav	cleaning	2000	2002-12-12

want to continue:

3. Department:

Enter the choice of no.3

1. id
2. name
3. dept
4. salary
5. hiredate

enter the no.3

enter the dept:cleaning

	id	name	dept	sal	hiredate
0	2	harry	cleaning	2000	2015-02-15
1	5	om	cleaning	2000	2014-05-21
2	8	divyam	cleaning	2000	2009-05-23
3	200	raghav	cleaning	2000	2002-12-12

want to continue:

4. Salary:

Enter the choice of no.3

1. id
2. name
3. dept
4. salary
5. hiredate

enter the no.4

enter the salary:6000

	id	name	dept	sal	hiredate
0	1	harry	managment	6000	2009-09-17
1	4	ajay	managment	6000	2012-05-01
2	6	rahul	managment	6000	2011-01-12

want to continue:

5. Hire Date:

Enter the choice of no.3

1. id
2. name
3. dept
4. salary
5. hiredate

enter the no.5

enter the hire date:2002-12-12

	id	name	dept	sal	hiredate
0	200	raghav	cleaning	2000	2002-12-12

want to continue:

4. Delete record:

1. show all the records of staff
2. add records of staff
3. search records of staff
4. delete records of staff
5. Graphical representation
6. update the records

Enter the choice of no.4

enter the id:200

Record Deleted

5. Graphical Representation:

Input:


1. show all the records of staff
2. add records of staff
3. search records of staff
4. delete records of staff
5. Graphical representation
6. update the records

Enter the choice of no.5

1. Department
2. Salary

enter the no:1


Output:



Input:

```
1. show all the records of staff
2. add records of staff
3. search records of staff
4. delete records of staff
5. Graphical representation
6. update the records
Enter the choice of no.5
1. Department
2. Salary
enter the no:2
want to continue:
```

Output:



6. Update the records:

1. ID:

```
Enter the choice of no.6
enter the id:2
   id  name      dept   sal   hiredate
0   2  harry  cleaning  2000  2015-02-15
1. id
2. name
3. department
4. hire date
enter the no:1
enter the id:2
DUPLICATE INPUT
enter the id:6
DUPLICATE INPUT
enter the id:7
DUPLICATE INPUT
enter the id:8
DUPLICATE INPUT
enter the id:9
RECORD UPDATED
```

2. Name:

```
enter the id:4
  id  name      dept    sal    hiredate
0   4   ajay  managment 6000   2012-05-01
1. id
2. name
3. department
4. hire date
enter the no:2
enter the name:garv
RECORD UPDATED
want to continue:
```

3. Department:


```
enter the id:4
  id  name      dept    sal    hiredate
0   4   garv  managment 6000   2012-05-01
1. id
2. name
3. department
4. hire date
enter the no:3
enter the deparment:cleaning
RECORD UPDATED
```

4. Hire Date:

```
enter the id:4
  id  name      dept    sal    hiredate
0   4   garv  cleaning 2000   2012-05-01
1. id
2. name
3. department
4. hire date
enter the no:4
enter the hiredate:2013-06-05
RECORD UPDATED
```

7. Exit:

```
===== RESTART: D:\New folder\final ka final draft.py =====
*      *      *      *      *      *      *      *      *
*      *      *      *      *      *      *      *      *
***** *      *      *      *      *      *      *      *
*      *      *      *      *      *      *      *      *
*      *      *      *      *      *      *      *      *
1.Guest records
2.Staff records
3.Exit
enter the no:3
```



Hardware Requirement:

Pentium 3/4/Core 2 Duo/Dual core/Pentium/
i3/i5/i7, 256 MB RAM

2 MB free space on Hard Disk

Colour Monitor/LCD

Operating System & Compiler

MS Windows

Python with related libraries used of Data Analysis

- ü Pandas
- ü Matplotlib
- ü PyMySQL
- ü Numpy