

PRODUCT PACK-OFF DATA PAGE: HWB

Product Name: **SENTRY CALMING CHEWS 60CT**
Item #: **04010**



Part: PA004010

Version Date: 9/5/2019
Version : 2
Author : RM

NITROGEN FLUSH REQUIRED
YES ☐ NO ☒


Linx
Scale
Checkweigher
Perrigo Expiry
Joint eze
Joint eze

RETAIL PACKAGE: (Carton or Blister)
Coding Info:

| | | |
|---|---------------------|--------------------------------------|
| X | Lot Code : Standard | JJYSKC101 Time |
| | Best By | |
| X | Expiration Date | MMM YYYY 2 YEARS FROM EXTRUSION DATE |

Instructions:

| |
|---------|
| Step 1. |
| Step 2. |
| Step 3. |



Tray / Inner Pack :
of Packages/ tray or inner:

| |
|-----------|
| No inners |
|-----------|

Instructions for Inner:

| |
|---------------------------------------|
| Step 1. Place bags upright in shipper |
| Step 2. |
| Step 3. |

Shipper Case:
Retail packages per case:

| |
|---|
| 6 |
|---|

of trays / inners per case:

| |
|-----------|
| No inners |
|-----------|

Hazardous Labels:

| |
|-----|
| N/A |
|-----|

Special Labeling Instructions:

| |
|-----|
| N/A |
|-----|

of cases per layer:

| |
|----|
| 17 |
|----|

of layers per pallet:

| |
|---|
| 6 |
|---|

Top View of Shipper.
Not actual product.
Shown for placement.



Not actual product. Shown for placement



Add label to ONE length sides of shipper

Slip sheet:

| | | |
|---|-----|----|
| X | Yes | No |
|---|-----|----|

Special Instructions: column stack and wrap every other layer as the pallet is being built

| LABEL | CW MAX | UCL | INTERMEDIATE | TARGET | INTERMEDIATE | LCL | CW MIN |
|-------|--------|-----|--------------|--------|--------------|-----|--------|
| 60 | 62 | 62 | 61.5 | 61 | 60.5 | 60 | 60 |

Shipper/Case Label:

PACK / UNIT
1 case of 6
EXPIRY
NOV 2020
Distributed by: Perrigo Animal Health, Omaha NE 68138
SENTRY
VENDOR STOCK NO.
04010
Sentry Calming chew 60 ct.
U%10073091040108L%2489SKC101
Lot #2489SKC101
10073091040108

