

Master's Thesis

Winter Term 2025/2026

Philipp Schlatter

Numerical Studies of Transition and Turbulence in a Flat-Plate Boundary Layer



Title
of your
thesis

Master's Thesis, Bachelor's Thesis, Project
Thesis

by
NAME

Stud.reg.no. XXXXXXXXX

Erlangen, xx.xx.xxxx

Institute of Fluid Mechanics
Faculty of Engineering
Friedrich–Alexander–University Erlangen–Nürnberg
Prof. Dr. Philipp Schlatter

Author:	NAME
Student Registration Number:	XXXXXXXXXX
Institute:	Institute of Fluid Mechanics
Head of Institute:	Prof. Dr. Techn. Philipp Schlatter
Group and Supervisor:	Prof. Dr.-Ing. habil. Stefan Becker Felix Czwielong
Assigned:	dd.mm.yyyy
Submitted:	dd.mm.yyyy
LSTM Technical Report:	01/2025

Declaration

I hereby declare formally that I have developed and written the enclosed thesis entirely by myself and without help of third parties and have not used sources or means without declaration in the text. Any thoughts or quotations, inferred (literally or analogously) from the sources, are marked as such. This thesis was not submitted in the same or substantially similar version to any other authority to achieve an academic grade.

The Friedrich–Alexander–Universität (FAU), represented by the Institute of Fluid Mechanics (LSTM), is granted a simple, free of charge, temporally and geographically unrestricted right to use the results of the work, including any protective rights and rights of use, for the purposes of research and teaching.

Erlangen, the DATE

Contents

Contents	I
List of Figures	II
List of Tables	III
List of Symbols	IV
List of Abbreviations	IV
1 Introduction	1
1.1 Important stuff	1
2 Basics	4
2.1 DNS	4
2.2 Turbulent boundary layer theory	4
2.3 Optimization??	4
2.4 Tools	4
3 Methodology	5
3.1 Channel simulations/cooler name für 'Anfangssimulationen'	5
3.2 plane TBL simulaitons	5
3.3 curved TBL simulations	5
3.4 ZPG Generation	5
3.5 simulations with ZPG	7
3.6 General workflow	7
Bibliography	10
A Einleitung	11
A.1 Important stuff	11

List of Figures

1.1	The LSTM logo with the latest colours.	2
3.1	Worklow	8
A.1	The LSTM logo with the latest colours.	12

List of Tables

1.1	A table has the caption above.	3
-----	--	---

List of Symbols

Variable	Einheit	Beschreibung
c_0	m/s	Schallgeschwindigkeit in Luft
∇	$1/m$	Nabla-Operator

List of Abbreviations

Abkürzung	Bedeutung
APE	Aeroacoustic Perturbation Equations
SST	Shear Stress Transport

1 Introduction

Refer to equations using the following way. In equation (A.1) we can replace $G(x)$. As seen in Fig. A.1, however, the referred object always needs to come before the corresponding text. We can refer to literature Schlatter and Örlü (2010) as an important citation (see for instance Schlatter and Örlü, 2010, and others).

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

$$G(x) = \sum_0^N \sin^2(x) \tag{1.1}$$

Refer to equations using the following way. In equation (A.1) we can replace $G(x)$. As seen in Fig. A.1, we can refer to Schlatter and Örlü (2010) as an important citation (see for instance Schlatter and Örlü, 2010, and others).

1.1 Important stuff

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis

natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.



Figure 1.1: The LSTM logo with the latest colours.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst.

Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Table 1.1: A table has the caption above.

title 1	title 2	title3
cell1	cell2	cell3
cell4	cell5	cell6
cell7	cell8	cell9

2 Basics

2.1 DNS

2.2 Turbulent boundary layer theory

- boundary layer develops const in flow direction - with increasing boundary layer thickness - wall shear stress not known a priori - behaviour in inner layer ess. same as in channel flow - equation for pressure gradient - definition of boundary layer thickness, displ. thickness, momentum thickness
- corresponding Reynolds numbers - shape factor

2.2.1 pressure gradient

why is it important?

2.3 Optimization??

2.4 Tools

XX das hier vlt in Basics?? XX

To work on this project multiple tools were used. Most of the fluid-flow simulations (korrekte bezeichnung??) were performed with DNS (see XX section 2.1). To perform these simulations the spectral element code NEKO was used. Blabla über neko When running simulations with NEKO it is possible to take statistics of the simulated flow during run time. Multiple settings about how the statistics should be recorded can be defined in the case file of the simulation. For example it is possible to define one or two axis along which the statistics should be averaged. These statistics are used to extract and compute certain measures of the flow. To do this some postprocessing of the recorded statistics is necessary. This is done in PYTHON where the package PYSEMTTOOLS is included. With this package data recorded in NEKO simulations can be extracted and interpolated from an SEM mesh into any arbitrary points (zu nah an github description). Then multiple statistical measures like the budget terms can be calculated. In addition to the DNS, some RANS simulations were performed as well. To run these simulations the open source software OPENFOAM is used. This software is able to perform RANS simulations of fluid flows with different turbulence models. To extract velocity fields etc from the simulation PYTHON is used. All simulations are performed on the cluster of the RRZE of the FAU. Blabla über cluster

3 Methodology

In the following chapter the methods used in this thesis are presented. In the beginning the used tools are introduced. Then the workflow of the handled project is described and in the end the used optimization method is discussed briefly.

3.1 Channel simulations/cooler name für 'Anfangssimulationen'

3.2 plane TBL simulaitons

3.3 curved TBL simulations

In the next part of the
up to this moment, the TBL has no ZPG.

3.4 ZPG Generation

In the next step the procedure to generate a ZPG in the curved TBL domain is introduced. This procedure is done on OPEFOAM using the Bayesion optmizer code (ref: Eman etc XX, ref: basics XX). As described in XX the code is able to optimize the shape of the domain to achieve a given pressure gradient function, which in this case is ZPG. To do this the simulaiton setup has to be transferred to OPENFOAM. In the following paragraph the necessary steps are described in detail.

3.4.1 OpenFOAM setup

General settings RNAS model

Mesh Generation The transfer of the curved TBL simulation setup to OPENFOAM includes some adaptations which will be presented here. First, the mesh has to be regenerated. It is not possible to use a mesh created in GMSH and transfer it to OPENFOAM, since the code has to adapt the domain and the mesh after every iteration of the optimization. Therefore, the domain has to be regenerated in every iteration with `blockMesh`. As a consequence the domain has to be defined in `blockMeshDict`. The plane part is meshed with rectangular blocks. The domain close to the lower wall has a progression factor included such that the resolution increases towards the wall. In the curved part the lower wall is defined through a circle arc similar to the GMSH mesh used in NEKO. The upper wall is determined by a spline. The points defining the spline are the coordinates x_{θ_i} , y_{θ_i} of the *design parameters* θ_i whose position is modified to minimize the *objective function*. The optimization code is constructed such that it modifies position of the

design parameters in wall-normal direction. Since the *design space* is curved, the wall-normal direction does not correspond to a fixed axis. Hence, their position has to be transformed in x - and y - coordinates to define the spline correctly in space. Compared to the domain used for the DNS, the height of the domain is increased to $\delta_{99} * XX = XX$. This modification brings some simplifications when the results of the optimized OPENFOAM simulation are transferred to the DNS domain which will be described later (see XX).

XX HIER BILD VON MESH XX

Initial conditions or boundary condition ??XX The quantities that need predefined initial conditions depend on the chosen RANS model (XXQuelle). Since in this project the $k - \omega - sst$ -model is used, it is necessary to define initial conditions for turbulent kinetic energy k , dissipation ω and velocity U . This is done due to the imposition of an initial field at the inflow of the domain which is extracted from the previous DNS simulation of the curved TBL (see XX). In the postprocessing of the DNS simulaiton the streamwise position in the plane part of the domain where $Re_{theta} = 1000$ is reached is identified. At this streamwise position the fields of U , k and ω are extracted along the height of the domain. In order to do this the postprocessing of the DNS simulation data is repeated for the plane at $Re_{theta} = 1000$. With the PYTHON package *fluidfoam* it is possible to read an OPENFOAM mesh. This is used to extract the points of the OPENFOAM mesh at inflow. These points are used as interpolation points to perform the postprocessing. As described earlier the domain used in OPENFOAM is higher than the one for the DNS simulations. The usage of this higher domain would lead to interpolation conflicts since there are no data for the upper interpolation points. To avoid these conflicts the interpolation is performed on an OPENFOAM domain which has the same height as the NEKO domain. The values for U can be extracted directly, whereas k and ω need to be computed.

The results of this simulation are used as inflow conditino for the following RANS simulations in OPENFOAM. More precisely the measure of U , k and ω at the positoin of $Re_{theta} = 1000$ are extracted. Then the OPENFOAM simulation is set up such that the profile at $Re_{theta} = 1000$ from the DNS is used as boundary condition at the inflow of the domain in the RANS simulation. XX hier noch das OPenfoma domain höher ist XX With this simulation setup the optimization process is started. The first step of the optimization loop is to ste new boundary points q. In the beginning (if there are less then XX in GPinit) the points are taken randomly in the given parameter range. in the next step. The domiain is build with the new boundary points and the OPENFOAM simulation is started. When the simulation is finished, the postprocessing is performed to compute the current Clauser parameter β and the residual R . As a last step the files and XX are updated. If the optimization was performed for a certain number of steps the new boundary points q are selected with the bayesian optmization. <the optimization runs until ???XX, sich that the ZPG is ensured. In the next step the velocity profile for the optimized domain is extracted. The values are extracted from the RANS simulation at the wand normal position which corresponds to the topwall of the DNS domain. This velocity profile is imposed to the DNS setup and then the DNS simulation is performed.

3.5 simulations with ZPG

3.6 General workflow

In this section the general workflow followed during this project is presented.

XX Hier noch allgemeines Vorgehen beschreiben sonst zu detailliert im folgenden XX




Figure 3.1: Workflow

To get familiar with the NEKO software an example case of the neko example is simulated. We decided to use the channel case since there are some similarities compared to the TBL (see chapter 2). The obtained simulation results as well as the postprocessing procedure are verified

and then validated with reference data. In the following step the set up is switched into a TBL. To do this a new domain with a new mesh is created. At this point a plane TBL is analysed first. A detailed description of the setup can be found in XX. This setup is validated with reference data of other plane TBL simulations eg XX XX. As with the channel simulations, these simulations are used to validate the simulation setup and the postprocessing procedure. In the final part of the project the curved TBL is analysed. Therefore it is necessary to build a simulation setup where a ZPG is ensured such that only curvature effects can be analysed. To create such a setup multiple steps are necessary which are depicted in Figure 3.1. First a working setup of a curved TBL without pressure modification is established in NEKO including the domain size, case settings, vector rotations etc. which are described in detail at XX. With this setup a simulation is performed.

- einarbeiten in neko software -> channel simulations - perform simulations and verify results with reference data
- create TBL domain - perform plane tbl isimulations and validate the results with reference data
- create curved domain - set up neko settings for working simulaiton - copy setup in OpenFOAM
- run optimization
- beta (clauser parameter) at the lower wall as target measures - odjective function: distnace between beta at the bewertungspoints q nad prescribed beta along the lower wall (at the same x position)
- extract results (U, ??) from OpenFOAM - impose these data as boundary condition at top wall in neko simulation - perform neko simulation
- do this for different domains: why these domains?

Bibliography

P. Schlatter and R. Örlü. Assessment of direct numerical simulation data of turbulent boundary layers. *Journal of Fluid Mechanics*, 659:116–126, 2010.

A Einleitung

Refer to equations using the following way. In equation (A.1) we can replace $G(x)$. As seen in Fig. A.1, however, the referred object always needs to come before the corresponding text. We can refer to literature Schlatter and Örlü (2010) as an important citation (see for instance Schlatter and Örlü, 2010, and others).

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

$$G(x) = \sum_0^N \sin^2(x) \tag{A.1}$$

Refer to equations using the following way. In equation (A.1) we can replace $G(x)$. As seen in Fig. A.1, we can refer to Schlatter and Örlü (2010) as an important citation (see for instance Schlatter and Örlü, 2010, and others).

A.1 Important stuff

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis

natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.



Figure A.1: The LSTM logo with the latest colours.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst.

Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.