




Office address:- A 162 GR Garden 2 Chipyana buzurg ghaziabad -201009
Manufacturing unit address:- A-129,sec-A4 Tronica city,
industrial area, Loni, Ghaziabad, Uttar Pradesh 201103

E-mail : director@kalikem.com
Web Site : www.kalikem.com

TERMS & CONDITIONS :

1. This Price List Superceeds All Previous Price List.
2. Prices Are Subject To Change Without Notice.
3. Gst & Other Govt. Levies Shall Be Charged Extra As Applicable At The Time Of Supply.
4. 50% Advance 7 50% Before Dispatch Must Accompany Along With The Order.
5. Generally Delivery Is Made Within A Period Of 4/6 Weeks From The Date Of Confirmed Purchase Order.
6. All Disputes If Any Are Subject To Delhi Jurisdiction Only.



[DEALER / DISTRIBUTOR](#)

A Perfect
LED
Lighting Solutions

All Type Of Decorative Poles,
Indoor Outdoor Light And Cctv (amc)
Are Available For Sale.
Installation And Servicing Are Available





COMPANY PROFILE

Performance you trust, quality you see."

KALIKEM ENTERPRISES was founded with a simple yet powerful vision — to redefine architectural lighting and pole manufacturing through innovation, quality, and engineering excellence. What began as an idea has grown into a commitment: to deliver world-class lighting solutions that blend performance, sustainability, and aesthetic brilliance. Driven by a passion for craftsmanship, we design and manufacture a complete range of architectural luminaires and lighting poles that illuminate spaces with purpose. Every product is shaped with attention to detail, cutting-edge technology, and a deep understanding of modern lighting needs. At

KALIKEM ENTERPRISES we believe lighting is more than illumination — it is an experience. Our mission is to add real value to the world of lighting by offering reliable, durable, and visually striking solutions that enhance environments and inspire people. With a strong focus on in-house development, production, and assembly, we ensure uncompromised quality at every stage. Our client-centric approach and dedication to continuous improvement make us a trusted partner for architects, contractors, and designers nationwide. Today,

KALIKEM ENTERPRISES stands as a growing leader in high-quality luminaires and architectural lighting poles, combining industry expertise with advanced engineering to create lighting that truly transforms spaces. Lighting, refined.



DECORATIVE POLE LIGHTS

HUMBERTO-H Pole with Bluebell Fixture



MARCELL-H Pole with TLB-59 & Festung Fixture




BERNARDO-H Pole with TLB-57 & ROMA-L Fixture



RICCO-CH Pole with TLB-10 & Florence-DD Fixture



KS-18




RICCO-CH Pole with Florence Fixture



NORA Pole with Trophy LDA Fixture



HOLLYHOK Pole with Concord Fixture



Cat. Ref. No.

Height (mm)

KE-DP-005

Cat. Ref. No.

Height

2750

KE Light - Decorative RICCO-CH Pole with 50 Watt LED Post top fixture-Florence.

KE-DP-006

4500mm

KE Light - Decorative NORA Pole with 50 Watt LED Post Top decorative fixture-Trophy-LDA .

Cat. Ref. No.

Height

KE-DP-007

Cat. Ref. No.

Height

KE-DP-008

KE Light - Decorative HOLLYHOK Pole with 50Watt LED decorative Post fixture-Concord.

KE-DP-009

4000mm

5000mm

DECORATIVE POLE LIGHTS

DECORATIVE POLE LIGHTS



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KE-DP-010	2700	KE-DP-011	3000mm
KE-DP-012	4000mm	KE-DP-013	

KE Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted.

Accessories Included : Electric Cable, Bakelite Sheet,

MCB & Foundation Bolts.

KE Light - Decorative TWILIGHT Pole with triple arm decorative bracket

and three nos. Globe and decorative led Post Top fixture



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KE-DP-014	1920	KE-DP-016	3000
KE-DP-015	2460	KE-DP-017	4000
		KE-DP-018	5000

KE Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted.

Accessories Included : Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.

HOLLYHOK Pole with Twin Arm Bracket & Concord Fixture



Cat. Ref. No.	Height
KE-DP-032	4000mm

KE Light - Decorative HOLLYHOK Pole with double arm bracket and twin nos. 40Watt LED Decorative Post Top fixture-Concord.

HOLLYHOK Pole with Bracket TLB-66 & Concord Fixture



Cat. Ref. No.	Height
KE-DP-033	4000mm

KE Light - Decorative HOLLYHOK Pole with double arm bracket TLB-66-2A and twin nos. 40Watt LED Decorative Post Top fixture-Concord.


HUMBERTO-CH Pole with 4 Arm TLB-66 & Globe Fixtures



Cat. Ref. No.	Height
KE-DP-034	4650mm

KE Light - Decorative HUMBERTO-CH Pole with four arm bracket TLB-66 and four nos. Globes with one no. LED Post top fixture-Concord.

HUMBERTO-CH Pole with 4 Arm TLB-66 Globe & Concord Fixture




Cat. Ref. No.	Height
KE-DP-035	5400mm

KE Light - Decorative HUMBERTO-CH Pole with four arm bracket TLB-66 and four nos. Globes with one no. LED Post top fixture-Concord.



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KE-DP-019	3000	KE-DP-022	2200
KE-DP-020	4000	KE-DP-023	2950
KE-DP-021	5000		

KE Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted.



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KE-DP-024	2500	KE-DP-027	3000
KE-DP-025	2500	KE-DP-028	4000
KE-DP-026	2500	KE-DP-029	4500
		KE-DP-030	5000
		KE-DP-031	6000

KE Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted.


HEATHER Pole with Quince Fixture



Cat. Ref. No.	Height
KE-DP-036	4000mm

KE Light - Decorative PHLOX-CH Hybrid Pole with double arm drop down bracket and twin nos. 40 Watt LED drop down fixture-Bianca-SDD.


PHLOX-CH Pole with Twin Arm TLB-11 and Bianca-SDD Fixture



Cat. Ref. No.	Height
KE-DP-037	3875mm

KE Light - Decorative HEATHER Pole with 50 Watt LED Post top fixture-Quince.

HEATHER Pole with Quince Fixture



Cat. Ref. No.	Height
KE-DP-038	3930mm

KE Light - Decorative HEATHER-C Pole with 50 Watt LED Post Top fixture-Roma-L.

RICCO-CH Pole with TLB-10 & Florence-DD Fixture




Cat. Ref. No.	Height
KE-DP-039	4850mm


KE Light - Decorative RICCO-CH Pole with double arm fixture-DB.

DECORATIVE POLE LIGHTS

MARCELL-H Pole with Moulin Fixture




MARCELL Pole with Regina fixture



MARCELL Pole with TLB-11 & Blanca-SDD fixture



LUPINUS Pole with Quince Fixture



DECORATIVE POLE LIGHTS

Cat. Ref. No.	Height
KE-DP-040	4270mm

KE Light - Decorative MARCEL-H Pole with 50 Watt LED Post top fixture-Moulin. LED Decorative Post Top fixture-Concord.

Cat. Ref. No.	Height
KE-DP-041	4240mm





KE Light - Decorative MARCELL-H Pole with 50 Watt LED Post top fixture-Regina. Twin nos. 40Watt LED Decorative Post Top fixture-Concord.

Cat. Ref. No.	Height
KE-DP-042	4350mm

KE Light - Decorative MARCELL Pole with single arm drop down bracket TLB-11-10701 and 50 Watt LED drop down fixture-Blanca-SDD.

Cat. Ref. No.	Height
KE-DP-043	3875mm

KE Light - Decorative LUPINUS Pole with 50 Watt LED Post top fixture-Quince.



Cat. Ref. No.	Height (mm)
KE-DP-044	3000
KE-DP-045	4000
KE-DP-046	5000

KE Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted. Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.




Cat. Ref. No.	Height (mm)
KE-DP-047	2270
KE-DP-048	2270
KE-DP-049	2270

Cat. Ref. No.	Height (mm)
KE-DP-050	3000

KE Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted. Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.

Cat. Ref. No.	Height (mm)
KE-DP-051	4000

KE Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted. Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.



Cat. Ref. No.	Height
KE-DP-067	3500mm

Cat. Ref. No.	Height
KE-DP-069	3875mm

KE Light - Decorative lighting column is made out of Aluminum profile perforated at centre for lighting with 2x18watt LED and indirect light with oval shaped painted fibre reflector. Pole is primer coated and Polyurethane painted.

KE Light - Decorative RICCO-H Pole with 50 Watt LED Post top fixture-Quince.

Cat. Ref. No.	Height
KE-DP-070	5mtr
KE-DP-071	6mtr
KE-DP-072	7mtr

Material: Mild Steel

Cat. Ref. No.	Height
KE-DP-073	4mtr
KE-DP-074	5mtr
KE-DP-075	6mtr

Material: Mild Steel


DECORATIVE POLE LIGHTS



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KS-DP-222	2700	KS-DP-226	1920
KS-DP-227	2460		

KS Light - Decorative Poles made out of G.I. pipe, complete with Aluminum Cast & duly Polyurethane Painted.


Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KS-DP-226	1920	KS-DP-231	4000
KS-DP-227	2460	KS-DP-232	5000

KS Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted.


Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KS-DP-231	4000	KS-DP-241	3000
KS-DP-232	5000	KS-DP-242	4000

KS Light - Decorative Poles made out of G.I. pipe, complete with Aluminum Cast & duly Polyurethane Painted.

Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KS-DP-233	6000	KS-DP-243	5000
KS-DP-234	6000	KS-DP-244	5000


KS Light - Decorative Poles made out of G.I. pipe, complete with Aluminum Cast & duly Polyurethane Painted.

Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.


DECORATIVE POLE LIGHTS

HUMBERTO-CH Pole with 4 Arm TLB-66 & Globe Fixtures

HUMBERTO-CH Pole with 4 Arm TLB-66 Globe & Concord Fixture



MARCELL-H Pole with Moulin Fixture



MARCELL Pole with Regina fixture



Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-241	4650mm	KS-DP-275	5400mm
KS-DP-242	4000		


KS Light - Decorative HUMBERTO-CH Pole with four arm bracket TLB-66 and five nos. 300mm Globes.

KS Light - Decorative HUMBERTO-CH Pole with four arm bracket TLB-66 and four nos. Globes with one no. LED Post top fixture-Concord.

Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-276	4270mm	KS-DP-277	4240mm
KS-DP-277	4240mm		

KS Light - Decorative MARCEL-H Pole with 50 Watt LED Post top fixture-Moulin.

KS Light - Decorative MARCELL-H Pole with 50 Watt LED Post top fixture-Regina.



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KS-DP-244	3000	KS-DP-247	2200
KS-DP-245	4000	KS-DP-248	2950
KS-DP-246	5000		

KS Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted.




Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-272	4000mm	KS-DP-273	4000mm
KS-DP-273	4000		

KS Light - Decorative HOLLYHOK Pole with double arm bracket and twin nos. 40Watt LED Decorative Post Top fixture-Concord.

KS Light - Decorative HOLLYHOK Pole with double arm bracket TLB-66-2A and twin nos. 40Watt LED Decorative Post Top fixture-Concord.

MARCELL Pole with TLB-11 & Blanca-SDD fixture

LUPINUS Pole with Quince Fixture



Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-278	4350mm	KS-DP-279	3875mm
KS-DP-279	3875mm		

KS Light - Decorative MARCELL Pole with single arm drop down bracket TLB-11-10701 and 50 Watt LED drop down fixture-Blanca-SDD.

KS Light - Decorative LUPINUS Pole with 50 Watt LED Post top fixture-Quince.



Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-280	4000mm	KS-DP-281	3875mm
KS-DP-281	3875mm		

KS Light - Decorative PHLOX-CH Hybrid Pole with double arm drop down bracket and twin nos. 40 Watt LED drop down fixture-Blanca-SDD.

KS Light - Decorative HEATHER Pole with 50 Watt LED Post top fixture-Quince.

DECORATIVE POLE LIGHTS

DECORATIVE POLE LIGHTS

HEATHER Pole with Quince Fixture RICCO-CH Pole with TLB-10 & Florence-DD Fixture



Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-282	3930mm	KS-DP-283	4850mm

KS Light - Decorative HEATHER-C Pole with 50 Watt LED Post Top fixture-Roma-L
KS Light - Decorative RICCO-CH Pole with double arm drop down bracket KS-10-15902 and twin nos. 50 Watt LED drop down fixture-Florence-DD.

HUMBERTO-H Pole with Bluebell Fixture MARCELL-H Pole with TLB-59 & Festung Fixture



Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-284	4350mm	KS-DP-285	4000mm

KS Light - Decorative HUMBERTO-H Pole with 50 Watt LED Post top Fixture-Bluebell.
KS Light - Decorative MARCEL-H Pole with Twin arm TLB-59 bracket and twin nos. Post top Fixture-Festung.

BERNARDO-H Pole with TLB-57 & ROMA-L Fixture RICCO-CH Pole with TLB-10 & Florence-DD Fixture



Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-286	4000mm	KS-DP-287	4850mm

KS Light - Decorative BERNARDO-H Pole with double arm bracket KS-57-2 twin nos. 50 Watt LED drop down fixture-Roma-L.
KS Light - Decorative RICCO-CH Pole with single arm drop down bracket KS-10-15901 and 50 Watt LED drop down fixture-Florence-DD.


MARTIN RICCO-H Pole with Quince Fixture



Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-288	3500mm	KS-DP-290	3875mm

KS Light - Decorative lighting column is made out of Aluminum profile perforated at centre for lighting with 2x18watt LED and indirect light with oval shaped painted fibre reflector. Pole is primer coated and Polyurethane painted.
KS Light - Decorative RICCO-H Pole with 50 Watt LED Post top fixture-Quince.

Maxin Pole



Cat. Ref. No.	Height	Cat. Ref. No.	Height
KS-DP-291	5mtr	KS-DP-294	4mtr
KS-DP-292	6mtr	KS-DP-295	5mtr
KS-DP-293	7mtr	KS-DP-296	6mtr

Material: Mild Steel

Material: Mild Steel

DECORATIVE POLE LIGHTS




DECORATIVE POLE LIGHTS



Cat. Ref. No.	Height	Cat. Ref. No.	Height (mm)
KS-DP-299	3000	KS-DP-302	3000
KS-DP-300	4000		
KS-DP-301	6000		


KS Light - Decorative Poles made out of M.S/G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted.
Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.



Cat. Ref. No.	Height	Wattage	Cat. Ref. No.	Height	Wattage
KS-DP-303	2800mm	2x45 Watt	KS-DP-304	2800mm	45 Watt

KS Light - Decorative robust, aesthetic cross arm column light made out of mild steel profile with PC diffuser clear/frosted.
KS Light - Decorative robust, aesthetic round tubular Column light column is made out of mild steel profile with PC frosted/clear diffuser.

* All dimensions are in mm & tolerance ±3%




Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KS-DP-325	3000	KS-DP-329	3000	KS-DP-333	3000	KS-DP-346	4mtr (PC)
KS-DP-326	4000	KS-DP-330	4000	KS-DP-334	4000	KS-DP-347	5mtr (PC)
KS-DP-327	5000	KS-DP-331	4000	KS-DP-335	4000	KS-DP-348	6mtr (PU)
KS-DP-328	6000	KS-DP-332	5000	KS-DP-336	5000	KS Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted. Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.	*LED Street light not included (Powder Coated)
							Aluminium Cast & duly Polyurethane Painted. (PU Paint Coated)




Cat. Ref. No.	Height	Wattage	Cat. Ref. No.	Height	Wattage
KS-DP-307	3000	50 Watt	KS-DP-313	3000	1x50 Watt
KS-DP-308	4000	50 Watt	KS-DP-314	4000	1x50 Watt
KS-DP-309	5000	50 Watt	KS-DP-315	5000	1x50 Watt
KS-DP-310	6000	2x50 Watt	KS-DP-316	6000	2x50 Watt
KS-DP-311	6000	2x50 Watt	KS-DP-317	6000	2x50 Watt
KS-DP-312			KS-DP-318		
			KS-DP-319		

All dimensions are in mm & tolerance ±3%
KS Light - Straight flat lighting pole made out of mild steel profile with fixed steel base plate duly welded at bottom. A service window is provided with a heavy duty four way connector and a MCB. High lumen LED module (1x50Wx250W) is provided at top during overhang of Pole. Pole is primer coated and PU painted.




Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height (mm)
KS-DP-320	3000	KS-DP-321	3000
		KS-DP-322	4000
		KS-DP-323	5000
		KS-DP-324	6000

KS Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted.
Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts.




Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height	Wattage	Cat. Ref. No.	Height	Wattage
KS-DP-349	3000	KS-DP-350	4000	4x18 Watt	KS-DP-351	5000	4x18 Watt
KS-DP-350	4000				KS-DP-352	6000	

KS Light - Decorative Poles made out of G.I. pipe, complete with Aluminium Cast & duly Polyurethane Painted.
Accessories Included: Electric Cable, Bakelite Sheet, MCB & Foundation Bolts. Cast & duly Polyurethane Painted.



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height	Wattage
3000mm	3000mm	3000mm	3000mm	4x18 Watt
3000mm	3000mm	3000mm	3000mm	4x18 Watt

KS Light - Decorative light is made out of Mild Steel body specially triangle shaped cut designed with PC frosted diffuser for lighting, having 4x18W LED lights available in cool white/warm white. Column is primer coated and Polyurethane painted. A service window comprising a 4 way connector and a MCB is provided at bottom section. Pole has a base plate with four mounting holes fixed at bottom.



Cat. Ref. No.	Height (mm)	Cat. Ref. No.	Height	Wattage
3000mm	3000mm	3000mm	3000mm	4x18 Watt
3000mm	3000mm	3000mm	3000mm	4x18 Watt

KS Light - Decorative light is made out of Mild Steel body having PC frosted diffuser for lighting, with 4x18W LED lights available in cool white/warm white. Column is primer coated and Polyurethane painted. A service window comprising a 4 way connector and a MCB is provided at bottom section. Pole has a base plate with four mounting holes at bottom.


DECORATIVE POLE LIGHTS



DECORATIVE POLE LIGHTS



ZUPER



Cat. Ref. No.

Height

Wattage

3000mm

50 Watt

KS Light - Decorative lighting column is made out of mild steel body having downward LED light at upper part. Pole is specially designed to give maximum illuminance and aesthetics. Column light is primer coated and Polyurethane painted. A service window with overlap cover comprising a 4 way connector and a MCB is provided at bottom section. Pole has a base plate with four mounting holes fixed at bottom.

SVETLANA




Cat. Ref. No.

Height

1980mm

BLAZE



Cat. Ref. No.


Height

3000mm

4000mm

KS Light - Hybrid Cast aluminum Pole duly primer coated & Polyester / Polyurethane painted.

SAMSON-H



Cat. Ref. No.

Height

3000mm


3500mm

4000mm

4500mm

KS Light - Hybrid cast aluminum Pole duly primer coated & Polyester / Polyurethane painted.

AURORA




Cat. Ref. No.

Height

3600mm

KS Light - Cast aluminum Pole duly primer coated & Polyester / Polyurethane painted.

GAISMA



Cat. Ref. No.

Height

3000mm


3500mm

4000mm

5000mm

KS Light - Hybrid cast aluminum Pole duly primer coated & Polyester / Polyurethane painted.

LUMI



Cat. Ref. No.

Height

3000mm


4000mm

5000mm

6000mm

KS Light - Hybrid cast aluminum Pole duly primer coated & Polyester / Polyurethane painted.

CYRUS



Cat. Ref. No.


Height

3000mm

4000mm

KS Light - Hybrid cast aluminum Pole duly primer coated & Polyester / Polyurethane painted.

EGAN



Cat. Ref. No.


Height

1600mm

2800mm

KS Light - Cast aluminum Pole duly primer coated & Polyester / Polyurethane painted

HAYDEN




Cat. Ref. No.

Height

4325mm

KS Light - Hybrid Cast aluminum Pole duly primer coated & Polyester / Polyurethane painted

SAMSON




Cat. Ref. No.

Height

2900mm

KS Light - Cast aluminum Pole duly primer coated & Polyester / Polyurethane painted

PARLAQ



Cat. Ref. No.


Height

3000mm

4000mm

KS Light - Hybrid cast aluminum Pole duly primer coated & Polyester / Polyurethane painted.

CRESCENN



Cat. Ref. No.


Height

5000mm

6000mm

KS Light - Hybrid cast aluminum Pole duly primer coated & Polyester / Polyurethane painted.

RADIANT ZOID



Cat. Ref. No.

Height


3000mm

4000mm

5000mm

KS Light - Cast iron Pole duly primer coated & Polyester / Polyurethane painted

VUEE RAY



Cat. Ref. No.


Height

2400mm

KS Light - Cast iron Pole duly primer coated & Polyester / Polyurethane painted


DECORATIVE POLE LIGHTS

DECORATIVE POLE LIGHTS




Cat. Ref. No.	Height
3350mm	
4350mm	
5350mm	

KS Light - Cast iron Pole duly primer coated & Polyester / Polyurethane painted.




Cat. Ref. No.	Height
3000mm	
4000mm	
5000mm	
6000mm	

KS Light - Cast iron Pole duly primer coated & Polyester / Polyurethane painted.




Cat. Ref. No.	Height
3000mm	
4000mm	
5000mm	
6000mm	

KS Light - Cast iron Pole duly primer coated & Polyester / Polyurethane painted.




Cat. Ref. No.	Height
3000mm	
4000mm	

KS Light - Cast iron Pole duly primer coated & Polyester / Polyurethane painted.




Cat. Ref. No.	Height	Wattage
3500mm		2x36Watt

KS Light - Decorative lighting column is made out of mild steel profile. Pole is aesthetically lit up by up down lighter. Upward light is reflected from painted fibre.




Cat. Ref. No.	Height	Wattage
3000mm		50 Watt
4000mm		50 Watt
5000mm		2x50 Watt
6000mm		50 Watt
6000mm		2x50 Watt

Supply of square cross section light column made of M.S including laser cut design (-2.4m height M.S Laser cut) cladded with opal acrylic di user and additional post top head, Black in colour, coated for high corrasion resistance, silicon gasket, SS fastener, integral driver, GI pedestal mounting assembly, IP-66, Ik≥07 for complete light fixture.




Cat. Ref. No.	Height
3000mm	
4000mm	
5000mm	
6000mm	

KS Light - Decorative Mild steel galvanized tubular Pole having different profile with cast iron embellishment E6. Pole has a service window and fixed base plate at bottom profile. Pole is primer coated and PU painted.




Cat. Ref. No.	Height
3000mm	
4000mm	
5000mm	
6000mm	

KS Light - Decorative Ribbed steel Poles are made out of mild steel galvanized ribbed extrusion profile having bottom section dia 125mm and upper section dia 81mm with cast iron embellishment E8 & with hanging for twin nos bracket. The Poles have a service window at bottom section with heavy duty four way connector and a MCB. Mild steel base plate with four nos. mounting holes is fixed and welded with bottom section. Pole is primer coated and PU painted.




Cat. Ref. No.	Height
3000mm	
4000mm	

KS Light - Decorative Mild steel galvanized tubular Pole having different profile with cast alum. embellishment E3. Pole has a service window and fixed base plate at bottom profile. Pole is primer coated and PU painted.




Cat. Ref. No.	Height
3000mm	
4000mm	

KS Light - Decorative Mild steel galvanized tubular Pole having different profile with cast alum. embellishment E3. Pole has a service window and fixed base plate at bottom profile. Pole is primer coated and PU painted.




Cat. Ref. No.	Height	Wattage
3000mm		1x50 Watt
4000mm		1x50 Watt
5000mm		1x50 Watt
6000mm		1x50 Watt
6000mm		2x50 Watt

KS Light - Straight line zigzag lighting pole made out of mild steel profile with fixed mild steel base plate at bottom. A service window is provided with a heavy duty four way connector and a MCB. High lumen LED module (1x50w/2x50w) is provided at top double arm overhang of Pole. Pole is primer coated and PU painted.



Cat. Ref. No.	Height	Wattage
3000mm		1x50 Watt
4000mm		1x50 Watt
5000mm		1x50 Watt
6000mm		1x50 Watt
6000mm		2x50 Watt

KS Light - Straight line zigzag lighting pole made out of mild steel profile with fixed mild steel base plate at bottom. A service window is provided with a heavy duty four way connector and a MCB. High lumen LED module (1x50w/2x50w) is provided at top single arm overhang of Pole. Pole is primer coated and PU painted.



Cat. Ref. No.	Height	Wattage
3000mm		1x50 Watt
4000mm		1x50 Watt
5000mm		1x50 Watt
6000mm		1x50 Watt
6000mm		2x50 Watt

KS Light - Straight line zigzag lighting pole made out of mild steel profile with fixed mild steel base plate at bottom. A service window is provided with a heavy duty four way connector and a MCB. High lumen LED module (1x50w/2x50w) is provided at top single arm overhang of Pole. Pole is primer coated and PU painted.

DEESIGNER POLE LIGHTS



DEESIGNER POLE LIGHTS



Cat. Ref. No.	Height
	3M
	4M
	5M

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.

Cat. Ref. No.	Height
	3M
	4M
	5M

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.

Cat. Ref. No.	Height
	3M
	4M
	5M

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.

Cat. Ref. No.	Height
	3M
	4M
	5M

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
	3M
	4M
	5M

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.

Cat. Ref. No.	Height
	3M
	4M
	5M

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.

Cat. Ref. No.	Height
	3M
	4M
	5M

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.

Cat. Ref. No.	Height
	3M
	4M
	5M

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.

DEESIGNER POLE LIGHTS



DEESIGNER POLE LIGHTS



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



Cat. Ref. No.	Height
3M	
4M	
5M	

Decorative pole made of cast iron available with combination of MS/GI with Aluminium & Cast Iron pipe available with wide variety of bracket designs.



SOLAR LIGHT ENERGY



POST TOP LIGHTINGS



KE-PT-076
Wattage : 40w, 50w
Size : 625x800x60/75mm



KE-PT-077
Wattage : 40w, 50w
Size : 625x560x60mm



KE-PT-078
Wattage : 40w, 50w
Size : 595x350x60/75mm



KE-PT-079
Wattage : 40w, 60w
Size : 595x350x60/75mm



KE-PT-080
Holder : E-27,40w,50w,
60w,75w,90w,120w
Size : 625x930x60mm



KE-PT-081
Wattage : E-27, 40w,50w,
60w,75w,90w
Size : 625x930x60mm



KE-PT-082
Wattage : E-27,40w,50w,
60w,75w,90w,120w
Size : 625x930x60/75mm



KE-PT-083
Wattage : E-27,40w,50w,
60w,75w,90w,120w
Size : 548x925x60/75mm



KE-PT-084
Wattage : E-27,40w,50w,
60w,75w,90w
Size : 548x925x60/75mm



KE-PT-085
Watt.: 50w,75w,90w,120w
Size : 425x995x60mm



KE-PT-086
Watt.: 50w,75w,90w,120w
Size : 624x725x60/75mm



KE-PT-087
Wattage : E-27,30w,40w
Size : 426x475x60mm



KE-PT-088
Wattage : E-27,40w,
50w,60w,75w
Size : 600x615x75mm



KE-PT-089
Wattage : E-27,18w,25w,
40w,50w,60w
Size : 608x590x60mm



KE-PT-090
Wattage : E-27,18w,24w
Size : 388x435x65mm



KE-PT-091
Holder : B-22d/E-27
Size : 578x640x60mm



KE-PT-092
Wattage : E-27,18w,25w
Size : 388x365x60mm



KE-PT-093
Wattage : 30w
Size : 385x520x60mm



KE-PT-094
Wattage : 10w,20w
Size : 175/275x245
/275x50mm



KE-PT-095
Wattage : 30w
Size : 300x425x60mm



KE-PT-096
Wattage : B-22d/E-27, 40w
Size : 678x358x60mm



KE-PT-097
Wattage : E-27,25w, 40w
Size : 438x440x60mm



KE-PT-098
Holder : E-27,40w,
50w,60w
Size : 678x478x60/75mm



KE-PT-099
Wattage : E-27,25w,
40w,50w,60w
Size : 608x378x60/75mm



KE-PT-100
Wattage : E-27,40w,50w,
60w,75w,90w,120w
Size : 625x930x60/75mm

POST TOP LIGHTINGS



KE-PT-101
Wattage : 40w,50w,
60w,75w,90w
Size : 545x875x60mm



KE-PT-102
Wattage : 40w,50w,
60w,75w,90w
Size : 500x1270x60/75mm



KE-PT-103
Wattage : 40w,50w,
60w,75w,90w
Size : 505x1010x60/75mm



KE-PT-104
Wattage : 25w,30w
Size : 385x660x40mm



KE-PT-105
Wattage : 40w,50w,
60w,75w,100w
Size : 430x1010x60/75mm

KALIKEM
ENTERPRISES

FLOOD LIGHT



Cat. Ref. No.
KE-FL-124
30,50,100,150,200W



Cat. Ref. No.
KE-FL-125
100,150,200W



Cat. Ref. No.
KE-FL-126
120,150,200,250W



Cat. Ref. No.
KE-FL-127
300,350W



Cat. Ref. No.
KE-FL-128
400,500,600W

STREET LIGHT



KE-PT-106
Wattage : E-27,40w
Size : 430x1100x60mm



KE-PT-107
Wattage : E-27,40w,
50w,60w,75w
Size : 490x890x60mm



KE-PT-108
Wattage : E-27,25w,40w
Holder : E-27,40w,
50w,60w,75w
Size : 340x620x60mm



KE-PT-109
Holder : E-27,40w,
50w,60w,75w
Size : 440x600x50/60mm



KE-PT-110
Wattage : E-27,25w,40w
Size : 340x534x50/60mm



KE-PT-111
Wattage : E-27,25w,40w,45w
Size : 440x760x60mm



KE-PT-112
Wattage : E-27,40w,
50w,60w,75w,90w
Size : 477x930x60/75mm



KE-PT-113
Wattage : E-27,40w,
50w,60w,75w
Size : 370x700x60mm



KE-PT-114
Wattage : E-27,18w,25w,40w
Size : 290x625x50/60mm



KE-PT-115
Wattage : E-27,20w
Size : 625x520mm



KE-PT-116
Holder : 40w,50w,
60w,75w,90w
Size : 320x685x60mm



KE-PT-117
Wattage : 30w,40w,50w
Size : 400x460x60mm




KE-PT-118
Holder : E-27
Size : 460x495x60mm




KE-PT-119
Holder : E-27,B-22d
Size : 400x570x60mm



KE-PT-120
Wattage : 200mm,
300mm,400m
Size : 400/440x175/200mm



KE-OL-135
LED : 1x3w, 2x3w
3x3w, 4x3w




KE-OL-136
LED : 4x1w, 3x1w
2x1w, 1x1w



KE-OL-137
LED : 2x3w, 1x3w
2x5w,1x5w
2x1w, 1x1w



KE-OL-138
LED : 1x3w, 2x3w
3x3w, 4x3w



KE-OL-139
LED : 1x1w, 3x1w
2x1w, 1x1w



KE-OL-140
LED : 2x3w, 1x3w
2x5w,1x5w
2x1w, 1x1w

OUTDOOR LIGHTING



KE-OL-150
LED : 1x3w, 2x3w
3x3w, 4x3w




KE-OL-151
LED : 4x1w, 3x1w
2x1w, 1x1w



KE-OL-152
LED : 2x3w, 1x3w
2x5w,1x5w
2x1w, 1x1w



KE-OL-153
LED : 1x3w, 2x3w
3x3w, 4x3w



KE-OL-154
LED : 1x1w, 3x1w
2x1w, 1x1w



KE-OL-155
LED : 2x3w, 1x3w
2x5w,1x5w
2x1w, 1x1w



KE-OL-156
Holder : 2xGU-10
LED : 2x5w (COB)



KE-OL-157
Holder : 2xGU-10
LED : 1x5w (COB)



KE-OL-158
Holder : 1xGU-10
LED : 1x5w



KE-OL-159
Holder : 1xGU-10
LED : 1x5w



KE-OL-160
Holder : 1xGU-10
LED : 1x5w (COB)



KE-OL-161
LED : 2x3w
2x1w



KE-OL-162
LED : 1x3w
1x5 (COB)



KE-OL-163
LED : 4x3w
4x1w



KE-OL-164
LED : 4x3w
4x1w





KE-OL-165
LED : 3x3w
3x1w




KE-OL-166
LED : 2x3w
2x1w

K
KALIKEM
ENTERPRISES

BRACKETS



BRACKETS




GARDEN BOLLARDS LIGHTS




GARDEN BOLLARDS LIGHTS




MEIRA




ORALEE



XAVIER



IVAR



Cat. Ref. No.	Wattage ± 5%	Height mm
KE-GBL-201	E27 12 Watt 18 Watt E27 12 Watt 18 Watt	980 980 980 660 660 660

KE Light - Garden LED Bollard made out of extruded aluminum profile with cast alumn. base, combination of PC rings and die cast alumn. louvers.

Cat. Ref. No.	Wattage ± 5%	Height mm
KE-GBL-202	E27 E27	760 500

KE Light - Garden LED Bollard made out of extruded aluminum profile with spun alumn. louvers & cast alumn. base and PC/PMMA diffuser for uniform light distribution with spun aluminum louvers.


Cat. Ref. No.	Wattage ± 5%	Height mm
KE-GBL-205	16 Watt 12 Watt	800 800

KE Light - Garden LED Bollard made out of extruded aluminum profile with cast alumn. base and PC/PMMA frosted diffuser for uniform light distribution.


Cat. Ref. No.	Wattage ± 5%	Height mm
KE-GBL-206	12 Watt 8 Watt 6 Watt	800 800 600

KE Light - Garden LED Bollard made out of extruded aluminum profile with cast alumn. base and PC/PMMA diffuser for uniform light distribution.


IIONA




ALLEN



JOMEI



NER



Cat. Ref. No.	Wattage ± 5%	Height mm
KE-GBL-203	B-22d B-22d B-22d	930 750 365

KE Light - Garden LED Bollard made out of extruded aluminum profile with cast alumn. base and opal PC/PMMA diffuser for uniform light distribution.

Cat. Ref. No.	Wattage ± 5%	Height mm
KE-GBL-204	E27 12Watt 18Watt E27 12Watt 18Watt	800 800 800 600 600 600

KE Light - Garden LED Bollard made out of extruded aluminum profile with cast alumn. base and opal PC/PMMA diffuser for uniform light distribution.

Cat. Ref. No.	Wattage ± 5%	Height mm
KE-GBL-207	9 Watt 12 Watt	800 800

KE Light - Garden LED Bollard made out of extruded aluminum profile with cast alumn. base and PC/PMMA diffuser for uniform light distribution.

Cat. Ref. No.	Wattage ± 5%	Height mm
KE-GBL-208	9 Watt 12 Watt 16 Watt	800 800 600

KE Light - Garden LED Bollard made out of extruded aluminum profile with cast alumn. base and PC/PMMA prismatic diffuser for uniform light distribution.

OUT DOOR LIGHTS



CCTV CAMERA



HANGING LIGHTS



HANGING LIGHTS



HANGING LIGHTS



HANGING LIGHTS

