

AcuraTM

FRP DOORS

ISO 9001 : 2015
CERTIFIED COMPANY



SINCE 2016



Long Life



Aesthetics



Light Weight



Weather Proof



200



201



202



214



215



222



223



234



245



246



260



270



203



216



217



218

2 Pannel Door

	MIN	MAX
W	560	1000
L	1800	2080

Fiber Thickness

2.5 mm

3.5 mm

28 mm

Rs. 3850

Rs. 4270

35 mm

Rs. 4340

Rs. 4760

3 Pannel Door

Fiber Thickness

2.5 mm

3.5 mm

28 mm

Rs. 3850

Rs. 4270

35 mm

Rs. 4340

Rs. 4760

4 Pannel Door

	MIN	MAX
W	600	1000
L	1800	2080

Fiber Thickness

2.5 mm

3.5 mm

28 mm

Rs. 3850

Rs. 4270

35 mm

Rs. 4340

Rs. 4760

6 Pannel Door

Fiber Thickness

2.5 mm

3.5 mm

28 mm

Rs. 3850

Rs. 4270

35 mm

Rs. 4340

Rs. 4760

Canden Door

	MIN	MAX
W	600	1000
L	1800	2080

Fiber Thickness	2.5 mm	3.5 mm
28 mm	Rs. 3850	Rs. 4270
35 mm	Rs. 4340	Rs. 4760

Harmany Door

	MIN	MAX
W	520	1000
L	Any	2080

Fiber Thickness	2.5 mm	3.5 mm
28 mm	Rs. 3990	Rs. 4410
35 mm	Rs. 4480	Rs. 4900

Plain Grating Door

	MIN	MAX
W	Any	1100
L	-	2200

Fiber Thickness	2.5 mm	3.5 mm
28 mm	Rs. 3990	Rs. 4410
35 mm	Rs. 4480	Rs. 4900

Depressed Pannel Door

	MIN	MAX
W	450	1200
L	1600	2200

Fiber Thickness	2.5 mm	3.5 mm
28 mm	Rs. 3570	Rs. 3990
35 mm	Rs. 4060	Rs. 4480

2600

252

264

265

274

5065

212

221

258

259

227


267

226

268

269

FEATURES



- Highly secure & long lasting.
- Maintenance-free & Economical.
- 100% water, fire & impact resistant, stain proof.
- Stronger than wood due to joint, less moulded construction.
- Can withstand extreme weather conditions including high humidity.
- Easy to install with excellent, thermal insulation properties.
- Available in variety of colors & flexible sizing options.



Door Thickness Guide

- Fiber glass skin thickness 1.5 mm & 2.5 mm
- 28 mm** - Ideal for utility doors
- 35 mm** - Ideal for main doors of Apartments



DOOR FRAMES



SIZE	RATE
100 x 50 mm	1495 Rs / Nos
125 x 65 mm	1885 Rs / Nos

Acura Composites™

MFG & MKT BY
ACURA COMPOSITES

Ahmedabad, Gujarat

acuracomposites@gmail.com