

This unified API documentation covers all profile update endpoints for your frontend developer.

Since all endpoints handle file uploads (e.g., `profileImage`), requests must be sent using `multipart/form-data` and must include the `Authorization` header with the JWT token.

API Documentation: Profile Update Endpoints

Table of Contents

- [1. Pharmacy Profile Update](#)
- [2. Lab Profile Update](#)
- [3. Hospital Doctor Profile Update](#)
- [4. Hospital Profile Update](#)
- [5. Independent Doctor Profile Update](#)
- [6. Nurse Profile Update](#)

1. Pharmacy Profile Update

This endpoint updates basic pharmacy details and coordinates. Any attempts to alter security or verification details (like email, primary phone, password, and documents) are strictly blocked.

Endpoint Details

- URL:** `{{BASE_URL}}/provider/pharmacy/profile/update`
- Method:** `PUT`
- Content-Type:** `multipart/form-data`
- Headers:**

`Authorization: Bearer <JWT_TOKEN>`

Request Fields (`form-data`)

Key	Type	Description
<code>profileImage</code>	<code>File</code>	Pharmacy profile image
<code>name</code>	<code>String</code>	Pharmacy name

about	String	Short bio/description
address	String	Full address
country	String	Country
state	String	State
city	String	City
lat	Number	Geolocation Latitude
lng	Number	Geolocation Longitude
isHomeDeliveryAvailable	String	"true" or "false"
isRapidServiceAvailable	String	"true" or "false"
isInsuranceAccepted	String	"true" or "false"
acceptedInsurances	String	JSON stringified array of accepted insurance types
is24x7	String	"true" or "false"
alternatePhone	String	Secondary contact phone number

Blocked Keys (Will be ignored if sent)

email, phone, password, documents (including pharmacyImages, pharmacyLicenses, etc.), role, profileStatus.

Success Response (200 OK)

codeJSON

```
{
  "success": true,
  "message": "Pharmacy profile updated successfully",
  "data": {
    "_id": "664c1a2d3e4f5a6b7c8d9e0f",
    "name": "Apollo Pharmacy",
    "email": "apollo@example.com",
    "phone": "+919999888877",
    "alternatePhone": "+919876543210",
    "profileImage": "uploads/pharmacies/banner.jpg",
    "isHomeDeliveryAvailable": true,
    "is24x7": true,
    "role": "Pharmacy",
    "profileStatus": "Approved"
  }
}
```

2. Lab Profile Update

This endpoint updates lab details. All document images and certifications submitted during registration are safe from being modified or overwritten.

Endpoint Details

- **URL:** `{{BASE_URL}}/provider/labs/profile/update`
- **Method:** `PUT`
- **Content-Type:** `multipart/form-data`
- **Headers:**

Authorization: Bearer <JWT_TOKEN>

Request Fields (form-data)

Key	Type	Description
<code>profileImage</code>	<code>File</code>	Lab profile image
<code>name</code>	<code>String</code>	Lab name
<code>about</code>	<code>String</code>	Description of services

address	String	Full address
country	String	Country
state	String	State
city	String	City
lat	Number	Geolocation Latitude
lng	Number	Geolocation Longitude
isHomeCollectionAvailable	String	"true" or "false"
isRapidServiceAvailable	String	"true" or "false"
isInsuranceAccepted	String	"true" or "false"
acceptedInsurances	String	JSON stringified array of insurances
is24x7	String	"true" or "false"
alternatePhone	String	Secondary contact number (New Field)

Blocked Keys (Will be ignored if sent)

email, phone, password, documents (including labCertificates, labLicenses, etc.), role, profileStatus.

Success Response (200 OK)

codeJSON

```
{
  "success": true,
  "message": "Lab profile updated successfully",
  "data": {
    "_id": "664c1a2d3e4f5a6b7c8d9e0a",
```

```
    "name": "Dr. Lal PathLabs",
    "email": "lalpath@example.com",
    "phone": "+919999888811",
    "alternatePhone": "+919876543211",
    "profileImage": "uploads/labs/profile.jpg",
    "isHomeCollectionAvailable": true,
    "role": "Lab",
    "profileStatus": "Approved"
  }
}
```

3. Hospital Doctor Profile Update

This endpoint is dedicated to doctors registered under a hospital to update their profile.

Endpoint Details

- **URL:** `{{BASE_URL}}/hospital-doctor/panel/profile/update`
- **Method:** `PUT`
- **Content-Type:** `multipart/form-data`
- **Headers:**

`Authorization: Bearer <JWT_TOKEN>`

Request Fields (`form-data`)

Key	Type	Description
<code>profileImage</code>	<code>File</code>	Doctor's professional profile
<code>name</code>	<code>String</code>	Full name
<code>country</code>	<code>String</code>	Country
<code>state</code>	<code>String</code>	State
<code>city</code>	<code>String</code>	City
<code>address</code>	<code>String</code>	Residential/office address
<code>qualification</code>	<code>String</code>	Academic degree

speciality	String	Clinical specialty
about	String	Professional summary
experienceYears	Number	Work experience in years
languages	String	JSON array or stringified lan
fees	String	Nested fees object (JSON st
consultationStatus	String	Nested consultation status (
alternatePhone	String	Secondary contact number (

Blocked Keys (Will be ignored if sent)

email, phone, password, documents (cannot be modified via self-update), role, profileStatus, hospitalId.

Success Response (200 OK)

codeJSON

```
{
  "success": true,
  "message": "Doctor profile updated successfully.",
  "data": {
    "_id": "664c1a2d3e4f5a6b7c8d9e0b",
    "name": "Dr. John Doe",
    "qualification": "MBBS, MD (Pediatrics)",
    "speciality": "Pediatrician",
    "alternatePhone": "+919876543212",
    "profileImage": "/uploads/doctors/filename.jpg",
    "fees": {
      "online": 500,
      "clinic": 300,
      "home": 1000
    },
    "consultationStatus": {
      "online": true,
      "clinic": true
    }
  }
}
```

4. Hospital Profile Update

Updates general hospital details. All verification files and certificates are secured against overwrites.

Endpoint Details

- **URL:** `{{BASE_URL}}/api/auth/hospital/profile/update`
- **Method:** `PUT`
- **Content-Type:** `multipart/form-data`
- **Headers:**

`Authorization: Bearer <JWT_TOKEN>`

Request Fields (`form-data`)

Key	Type	Description	Example
<code>name</code>	<code>String</code>	Hospital name	<code>"City Memorial"</code>
<code>country</code>	<code>String</code>	Country	<code>"India"</code>
<code>state</code>	<code>String</code>	State	<code>"Punjab"</code>
<code>city</code>	<code>String</code>	City	<code>"Ludhiana"</code>
<code>zipCode</code>	<code>String</code>	Postal/Zip code	<code>"141001"</code>
<code>address</code>	<code>String</code>	Full address	<code>"Sarabha Nagar"</code>
<code>type</code>	<code>String</code>	Accepted values: <code>"Govt"</code> , <code>"Private"</code> , <code>"Charity"</code>	<code>"Private"</code>
<code>alternatePhone</code>	<code>String</code>	Secondary contact number (New Field)	<code>"919876543210"</code>
<code>location[lat]</code>	<code>Number</code>	Latitude location	<code>30.9015</code>
<code>location[lng]</code>	<code>Number</code>	Longitude location	<code>75.8560</code>
<code>bankDetails[bankName]</code>	<code>String</code>	Bank name	<code>"HDFC Bank"</code>

<code>bankDetails[accountHolderName]</code>	String	Account holder's name	<code>"City Memorial Hospital"</code>
<code>bankDetails[accountNumber]</code>	String	Bank account number	<code>"501001234567890"</code>
<code>bankDetails[ifscCode]</code>	String	IFSC routing code	<code>"HDFC0001234"</code>
<code>bankDetails[upiId]</code>	String	UPI ID	<code>"cityhospital@okicd"</code>

Blocked Keys (Will be ignored if sent)

`email, phone, password, role, profileStatus, rejectionReason.`

- Documents are blocked from

updates: `hospitalImage, licenseDocument, otherDocuments.`

Success Response (200 OK)

codeJSON

```
{
  "success": true,
  "message": "Profile Updated",
  "data": {
    "_id": "664c1a2d3e4f5a6b7c8d9e0c",
    "name": "City Memorial Hospital",
    "email": "hospital@example.com",
    "phone": "+919999888833",
    "alternatePhone": "+919876543213",
    "type": "Private",
    "role": "hospital",
    "profileStatus": "Approved"
  }
}
```

5. Independent Doctor Profile Update

Used by independent doctors to update their coordinates, bio, fees, and dynamic slot parameters.

Endpoint Details

- URL: `{{BASE_URL}}/api/auth/doctor/update-profile`

- Method: **PUT**
- Content-Type: **multipart/form-data**
- Headers:

Authorization: Bearer <JWT_TOKEN>

Request Fields (**form-data**)

Key	Type	Description	Example
profileImage	File	Doctor's professional profile image	(Binary File)
name	String	Full name	"Dr. Robert Sr
country	String	Country	"India"
state	String	State	"Punjab"
city	String	City	"Ludhiana"
address	String	Professional/office address	"Urban Estate
qualification	String	Academic degree	"MBBS, MD (C
speciality	String	Clinical specialty	"Cardiologist"
about	String	Bio summary	"Specialized in cardiovascular treatments..."
experienceYears	Number	Work experience in years	15
alternatePhone	String	Secondary contact number (New Field)	" +9198765432
fees	String	Nested fees object (JSON stringified)	{"online": 800, "home": 1500}

consultationStatus	String	Nested consultation status (JSON stringified)	<code>{"online": true, "home": true}</code>
availability	String	JSON stringified array of schedule slots	<code>[{"day": "Mon", "start": "09:00", "end": "14:00"}]</code>

Blocked Keys (Will be ignored if sent)

email, phone, password, documents (cannot be modified via self-update), role, profileStatus, rejectionReason.

Success Response (200 OK)

codeJSON

```
{
  "success": true,
  "message": "Profile updated successfully",
  "data": {
    "_id": "664c1a2d3e4f5a6b7c8d9e0d",
    "name": "Dr. Robert Smith",
    "email": "robert@example.com",
    "phone": "+919999888844",
    "alternatePhone": "+919876543214",
    "qualification": "MBBS, MD (Cardiology)",
    "profileImage": "uploads/doctors/profile.jpg",
    "fees": {
      "online": 800,
      "clinic": 500,
      "home": 1500
    },
    "role": "doctor",
    "profileStatus": "Approved"
  }
}
```

6. Nurse Profile Update

Handles profile updates for Registered Nurses. Documents and certifications submitted on registration are safe from modifications.

Endpoint Details

- **URL:** `{{BASE_URL}}/provider/nurse/dash/profile/update`
- **Method:** `PUT`

- **Content-Type:** multipart/form-data
- **Headers:**

Authorization: Bearer <JWT_TOKEN>

Request Fields (form-data)

Key	Type	Description	Example
profileimage	File	Nurse's profile picture	(Binary File)
name	String	Full name	"Nurse Sarah"
about	String	Short professional bio	"Specialized in ICU and home care"
gender	String	Accepted values: "Male", "Female", "Other"	"Female"
address	String	Full address	"Flat 4B, Green Park"
country	String	Country	"India"
state	String	State	"Punjab"
city	String	City	"Ludhiana"
experienceYears	Number	Work experience in years	6
speciality	String	Care specialty (e.g., ICU, Pediatric)	"Pediatric"
alternatePhone	String	Secondary contact number (New Field)	"+919876543210"
location[lat]	Number	Geolocation Latitude	30.9010
location[long]	Number	Geolocation Longitude	75.8573

bankDetails[bankName]	String	Bank name	"HDFC Bank"
bankDetails[accountHolderName]	String	Account holder name	"Sarah Jones"
bankDetails[accountNumber]	String	Bank account number	"5010045678901234"
bankDetails[ifscCode]	String	IFSC routing code	"HDFC0001234567"

Blocked Keys (Will be ignored if sent)

email, phone, password, documents (including nursingCertificates, licensePhotos, etc.), role, profileStatus, rejectionReason.

Success Response (200 OK)

codeJSON

```
{
  "success": true,
  "message": "Profile Updated Successfully",
  "data": {
    "_id": "664c1a2d3e4f5a6b7c8d9e0e",
    "name": "Nurse Sarah",
    "email": "sarah@example.com",
    "phone": "+919999888855",
    "alternatePhone": "+919876543215",
    "experienceYears": 6,
    "speciality": "Pediatric",
    "profileImage": "uploads/nurses/sarah.jpg",
    "role": "Nurse",
  }
}
```

```
    "profileStatus": "Approved"  
  }  
}
```