
Cisco Packet Tracer - C:\Users\Murat Berk\Cisco Packet Tracer 8.2.2\saves\Odev2.pkt
File Edit Options View Tools Extensions Window Help
Logical Physical x: 511, y: 94
Root 13:40:00
PDU Information at Device: Server0
OSI Model Inbound PDU Details Outbound PDU Details
PDU Formats
TCP
0 4 8 16 24 Bits
SOURCE PORT:25
DESTINATION PORT:1026
SEQUENCE NUMBER:1
ACKNOWLEDGEMENT NUMBER:69
OFFSET:0x0
RESERVED: 0
FLAGS:0b000011000
WINDOW:16384
CHECKSUM:0x0000
URGENT POINTER:0x0000
OPTION
DATA (VARIABLE LENGTH)
PADDING: 0
SMTP DATA
0 4 8 16 Bits
SMTP Data
2950-24 Switch0
Laptop-PT Laptop0
Server-PT Server0
Laptop-PT Laptop1
Simulation Panel
Event List
Vis. Time(sec) Last Device At Device Type
0.000 -- Laptop0 TCP
0.001 Laptop0 Switch0 TCP
0.002 Switch0 Server0 TCP
0.003 Server0 Switch0 TCP
0.004 Switch0 Laptop0 TCP
0.004 -- Laptop0 SMTP
0.005 Laptop0 Switch0 TCP
0.005 -- Laptop0 SMTP
0.006 Laptop0 Switch0 SMTP
0.006 Switch0 Server0 TCP
0.007 Switch0 Server0 SMTP
0.007 -- Laptop0 TCP
Reset Simulation
Constant Delay
Captured to: 0.007 s
Play Controls
Event List Filters - Visible Events
ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP
Edit Filters
Show All/None
Time: 00:21:37.408 PLAY CONTROLS:
Event List Realtime Simulation
Switch-PT-Empty
Scenario 0
New
Delete
Toggle PDU List Window
Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete


Cisco Packet Tracer - C:\Users\Murat Berk\Cisco Packet Tracer 8.2.2\saves\Odev2.pkt
File Edit Options View Tools Extensions Window Help
Logical Physical x: 580, y: 374
Root 18:49:30
PDU Information at Device: Laptop1
OSI Model Outbound PDU Details
PDU Formats
TCP
0 4 8 16 24 Bits
SOURCE PORT:1032
DESTINATION PORT:110
SEQUENCE NUMBER:1
ACKNOWLEDGEMENT NUMBER:1
OFFSET
RESERVED
FLAGS:0b000011000
WINDOW:65535
CHECKSUM:0x0000
URGENT POINTER:0x0000
OPTION
DATA (VARIABLE LENGTH)
PADDING: 0
POP3
0 4 8 16 Bits
Data
2950-24 Switch0
Laptop-PT Laptop0
Server-PT Server0
Laptop-PT Laptop1
Simulation Panel
Event List
Vis. Time(sec) Last Device At Device Type
35.007 -- Switch0 CDP
35.007 -- Switch0 CDP
35.007 -- Laptop1 TCP
35.008 Switch0 Laptop0 CDP
35.008 Switch0 Server0 CDP
35.008 Switch0 Laptop1 CDP
35.008 Laptop1 Switch0 TCP
35.009 Switch0 Server0 TCP
35.010 Server0 Switch0 TCP
35.011 Switch0 Laptop1 TCP
35.011 -- Laptop1 POP3
Reset Simulation
Constant Delay
Captured to: 35.011 s
Play Controls
Event List Filters - Visible Events
ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPSec, ISAKMP, IoT, IoT TCP, LACP, LLDP, NDP, NETFLOW, NTP, OSPF, OSPFv6, PAgP, POP3, PPP, PPPoED, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP
Edit Filters
Show All/None
Time: 00:28:00.690 PLAY CONTROLS:
Event List Realtime Simulation
2950T-24
Scenario 0
New
Delete
Toggle PDU List Window
Fire Last Status Source Destination Type Color Time(sec) Periodic Num Edit Delete


Cisco Packet Tracer - C:\Users\Murat Berk\Cisco Packet Tracer 8.2.2\saves\Odev2.pkt
File Edit Options View Tools Extensions Window Help
Logical Physical x: 658, y: 17
Root
17:11:30
2950-24TT
Switch0
Laptop-PT
Laptop0
Server-PT
Server0
Laptop-PT
Laptop1
Laptop0
Physical Config Desktop Programming Attributes
MAIL BROWSER
Mails
Compose Reply Receive Delete Configure Mail
From Subject Received
Sending mail to admin2@gmail.com , with subject :
Deneme .. Mail Server: 192.168.10.2
Send Success.
Cancel
Send/Receive
Top
Time: 00:25:43
Realtime Simulation
Color Time(sec) Periodic Num Edit Delete
2950T-24
Toggle PDU List Window


Cisco Packet Tracer - C:\Users\Murat Berk\Cisco Packet Tracer 8.2.2\saves\Odev2.pkt
File Edit Options View Tools Extensions Window Help
Logical Physical x: 635, y: 457
Root
17:26:30
2950-24TT
Switch0
Laptop-PT
Laptop0
Server-PT
Server0
Laptop-PT
Laptop1
Laptop1
Physical Config Desktop Programming Attributes
MAIL BROWSER
Mails
Compose Reply Receive Delete Configure Mail
From Subject Received
1 admin1@gmail.com Deneme Per Eki 24 2024 10:54:47
Receiving mail from POP3 Server 192.168.10.2
Receive Mail Success.
Cancel
Send/Receive
Top
Time: 00:26:12
Realtime Simulation
Color Time(sec) Periodic Num Edit Delete
2950T-24
Toggle PDU List Window


Cisco Packet Tracer - C:\Users\Murat Berk\Cisco Packet Tracer 8.2.2\saves\Odev2.pkt
File Edit Options View Tools Extensions Window Help
Logical Physical x: 991, y: 32
PDU Information at Device: Laptop1
OSI Model Inbound PDU Details
PDU Formats
TCP
0 4 8 16 24 Bits
SOURCE PORT:110
DESTINATION PORT:1032
SEQUENCE NUMBER:1
ACKNOWLEDGEMENT NUMBER:90
OFFSET :0x0
RESERVED: 0
FLAGS:0b0001100 0
WINDOW:16384
CHECKSUM:0x0000
URGENT POINTER:0x0000
OPTION
DATA (VARIABLE LENGTH)
PADDING: 0
POP3
0 4 8 16 Bits
Data
2950-24TT
Switch0
Laptop-PT
Laptop0
Server-PT
Server0
Laptop-PT
Laptop1
Root
19:24:00
Last Device
At Device
Type
Switch0 CDP
Laptop0 CDP
Server0 CDP
Laptop1 TCP
Laptop1 POP
Constant Delay
Captured to:
35.018 s
Edit Filters
Show All/None
Time: 00:28:00.697
PLAY CONTROLS:
Event List
Realtime
Simulation
Scenario 0
New
Delete
Toggle PDU List Window
Fire
Last Status
Source
Destination
Type
Color
Time(sec)
Periodic
Num
Edit
Delete
2950T-24