



ACKNOWLEDGMENTS

Based on the work of Badue et al., https://arxiv.org/abs/1901.04407 and the references within





- Computes the route, like a SatNav system
- A sequence of waypoints, in x-y coordinates
- For a road network defined as a graph
 - Vertices are waypoints
 - Edges are costs of travelling that segment



https://en.wikipedia.org/wiki/Vertex _(graph_theory)



- Goal-directed
- Separator based
- Hierarchical
- Bounded hop



- Goal-directed
- Separator based
- Hierarchical
- Bounded hop

- Search from source to target vertex
- A* is a classic



- Goal-directed
- Separator based
- Hierarchical
- Bounded hop

- "Coarsify" the graph via vertex separators
- A vertex separator is a small subset of vertices
- Creates an overlay graph, which is much smaller
- Faster than searching the full graph



- Goal-directed
- Separator based
- Hierarchical
- Bounded hop


- Exploit hierarchy of road networks
- If far away, larger roads are considered first




- Goal-directed
- Separator based
- Hierarchical
- Bounded hop

- Adds virtual shortcuts
- Precompute distances between vertices





- Computes paths for the route
- A path is a sequence of poses
- A pose is an x-y position plus orientation



Rathinam, Sivakumar et al. "Path Planning Algorithms for a Car-Like Robot visiting a set of Waypoints with Field of View Constraints."



- Graph search
- Curve interpolation

- Graph search
- Curve interpolation


- Find best path between current and goal state
- Search space is discretized
- A graph is imposed on an occupacy grid map
- Dijkstra and A* are common methods for the graph search



- Graph search
- Curve interpolation

- Find a set of points by interpolating between two waypoints
- Splines are often used
- Result is not optimal






- Decides on driving behavior
 - Lane keeping
 - Intersection handling
 - Traffic lights, etc.
- ... By selecting a path



- Considered an "ethical" element
- Usualy a combination of heuristics and finite state machines



https://www.intellias.com/it-s-time-to-give-autonomous-cars-an-ethics-lesson/



- Finite state machines
- Ontology-based
- Markod decision processes



- Finite state machines
- Ontology-based
- Markod decision processes

- Discrete rules based on traffic
- Difficult to model the uncertainty of complex scenarios



- Finite state machines
- Ontology-based
- Markod decision processes


- Ontology is a framework for knowledge representation
- Consider rules of the road and makes decisiong such as "stop", "go right"
- Complex model at each location that needs to be built manually



- Finite state machines
- Ontology-based
- Markov decision processes

- Widely used
- Can handle uncertainties in action transition
- Can also handle uncertainties in perception
- The assumption is that other vehicle follow rules





- Computes a trajectory from current state to current goal
- The trajectory follows the path selected by the behavior selector



- The trajectory satisfies:
 - Kinematic and dynamics contraints
 - Other constraints (actuators)
 - Safety
 - Can also consider comfort and eco-driving



- A trajectory can be defined as
 - 1. A sequence of actuators comands
 - 2. A sequence of states
- Important to distinguish
 - Structured space (e.g. road with lanes)
 - Unstructures space (e.g. open areas)



- Graph search
- Sampling-based
- Curve interpolation
- Numerical optimization

- Graph search
- Sampling-based
- Curve interpolation
- Numerical optimization

- Extention of technique used for path planning
- Commonly used methods are: state lattice, elastic band and A*



- Graph search
- Sampling-based
- Curve interpolation
- Numerical optimization

- Random sample of the state space to look for a trajectory
- Commonly used is the Rapidexploring Random Tree (RRT)



- Graph search
- Sampling-based
- Curve interpolation
- Numerical optimization

- Interpolate to find smooth trajectories
- Clothoid curves commonly used (smooth transitions)




- Graph search
- Sampling-based
- Curve interpolation
- Numerical optimization

- Solve an optimization problem for given objectives and constraints
- Nonlinear Model Predictive Control commonly used
- Easy to consider dynamics and constraints
- Can have high computational cost




OBSTACLE AVOIDER



OBSTACLE AVOIDER

- Twicks a trajecory to avoid collisions
- Often, it simply reduces speed
- Uses information directly from the perception to assess risks
- Safety-critical component: the simpler, the better





 Uses the trajectory as set point, and calculates and sends commands to actuators (steering, accelerating, braking)

 Can be a simple PID loop, but also a nonlinear model predictive controller



- Direct actuation
- Path tracking

- Direct actuation
- Path tracking

- When the trajectory is already a sequence of commands
- Provides fast feedback control loop to track commands



- Direct actuation
- Path tracking

- When the trajectory is a sequence of states
- Provides fast feedback control loop to track states
- Pure pursuit is a common method
- MPC is a more advanced method




TAKE AWAY POINTS

- Decision making in AD is a cascade of functions
- Boundaries between such functions are quite arbitrary
- Algorithm choice is a compromise between
 - computational speed
 - accuracy
 - safety lavels required



NEXT





embotech.com