and hard to bab- libertain, and sold Demonstrating variour data Preprocessing techniques for 1) Data cleaning: + Handling ruing value, Handling Cotegorical data, handling buttinery 2) Data Transformations: min-mari Sudan Normalyation Shundond Scalar. 1) Housing dataset. (1) Column information (ii) Statistical Sun many of Columns unique values in Ocean Proximity Column (4) Columns with niving Values. Code Import Panolos ay pol howing-dt = pd. read-csv (' frath I to I howing isv') Print (" Column Information:") Print (howing - df info (1) Print (" In Statistical Sunnary!") Print (howing \_ of describe ()) Print ("In unique Values in 'Ocean Proximity':") Print (howing-df (roccon proximity J. value-county ()) Print ("In Codomns With mixing values:") Print (howing -dt. ignul (1. sum (5))

Index (C 'longitude', 'lotitude', 'houring-med	lian-age,
'total -rooms', 'total bestrooms', 'population' 'median-income', 'median-house value', '	
Cours Information:	
Data Columns (total 10 Columns):  Count  Cou	Dtype Dtype froat 64
l bolitusk 20640 non-null 2 houring media-age 2063 non-null	float 64.
	Object.
q van zirin	armond a modern
Stobsticol Innoly longitude lobituale haveingned	2 2640,000
Count 20640-0000 35,6318 28,6	2635.54
St-d 2.0035 2.1359 18.59	
min -124, 55000	1447,430
751121.8000 501118.542 34.2600 29	.010 2127.250
751118.0100 37.7100 3	7.200 3149 100
-114,3100° 41,9500 \$	2,153 3932000

unque balues in 'trean Prophity' occan- Proximity Inland 6551 Near ocean 2658 Noon Bay 229,0 Island 5 to dtype: int Go bunnes with milling Valuey borgitude cotitude 0 howing o dtype: int.

2) Python code to Implement the following dota Preproceeding techniques for Drabets & adult Income dota set in hort Panolog of Pd emport rumby as no Inhort mathballib pyplot al Pit dt = od - read - CSV (a / wortent / dotall of diabety, cgv) dt. head (40) df -rd. Ocod-c er ("/content l'adult data 1. Csv") det . head (10) given and wind Import numby as AP # introduce some mining values for demonstration de loc C5, 'AGE' Janpinan de la la Briz Jang nan dt. head (10) but will the state outher thinks Curden Age vica CX BANZ (by 4.5 62 0.17313 M 43.0 4.5 62 0.17313 No\_Pation 17975 50 2 0 4-19-15 M 43.0 412 327 87656 F 32.0 4.7 2.3 0.69. 634 67643

is which columns in doloret had muing How did you handle theen? Adul Income dotalet (adul-(8v) No columns had ruing values - Diabety data get ( Datout of diabety. cgv) No Columns has ming value - Handling method Since no miles volve were bound, no Compitation has Payones @ which cotugonial Column did you denty in dotoret? How did you incode Theng adult. Encome Datoret Cadult. (sv) Categoral columns -) Lorlaby - Solutolion -) occupation ) gender - relatively

Evaluating method; one has encoding has abblied lung, Pd. get dunnies (db, down-pisst=7sue) The sal serotab -> dia belle Datolet Cotongenical Colume - Geneles -s closes pd. gre-hot encoding applied
pd. gre-demnies edb, doup-first-7rue) encoding digenence blu nun-max Scoling & Standardistru Standoralgation min max scoling Colune ben ters data Sales values blu n bound range (annoly 0 &1) mean (0) diginition Kaland d=6x-M Corrula X scoled = x max - x mixx -Browny Original Onongs data Effect data dy mibrilian bus dymburo 10 scales it within a have Buro Mean lin Jarge & whit vary ance (b) when would you were one over Other minmax - he need data to be within a fixed range The dotaut doesn't Contran Extreme outliere

gundordijation is weed behen - The dotores has anything linds Gaussian distribution There are Significant outling as Stondordisation y les Sensitive to them.