
FG	FG DESIGNATION
004	LABELS AND AUXILIARY MATERIALS
011	CRANKCASE
014	OIL PAN
015	ENGINE MOUNTING
016	END HOUSING, DRIVING END AND FREE END
018	CRANKCASE BREATHER
021	GEARCASE, DRIVING END
030	RUNNING GEAR
031	CRANKSHAFT WITH BEARINGS
032	CRANKSHAFT, PTO ON DRIVING END
037	PISTON
038	CONNECTING ROD
040	CYLINDER HEAD
041	CYLINDER HEAD
051	CAMSHAFT
070	FUEL SYSTEM (HIGH PRESSURE)
080	L.P. FUEL SYSTEM; (ALSO GAS ENGINES)
083	FUEL FILTER
100	TURBOCHARGING (EXHAUST TURBOCHARGER / COMPRESSOR)
123	AIR SYSTEM
124	AIR SUPPLY TO CYLINDERS
141	EXHAUST SYSTEM AFTER CYLINDER HEAD
146	EXHAUST DUCTING AFTER ENGINE (TO END OF EXH. AFTERTREATMENT)
172	ELECTRIC STARTING
181	LUBE OIL PUMP AND DRIVE
182	ADDITIONAL EQUIPMENT FOR DRY SUMP LUBRICATION
183	OIL FILTRATION/COOLING
185	TURBOCHARGER OIL SUPPLY
188	CONNECTING HARDWARE FOR ENGINE OIL SUPPLY
202	COOLANT CIRCUIT, GENERAL, HT CIRCUIT
203	LOW-TEMPERATURE CIRCUIT
213	GENERATOR
221	MECHANICAL FAN DRIVE
231	ENGINE MOUNTING
360	AUXILIARY SYSTEMS - SUPPLEMENTARY EQUIPMENT
362	COMPRESSED AIR SUPPLY SYSTEM
507	WIRING, GENERAL, FOR ENGINE/GEARBOX/PLANT
520	MEASURING, CONTROL AND SUPPLY SYSTEMS (OPERATING VOLTAGE)
820	PACKING OF COMPLETE ENGINE



TYPE: 12V2000C92R
SERIAL NO.: 5352010896

5352010896

FG/FGS: 004
BOM NO.:



GROUP NUMBER (FG)
GROUP NAME
BOM-No.

PLATE ENGINE IDENTIFICATION 26X74 + 28X7
UPC.14B08A0006





00400081b

EPA-T2/3 LABEL NONR FLEXIBILITY
XS524000.00088



00400070c



00400081b

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT	MEASUREMENT
5	700425000164	LABEL DDC DIESEL ENGINE ID 71.1	1	PC		71.1
15	700425000165	LABEL DDC DIESEL ENGINE HP/RPM INFO 71.2	1	PC	2,500 G	71.2

30

EMISSION CONTROL INFORMATION	
THIS ENGINE MEETS U.S. EPA MODEL YEAR [MODEL YEAR] EMISSION STANDARDS UNDER 40 CFR 1039.625 AND CALIFORNIA EMISSION STANDARDS UNDER 13 CCR 2423(d). SELLING OR INSTALLING THIS ENGINE FOR ANY PURPOSES OTHER THAN FOR THE EQUIPMENT FLEXIBILITY PROVISIONS OF 40 CFR 1039.625 MAY BE A VIOLATION OF FEDERAL LAW SUBJECT TO CIVIL PENALTY.	
ENGINE FAMILY:	MFG. DATE: mm/yyyy
POWER CATEGORY:	DISPL.: L
PLEASE CONTACT MTU DETROIT DIESEL, INC. AT (313) 592-7000 OR BY MAIL AT 13400 W OUTER DRIVE, DETROIT, MICHIGAN 48239-4001 FOR FURTHER INFORMATION ABOUT THIS ENGINE.	
UNIT: MTU Detroit Diesel, Inc.	
 66.33 PPH 425	

40

INCOMPLETE ENGINE	
FAILING TO INSTALL THE AFTERTREATMENT DEVICE, OR OTHERWISE FAILING TO BRING THE ENGINE INTO ITS CERTIFIED CONFIGURATION, IS A VIOLATION OF FEDERAL LAW SUBJECT TO CIVIL PENALTY.	
 66.34 PPH 425	
MTU Detroit Diesel, Inc.	

00400165

POS.	PART NO.	DESIGNATION	QTY.	UNITS	FN	MEASUREMENT
30	700425000215	EMI-LABEL NONROAD FLEX T2/3	1	PC	EM	66.33
40	700425000191	EMI-LABEL CALIFORNIA PROP.65	1	PC	EM	66.14

TYPE: 12V2000C92R
SERIAL NO.: 5352010896


5352010896

FG/FGS: 011
BOM NO.:

GROUP NUMBER (FG)


GROUP NAME

BOM-No.




CRANKCASE W. SEAL
XS535010.00002

01101427



01101427

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT	FN	MEASUREMENT
15	5360110359	RING SCRAPER	12	PC	89 G	EM	
35	0229974948	RING SEAL LINER LOWER	24	PC	31 G		
55	5410110059	SEALING RING	12	PC	3 G		
85	000007008210	PIN DOWEL	2	PC	10,200 G		8 H8 X 24
155	X00030407	CRANKCASE	1	PC	510 KG	EM	
275	RX00030407	CRANKCASE	1	PC		MN	
300	RX00030407/A1	CRANKCASE REMAN PART	1	PC		MN EM	
325	RX00030407/A2	CRANKCASE REMAN PART	1	PC		MN EM	
350	RX00030407/A3	CRANKCASE REMAN PART	1	PC		MN EM	
400	EX00030407	CRANKCASE	1	PC	560 KG	MN	
	5360110410	LINER CYLINDER CARBON SCRAPER	12	PC	8,419 KG	EM	



01100598a

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT	FN	MEASUREMENT
25	X00013515	CRANKCASE	1	PC		EM	
50	5410100423	CAP MAIN BEARING	6	PC	2,600 KG		
75	5410100523	M/BRG CAP	1	PC	2,600 KG		
125	001474004018	PIN GROOVED	2	PC	1 G		4 X 10
175	5360110471	BOLT MAIN BRG CAP	14	PC			M18X2X173
225	5419900101	BOLT MAIN BRG CAP CROSS 10.9	14	PC	115 G		M14 X 1,5 X 85
275	735073004100	SEAL PLUG	1	PC	1,200 G		B 4
325	5550160233	SEALING CAP EXH MANIF	12	PC	23,170 G		
375	40083	SCREW LOCKING DEVICE LOCTITE 270	1	PC		M	
425	5249970020	CAP SEALING S2000/S4000	5	PC			Ø 50
475	007604014102	PLUG	4	PC	0,024 G		A M 14 X 1,5
500	007603014102	WASHER A COP	4	PC	1,100 G		A 14 X 18
550	5360110271	NOZZLE	1	PC	47,080 G		
600	000908030002	PLUG	2	PC	88 G		M 30 X 1,5
625	007603030101	WASHER A COP	2	PC	4,500 G		A 30 X 36
675	5360512710	CAMSHAFT BEARING	6	PC	270 G		
725	5360512810	CAMSHAFT BEARING SIZE 1-0	1	PC	330 G	M	
775	5360511210	CAMSHAFT BEARING	1	PC	745 G		
825	5360512510	CAMSHAFT BEARING SIZE 1-0	1	PC	715 G	M	

TYPE: 12V2000C92R
SERIAL NO.: 5352010896


5352010896

FG/FGS: 014
BOM NO.:

GROUP NUMBER (FG)

GROUP NAME

BOM-No.




OIL PAN
XS535010.00006

TYPE: 12V2000C92R
SERIAL NO.: 5352010896

OIL PAN

FG/FGS: 014 05
BOM NO.: XS535010.00006




01401149

TYPE: 12V2000C92R
SERIAL NO.: 5352010896

OIL PAN

FG/FGS: 014 05
BOM NO.: XS535010.00006



TYPE: 12V2000C92R
SERIAL NO.: 5352010896

5352010896

FG/FGS: 014 05
BOM NO.: XS535010.00006

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT	MEASUREMENT
20	271511060000	GASKET	1	PC	8 G	60X 94X1,5
30	X53518400001	TUBE ASM	1	PC		
40	11509528	BOLT PHOS HEX FLG LRG	2	PC	50,300 G	M12X1,75X30
60	5311810295	BRACKET OIL PICKUP TUBE	1	PC	474 G	
70	11509511	BOLT PHOS HVY HEX FLG	1	PC	0,014 G	M8 X 1,25 X 20 10.9 SECHSKANT
90	5311880045	CLAMP	1	PC	191 G	
100	11504822	BOLT PHOS HVY HEX FLG	2	PC	17 G	M8X1,25X30
110	11502811	NUT	2	PC	10 G	
120	5311810021	SCREEN OIL PICKUP	1	PC	226,500 G	
140	05175705	SPACER	2	PC	60 G	7/8X13/32X1,0
150	11509514	BOLT PHOS HEX FLG LRG	2	PC	25 G	M 8 X 50 10.9
180	5350140622	GASKET FOR OIL PAN	1	PC		
185	50773	SILCONE RUBBER LOCTITE 5970	1	PC		LOCTITE 5970
190	X00020971	UPR PAN ASM	1	PC	36 KG	1170X252X505
200	23520801	BOLT PHOS HEX FLG	4	PC	23,500 G	M8 X 1,25 X 45 10.9 SECHSKANT
210	23528498	BOLT	25	PC	40 KG	M8X1.25X85 9.8 FLANGE HEAD
230	5350140922	GASKET	1	PC		FUER OELWANNE UNTEN C+I
240	23528316	PAN	1	PC		OIL LOWER
250	23528704	BOLT HEX FLG TENS	3	PC	158 G	M10 1.50 X 295.0 LG 10.9 HEX FLG
360	5319970532	PLUG	4	PC	91 G	M27X2