
FG	FG DESIGNATION
004	LABELS AND AUXILIARY MATERIALS
011	CRANKCASE
014	OIL PAN
015	ENGINE MOUNTING
016	END HOUSING, DRIVING END AND FREE END
018	CRANKCASE BREATHER
024	GEARCASE, AUX PTO END
028	BELT DRIVE
031	CRANKSHAFT WITH BEARINGS
032	CRANKSHAFT, PTO ON DRIVING END
035	CRANKSHAFT, PTO ON AUX PTO END
036	TRANSPORT LOCK/LOCK FOR CRANKSHAFT
037	PISTON
038	CONNECTING ROD
041	CYLINDER HEAD
051	CAMSHAFT
055	VALVE DRIVE
070	FUEL SYSTEM (HIGH PRESSURE)
073	INJECTION PUMP / HP PUMP
075	FUEL INJECTOR
081	FUEL PIPEWORK BEFORE DELIVERY PUMP
082	FUEL PIPEWORK FROM DELIVERY PUMP TO FILTER
083	FUEL FILTER
086	LEAK-OFF FUEL PIPEWORK
101	EXHAUST TURBOCHARGER, GENERAL OR H.P. TURBOCHARGER
114	CHARGE AIR COOLING, CENTRAL
121	AIR FILTER
124	AIR SUPPLY TO CYLINDERS
125	AIR ROUTING BETWEEN TURBOCHARGER AND CHARGE-AIR COOLER
141	EXHAUST SYSTEM AFTER CYLINDER HEAD
145	EXHAUST SYSTEM AFTER TURBOCHARGER
146	EXHAUST DUCTING AFTER ENGINE (TO END OF EXH. AFTERTREATMENT)
172	ELECTRIC STARTING
181	LUBE OIL PUMP AND DRIVE
183	OIL FILTRATION/COOLING
184	CRANKCASE-INTERNAL OIL SUPPLY
185	TURBOCHARGER OIL SUPPLY
202	COOLANT CIRCUIT, GENERAL, HT CIRCUIT
203	LOW-TEMPERATURE CIRCUIT
206	COOLANT PIPEWORK WITH THERMOSTAT
207	RAW WATER PUMP WITH CONNECTIONS
213	GENERATOR
231	ENGINE MOUNTING
507	WIRING, GENERAL, FOR ENGINE/GEARBOX/PLANT
508	ACCESSORIES FOR ENGINE GOVERNOR (ELECTRONIC) CONTROL SYSTEM



TYPE: 12V4000G43
SERIAL NO.: 5262010909

5262010909

FG/FGS: 004
BOM NO.:


GROUP NUMBER (FG)
GROUP NAME
BOM NO.

PLATE ENGINE IDENTIFICATION 26X74 + 28X7
UPC.14B08A0006




00400081b

PLACARD
XSD01000.00004





00400146

EPA-T2/3 LABEL STAT EMERGENCY EXEMPT.
XS524000.00086



00400166



00400081b

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT	MEASUREMENT
5	700425000164	LABEL DDC DIESEL ENGINE ID 71.1	1	PC		71.1
15	700425000165	LABEL DDC DIESEL ENGINE HP/RPM INFO 71.2	1	PC	2,500 G	71.2

100



Achtung! Motor nicht ohne Schutzblech starten oder betreiben.
Vor dem Abbau des Schutzbleches muss die
Energieversorgung der Anlasser unterbrochen werden.

Warning! Do not start or run engine without guard plate.
Before demounting guard plate the power supply of the
starters have to be disconnected.

00400146

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT
100	XD0100400001	PLACARD	2	PC	10 G

30

EMISSION CONTROL INFORMATION	
THIS ENGINE IS EXEMPTED FROM THE REQUIREMENTS OF 40 CFR PARTS 89, 1039 AND 13 CFR, CH9, ARTICLE 4 AS A "STATIONARY ENGINE". INSTALLING OR USING THIS ENGINE IN ANY OTHER APPLICATION MAY BE A VIOLATION OF FEDERAL AND CALIFORNIA LAW SUBJECT TO CIVIL PENALTY. THIS ENGINE COMPLIES WITH U.S. EPA REGULATIONS FOR [MODEL YEAR] STATIONARY DIESEL ENGINES.	
STATIONARY DIESEL ENGINES.	
ULTRA LOW SULFUR FUEL ONLY.	
ENGINE FAMILY: --	DISP.: -- L
MAXIMUM POWER: -- KW	PKG. DATE: mm/yyyy
POWER CATEGORY: --	STATIONARY EMERGENCY USE ONLY
UNIT: --	
MTU Detroit Diesel, Inc.	

40

FOR STATIONARY EMERGENCY USE ONLY	
MEETS ALL EMISSION STANDARDS FOR EMERGENCY ENGINES IN 40 CFR §60.4202.	
DOES NOT MEET EMISSION STANDARDS FOR NON-EMERGENCY ENGINES IN 40 CFR §60.4201.	
MTU Detroit Diesel, Inc.	

50

CALIFORNIA PROPOSITION 65 WARNING	
DIESEL ENGINE EXHAUST GAS AND SOME OF ITS CONSTITUENTS ARE KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS, AND OTHER REPRODUCTIVE HARM.	
MTU Detroit Diesel, Inc.	


00400166

POS.	PART NO.	DESIGNATION	QTY.	UNITS	FN	MEASUREMENT
30	700425000213	EMI-LABEL STAT EMERGENCY T2/3	1	PC	EM	66.31
40	700425000214	EMI-LABEL STAT EMERG ALL T2/3	1	PC	EM	66.32
50	700425000191	EMI-LABEL CALIFORNIA PROP.65	1	PC	EM	66.14

GROUP NUMBER (FG)


GROUP NAME

BOM NO.




01100945b

CRANKCASE
X00026310




E0113048b1

INSPECT PORT COVER
010.00021




01100179b

INSPECT PORT COVER FOR OIL DIPSTICK
XS526010.00008




01100945b

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT	FN	MEASUREMENT
450	X00028717	BLOCK ASM	1	PC	1,611 KG	EM	
550	5240110440	FILLER PIECE STRIP	1	PC	2,900 KG		
650	000912008115	BOLT HEX SOC HD	2	PC	12 G		M 8 X 16
750	0049976736	VALVE DRAIN	2	PC	113 G		
850	5240110045	COVER CRANKCASE BREATHER	2	PC	175 G		
900	5501871280	GASKET	2	PC	1,400 G		
950	000000003021	HEX SCREW	4	PC	23,700 G		M 10 X 25
1000	X00020620	COVER	1	PC	27,500 KG		
1100	000835010056	STUD	10	PC	23,160 G		M 10 X 25
1200	735084050000	PLUG	1	PC	103,600 G		50
1250	700429042000	O-RING	1	PC	6,400 G		42 X 5
1300	5249950059	STRAP	1	PC	72 G		
1450	000000003020	BOLT HEX A3C	1	PC	20,010 G		M 10 X 20
1550	007349010002	WASHER	1	PC	11,130 G		10,5
1600	204017010004	BOLT A3C	1	PC	0,017 G		M 10 X 16
1700	5269970345	SEAL STRIP	1	PC	0,166 G		1057X5
1750	000000003326	HEX SCREW	22	PC	28,180 G		M 10 X 35
1800	000125010524	WASHER	22	PC	2,300 G		A 10,5
1850	700429018005	O-RING	8	PC	1,900 G		18 X 4
1950	700429055001	O-RING	1	PC	8,110 G		55 X 5
2050	5240110732	COVER CYL BLOCK ACCESS PORT	2	PC	2,740 KG		
2150	5240111380	GASKET	2	PC			
2210	RX00028717	CRANKCASE	1	PC		MN EM	
2220	EX00028717	CRANKCASE	1	PC		MN EM	
2300	5240110259	RING CARBON SCRAPER	12	PC	204,500 G		




01100760d

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT	FN	MEASUREMENT
50	X00028697	BLOCK CYLINDER	1	PC		EM	
100	5240110111	CAP MAIN BEARING NARROW STD POSITION	7	PC	12,500 KG		
150	5240110570	STUD	14	PC	1,090 KG		
200	5240110172	NUT	14	PC			
250	000912018008	BOLT HEX SOC HD	14	PC	401 G		M 18 X180
300	700521018201	WASHER	14	PC	14,800 G		18,2
350	5249970020	CAP SEALING S2000/S4000	24	PC			Ø 50
400	5240510110	BEARING CAMSHAFT STD	7	PC	137 G		
500	X00027830	CYLINDER LINER SIZE 0 C23	12	PC	16,970 KG	EM	
600	5550110259	SEALING RING	24	PC	24,800 G		



E0113048b1

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT	MEASUREMENT
5	5240110732	COVER CYL BLOCK ACCESS PORT	1	PC	2,740 KG	
15	5240111380	GASKET	1	PC		
20	000000003021	HEX SCREW	7	PC	23,700 G	M 10 X 25



01100179b

POS.	PART NO.	DESIGNATION	QTY.	UNITS	WEIGHT	FN	MEASUREMENT
40	5240100266	GUIDE TUBE	1	PC	3,388 KG	SB	
60	8800180770	CONNECTOR THREADED	1	PC	0,109 G		
70	5240100772	OIL DIPSTICK	1	PC	208,500 G		
90	700429012002	O-RING	1	PC	2,330 G		12 X 5
130	0000181802	OIL FILL CAP	1	PC	113 G		
150	5240111380	GASKET	2	PC			
160	000000003021	HEX SCREW	14	PC	23,700 G		M 10 X 25