

Aenderungsbeschreibung/Description of Revision war kZ				Kommt vor/Frequency																
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released																
Changes from Var1 Ed 01.03 to Var1 Ed 01.05																				
HI P-Fuel Prefilter and HIHI P-Fuel Prefilter replaced by LO P-Fuel Prefilter and LOLO P-Fuel Prefilter SC Injector A9, SC Injector A10, SC Injector B9, SC Injector B10, WB Injector A9, WB Injector A10, WB Injector B9, WB Injector B10: SPN and FMI corrected LO P-Intake Air B -> LO P-Intake Air After FilterB SD P-Intake Air B -> SD P-Intake Air After FilterB AL Perm. Injection Detection -> AL Perm. Injection Detection GasMobil J1939 SPN/FMI added HI Level Coolant Water deleted (LO source EC 1003 added) PV 211001 and 211011 switched MG Cold Start required and MG Not In Speed Window deleted HIHI P-Exhaust after LP ETC -> HIHI T-Exhaust after LP ETC																				
New alarms																				
AL Perm. Injection Detection 2 AL MMS Combined Red AL MMS Combined Yel AL DEF Tank Level Empty SD Lube Oil Level Switch LOLO P-Raw Water AL Gas Inclusion SD P-Coolant Intercooler LO P-Coolant Intercooler LOLO P-Coolant Intercooler SD P-Intake Air After FilterA LO P-Intake Air After FilterA LOLO P-Intake AirAfterFilterA LOLO P-Intake AirAfterFilterB SD T-Coolant Intercooler HI T-Coolant Intercooler																				
Allgemeintoleranzen/General Tolerances ISO 2768-mK			Masse/Mass kg 0.0		Format/Size A4															
Tolerierung/Tolerancing ISO 8015		Masse/Size ISO 14405																		
Ausf. u.Lieferung Tech. Characteristics		Oberflaechenangaben nach MTN5033 Surface Specification per MTN5033		Werkstoff Material Halbzeug,Modell Gesenk Semifinished Product Pattern, Die Material-Nr./Material No. XZ00E50212076																
Oberflaechenschutz Surface Protection		Allgemeine Fertigungsvorschriften nach MMN332 Production Specification per MMN 332																		
Verwendbar f.Type Applicable to Model				XZ00E50212076																
Projekt-/Auftrags-Nr. Project/Order No.																				
Ref.-Nr./ Ref. No. Type1 Var01 ED01_03	Emission ID	<table border="1" style="width: 100%; border-collapse: collapse; font-size: 0.8em;"> <thead> <tr> <th>WORD</th> <th>Datum/Date</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>Erstell. Drawn</td> <td>2018-02-08 15:40:06</td> <td>schaepers</td> </tr> <tr> <td>Bearb. Change</td> <td>2018-09-04 10:25:10</td> <td>schaepers</td> </tr> <tr> <td>Norm Std.</td> <td>2018-09-04 10:25:08</td> <td>ihmor stef</td> </tr> <tr> <td>Gepr. Checked</td> <td>2018-09-04 10:25:10</td> <td>ihmor stef</td> </tr> </tbody> </table>		WORD	Datum/Date	Name	Erstell. Drawn	2018-02-08 15:40:06	schaepers	Bearb. Change	2018-09-04 10:25:10	schaepers	Norm Std.	2018-09-04 10:25:08	ihmor stef	Gepr. Checked	2018-09-04 10:25:10	ihmor stef	Benennung/ Title / DOKUMENTATION ALARMBESCHREIBUNG DOCUMENTATION	
WORD	Datum/Date			Name																
Erstell. Drawn	2018-02-08 15:40:06	schaepers																		
Bearb. Change	2018-09-04 10:25:10	schaepers																		
Norm Std.	2018-09-04 10:25:08	ihmor stef																		
Gepr. Checked	2018-09-04 10:25:10	ihmor stef																		
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																				
		Zeichnungs-Nr./Drawing No. ZNG00013183		Blatt/ Sheet 1 von/of 137																
		Beschreibung/Description Type1 Var01 ED01_05																		

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released
HIHI T-Coolant Intercooler AL Inj. Drift Limit 1 Cyl.A1 AL Inj. Drift Limit 1 Cyl.A2 AL Inj. Drift Limit 1 Cyl.A3 AL Inj. Drift Limit 1 Cyl.A4 AL Inj. Drift Limit 1 Cyl.A5 AL Inj. Drift Limit 1 Cyl.A6 AL Inj. Drift Limit 1 Cyl.A7 AL Inj. Drift Limit 1 Cyl.A8 AL Inj. Drift Limit 1 Cyl.A9 AL Inj. Drift Limit 1 Cyl.A10 AL Inj. Drift Limit 2 Cyl.A1 AL Inj. Drift Limit 2 Cyl.A2 AL Inj. Drift Limit 2 Cyl.A3 AL Inj. Drift Limit 2 Cyl.A4 AL Inj. Drift Limit 2 Cyl.A5 AL Inj. Drift Limit 2 Cyl.A6 AL Inj. Drift Limit 2 Cyl.A7 AL Inj. Drift Limit 2 Cyl.A8 AL Inj. Drift Limit 2 Cyl.A9 AL Inj. Drift Limit 2 Cyl.A10 AL Inj. Drift Limit 1 Cyl.B1 AL Inj. Drift Limit 1 Cyl.B2 AL Inj. Drift Limit 1 Cyl.B3 AL Inj. Drift Limit 1 Cyl.B4 AL Inj. Drift Limit 1 Cyl.B5 AL Inj. Drift Limit 1 Cyl.B6 AL Inj. Drift Limit 1 Cyl.B7 AL Inj. Drift Limit 1 Cyl.B8 AL Inj. Drift Limit 1 Cyl.B9 AL Inj. Drift Limit 1 Cyl.B10 AL Inj. Drift Limit 2 Cyl.B1 AL Inj. Drift Limit 2 Cyl.B2 AL Inj. Drift Limit 2 Cyl.B3 AL Inj. Drift Limit 2 Cyl.B4 AL Inj. Drift Limit 2 Cyl.B5 AL Inj. Drift Limit 2 Cyl.B6 AL Inj. Drift Limit 2 Cyl.B7 AL Inj. Drift Limit 2 Cyl.B8 AL Inj. Drift Limit 2 Cyl.B9 AL Inj. Drift Limit 2 Cyl.B10 HI ETC Idle Speed LO RA Concentration LOLO RA Concentration SD RA Concentration HI RA Concentration HIHI RA Concentration LO RA Quality HI P-Exhaust Diff. SCR 2 HIHI P-Exhaust Diff. SCR 2 SD T-Exhaust SCR Outlet 2 HI T-Exhaust SCR Outlet 2 HIHI T-Exhaust SCR Outlet 2 AL PDM Leak Check Failed HI T-Reducing Agent SUDU F1 HI T-Reducing Agent SUDU F2 AL Hydraulics Fault SUDU 1 AL Hydraulics Fault SUDU 2 AL Hydraulics Fault SUDU 3 AL Hydraulics Fault SUDU 4 AL Hydraulics Fault SUDU 5 AL Hydraulics Fault SUDU 6 AL SD-Card Unaccessible AL Capsize Timeout SD Eng.Speed Crankshaft SaSy TD Engine Speed Crankshaft		
 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 2 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

Alarm Description

SysID	Alarm Name	Alarm Description
0011.025101.215.001.2	SD P-Lube Oil SaSy	The safety system sensor signal for lube oil pressure is outside the defined sensor signal range. The safety system lube oil pressure information is not available anymore for indication or monitoring. The safety functions related to this signal are not available anymore.
0011.015201.215.001.2	SD T-Coolant SaSy	The safety system sensor signal for coolant temperature is outside the defined sensor signal range. The safety system coolant temperature information is not available anymore for indication or monitoring. The safety functions related to this signal are not available anymore.
0010.006201.215.011.2	SD T-Exhaust A1	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006201.215.021.2	SD T-Exhaust A2	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006201.215.031.2	SD T-Exhaust A3	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006201.215.041.2	SD T-Exhaust A4	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006201.215.051.2	SD T-Exhaust A5	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006201.215.061.2	SD T-Exhaust A6	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006201.215.071.2	SD T-Exhaust A7	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006201.215.081.2	SD T-Exhaust A8	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006201.215.091.2	SD T-Exhaust A9	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006201.215.101.2	SD T-Exhaust A10	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.011.2	SD T-Exhaust B1	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.021.2	SD T-Exhaust B2	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.031.2	SD T-Exhaust B3	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.041.2	SD T-Exhaust B4	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.051.2	SD T-Exhaust B5	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.061.2	SD T-Exhaust B6	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.071.2	SD T-Exhaust B7	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.081.2	SD T-Exhaust B8	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.091.2	SD T-Exhaust B9	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.006202.215.101.2	SD T-Exhaust B10	The sensor signal for the single exhaust temperature of the specified cylinder is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 3 von/of 137
---	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0010.040704.205.001.2	AL Startpilot Fail	The connector to the start pilot have a wire break or short circuit.
0011.020101.105.011.2	LO P-Fuel Common Rail A SaSy	Low Limit of fuel pressure in rail A (safety system)
0011.020101.105.021.2	LO P-Fuel Common Rail B SaSy	Low Limit of fuel pressure in rail B (safety system)
0010.025106.105.001.2	LO P-Lube Oil Last Bearing	Low Limit of lube oil pressure last bearing
0010.025108.105.001.2	LO P-Piston Cooling Oil	Low Limit of lube oil pressure piston cool
0010.016102.105.001.2	LO P-Raw Water before Pump	Low Limit of raw water pressure before pump reached
0010.010101.105.001.2	LO P-Control Air	Low Limit of control air pressure reached
0010.025106.115.001.2	LOLO P-Lube Oil Last Bearing	Lowest Limit of lube oil pressure last bearing reached
0010.025108.115.001.2	LOLO P-Piston Cooling Oil	Lowest Limit of lube oil pressure piston cool
0010.025109.155.001.2	HI P-Piston Cool.Oil Filt.Diff	High Limit of fuel pressure in return path
0010.006101.155.001.2	HI P-Exhaust back	High Limit of exhaust pressure back (turbocharger)
0010.056001.155.051.2	HI ETC 5 Speed	Speed of engine turbo charger 5 too high (limit 1).
0010.006101.165.001.2	HIHI P-Exhaust back	Highest Limit of exhaust pressure back (turbocharger)
0010.056001.165.051.2	HIHI ETC 5 Overspeed	Speed of engine turbo charger 5 too high (limit 2).
1.0021.075001.205.001.2	AL Gear SaSy Comb Alarm Red	The gearbox safty system have a common red alarm. Check for the single alarm on LOP
1.0021.075003.205.001.2	AL Gear SaSy Comb Alarm Yellow	The gearbox safty system have a common yellow alarm. Check for the single alarm on LOP
0010.020101.225.011.2	TD P-Fuel Common Rail A	The fuel pressure difference between the redundant common rail pressure sensors is too high on engine Bank A.
0010.020101.225.021.2	TD P-Fuel Common Rail B	The fuel pressure difference between the redundant common rail pressure sensors is too high on engine Bank B
1.0021.043002.205.001.2	AL Gear SaSy Shutdown Expected	A limit violation was detected by the gearbox safty system and alarmed (pre warning, yellow alarm). A worsening situation will cause an automatic security shutdown.
1.0080.059005.205.001.2	AL Clutch interlock RCS	The clutch interlock input is active, gearbox will stay in neutral.
1.0021.043102.205.001.2	AL Security Shutdown Gear SaSy	An security shutdown was initiated. The security shutdown was initiated by an engine- or gear safety function. This alarm is attended by a second alarm indicating which problem caused the shutdown. Most security shutdowns might be overridable by the operator on his own risk. Several shutdowns are triggered within the ECU engine monitoring system. The safety system is also able to trigger a security shutdown. Gearbox safety shutdowns are triggered by the monitoring- and safety system of the SPU.
0070.075804.245.001.2	SE Sysbus Duplicate Node	There are two or more systembus devices (SPU and SCUs) with the same systembus node address, which is not allowed. The Communication between componentes (LOP, displays, control lever, not MTU devices) may be distrubed. == > Check the the hex rotary encoder switches of each SPU and SCU.
0010.006402.165.011.2	HIHI T-Exhaust after LP ETC	Highest Limit of exhaust temperature (turbocharger)

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 4 von/of 137
---	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0070.075232.205.011.2	AL MCS Dim PAN Lost CS1	The communication to Dim PAN on first (#1) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.021.2	AL MCS Dim PAN Lost CS2	The communication to Dim PAN on second (#2) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.031.2	AL MCS Dim PAN Lost CS3	The communication to Dim PAN on third (#3) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.041.2	AL MCS Dim PAN Lost CS4	The communication to Dim PAN on fourth (#4) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.051.2	AL MCS Dim PAN Lost CS5	The communication to Dim PAN on fifth (#5) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.061.2	AL MCS Dim PAN Lost CS6	The communication to Dim PAN on sixth (#6) control stand is interrupted. Dimming from the PAN won't have a effect.
0010.057303.205.001.2	AL ECU Defect	Fatal internal ECU failure. ECU has to be replaced
0011.000501.165.001.2	HIHI Engine Overspeed SaSy	An engine overspeed was detected by the safety system. This alarm will normally cause an automatic emergency stop.
0011.025101.105.001.2	LO P-Lube Oil SaSy	A low engine lube oil pressure was detected by the safety system. A worsening situation could trigger a safety reaction.
0011.025101.115.001.2	LOLO P-Lube Oil SaSy	A very low engine lube oil pressure was detected by the safety system. This alarm will normally cause an automatic security shutdown. The safety reaction is alarmed with an separate alarm.
0011.015201.155.001.2	HI T-Coolant SaSy	A high engine coolant temperature was detected by the safety system. A worsening situation could trigger a safety reaction.
0011.015201.165.001.2	HIHI T-Coolant SaSy	A very high engine coolant temperature was detected by the safety system. This alarm will normally cause an automatic safety function. The safety reaction is alarmed with an separate alarm.
0011.043301.255.001.2	WB SaSy Emergency Stop Output	The safety system detected an open loop of it's emergency stop output. An automatic emergency stop function is not available anymore.
0011.043302.265.001.2	SC SaSy Emergency Stop Output	The safety system detected a short circuit of it's emergency stop output. An automatic emergency stop function is not available anymore.
0010.055202.155.001.2	HI T-Bearing Mean	The average bearing temperature is too high.
0010.006201.155.011.2	HI T-Exhaust A1	The temperature of cylinder A1 compared to the average exhaust temperature is too high.
0010.006201.155.021.2	HI T-Exhaust A2	The temperature of cylinder A2 compared to the average exhaust temperature is too high.
0010.006201.155.031.2	HI T-Exhaust A3	The temperature of cylinder A3 compared to the average exhaust temperature is too high.
0010.006201.155.041.2	HI T-Exhaust A4	The temperature of cylinder A4 compared to the average exhaust temperature is too high.
0010.006201.155.051.2	HI T-Exhaust A5	The temperature of cylinder A5 compared to the average exhaust temperature is too high.
0010.006201.155.061.2	HI T-Exhaust A6	The temperature of cylinder A6 compared to the average exhaust temperature is too high.
0010.006201.155.071.2	HI T-Exhaust A7	The temperature of cylinder A7 compared to the average exhaust temperature is too high.
0010.006201.155.081.2	HI T-Exhaust A8	The temperature of cylinder A8 compared to the average exhaust temperature is too high.
0010.006201.155.091.2	HI T-Exhaust A9	The temperature of cylinder A9 compared to the average exhaust temperature is too high.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 5 von/of 137
---	--	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Änderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0010.006201.155.101.2	HI T-Exhaust A10	The temperature of cylinder A10 compared to the average exhaust temperature is too high.
0010.006202.155.011.2	HI T-Exhaust B1	The temperature of cylinder B1 compared to the average exhaust temperature is too high.
0010.006202.155.021.2	HI T-Exhaust B2	The temperature of cylinder B2 compared to the average exhaust temperature is too high.
0010.006202.155.031.2	HI T-Exhaust B3	The temperature of cylinder B3 compared to the average exhaust temperature is too high.
0010.006202.155.041.2	HI T-Exhaust B4	The temperature of cylinder B4 compared to the average exhaust temperature is too high.
0010.006202.155.051.2	HI T-Exhaust B5	The temperature of cylinder B5 compared to the average exhaust temperature is too high.
0010.006202.155.061.2	HI T-Exhaust B6	The temperature of cylinder B6 compared to the average exhaust temperature is too high.
0010.006202.155.071.2	HI T-Exhaust B7	The temperature of cylinder B7 compared to the average exhaust temperature is too high.
0010.006202.155.081.2	HI T-Exhaust B8	The temperature of cylinder B8 compared to the average exhaust temperature is too high.
0010.006202.155.091.2	HI T-Exhaust B9	The temperature of cylinder B9 compared to the average exhaust temperature is too high.
0010.006202.155.101.2	HI T-Exhaust B10	The temperature of cylinder B10 compared to the average exhaust temperature is too high.
0010.055201.155.011.2	HI T-Bearing 1	The temperature of bearing 1 is too high
0010.055201.155.021.2	HI T-Bearing 2	The temperature of bearing 2 is too high
0010.055201.155.031.2	HI T-Bearing 3	The temperature of bearing 3 is too high
0010.055201.155.041.2	HI T-Bearing 4	The temperature of bearing 4 is too high
0010.055201.155.051.2	HI T-Bearing 5	The temperature of bearing 5 is too high
0010.055201.155.061.2	HI T-Bearing 6	The temperature of bearing 6 is too high
0010.055201.155.071.2	HI T-Bearing 7	The temperature of bearing 7 is too high
0010.055201.155.081.2	HI T-Bearing 8	The temperature of bearing 8 is too high
0010.055201.155.091.2	HI T-Bearing 9	The temperature of bearing 9 is too high
0010.055201.155.101.2	HI T-Bearing 10	The temperature of bearing 10 is too high
0010.055201.155.111.2	HI T-Bearing 11	The temperature of bearing 11 is too high
0010.055201.165.011.2	HIHI T-Bearing 1	The temperature of bearing 1 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.055201.165.021.2	HIHI T-Bearing 2	The temperature of bearing 2 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 6 von/of 137
	Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.	

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.055201.165.031.2	HIHI T-Bearing 3	The temperature of bearing 3 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.055201.165.041.2	HIHI T-Bearing 4	The temperature of bearing 4 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.055201.165.051.2	HIHI T-Bearing 5	The temperature of bearing 5 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.055201.165.061.2	HIHI T-Bearing 6	The temperature of bearing 6 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.055201.165.071.2	HIHI T-Bearing 7	The temperature of bearing 7 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.055201.165.081.2	HIHI T-Bearing 8	The temperature of bearing 8 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.055201.165.091.2	HIHI T-Bearing 9	The temperature of bearing 9 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.055201.165.101.2	HIHI T-Bearing 10	The temperature of bearing 10 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.055201.165.111.2	HIHI T-Bearing 11	The temperature of bearing 11 is very high. This alarm might cause an automatic safety function. The safety reaction would be alarmed with an separate alarm.
0010.006201.105.011.2	LO T-Exhaust A1	The temperature of cylinder A1 compared to the average exhaust temperature is too low.
0010.006201.105.021.2	LO T-Exhaust A2	The temperature of cylinder A2 compared to the average exhaust temperature is too low.
0010.006201.105.031.2	LO T-Exhaust A3	The temperature of cylinder A3 compared to the average exhaust temperature is too low.
0010.006201.105.041.2	LO T-Exhaust A4	The temperature of cylinder A4 compared to the average exhaust temperature is too low.
0010.006201.105.051.2	LO T-Exhaust A5	The temperature of cylinder A5 compared to the average exhaust temperature is too low.
0010.006201.105.061.2	LO T-Exhaust A6	The temperature of cylinder A6 compared to the average exhaust temperature is too low.
0010.006201.105.071.2	LO T-Exhaust A7	The temperature of cylinder A7 compared to the average exhaust temperature is too low.
0010.006201.105.081.2	LO T-Exhaust A8	The temperature of cylinder A8 compared to the average exhaust temperature is too low.
0010.006201.105.091.2	LO T-Exhaust A9	The temperature of cylinder A9 compared to the average exhaust temperature is too low.
0010.006201.105.101.2	LO T-Exhaust A10	The temperature of cylinder A10 compared to the average exhaust temperature is too low.
0010.006202.105.011.2	LO T-Exhaust B1	The temperature of cylinder B1 compared to the average exhaust temperature is too low.
0010.006202.105.021.2	LO T-Exhaust B2	The temperature of cylinder B2 compared to the average exhaust temperature is too low.
0010.006202.105.031.2	LO T-Exhaust B3	The temperature of cylinder B3 compared to the average exhaust temperature is too low.
0010.006202.105.041.2	LO T-Exhaust B4	The temperature of cylinder B4 compared to the average exhaust temperature is too low.
0010.006202.105.051.2	LO T-Exhaust B5	The temperature of cylinder B5 compared to the average exhaust temperature is too low.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 7 von/of 137
---	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.006202.105.061.2	LO T-Exhaust B6	The temperature of cylinder B6 compared to the average exhaust temperature is too low.
0010.006202.105.071.2	LO T-Exhaust B7	The temperature of cylinder B7 compared to the average exhaust temperature is too low.
0010.006202.105.081.2	LO T-Exhaust B8	The temperature of cylinder B8 compared to the average exhaust temperature is too low.
0010.006202.105.091.2	LO T-Exhaust B9	The temperature of cylinder B9 compared to the average exhaust temperature is too low.
0010.006202.105.101.2	LO T-Exhaust B10	The temperature of cylinder B10 compared to the average exhaust temperature is too low.
0010.016101.105.001.2	LO P-Raw Water	The raw water pressure after the pump is too low (limit 1)
0010.006207.205.001.2	AL Exhaust Monitoring Fail	The exhaust monitoring failed due to missing cylinder cut-out status. Can be caused by a communication loss between the ECU and the monitoring device.
0011.043501.205.001.2	AL Security Channel def. SaSy	A sensor of the safety system was detected "Sensor Defect". The respective safety function is not available anymore.
0011.015201.225.001.2	TD T-Coolant	The temperature difference between the redundant coolant temperature sensors is too high.
0011.025101.225.001.2	TD P-Lube Oil	The pressure difference between the redundant lube oil pressure sensors is too high.
0010.006206.205.001.2	AL T-Exhaust L2 above/below	One of the single exhaust temperatures is well above or below the average exhaust temperature. This might trigger a safety function. The safety reaction would be alarmed with an separate alarm.
0010.025601.155.011.2	HI T-Splash Oil B1	The temperature of the conrod bearing splash oil measured at position 1 at the B-side of the crank case is too high
0010.025601.155.021.2	HI T-Splash Oil B2	The temperature of the conrod bearing splash oil measured at position 2 at the B-side of the crank case is too high
0010.025601.155.031.2	HI T-Splash Oil B3	The temperature of the conrod bearing splash oil measured at position 3 at the B-side of the crank case is too high
0010.025601.155.041.2	HI T-Splash Oil B4	The temperature of the conrod bearing splash oil measured at position 4 at the B-side of the crank case is too high
0010.025601.155.051.2	HI T-Splash Oil B5	The temperature of the conrod bearing splash oil measured at position 5 at the B-side of the crank case is too high
0010.025601.155.061.2	HI T-Splash Oil B6	The temperature of the conrod bearing splash oil measured at position 6 at the B-side of the crank case is too high
0010.025601.155.071.2	HI T-Splash Oil B7	The temperature of the conrod bearing splash oil measured at position 7 at the B-side of the crank case is too high
0010.025601.155.081.2	HI T-Splash Oil B8	The temperature of the conrod bearing splash oil measured at position 8 at the B-side of the crank case is too high
0010.025601.155.091.2	HI T-Splash Oil B9	The temperature of the conrod bearing splash oil measured at position 9 at the B-side of the crank case is too high
0010.025601.155.101.2	HI T-Splash Oil B10	The temperature of the conrod bearing splash oil measured at position 10 at the B-side of the crank case is too high
0010.025601.165.011.2	HIHI T-Splash Oil B1	The temperature of the conrod bearing splash oil measured at position 1 at the B-side of the crank case is very high
0010.025601.165.021.2	HIHI T-Splash Oil B2	The temperature of the conrod bearing splash oil measured at position 2 at the B-side of the crank case is very high
0010.025601.165.031.2	HIHI T-Splash Oil B3	The temperature of the conrod bearing splash oil measured at position 3 at the B-side of the crank case is very high

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 8 von/of 137
---	--	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0010.025601.165.041.2	HIHI T-Splash Oil B4	The temperature of the conrod bearing splash oil measured at position 4 at the B-side of the crank case is very high
0010.025601.165.051.2	HIHI T-Splash Oil B5	The temperature of the conrod bearing splash oil measured at position 5 at the B-side of the crank case is very high
0010.025601.165.061.2	HIHI T-Splash Oil B6	The temperature of the conrod bearing splash oil measured at position 6 at the B-side of the crank case is very high
0010.025601.165.071.2	HIHI T-Splash Oil B7	The temperature of the conrod bearing splash oil measured at position 7 at the B-side of the crank case is very high
0010.025601.165.081.2	HIHI T-Splash Oil B8	The temperature of the conrod bearing splash oil measured at position 8 at the B-side of the crank case is very high
0010.025601.165.091.2	HIHI T-Splash Oil B9	The temperature of the conrod bearing splash oil measured at position 9 at the B-side of the crank case is very high
0010.025601.165.101.2	HIHI T-Splash Oil B10	The temperature of the conrod bearing splash oil measured at position 10 at the B-side of the crank case is very high
0010.025604.205.011.2	AL Splash Oil Cal not Poss	The internal splash oil temperature calibration process was not successful.
0010.055201.215.011.2	SD T-Bearing 1	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.021.2	SD T-Bearing 2	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.031.2	SD T-Bearing 3	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.041.2	SD T-Bearing 4	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.051.2	SD T-Bearing 5	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.061.2	SD T-Bearing 6	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.071.2	SD T-Bearing 7	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.081.2	SD T-Bearing 8	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.091.2	SD T-Bearing 9	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.101.2	SD T-Bearing 10	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.055201.215.111.2	SD T-Bearing 11	The temperature sensor signal for the specified bearing is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured safety functions related to this signal are not available anymore.
0010.016101.215.001.2	SD P-Raw Water	The pressure sensor signal for the raw water pressure monitoring is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured (safety) functions related to this signal are not available anymore.
0010.025601.215.011.2	SD T-Splash Oil B1	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 1 at the B-side of the crank case is out of the plausible range and detected as defective.
0010.025601.215.021.2	SD T-Splash Oil B2	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 2 at the B-side of the crank case is out of the plausible range and detected as defective.
0010.025601.215.031.2	SD T-Splash Oil B3	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 3 at the B-side of the crank case is out of the plausible range and detected as defective.
0010.025601.215.041.2	SD T-Splash Oil B4	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 4 at the B-side of the crank case is out of the plausible range and detected as defective.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 9 von/of 137
---	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency																																																																									
Buchst./Rev.Ltr. -.8		Bearbeitungsstatus/Lifecycle Released																																																																									
<table border="1"> <thead> <tr> <th>SysID</th> <th>Alarm Name</th> <th>Alarm Description</th> </tr> </thead> <tbody> <tr> <td>0010.025601.215.051.2</td> <td>SD T-Splash Oil B5</td> <td>The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 5 at the B-side of the crank case is out of the plausible range and detected as defective.</td> </tr> <tr> <td>0010.025601.215.061.2</td> <td>SD T-Splash Oil B6</td> <td>The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 6 at the B-side of the crank case is out of the plausible range and detected as defective.</td> </tr> <tr> <td>0010.025601.215.071.2</td> <td>SD T-Splash Oil B7</td> <td>The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 7 at the B-side of the crank case is out of the plausible range and detected as defective.</td> </tr> <tr> <td>0010.025601.215.081.2</td> <td>SD T-Splash Oil B8</td> <td>The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 8 at the B-side of the crank case is out of the plausible range and detected as defective.</td> </tr> <tr> <td>0010.025601.215.091.2</td> <td>SD T-Splash Oil B9</td> <td>The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 9 at the B-side of the crank case is out of the plausible range and detected as defective.</td> </tr> <tr> <td>0010.025601.215.101.2</td> <td>SD T-Splash Oil B10</td> <td>The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 10 at the B-side of the crank case is out of the plausible range and detected as defective.</td> </tr> <tr> <td>0010.050201.205.001.2</td> <td>AL Battery Charger Failure</td> <td>The voltage of the generator excitation supply (D+) is too low in comparison to the battery voltage (B+) while engine is running. The basic excitation current will flow from B+ to D+. This current is monitored. If engine is running the voltage at D+ should be about the battery voltage (B+) and no current should flow through the battery charger control lamp. The illuminated lamp indicated that the battery is not charged. If the engine is not running it is expected, that the voltage of D+ is well below B+ and a current should flow through the monitoring device. If the current is too low, when the engine is not running, indicates that there is a wiring problem between the battery, the generator and the monitoring device. The monitoring of the battery charger if the engine is not running is optional and can be disabled. It might be useful to disable the extended battery charger monitoring, if the battery is regularly disconnected from the engine, but keeping the monitoring system operative because disconnecting the battery would cause an alarm.</td> </tr> <tr> <td>0010.050001.205.011.2</td> <td>AL MMS Internal Power Fail</td> <td>An internal power supply of the motor management system (engine governor and all engine mounted devices) failed. There might be a short circuit at a MMS output. Refer for details to the Engine Interface Module (EIM) documentation. A diagnostic lamp at the EIM will indicate more details.</td> </tr> <tr> <td>0010.050002.205.011.2</td> <td>AL MMS Main Power Fail</td> <td>The main power supply of the motor management system (MMS) connected to the EIM failed. The system is still full operative and is feed through the emergency power supply.</td> </tr> <tr> <td>0010.050002.205.021.2</td> <td>AL MMS Emerg Power Fail</td> <td>The emergency power supply of the motor management system (MMS) connected to the EIM failed. The system is still full operative and is feed through the main power supply.</td> </tr> <tr> <td>0010.050003.105.011.2</td> <td>LO Starter Supply Voltage</td> <td>The starter supply voltage is below the minimum limit. The starter supply voltage is not monitored during the start procedure.</td> </tr> <tr> <td>0010.043602.205.001.2</td> <td>AL Shut Down Air Flaps Fail</td> <td>Any error was detected in the shut down air flaps (SDAF) control. (Open circuits, unexpected feedback, short circuits ...). Shut down air flaps are optional.</td> </tr> <tr> <td>0010.043601.205.001.2</td> <td>AL Shut Down Air Flaps closed</td> <td>At least one shut down air flap feedback switch was detected as activated. Shut down air flaps are optional.</td> </tr> <tr> <td>0010.043305.205.001.2</td> <td>AL Emerg. Stop Circuit Fail</td> <td>Any error was detected in the emergency stop circuit. Possible failures might be open circuits between the emergency stop control circuit located in the EIM and the governor or emergency stop buttons. There might be also an internal failure inside the EIM. Refer to the EIM documentation.</td> </tr> <tr> <td>0010.043307.205.001.2</td> <td>AL Emergency Stop</td> <td>An emergency stop was initiated. The emergency stop might be triggered manually or by external devices connected to an emergency stop input. (ECU, Safety System, External customer device connected at an emergency stop input at the yard interface.) An emergency stop will deactivate directly the injector power stage. This function is totally independent to the ECU software function.</td> </tr> <tr> <td>0010.040105.205.001.2</td> <td>AL Priming Pump Fail</td> <td>A failure of the priming control circuit was detected. Either the pump was not running when expected or the priming starter box was set to off or the over current device was triggered.</td> </tr> <tr> <td>0010.040702.205.001.2 0010.040701.205.001.2</td> <td>AL Starter Fail</td> <td>A failure in the starter control circuit was detected. Open loop, short circuit?</td> </tr> <tr> <td>0010.040801.205.001.2</td> <td>AL Barring Gear Engaged</td> <td>The limit switch, mounted at the cover of turning gear connection, indicates that the turning gear connection cover was removed. It is assumed that the turning device is manually engaged. Because the mechanic is in danger if the engine would be started, this alarm will cause a start interlock. This is for additional safety only. When working at the engine, the system has to be completely switched off!</td> </tr> <tr> <td>0010.060301.205.001.2</td> <td>AL EIM defect</td> <td>An internal defect of the EIM was detected by the EIM itself.</td> </tr> <tr> <td>0010.025401.105.001.2</td> <td>LO P-Oil Refill Pump</td> <td>The oil pressure after the oil refill pump which is pumping oil out and back into the oil pan was low for a certain period (several minutes). As long as the pump is able to pump oil out and back into the oil pan, there is enough oil in the engine. If the oil level is below the end of the "pump snorkel" the pump will not produce pressure within a certain time and this alarm will be triggered.</td> </tr> <tr> <td>0010.007101.105.001.2</td> <td>LO P-Start Air</td> <td>The pressure for the air starter is too low.</td> </tr> <tr> <td>0010.007101.115.001.2</td> <td>LOLO P-Start Air</td> <td>The pressure for the air starter is very low and a start is interlocked. The limit for that alarm should be set in a way that air for at least one start is remaining. This is to prevent emptying the air supply by (automatic) repeated starts. The start interlock can be disabled by activating "Override"</td> </tr> <tr> <td>0010.025401.215.001.2</td> <td>SD P-Oil Refill Pump</td> <td>The pressure sensor signal for the oil refill pump pressure monitoring is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured (safety) functions related to this signal are not available anymore.</td> </tr> </tbody> </table>				SysID	Alarm Name	Alarm Description	0010.025601.215.051.2	SD T-Splash Oil B5	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 5 at the B-side of the crank case is out of the plausible range and detected as defective.	0010.025601.215.061.2	SD T-Splash Oil B6	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 6 at the B-side of the crank case is out of the plausible range and detected as defective.	0010.025601.215.071.2	SD T-Splash Oil B7	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 7 at the B-side of the crank case is out of the plausible range and detected as defective.	0010.025601.215.081.2	SD T-Splash Oil B8	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 8 at the B-side of the crank case is out of the plausible range and detected as defective.	0010.025601.215.091.2	SD T-Splash Oil B9	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 9 at the B-side of the crank case is out of the plausible range and detected as defective.	0010.025601.215.101.2	SD T-Splash Oil B10	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 10 at the B-side of the crank case is out of the plausible range and detected as defective.	0010.050201.205.001.2	AL Battery Charger Failure	The voltage of the generator excitation supply (D+) is too low in comparison to the battery voltage (B+) while engine is running. The basic excitation current will flow from B+ to D+. This current is monitored. If engine is running the voltage at D+ should be about the battery voltage (B+) and no current should flow through the battery charger control lamp. The illuminated lamp indicated that the battery is not charged. If the engine is not running it is expected, that the voltage of D+ is well below B+ and a current should flow through the monitoring device. If the current is too low, when the engine is not running, indicates that there is a wiring problem between the battery, the generator and the monitoring device. The monitoring of the battery charger if the engine is not running is optional and can be disabled. It might be useful to disable the extended battery charger monitoring, if the battery is regularly disconnected from the engine, but keeping the monitoring system operative because disconnecting the battery would cause an alarm.	0010.050001.205.011.2	AL MMS Internal Power Fail	An internal power supply of the motor management system (engine governor and all engine mounted devices) failed. There might be a short circuit at a MMS output. Refer for details to the Engine Interface Module (EIM) documentation. A diagnostic lamp at the EIM will indicate more details.	0010.050002.205.011.2	AL MMS Main Power Fail	The main power supply of the motor management system (MMS) connected to the EIM failed. The system is still full operative and is feed through the emergency power supply.	0010.050002.205.021.2	AL MMS Emerg Power Fail	The emergency power supply of the motor management system (MMS) connected to the EIM failed. The system is still full operative and is feed through the main power supply.	0010.050003.105.011.2	LO Starter Supply Voltage	The starter supply voltage is below the minimum limit. The starter supply voltage is not monitored during the start procedure.	0010.043602.205.001.2	AL Shut Down Air Flaps Fail	Any error was detected in the shut down air flaps (SDAF) control. (Open circuits, unexpected feedback, short circuits ...). Shut down air flaps are optional.	0010.043601.205.001.2	AL Shut Down Air Flaps closed	At least one shut down air flap feedback switch was detected as activated. Shut down air flaps are optional.	0010.043305.205.001.2	AL Emerg. Stop Circuit Fail	Any error was detected in the emergency stop circuit. Possible failures might be open circuits between the emergency stop control circuit located in the EIM and the governor or emergency stop buttons. There might be also an internal failure inside the EIM. Refer to the EIM documentation.	0010.043307.205.001.2	AL Emergency Stop	An emergency stop was initiated. The emergency stop might be triggered manually or by external devices connected to an emergency stop input. (ECU, Safety System, External customer device connected at an emergency stop input at the yard interface.) An emergency stop will deactivate directly the injector power stage. This function is totally independent to the ECU software function.	0010.040105.205.001.2	AL Priming Pump Fail	A failure of the priming control circuit was detected. Either the pump was not running when expected or the priming starter box was set to off or the over current device was triggered.	0010.040702.205.001.2 0010.040701.205.001.2	AL Starter Fail	A failure in the starter control circuit was detected. Open loop, short circuit?	0010.040801.205.001.2	AL Barring Gear Engaged	The limit switch, mounted at the cover of turning gear connection, indicates that the turning gear connection cover was removed. It is assumed that the turning device is manually engaged. Because the mechanic is in danger if the engine would be started, this alarm will cause a start interlock. This is for additional safety only. When working at the engine, the system has to be completely switched off!	0010.060301.205.001.2	AL EIM defect	An internal defect of the EIM was detected by the EIM itself.	0010.025401.105.001.2	LO P-Oil Refill Pump	The oil pressure after the oil refill pump which is pumping oil out and back into the oil pan was low for a certain period (several minutes). As long as the pump is able to pump oil out and back into the oil pan, there is enough oil in the engine. If the oil level is below the end of the "pump snorkel" the pump will not produce pressure within a certain time and this alarm will be triggered.	0010.007101.105.001.2	LO P-Start Air	The pressure for the air starter is too low.	0010.007101.115.001.2	LOLO P-Start Air	The pressure for the air starter is very low and a start is interlocked. The limit for that alarm should be set in a way that air for at least one start is remaining. This is to prevent emptying the air supply by (automatic) repeated starts. The start interlock can be disabled by activating "Override"	0010.025401.215.001.2	SD P-Oil Refill Pump	The pressure sensor signal for the oil refill pump pressure monitoring is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured (safety) functions related to this signal are not available anymore.
SysID	Alarm Name	Alarm Description																																																																									
0010.025601.215.051.2	SD T-Splash Oil B5	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 5 at the B-side of the crank case is out of the plausible range and detected as defective.																																																																									
0010.025601.215.061.2	SD T-Splash Oil B6	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 6 at the B-side of the crank case is out of the plausible range and detected as defective.																																																																									
0010.025601.215.071.2	SD T-Splash Oil B7	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 7 at the B-side of the crank case is out of the plausible range and detected as defective.																																																																									
0010.025601.215.081.2	SD T-Splash Oil B8	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 8 at the B-side of the crank case is out of the plausible range and detected as defective.																																																																									
0010.025601.215.091.2	SD T-Splash Oil B9	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 9 at the B-side of the crank case is out of the plausible range and detected as defective.																																																																									
0010.025601.215.101.2	SD T-Splash Oil B10	The signal of the sensor measuring the temperature of the conrod bearing splash oil at position 10 at the B-side of the crank case is out of the plausible range and detected as defective.																																																																									
0010.050201.205.001.2	AL Battery Charger Failure	The voltage of the generator excitation supply (D+) is too low in comparison to the battery voltage (B+) while engine is running. The basic excitation current will flow from B+ to D+. This current is monitored. If engine is running the voltage at D+ should be about the battery voltage (B+) and no current should flow through the battery charger control lamp. The illuminated lamp indicated that the battery is not charged. If the engine is not running it is expected, that the voltage of D+ is well below B+ and a current should flow through the monitoring device. If the current is too low, when the engine is not running, indicates that there is a wiring problem between the battery, the generator and the monitoring device. The monitoring of the battery charger if the engine is not running is optional and can be disabled. It might be useful to disable the extended battery charger monitoring, if the battery is regularly disconnected from the engine, but keeping the monitoring system operative because disconnecting the battery would cause an alarm.																																																																									
0010.050001.205.011.2	AL MMS Internal Power Fail	An internal power supply of the motor management system (engine governor and all engine mounted devices) failed. There might be a short circuit at a MMS output. Refer for details to the Engine Interface Module (EIM) documentation. A diagnostic lamp at the EIM will indicate more details.																																																																									
0010.050002.205.011.2	AL MMS Main Power Fail	The main power supply of the motor management system (MMS) connected to the EIM failed. The system is still full operative and is feed through the emergency power supply.																																																																									
0010.050002.205.021.2	AL MMS Emerg Power Fail	The emergency power supply of the motor management system (MMS) connected to the EIM failed. The system is still full operative and is feed through the main power supply.																																																																									
0010.050003.105.011.2	LO Starter Supply Voltage	The starter supply voltage is below the minimum limit. The starter supply voltage is not monitored during the start procedure.																																																																									
0010.043602.205.001.2	AL Shut Down Air Flaps Fail	Any error was detected in the shut down air flaps (SDAF) control. (Open circuits, unexpected feedback, short circuits ...). Shut down air flaps are optional.																																																																									
0010.043601.205.001.2	AL Shut Down Air Flaps closed	At least one shut down air flap feedback switch was detected as activated. Shut down air flaps are optional.																																																																									
0010.043305.205.001.2	AL Emerg. Stop Circuit Fail	Any error was detected in the emergency stop circuit. Possible failures might be open circuits between the emergency stop control circuit located in the EIM and the governor or emergency stop buttons. There might be also an internal failure inside the EIM. Refer to the EIM documentation.																																																																									
0010.043307.205.001.2	AL Emergency Stop	An emergency stop was initiated. The emergency stop might be triggered manually or by external devices connected to an emergency stop input. (ECU, Safety System, External customer device connected at an emergency stop input at the yard interface.) An emergency stop will deactivate directly the injector power stage. This function is totally independent to the ECU software function.																																																																									
0010.040105.205.001.2	AL Priming Pump Fail	A failure of the priming control circuit was detected. Either the pump was not running when expected or the priming starter box was set to off or the over current device was triggered.																																																																									
0010.040702.205.001.2 0010.040701.205.001.2	AL Starter Fail	A failure in the starter control circuit was detected. Open loop, short circuit?																																																																									
0010.040801.205.001.2	AL Barring Gear Engaged	The limit switch, mounted at the cover of turning gear connection, indicates that the turning gear connection cover was removed. It is assumed that the turning device is manually engaged. Because the mechanic is in danger if the engine would be started, this alarm will cause a start interlock. This is for additional safety only. When working at the engine, the system has to be completely switched off!																																																																									
0010.060301.205.001.2	AL EIM defect	An internal defect of the EIM was detected by the EIM itself.																																																																									
0010.025401.105.001.2	LO P-Oil Refill Pump	The oil pressure after the oil refill pump which is pumping oil out and back into the oil pan was low for a certain period (several minutes). As long as the pump is able to pump oil out and back into the oil pan, there is enough oil in the engine. If the oil level is below the end of the "pump snorkel" the pump will not produce pressure within a certain time and this alarm will be triggered.																																																																									
0010.007101.105.001.2	LO P-Start Air	The pressure for the air starter is too low.																																																																									
0010.007101.115.001.2	LOLO P-Start Air	The pressure for the air starter is very low and a start is interlocked. The limit for that alarm should be set in a way that air for at least one start is remaining. This is to prevent emptying the air supply by (automatic) repeated starts. The start interlock can be disabled by activating "Override"																																																																									
0010.025401.215.001.2	SD P-Oil Refill Pump	The pressure sensor signal for the oil refill pump pressure monitoring is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured (safety) functions related to this signal are not available anymore.																																																																									
 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183																																																																									
		Blatt/ Sheet 10 von/of 137																																																																									
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																											

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0010.007101.215.001.2	SD P-Start Air	The pressure sensor signal for the start air pressure monitoring is outside the defined sensor signal range. This measuring point is not available anymore for indication or monitoring. Configured (safety) functions related to this signal (start interlock if start air pressure is too low) are not available anymore.
0075.043002.205.001.2	AL Shutdown Expected	A limit violation was detected and alarmed (pre warning, yellow alarm). A worsening situation will cause an automatic security shutdown.
0075.043001.205.001.2	AL Power Limitation Expected	A limit violation was detected and alarmed (pre warning, yellow alarm). A worsening situation will cause an automatic power limitation.
0011.050001.205.001.2	AL SaSy Int.Power Supply Fail	The safety system of the motor management system has detected an internal power supply failure and might not work properly anymore.
0070.050017.205.001.2	AL SPU Int. Power Supply Fail	The SPU detected a failure of an internal power supply (most probably a short circuit). These could be the supply for the LOS, supply for horn/flashlight, supply for the control stand, supply for the I/O extension or a supply for the yard interface.
0010.043102.205.001.2	AL Security Shutdown	An security shutdown was initiated. The security shutdown was initiated by an engine- or gear safety function. This alarm is attended by a second alarm indicating which problem caused the shutdown. Most security shutdowns might be overridable by the operator on his own risk. Several shutdowns are triggered within the ECU engine monitoring system. The safety system is also able to trigger a security shutdown. Gearbox safety shutdowns are triggered by the monitoring- and safety system of the SPU.
0010.043101.205.001.2	AL Power Limitation Active	An power limitation was initiated. The power limitation was initiated by an engine- or gear safety function. This alarm is attended by a second alarm indicating which problem caused the power limitation. Most power limitations might be overridable by the operator on his own risk. Several limitations are triggered within the ECU engine monitoring system. The safety system is also able to trigger a power limitation. Gearbox safety power limitations are triggered by the monitoring- and safety system of the SPU. To recover from a power limitation it might be necessary to reduce the engine speed to idle before getting full power again.
0010.043201.205.001.2	AL Override Activated	Override was activated by the operator. Override will deactivate several safety functions and start interlocks. Override is activated on operators own risk. Inadequate use of override can cause severe damage to the propulsion system.
0010.040422.205.001.2	AL Safety Start Interlock	A safety function caused by an alarm, has activated an start interlock. The start interlock might be overridable on operators own risk.
0020.043109.205.001.2	AL Safety Engage Interlock	A safety function caused by an alarm, has activated an engage interlock. The engage interlock might be overridable on operators own risk.
0075.043501.205.001.2	AL Safety System defect	The safety system was detected as defect. Safety functions might be not available anymore.
0070.059002.205.001.2	AL Emergency Disengage	The clutch was automatically disengaged by a safety function. The clutch will be always automatically disengaged by an emergency stop or security shutdown.
0050.020002.205.011.2	AL Water in Fuel Prefilter 1	The level sensor of the fuel prefilter 1, mounted external of the engine in the engine room, has detected an high water level inside the fuel filter.
0050.020002.205.021.2	AL Water in Fuel Prefilter 2	The level sensor of the fuel prefilter 2, mounted external of the engine in the engine room, has detected an high water level inside the fuel filter.
0070.050001.105.001.2	LO U-SPU Main Power Supply	The voltage of the SPU main power supply is too low.
0070.050001.155.001.2	HI U-SPU Main Power Supply	The voltage of the SPU main power supply is too high.
0070.050002.105.001.2	LO U-SPU Emerg.Power Supply	The voltage of the SPU emergency power supply is too low.
0070.050002.155.001.2	HI U-SPU Emerg.Power Supply	The voltage of the SPU emergency power supply is too high.
0050.020301.105.011.2	LO Fuel Level 1	The level of the fuel tank 1 connected to the related propulsion is too low.
0050.020301.115.011.2	LOLO Fuel Level 1	The level of the fuel tank 1 connected to the related propulsion is very low.
0050.020301.155.011.2	HI Fuel Level 1	The level of the fuel tank 1 connected to the related propulsion is too high.
0050.020301.165.011.2	HIHI Fuel Level 1	The level of the fuel tank 1 connected to the related propulsion is very high.
0050.020302.105.011.2	LO Fuel Level 2	The level of the fuel tank 2 connected to the related propulsion is too low.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 11 von/of 137
--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.

All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0050.020302.115.011.2	LOLO Fuel Level 2	The level of the fuel tank 2 connected to the related propulsion is very low.
0050.020302.155.011.2	HI Fuel Level 2	The level of the fuel tank 2 connected to the related propulsion is too high.
0050.020302.165.011.2	HIHI Fuel Level 2	The level of the fuel tank 2 connected to the related propulsion is very high.
0050.020301.205.011.2	AL Config.Failure Fuel Level 1	The monitoring parameter setting for tank 1 monitoring is not correct or inconsistent. These parameters can be set by service personal only
0050.020302.205.021.2	AL Config.Failure Fuel Level 2	The monitoring parameter setting for tank 2 monitoring is not correct or inconsistent. These parameters can be set by service personal only
0050.020002.215.011.2	SD Fuel Prefilter 1	The self test function of the fuel prefilter sensor 1 detected that the sensor does not respond as specified. The sensor might be defect or the wiring is defective. The SD alarm is reset if a successful self test was carried out. A self test is typically performed every 15min (the exact time might vary).
0050.020002.215.021.2	SD Fuel Prefilter 2	The self test function of the fuel prefilter sensor 2 detected that the sensor does not respond as specified. The sensor might be defect or the wiring is defective. The SD alarm is reset if a successful self test was carried out. A self test is typically performed every 15min (the exact time might vary).
0050.058102.215.001.2	SD T-Riser	The temperature sensor detecting a riser over temperature was detected as defect.
0050.058101.215.001.2	SD T-Riser	The temperature switch detecting a riser over temperature was detected as defect.(Wire break)
0050.020301.215.011.2	SD Fuel Level 1	The 4..20mA fuel level 1 sensor is out of the plausible range (22mA < I < 2mA). As a consequence the fuel level monitoring is inoperative.
0050.020302.215.011.2	SD Fuel Level 2	The 4..20mA fuel level 2 sensor is out of the plausible range (22mA < I < 2mA). As a consequence the fuel level monitoring is inoperative.
0010.020201.155.001.2	HI T-Fuel	Fuel temperature too high (limit 1)
0010.020201.165.001.2	HIHI T-Fuel	Fuel temperature too high (limit 2).
0010.008201.155.001.2	HI T-Charge Air	Charge air temperature too high (limit 1) ==> Check Intercooler
0010.008201.165.001.2	HIHI T-Charge Air	Charge air temperature too high (limit 2) ==> Check Intercooler
0010.025101.105.001.2	LO P-Lube Oil	Pressure of lube oil too low (limit 1).
0010.025101.115.001.2	LOLO P-Lube Oil	Pressure of lube oil too low (limit 2).
0010.006401.155.011.2	HI T-Exhaust Combined A	Exhaust gas temperature (A-side) too high (limit 1).
0010.006401.165.011.2	HIHI T-Exhaust Combined A	Exhaust gas temperature (A-side) too high (limit 2).
0010.006401.155.021.2	HI T-Exhaust Combined B	Exhaust gas temperature (B-side) too high (limit 1).
0010.006401.165.021.2	HIHI T-Exhaust Combined B	Exhaust gas temperature (B-side) too high (limit 2).
0010.015301.105.001.2	LO Coolant Level	Coolant level too low (limit 1) ==> Check coolant level in compensation container
0010.025103.155.001.2	HI P-Oil Filter Difference	Differential pressure of oil filter too high (limit 1).
0010.020301.155.001.2	HI Fuel Leakage	Level of leakage fuel too high (limit 1).

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 12 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.000501.165.001.2	HIHI Engine Overspeed (ECU)	Engine Overspeed (limit 2).
0010.056001.155.011.2	HI ETC 1 Speed	Speed of basic charger too high (limit 1).
0010.056001.165.011.2	HIHI ETC 1 Overspeed	Speed of basic charger too high (limit 2).
0010.020105.155.001.2	HI P-Fuel Filter Difference	Differential pressure of fuel filter too high (limit 1).
0010.056001.155.021.2	HI ETC 2 Speed	Speed of 1st switchable charger too high (limit 1).
0010.056001.165.021.2	HIHI ETC 2 Overspeed	Speed of 1st switchable charger too high (limit 2).
0010.056001.155.001.2	HI ETC Speed Difference	Speed deviation between basic turbo charger and one of the switchable chargers.
0010.056002.205.021.2	AL ETC 2 Cut in Fail	Switching of charger ETC2 failed.
0010.025201.155.001.2	HI T-Lube Oil	Lube oil temperature too high (limit 1).
0010.025201.165.001.2	HIHI T-Lube Oil	Lube oil temperature too high (limit 2).
0010.005201.155.001.2	HI T-Intake Air	Intake Air temperature too high (limit 1).
0010.015101.105.001.2	LO P-Coolant	Coolant pressure too low (limit 1) ==> check cooling cycle.
0010.015101.115.001.2	LOLO P-Coolant	Coolant pressure too low (limit 2) ==> Engine stop or limitation of the injection quantity ==> check cooling cycle
0010.009101.155.001.2	HI P-Crankcase	Crankcase pressure too high (limit 1).
0010.009101.165.001.2	HIHI P-Crankcase	Crankcase pressure too high (limit 2).
0010.020101.105.001.2	LO P-Fuel	Fuel supply pressure too low (limit 1) ==> Check filter, fuel on low-pressure side
0010.020101.115.001.2	LOLO P-Fuel	Fuel supply pressure too low (limit 2) ==> Check filter (low-pressure side)
0010.015201.155.001.2	HI T-Coolant	Coolant temperature too high (limit 1) ==> Check circulation of coolant
0010.015201.165.001.2	HIHI T-Coolant	Coolant temperature too high (limit 2) ==> Check circulation of coolant
0010.020104.205.001.2	AL Common Rail Leakage	Rail pressure gradient too low for Start or too high for Stop (==> High-pressure system leaks, air in the system)
0010.020103.155.001.2	HI P-Fuel Common Rail	Rail pressure > set point value => DBR reduction, shift of start of injection delayed (==> interphase transformer sticks or connections of the interphase transformer)
0010.020103.105.001.2	LO P-Fuel Common Rail	Rail pressure < set point value => DBR reduction (==> interphase transformer defective or leakage in high-pressure system)
0010.008202.155.001.2	HI T-Charge Air Seq Ctrl Valve	Umblasen' temperature too high (limit 1).
0010.008202.165.001.2	HIHI T-Charge Air Seq Ctrl Val	Umblasen' temperature too high (limit 2).

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 13 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0010.000501.115.001.2	LOLO Engine Speed	Engine is being stalled. The engine speed of the normally operating engine dropped below the limit from parameter 2.2500.027 Limit Engine Speed Low without any stop request. For safety reason the engine is stopped when this event occurs.
0010.050101.105.001.2	LO ECU Power Supply Voltage	Power supply voltage too low (limit 1) ==> Check battery / generator
0010.050101.115.001.2	LOLO ECU Power Supply Voltage	Power supply voltage too low (limit 2) ==> Check battery / generator
0010.050101.155.001.2	HI ECU Power Supply Voltage	Power supply voltage too high (limit 1) ==> Check battery / generator
0010.050101.165.001.2	HIHI ECU Power Supply Voltage	Power supply voltage too high (limit 2) ==> Check battery / generator
0010.057304.155.001.2	HI T-ECU	Temperature of electronic too high (limit 1).
0010.015201.215.001.2	SD T-Coolant	Coolant temperature-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B6), if necessary replace it.
0010.020201.215.001.2	SD T-Fuel	Fuel temperature-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B33), if necessary replace it.
0010.008201.215.001.2	SD T-Charge Air	Charge air temperature-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B9), if necessary replace it.
0010.025301.215.001.2	SD Lube Oil Level	Level sensor for lube oil defect. ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0010.006401.215.011.2	SD T-Exhaust Combined A	Exhaust gas temperature-sensor on A-side defect. ==> short circuit or cable breakage ==> Check sensor and cable (B4.21), if necessary replace it.
0010.006401.215.021.2	SD T-Exhaust Combined B	Exhaust gas temperature-sensor on B-side defect. ==> short circuit or cable breakage ==> Check sensor and cable (B4.22), if necessary replace it.
0010.008101.215.001.2	SD P-Charge Air A	Charge air pressure-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B10), if necessary replace it.
0010.025101.215.001.2	SD P-Lube Oil	Lube oil pressure-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B5), if necessary replace it.
0010.015101.215.001.2	SD P-Coolant	Coolant pressure-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B16), if necessary replace it.
0010.009101.215.001.2	SD P-Crankcase	Crankcase pressure-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B50), if necessary replace it.
0010.020103.215.001.2	SD P-Fuel Common Rail	Rail pressure-sensor defect. ==> High-pressure controller emergency operation ==> short circuit or cable breakage ==> Check sensor and cable (B48), if necessary replace it.
0010.025201.215.001.2	SD T-Lube Oil	Lube oil temperature-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B7), if necessary replace it.
0010.005201.215.001.2	SD T-Intake Air	Intake air temperature-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B3), if necessary replace it.
0010.015301.215.001.2	SD Coolant Level	Sensor for coolant level defect. ==> short circuit or cable breakage ==> Check sensor and cable (F33), if necessary replace it.
0010.025103.215.001.2	SD P-Oil Filter Difference	Sensor for differential pressure of lube oil defect. ==> short circuit or cable breakage ==> Check sensor and cable (B5), if necessary replace it.
0010.020301.215.001.2	SD Fuel Leakage	Sensor for leakage level of fuel defect. ==> short circuit or cable breakage ==> Check sensor and cable (F46), if necessary replace it.
0010.025102.215.001.2	SD P-Lube Oil before Filter	Pressure sensor for lube oil before filter defect. ==> short circuit or cable breakage ==> Check sensor and cable (B5.3), if necessary replace it.
0010.020102.215.001.2	SD P-Fuel before Filter	Fuel pressure-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B34.2), if necessary replace it.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 14 von/of 137
	Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.	

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.000507.215.001.2	SD Engine Speed Crankshaft	Sensor defect on crankshaft. ==> short circuit or cable breakage ==> Check sensor and cable (B13), if necessary replace it. After Engine restart follows curing of failure.
0010.000506.215.001.2	SD Engine Speed Camshaft	Sensor defect on camshaft. ==> short circuit or cable breakage ==> Check sensor and cable (B1), if necessary replace it. After Engine restart follows curing of failure.
0010.056001.215.011.2	SD ETC 1 Speed	Speed-sensor of basic charger defect. ==> short circuit or cable breakage ==> Check sensor and cable (B44.1), if necessary replace it.
0010.056001.215.021.2	SD ETC 2 Speed	Speed-sensor of switching charger defect. ==> short circuit or cable breakage ==> Check sensor and cable (B44.2), if necessary replace it.
0010.020105.215.001.2	SD P-Fuel Filter Difference	Sensor for differential pressure of fuel defect. ==> only if SD-Alarms Fuel b. Filter or Fuel after Filter.
0010.020101.215.001.2	SD P-Fuel after Filter	Fuel pressure-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B34), if necessary replace it.
0010.008202.215.001.2	SD T-Charge Air Seq Ctrl Valve	Temperature-sensor of recirculated charge air defect. ==> short circuit or cable breakage ==> Check sensor and cable (B49), if necessary replace it.
0010.050101.215.001.2	SD ECU Power Supply Voltage	Internal ECU error. ==> electronic defect.
0010.000609.205.001.2	AL RCS Speed Demand Defect	Analogue speed demand defect. ==> If foreign RCS is used there is a short circuit or cable breakage on the 4..20mA or 0-10V interface. ==> Check third party speed demand source and cable, if necessary replace it. ==> If MTU-RCS is used, there is a communication problem to the RCS. Check power supply and bus cabling.
0010.057101.265.011.2	SC Injector A1	Short circuit in injector cable of cylinder A1. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure.
0010.057101.265.021.2	SC Injector A2	Short circuit in injector cable of cylinder A2. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure.
0010.057101.265.031.2	SC Injector A3	Short circuit in injector cable of cylinder A3. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057101.265.041.2	SC Injector A4	Short circuit in injector cable of cylinder A4. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057101.265.051.2	SC Injector A5	Short circuit in injector cable of cylinder A5. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057101.265.061.2	SC Injector A6	Short circuit in injector cable of cylinder A6. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057101.265.071.2	SC Injector A7	Short circuit in injector cable of cylinder A7. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057101.265.081.2	SC Injector A8	Short circuit in injector cable of cylinder A8. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057101.265.091.2	SC Injector A9	Short circuit in injector cable of cylinder A9. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057101.265.101.2	SC Injector A10	Short circuit in injector cable of cylinder A10. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057102.265.011.2	SC Injector B1	Short circuit in injector cable of cylinder B1. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057102.265.021.2	SC Injector B2	Short circuit in injector cable of cylinder B2. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057102.265.031.2	SC Injector B3	Short circuit in injector cable of cylinder B3. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057102.265.041.2	SC Injector B4	Short circuit in injector cable of cylinder B4. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057102.265.051.2	SC Injector B5	Short circuit in injector cable of cylinder B5. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 15 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.057102.265.061.2	SC Injector B6	Short circuit in injector cable of cylinder B6. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057102.265.071.2	SC Injector B7	Short circuit in injector cable of cylinder B7. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057102.265.081.2	SC Injector B8	Short circuit in injector cable of cylinder B8. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057102.265.091.2	SC Injector B9	Short circuit in injector cable of cylinder B9. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057102.265.101.2	SC Injector B10	Short circuit in injector cable of cylinder B10. ==> interrupted ignition ==> Remove short circuit of solenoid (plus to ground) (e.g. replace injector) ==> after engine restart curing of failure
0010.057103.255.011.2	WB Injector A1	Open load in injector cable of cylinder A1 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057103.255.021.2	WB Injector A2	Open load in injector cable of cylinder A2 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057103.255.031.2	WB Injector A3	Open load in injector cable of cylinder A3 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057103.255.041.2	WB Injector A4	Open load in injector cable of cylinder A4 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057103.255.051.2	WB Injector A5	Open load in injector cable of cylinder A5 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057103.255.061.2	WB Injector A6	Open load in injector cable of cylinder A6 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057103.255.071.2	WB Injector A7	Open load in injector cable of cylinder A7 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057103.255.081.2	WB Injector A8	Open load in injector cable of cylinder A8 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057103.255.091.2	WB Injector A9	Open load in injector cable of cylinder A9 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057103.255.101.2	WB Injector A10	Open load in injector cable of cylinder A10 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057104.255.011.2	WB Injector B1	Open load in injector cable of cylinder B1 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057104.255.021.2	WB Injector B2	Open load in injector cable of cylinder B2 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057104.255.031.2	WB Injector B3	Open load in injector cable of cylinder B3 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057104.255.041.2	WB Injector B4	Open load in injector cable of cylinder B4 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057104.255.051.2	WB Injector B5	Open load in injector cable of cylinder B5 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057104.255.061.2	WB Injector B6	Open load in injector cable of cylinder B6 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057104.255.071.2	WB Injector B7	Open load in injector cable of cylinder B7 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057104.255.081.2	WB Injector B8	Open load in injector cable of cylinder B8 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057104.255.091.2	WB Injector B9	Open load in injector cable of cylinder B9 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 16 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.057104.255.101.2	WB Injector B10	Open load in injector cable of cylinder B10 ==> Interrupted ignition ==> Check cable and solenoid if open load (e.g. replace injector) ==> after cycle curing of failure
0010.057201.205.001.2	AL Power Driver Unit Low	Internal error of electronic (electronic defect possible) ==> Start ITS ==> if electronic o.k. continue to pay attention to messages. If bit "1.1020.021" (Power Stage Failure: Stop Engine) set ==> Engine stop.
0010.057202.205.001.2	AL Power Driver Unit High	Internal error of electronic (electronic defect possible) ==> Start ITS ==> if electronic o.k. continue to pay attention to messages. If bit "1.1020.021" (Power Stage Failure: Stop Engine) set ==> Engine stop.
0010.057203.205.001.2	AL Power Driver Unit Fail	Internal error of electronic (electronic defect possible) ==> Start ITS ==> if electronic o.k. continue to pay attention to messages. If bit "1.1020.021" (Power Stage Failure: Stop Engine) set ==> Engine stop.
0010.057105.265.001.2	SC Injector Line / Eng. Stop	Cable line error. Engine Stop possible via Protection Module Possible causes: 1.short circuit of injector line-plus to ground. 2.short circuit of injector line-minus to ground. -> Check cable, if necessary replace it.
0010.002501.205.001.2	AL MCR Overload	DBR/MCR Function: MCR (Maximum Continuous Rating) is exceeded.
0010.057204.105.001.2	LO U-Power Driver Unit	Power driver voltage (injectors) too low (limit 1).
0010.057204.115.001.2	LOLO U-Power Driver Unit	Power driver voltage (injectors) too low (limit 2).
0010.057204.155.001.2	HI U-Power Driver Unit	Power driver voltage (injectors) too high (limit 1).
0010.057204.165.001.2	HIHI U-Power Driver Unit	Power driver voltage (injectors) too high (limit 2).
0010.057204.215.001.2	SD U-Power Driver Unit	Sensor defect of Injector Power driver unit. ==> Internal error of ECU7. Change ECU7.
0010.008101.155.001.2	HI P-Charge Air A	Pressure of charge air too high (limit 1).
0010.057304.215.001.2	SD T-ECU	ECU temperature-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0010.006401.215.031.2	SD T-Exhaust Combined C	Exhaust gas temperature-sensor on C-side defect. ==> short circuit or cable breakage ==> Check sensor and cable (B4.23), if necessary replace it. After Engine restart follows curing of failure.
0010.006401.215.041.2	SD T-Exhaust Combined D	Exhaust gas temperature-sensor on D-side defect. ==> short circuit or cable breakage ==> Check sensor and cable (B4.24), if necessary replace it. After Engine restart follows curing of failure.
0010.006401.155.031.2	HI T-Exhaust Combined C	Exhaust gas temperature (C-side) too high (limit 1).
0010.006401.165.031.2	HIHI T-Exhaust Combined C	Exhaust gas temperature (C-side) too high (limit 2).
0010.006401.155.041.2	HI T-Exhaust Combined D	Exhaust gas temperature (D-side) too high (limit 1).
0010.006401.165.041.2	HIHI T-Exhaust Combined D	Exhaust gas temperature (D-side) too high (limit 2).
0010.056001.155.031.2	HI ETC 3 Speed	Speed of 2nd switchable charger too high (limit 1).
0010.056001.165.031.2	HIHI ETC 3 Overspeed	Speed of 2nd switchable charger too high (limit 2).
0010.056001.155.041.2	HI ETC 4 Speed	Speed of 3rd switchable charger too high (limit 1).
0010.056001.165.041.2	HIHI ETC 4 Overspeed	Speed of 3rd switchable charger too high (limit 2).
0010.056002.205.041.2	AL ETC 4 Cut in Fail	Switching of charger ETC4 failed.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 17 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0010.056002.205.031.2	AL ETC 3 Cut in Fail	Switching of charger ETC3 failed.
0010.085003.205.001.2	AL Multiple FDH Slaves	There is more than one device which is configured as Backup for FDH-Functionality.
0010.085002.205.001.2	AL Configuration Changed	Gets active in case of changing system configuration e. g. by changing ECU. Remains until undo procedure or data is transferred by a valid maintenance case. Is cancelled automatically.
0010.057301.205.001.2	AL ECU Reset while Eng.Run.	This is the alarm from the function Emergency Stop Counter. ECU power was disconnected while the engine was still running. This could lead to a possible overpressure in the high pressure system which might damage the engine.
0010.085001.205.001.2	AL Call MTU Field Service	Gets active in case of completing a maintenance-case which manipulates Engine-Parameters. Remains also after switching on-off ECU until a valid release code is entered. Release Code is available via Internet by a special procedure.
0010.025202.215.001.2	SD T-Lube Oil (Oil PAN)	T-Lube Oil Pan sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0010.025202.105.001.2	LO T-Lube Oil (Oil PAN)	T-Lube Oil Pan temperature too low
0010.057405.205.001.2	AL Develop PR Set	The used parameter set is a develop parameter set. The alarm remains set until a series parameter set is loaded.
0010.020106.155.001.2	HI P-Fuel Int. Filter Diff.	Fuel Prefilter Difference to high
0010.025301.105.001.2	LO Lube Oil Level	Alarm Level Lube Oil too low
0020.027101.105.001.2	LO P-Gear Control Oil	A low gear control oil pressure (clutch pressure) was detected. A worsening situation could trigger a safety reaction.
0020.027101.115.001.2	LOLO P-Gear Control Oil	A very low gear control oil pressure (clutch pressure) was detected. A low gear control oil pressure could cause severe damage to the clutch. This alarm will normally cause an automatic security shutdown, power limitation or a safety disengagement. The safety reaction is alarmed with an separate alarm.
0020.025101.105.001.2	LO P-Gear Lube Oil	A low gear lube oil pressure was detected. A worsening situation could trigger a safety reaction.
0020.025101.115.001.2	LOLO P-Gear Lube Oil	A very low gear lube oil pressure was detected. This alarm will normally cause an automatic security shutdown. The safety reaction is alarmed with an separate alarm.
0020.025201.155.001.2	HI T-Gear Oil	A high gear oil temperature was detected. A worsening situation could trigger a safety reaction.
0020.025201.165.001.2	HIHI T-Gear Oil	A very high gear oil temperature was detected. This alarm will normally cause an automatic safety function. The safety reaction is alarmed with an separate alarm.
0020.025701.205.001.2	AL Gear Oil Filter Clogged	The pressure before the gear oil filter or the filter differential pressure is too high. This is caused most probably by a clogged gear oil filter.
0020.025301.105.001.2	LO Gear Oil Level	The level switch detected a low gear oil level. The level monitoring has a quite long on- and off delay to avoid false alarms by a rolling ship.
0020.025202.155.001.2	HI T-Gear Oil after Cooler	A high gear oil temperature after the heat exchanger was detected. A worsening situation could trigger a safety reaction.
0020.025202.165.001.2	HIHI T-Gear Oil after Cooler	A very high gear oil temperature after the heat exchanger was detected. This alarm could cause an automatic safety function. The safety reaction is alarmed with an separate alarm.
0020.055301.155.001.2	HI T-Gear Thrust Bearing	A high temperature of the gear thrust bearing was detected. A worsening situation could trigger a safety reaction.
0020.055301.165.001.2	HIHI T-Gear Thrust Bearing	A very high temperature of the gear thrust bearing was detected. This alarm could cause an automatic safety function. The safety reaction is alarmed with an separate alarm.
1.0020.059302.205.001.2	AL Trolling System Failure	The RCS detects that the trolling function has a failure. Due to the many different supported trolling versions, this alarm can be triggered by many different reasons. An external trolling would simply tell the monitoring system, that an internal trolling system failure was detected. No further information is available. The MTU trolling function sets this alarm if a failure of the trolling control valves is detected. This might be a short circuit or wire break. This alarm is also set, if the Trolling Inside function detects any failure. If this failure is active, the trolling function is not available anymore.
1.0020.059003.255.001.2	WB Trolling Linear Valve	A wire break to the trolling linear valve was detected.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 18 von/of 137
	Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.	

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
1.0020.059003.265.001.2	SC Trolling Linear Valve	A short circuit to the trolling linear valve was detected.
1.0020.059002.255.001.2	WB Trolling On Valve	A wire break to the trolling on valve was detected.
1.0020.059002.265.001.2	SC Trolling On Valve	A short circuit to the trolling on valve was detected.
0070.059003.205.001.2	AL Engage Error	An engage valve was energized (read back from gear plug) but the related engage feedback is not active within a specific time. (available in SW release end of 3013)
0070.059004.205.001.2	AL Disengage Error	An engage valve was energized (read back from gear plug) but the related engage feedback is not active within a specific time. (available in SW release end of 3013)
1.0020.059301.205.001.2	AL Trolling On Failure	The RCS has activated the trolling on command, but has not got the trolling on feedback within the specified time.
0020.000701.205.001.2	AL Shaft Speed Direction Lost	The detection of the shaft direction is not available. To detect the shaft direction two speed pickup signals are required. The signals should have a 90 degrees phase shift. Pending on this phase shift the direction is detected. If one sensor fails (no pulses if shaft is engaged) or the phase shift is too small, the phase shift detection is not possible.
0020.000701.205.011.2	AL Shaft Speed Redundancy Lost	One of two redundant shaft speed pickups failed (no pulses while the other pick delivers a frequency signal). Redundant shaft speed pickups are only available if no shaft speed detection is required (CPP, WJ etc. applications with a reduction gear only).
0020.000701.225.011.2	TD Shaft Speed	The difference between shaft speed pickup 1 and pickup 2 is too high. TD (transmitter deviation)
0020.027101.215.001.2	SD P-Gear Control Oil	The 4..20mA gear control oil pressure sensor is out of the plausible range (22mA < 1 < 2mA). As a consequence the monitoring is inoperative. The gear control oil pressure information is not available anymore for indication or monitoring. The safety functions related to this signal are not available anymore.
0020.025101.215.001.2	SD P-Gear Lube Oil	The 4..20mA gear lube oil pressure sensor is out of the plausible range (22mA < 1 < 2mA). As a consequence the monitoring is inoperative. The gear lube oil pressure information is not available anymore for indication or monitoring. The safety functions related to this signal are not available anymore.
0020.025201.215.001.2	SD T-Gear Oil	The sensor signal for gear oil temperature is outside the defined sensor signal range. The gear oil temperature information is not available anymore for indication or monitoring. The safety functions related to this signal are not available anymore.
0020.025701.215.001.2	SD Gear Oil Filter Clogged	The pressure sensor switch before the gear oil filter or the filter differential pressure switch is detected as inoperative (open loop). This monitoring is optional. Normally the filter clogged sensor is wired as an NC contact. Therefore a wire break would trigger the normal filter clogged alarm.
0020.025301.215.001.2	SD Gear Oil Level	The level sensor switch is detected as inoperative (open loop). This monitoring is optional. Normally the level sensor switch is wired as an NC contact. Therefore a wire break would trigger the normal gear oil level low alarm.
0020.025202.215.001.2	SD T-Gear Oil after Cooler	The sensor signal for gear oil temperature after heat exchanger is outside the defined sensor signal range. The gear oil temperature after heat exchanger information is not available anymore for indication or monitoring. The safety functions related to this signal are not available anymore.
0020.055301.215.001.2	SD T-Gear Thrust Bearing	The sensor signal for gear thrust bearing temperature is outside the defined sensor signal range. The gear thrust bearing temperature information is not available anymore for indication or monitoring. The safety functions related to this signal are not available anymore.
0020.000701.215.011.2	SD Shaft Speed 1	Shaft speed pickup 1 failed (no pulses while the other pick delivers a frequency signal).
0020.000701.215.021.2	SD Shaft Speed 2	Shaft speed pickup 2 failed (no pulses while the other pick delivers a frequency signal).
1.0021.027101.105.001.2	LO P-Gear Control Oil SaSy	Not available for the gear safety system. The safety system triggers safety functions only.
1.0021.027101.115.001.2	LOLO P-Gear Control Oil SaSy	A very low gear control oil pressure (clutch pressure) was detected by the gear safety system. A low gear control oil pressure could cause severe damage to the clutch. This alarm will normally cause an automatic security shutdown, power limitation or a safety disengagement. The safety reaction is alarmed with an separate alarm.
1.0021.025101.105.001.2	LO P-Gear Lube Oil SaSy	Not available for the gear safety system. The safety system triggers safety functions only.
1.0021.025101.115.001.2	LOLO P-Gear Lube Oil SaSy	A very low gear lube oil pressure was detected by the safety system. This alarm will normally cause an automatic security shutdown. The safety reaction is alarmed with an separate alarm.
1.0021.027101.215.001.2	SD P-Gear Control Oil SaSy	The 4..20mA gear control oil pressure sensor of the gear safety system is out of the plausible range (22mA < 1 < 2mA). As a consequence the monitoring is inoperative. The gear control oil pressure information is not available anymore for indication or monitoring. The safety functions related to this signal are not available anymore.
0080.075003.205.001.2	AL RCS Combined Alarm Yel	The RCS is a alarming a yellow alarm (warning with priority 3 or 4). Normally an additional single alarm should indicate the specific alarm. If no further alarm is indicated the display might not support the specific alarm. In that case the alarm should be visible on the service display on the SPU.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 19 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Änderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0080.075001.205.001.2	AL RCS Combined Alarm Red	The RCS is a alarming a red alarm (warning with priority 2). A red alarm indicates that the operator has to react immediately because the situation needs urgent operator attention. Normally an additional single alarm should indicate the specific alarm. If no further alarm is indicated the display might not support the specific alarm. In that case the alarm should be visible on the service display on the SPU.
1.0080.064005.205.001.2	AL RCS SYNC Failure	The RCS has a problem with the Single Control Lever (SCL) function. The RCS is not able to control all engines with one lever only. Synchronizing is not possible. The problem is caused most probably by a communication failure between the shafts.
1.0080.064004.205.001.2	AL RCS Active Lever Lost	The lever of the control stand having actual control, does not send valid data or the communication to the lever was lost. This is a critical situation. The clutch and engine speed can not be controlled from this control stand anymore. The first selection function will be triggered by the RCS to enable the operator to move to another control stand (if available).
1.0080.046112.205.021.2	AL Parallel Transfer Error	The function which controls the parallel control transfer from one control stand to another for all shafts is not able to finish successfully the parallel control transfer. this failure is caused by communication problems between the shafts.
1.0080.076008.205.001.2	AL Com. to other Shafts Lost	The RCS indicates that the communication to the other shafts is lost. Several function will not be available anymore (for example SCL, parallel control transfer)
1.0080.049005.205.001.2	AL Disengage Sequence Timeout	The RCS had a timeout in the disengage sequence. The RCS wants to disengage the clutch but has to wait until a disengage interlock becomes inactive (e.g. engine speed is still to high). The RCS will nevertheless disengage the clutch after a timeout delay. This can also caused by crashstop function, which have detected that the ship is too fast for disengage.
1.0080.049006.205.001.2	AL Engage Sequence Timeout	The RCS had a timeout in the engage sequence, normally the reversing engage sequence. The RCS wants to engage the clutch but has to wait until a engage interlock becomes inactive (e.g. ship speed is still to high to reverse the clutch). The RCS will nevertheless reverse the clutch after a timeout delay.
1.0080.064002.205.011.2	AL Lever Poti Red.Lost CS1	One of two potentiometers sensing the lever position inside the RCS control lever in control stand 1 is outside the plausible range. The remaining potentiometer will be used for control. The propulsion is still controllable.
1.0080.064001.205.011.2	AL Lever Poti Defect CS1	Both potentiometers sensing the lever position inside the RCS control lever in control stand 1 are outside the plausible range. The related propulsion line is not controllable anymore from this specific control stand. Another control stand must be used. To reenale this control lever you must fix the problem and make a power cycle via Master keyswitch or RCS key switch. This failure will be accompanied by other failure messages. This is a quite problematic failure.
1.0080.064016.205.011.2	AL Lever Com. Lost CS1	The communication to the lever in control stand 1 was lost. If this control stand had command, the alarm AL RCS Active Lever Lost will be triggered as well.
1.0080.064017.225.011.2	TD Lever Poti CS1	The difference of the two lever potentiometers (per shaft) in control stand 1 is too high. The control remains on the default potentiometer
1.0080.064002.205.021.2	AL Lever Poti Red.Lost CS2	One of two potentiometers sensing the lever position inside the RCS control lever in control stand 2 is outside the plausible range. The remaining potentiometer will be used for control. The propulsion is still controllable.
1.0080.064001.205.021.2	AL Lever Poti Defect CS2	Both potentiometers sensing the lever position inside the RCS control lever in control stand 2 are outside the plausible range. The related propulsion line is not controllable anymore from this specific control stand. Another control stand must be used. To reenale this control lever you must fix the problem and make a power cycle via Master keyswitch or RCS key switch. This failure will be accompanied by other failure messages. This is a quite problematic failure.
1.0080.064016.205.021.2	AL Lever Com. Lost CS2	The communication to the lever in control stand 2 was lost. If this control stand had command, the alarm AL RCS Active Lever Lost will be triggered as well.
1.0080.064017.225.021.2	TD Lever Poti CS2	The difference of the two lever potentiometers (per shaft) in control stand 2 is too high. The control remains on the default potentiometer
1.0080.064002.205.031.2	AL Lever Poti Red.Lost CS3	One of two potentiometers sensing the lever position inside the RCS control lever in control stand 3 is outside the plausible range. The remaining potentiometer will be used for control. The propulsion is still controllable.
1.0080.064001.205.031.2	AL Lever Poti Defect CS3	Both potentiometers sensing the lever position inside the RCS control lever in control stand 3 are outside the plausible range. TThe related propulsion line is not controllable anymore from this specific control stand. Another control stand must be used. To reenale this control lever you must fix the problem and make a power cycle via Master keyswitch or RCS key switch. This failure will be accompanied by other failure messages. This is a quite problematic failure.
1.0080.064016.205.031.2	AL Lever Com. Lost CS3	The communication to the lever in control stand 3 was lost. If this control stand had command, the alarm AL RCS Active Lever Lost will be triggered as well.
1.0080.064017.225.031.2	TD Lever Poti CS3	The difference of the two lever potentiometers (per shaft) in control stand 3 is too high. The control remains on the default potentiometer
1.0080.064002.205.041.2	AL Lever Poti Red.Lost CS4	One of two potentiometers sensing the lever position inside the RCS control lever in control stand 4 is outside the plausible range. The remaining potentiometer will be used for control. The propulsion is still controllable.
1.0080.064001.205.041.2	AL Lever Poti Defect CS4	Both potentiometers sensing the lever position inside the RCS control lever in control stand 4 are outside the plausible range. The related propulsion line is not controllable anymore from this specific control stand. Another control stand must be used. To reenale this control lever you must fix the problem and make a power cycle via Master keyswitch or RCS key switch. This failure will be accompanied by other failure messages. This is a quite problematic failure.
1.0080.064016.205.041.2	AL Lever Com. Lost CS4	The communication to the lever in control stand 4 was lost. If this control stand had command, the alarm AL RCS Active Lever Lost will be triggered as well.
1.0080.064017.225.041.2	TD Lever Poti CS4	The difference of the two lever potentiometers (per shaft) in control stand 4 is too high. The control remains on the default potentiometer

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 20 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
1.0080.064002.205.051.2	AL Lever Poti Red.Lost CS5	One of two potentiometers sensing the lever position inside the RCS control lever in control stand 5 is outside the plausible range. The remaining potentiometer will be used for control. The propulsion is still controllable.
1.0080.064001.205.051.2	AL Lever Poti Defect CS5	Both potentiometers sensing the lever position inside the RCS control lever in control stand 5 are outside the plausible range. The related propulsion line is not controllable anymore from this specific control stand. Another control stand must be used. To reenale this control lever you must fix the problem and make a power cycle via Master keyswitch or RCS key switch. This failure will be accompanied by other failure messages. This is a quite problematic failure.
1.0080.064016.205.051.2	AL Lever Com. Lost CS5	The communication to the lever in control stand 5 was lost. If this control stand had command, the alarm AL RCS Active Lever Lost will be triggered as well.
1.0080.064017.225.051.2	TD Lever Poti CS5	The difference of the two lever potentiometers (per shaft) in control stand 5 is too high. The control remains on the default potentiometer
1.0080.064002.205.061.2	AL Lever Poti Red.Lost CS6	One of two potentiometers sensing the lever position inside the RCS control lever in control stand 6 is outside the plausible range. The remaining potentiometer will be used for control. The propulsion is still controllable.
1.0080.064001.205.061.2	AL Lever Poti Defect CS6	Both potentiometers sensing the lever position inside the RCS control lever in control stand 6 are outside the plausible range. The related propulsion line is not controllable anymore from this specific control stand. Another control stand must be used. To reenale this control lever you must fix the problem and make a power cycle via Master keyswitch or RCS key switch. This failure will be accompanied by other failure messages. This is a quite problematic failure.
1.0080.064016.205.061.2	AL Lever Com. Lost CS6	The communication to the lever in control stand 6 was lost. If this control stand had command, the alarm AL RCS Active Lever Lost will be triggered as well.
1.0080.064017.225.061.2	TD Lever Poti CS6	The difference of the two lever potentiometers (per shaft) in control stand 6 is too high. The control remains on the default potentiometer
1.0080.064002.205.071.2	AL Lever Poti Red.Lost PC	One of two potentiometers sensing the lever position inside the RCS portable control unit (PC) is outside the plausible range. The remaining potentiometer will be used for control. The propulsion is still controllable.
1.0080.064001.205.071.2	AL Lever Poti Defect PC	Both potentiometers sensing the lever position inside the RCS portable control unit (PC) are outside the plausible range. One or both propulsion lines are not controllable anymore from the portable control unit. The related propulsion line is not controllable anymore from this specific control stand. Another control stand must be used. To reenale this control lever you must fix the problem and make a power cycle via Master keyswitch or RCS key switch. This failure will be accompanied by other failure messages. This is a quite problematic failure.
1.0080.064016.205.071.2	AL Com. Lost Portable Ctrl.	The communication to the portable control unit controlling all shafts was lost. If this control stand had command, the alarm AL RCS Active Lever Lost will be triggered as well. This is a quite problematic failure.
1.0080.064017.225.071.2	TD Lever Poti PC	The difference of the two lever potentiometers (per shaft) inside the portable control unit is too high. The control remains on the default potentiometer
0070.075201.205.011.2	AL MMS Com. Lost	The communication to the motor management system (e.g. ECU, Safety System, EIM) is totally or partially lost. The control of the engine might be lost.
0070.075205.205.011.2	AL MMS SaSy Com. Lost	The communication to the engine safety system is lost.
0070.075203.205.011.2	AL LOS Com. Lost	The communication to the local operator station (LOS) is lost. The local operator station is the man/machine interface located in the engine room to operate the engine and clutch locally.
0070.075202.205.011.2	AL MMS Com. Red. Lost	The redundancy of the CAN communication to the motor management system (MMS) was lost. The engine is still controllable.
0070.075004.205.001.2	AL Internal System Failure	Internal SPU failure in the IO system. All in- and outputs are set into a safe state and are not operable. The internal power supply is deactivated as well.
0050.058103.155.001.2	HI T-Riser	The riser temperature is too high. Probably the water supply for cooling the exhaust gas inside the riser is insufficient.
0010.043306.255.001.2	WB ECU Emerg.Stop Input (ESI)	Open Load on input for emergency stop. ==> cable breakage or no resistance above switch
0070.050001.215.001.2	SD U-SPU Main Power Supply	The internal sensor measuring the SPU main power supply voltage is defect.
0011.043502.205.001.2	AL EMU 11V	The internal 11V power supply of the engine monitoring extension unit (EMU) is out of range. This could cause improper readings of measured data and malfunctioning safety functions.
0011.043503.205.001.2	AL EMU 7V	The internal 7V power supply of the engine monitoring extension unit (EMU) is out of range. This could cause improper readings of measured data and malfunctioning safety functions.
0010.075101.245.001.2	SE Lifedata Not Available	No (fitting) LifeData-Backup-System is available within a delaytime after ECU-Reset . ==> Backup-system has no LifeData-function or CAN bus interrupted to Backup-system.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 21 von/of 137
--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.

All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.075102.245.001.2	SE Lifedata Restore Incomp	If the ADEC has to restore the LifeData from the backup-system and at least one checksum is wrong after the upload or the upload is incomplete, then this failure is set.
0010.075103.245.001.2	SE CAN 1 Node Lost	Connection to a node on CAN bus 1 lost. ==> Check devices connected on CAN (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.075104.245.001.2	SE CAN 2 Node Lost	Connection to a node on CAN bus 2 lost. ==> Check devices connected on CAN (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.075105.245.001.2	SE CAN Wrong Parameters	Incorrect CAN parameter values have been entered. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.075106.245.001.2	SE CAN No PU Data	A CAN mode is selected which the communication is initialized aided of the PU data module. However, required PU data module is not present or is not valid. ==> Check the devices connected by CAN
0010.075107.245.001.2	SE CAN PU Data Flash Error	During attempt to copy a received PU data module to Flash module, a program error occurred. ==> Electronic service (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.075108.245.001.2	SE CAN 1 Bus off	CAN Controller 1 is in "Bus Off" state => Automatic switchover to CAN2 ==> causes e.g. short circuit, massive interference or baud rate incompatibility
0010.075109.245.001.2	SE CAN 1 Error Passive	CAN Controller 1 has signaled a warning. ==> causes e.g. lack of associated nodes, slight interference or short-term bus overload. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.075110.245.001.2	SE CAN 2 Bus off	CAN-Controller 2 is in "Bus Off" state => Automatic switchover to CAN 1 ==> causes e.g. short circuit, massive interference or baud rate incompatibility.
0010.075111.245.001.2	SE CAN 2 Error Passive	CAN Controller 2 has signaled a warning. ==> causes e.g. lack of associated nodes, slight interference or short-term bus overload. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.075112.245.001.2	SE EMU PR Not Supported	EMU parameters are not supported ==> incompatibility
0010.075301.205.011.2	AL SC/WB Trans.Outp.TO1 (ECU)	Short circuit or open load on transistor output 1 (TO 1).
0010.075301.205.021.2	AL SC/WB Trans.Outp.TO2 (ECU)	Short circuit or open load on transistor output 2 (TO 2).
0010.075301.205.031.2	AL SC/WB Trans.Outp.TO3 (ECU)	Short circuit or open load on transistor output 3 (TO 3).
0010.075301.205.041.2	AL SC/WB Trans.Outp.TO4 (ECU)	Short circuit or open load on transistor output 4 (TO 4).
0010.075302.205.011.2	AL SC/WB Trans.Outp.TOP1 (ECU)	Short circuit or open load on transistor output plant 1 (TOP 1).
0010.075302.205.021.2	AL SC/WB Trans.Outp.TOP2 (ECU)	Short circuit or open load on transistor output plant 2 (TOP 2).
0010.075302.205.031.2	AL SC/WB Trans.Outp.TOP3 (ECU)	Short circuit or open load on transistor output plant 3 (TOP 3).
0010.075302.205.041.2	AL SC/WB Trans.Outp.TOP4 (ECU)	Short circuit or open load on transistor output plant 4 (TOP 4).
0010.075401.255.011.2	WB Binary Input DI1 (ECU)	Open Load on digital input 1. ==> cable breakage or no resistance above switch
0010.075401.255.021.2	WB Binary Input DI2 (ECU)	Open Load on digital input 2. ==> cable breakage or no resistance above switch
0010.075401.255.031.2	WB Binary Input DI3 (ECU)	Open Load on digital input 3. ==> cable breakage or no resistance above switch
0010.075401.255.041.2	WB Binary Input DI4 (ECU)	Open Load on digital input 4. ==> cable breakage or no resistance above switch
0010.075401.255.051.2	WB Binary Input DI5 (ECU)	Open Load on digital input 5. ==> cable breakage or no resistance above switch

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 22 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0010.075401.255.061.2	WB Binary Input DI6 (ECU)	Open Load on digital input 6. ==> cable breakage or no resistance above switch
0010.075401.255.071.2	WB Binary Input DI7 (ECU)	Open Load on digital input 7. ==> cable breakage or no resistance above switch
0010.075401.255.081.2	WB Binary Input DI8 (ECU)	Open Load on digital input 8. ==> cable breakage or no resistance above switch
0070.059005.205.001.2	AL Clutch Interlock Active	An clutch interlock is active. The clutch interlock is caused most probably by an external clutch interlock signal connected via the yard interface. (shaft break engaged?)
0070.050001.205.001.2	AL U-SPU Main Power SupplyFail	The main power supply of the LOP/SPU failed. The system is still full operative and is feed through the emergency power supply.
0070.050002.215.001.2	SD U-SPU Emerg. Power Supply	The internal sensor measuring the SPU emergency power supply voltage is defect.
0070.050002.205.001.2	AL U-SPU Emerg. Pow Sup Fail	The emergency power supply of the LOP/SPU failed. The system is still full operative and is feed through the emergency power supply.
0070.049004.205.001.2	AL FRCS Ctrl Fail	The system has detected, that the 3rd party RCS clutch demand at the SPU FRCS interface differs from the related gear valve command at the gear plug of the SPU. This could be caused by a short circuit at the gear valve. This circuit is fused by replaceable fuses inside the SPU. The wiring problem should be resolved and the fuses be replaced.
0010.025104.215.011.2	SD P-Lube Oil A-Side ETCs	Lube oil pressure-sensor of ETC on engine A-Side is defect. ==> short circuit or cable breakage ==> Check sensor and cable if necessary replace it.
0010.025104.105.011.2	LO P-Lube Oil A-Side ETCs	A low lube oil pressure of the engine turbo charger on the A-side was detected. A worsening situation could trigger a safety reaction. This is the warning level.
0010.025104.115.011.2	LOLO P-Lube Oil A-Side ETCs	A very low lube oil pressure of the engine turbo charger on the A-side was detected. A worsening situation could trigger a safety reaction. This is the warning level. This alarm will normally cause an automatic security shutdown. The safety reaction is alarmed with an separate alarm.
0010.025104.215.021.2	SD P-Lube Oil B-Side ETCs	Lube oil pressure-sensor of ETC on engine B-side is defect. ==> short circuit or cable breakage ==> Check sensor and cable if necessary replace it.
0010.025104.105.021.2	LO P-Lube Oil B-Side ETCs	A low lube oil pressure of the engine turbo charger on the B-side was detected. A worsening situation could trigger a safety reaction. This is the warning level.
0010.025104.115.021.2	LOLO P-Lube Oil B-Side ETCs	A very low lube oil pressure of the engine turbo charger on the B-side was detected. A worsening situation could trigger a safety reaction. This is the warning level. This alarm will normally cause an automatic security shutdown. The safety reaction is alarmed with an separate alarm.
0010.040705.205.001.2	AL Start terminated	The start procedure was terminated
0070.075801.205.001.2	AL Com.Lost MCS Syst.Bus Dev.	One or more SCU or any other sytembus device associated to the MCS on this shaft is missing and the communication may be interrupted. Check "0070.075801.010.000.2" "LostMCSSysBusDevices" to get the node numbers of the missing device.
0070.075899.205.001.2	AL Com. to RCS Lost	The communication to the RCS-Modul on this LOP is interrupted. The RCS may stay apparently in control if you switch to local control stand. The RCS may function as normal, if the command-LED is still illuminated.
0070.075800.205.001.2	AL Com.To Managed Switch1 Lost	The communication to the managed switch 1 seems to be interrupted. The systembus redundancy may not be affected.
0070.050018.205.001.2	AL Power Red. Lost Switch 1	The redundant power supply from switch1 is faulty
0070.075220.205.001.2	AL Com.Lost to MCS CAN Dev.	One or more CAN-Bus device connected to the MCS on this shaft is missing and the communication may be interrupted. Check "0070.075220.010.000.2" "LostMSCANDevices" to get the node numbers of the missing devices.
0070.075222.205.001.2	AL Com.Lost to MCS IO CAN Dev.	One or more CAN-Bus device connected on the IO-Bus of the MCS on this shaft is missing and the communication may be interrupted. Check "0070.075222.010.000.2" "LostMCSIOCANDevices" to get the node numbers of the missing devices.
0070.075210.205.011.2	AL MCS Display Com. Lost CS1	The communication to display on first (#1) control stand is interrupted
0070.075210.205.021.2	AL MCS Display Com. Lost CS2	The communication to display on second (#2) control stand is interrupted
0070.075210.205.031.2	AL MCS Display Com. Lost CS3	The communication to display on third (#3) control stand is interrupted

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 23 von/of 137
--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0070.075210.205.041.2	AL MCS Display Com. Lost CS4	The communication to display on fourth (#4) control stand is interrupted
0070.075210.205.051.2	AL MCS Display Com. Lost CS5	The communication to display on fifth (#5) control stand is interrupted
0070.075210.205.061.2	AL MCS Display Com. Lost CS6	The communication to display on sixth (#6) control stand is interrupted
0070.050019.205.001.2	AL Power Supply Red. Lost SCUs	One of two power supplies of one or more SCU are faulty. Check SysID "PowerSupplyRedLostSCUNodes" "0070.050018.010.000.2" to get the node numbers of the corresponding SCUs.
0070.075802.205.001.2	AL Systembus Redundancy Lost	The redundancy of the systembus ring is faulty. The ring is not closed any more.
0070.075231.205.031.2	AL MCS Start/Stop PAN Lost CS3	The communication to Start/Stop PAN on third (#3) control stand is interrupted. Start, Stop, Override from the PAN won't have a effect.
0070.075231.205.011.2	AL MCS Start/Stop PAN Lost CS1	The communication to Start/Stop PAN on first (#1) control stand is interrupted. Start, Stop, Override from the PAN won't have a effect.
0070.075231.205.051.2	AL MCS Start/Stop PAN Lost CS5	The communication to Start/Stop PAN on fifth (#5) control stand is interrupted. Start, Stop, Override from the PAN won't have a effect.
0070.075231.205.061.2	AL MCS Start/Stop PAN Lost CS6	The communication to Start/Stop PAN on sixth (#6) control stand is interrupted. Start, Stop, Override from the PAN won't have a effect.
0070.075231.205.041.2	AL MCS Start/Stop PAN Lost CS4	The communication to Start/Stop PAN on fourth (#4) control stand is interrupted. Start, Stop, Override from the PAN won't have a effect.
0070.075231.205.021.2	AL MCS Start/Stop PAN Lost CS2	The communication to Start/Stop PAN on second (#2) control stand is interrupted. Start, Stop, Override from the PAN won't have a effect.
0010.005101.105.021.2	LO P-Intake Air After FilterB	Low Limit of intake air pressure B reached
0010.025105.105.001.2	LO P-Oil after Level Pump	Low Limit of lube oil pressure after level pump
0010.020103.105.021.2	LO P-Fuel Common Rail B	Rail pressure < setpoint value ==> DBR reduction (==> interphase transformer defective or leakage in high-pressure system)
0010.020108.105.001.2	LO P-Fuel bef. Low Press. Pump	Low Limit of fuel pressure before low pressure pump
0010.025107.105.011.2	LO P-Oil bef.High Press.Pump A	Low Limit of lube oil pressure before high pressure pump A
0010.025107.105.021.2	LO P-Oil bef.High Press.Pump B	Low Limit of lube oil pressure before high pressure pump B
0010.025304.105.001.2	LO Oil Refill Tank Level	Oil Refill Pump level too low (limit 1) ==> Check oil level in refill tank
0010.025110.105.001.2	LO P-Priming	Low Limit of the required oil pressure
0010.008101.155.021.2	HI P-Charge Air B	High Limit of charge air pressure in B reached
0010.008201.155.021.2	HI T-Charge Air B	High Limit of charge air temperature in B reached
0010.020201.155.021.2	HI T-Fuel Common Rail B	High Limit of fuel temperature in rail B reached
0010.016201.155.001.2	HI T-Raw Water after Pump	High Limit of raw water temperature after pump reached
0010.006402.155.011.2	HI T-Exhaust after Engine	High Limit of exhaust temperature after engine

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 24 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.025203.155.001.2	HI T-Lube Oil ETCs	Lube oil temperature of the basic charger is too high (above first limit).
0010.025203.165.001.2	HIHI T-Lube Oil ETCs	Lube oil temperature of the basic charger is too high (above second limit).
0010.020103.155.021.2	HI P-Fuel Common Rail B	High Limit of fuel pressure in rail B
0010.020107.155.001.2	HI P-Fuel Return Path	High Limit of fuel pressure in return path
0010.008101.165.021.2	HIHI P-Charge Air B	Highest Limit of charge air pressure in B reached
0010.008201.165.021.2	HIHI T-Charge Air B	Highest Limit of charge air temperature in B reached
0010.020201.165.021.2	HIHI T-Fuel Common Rail B	Highest Limit of fuel temperature in rail B reached
0010.000501.165.003.2	HIHI Engine Overspeed (EIM)	Highest Limit of engine overspeed
0010.008101.215.021.2	SD P-Charge Air B	Charge Air Pressur B-Side defect. ==> short circuit or cable breakage ==> Check sensor and cable (B10.11), if necessary replace it. After Engine restart follows curing of failure.
0010.008201.215.021.2	SD T-Charge Air B	Charge Air B temperature-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B3), if necessary replace it.
0010.005101.215.021.2	SD P-Intake Air After FilterB	Intake air pressure sensor and cable , if necessary replace it.
0010.025105.215.001.2	SD P-Oil after Level Pump	Sensor defect of lube oil pressure after level pump
0010.020201.215.021.2	SD T-Fuel Common Rail B	Sensor defect of fuel temperature in Rail B
0010.020202.215.001.2	SD T-Fuel bef.Low Press.Pump	T-Fuel before Engine sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0010.016201.215.001.2	SD T-Raw Water after Pump	Sensor defect of raw water temperature after pump
0010.006402.215.011.2	SD T-Exhaust after Engine	Sensor defect of exhaust temperature after engine
0010.025203.215.001.2	SD T-Lube Oil ETCs	T-Lube Oil turbo charger sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0010.020103.215.021.2	SD P-Fuel Common Rail B	Rail pressure-sensor defect. ==> High-pressure controller emergency operation ==> short circuit or cable breakage ==> Check sensor and cable (B48), if necessary replace it.
0011.020101.215.011.2	SD P-Fuel Common Rail A SaSy	Sensor defect of fuel pressure in Rail A (safety system)
0011.020101.215.021.2	SD P-Fuel Common Rail B SaSy	Sensor defect of fuel pressure in Rail B (safety system)
0010.020107.215.001.2	SD P-Fuel Return Path	Sensor defect of fuel pressure in return path
0010.020108.215.001.2	SD P-Fuel bef. Low Press. Pump	Sensor defect of fuel pressure before low pressure pump
0010.025106.215.001.2	SD P-Lube Oil Last Bearing	Sensor defect of lube oil pressure in last bearing
0010.025107.215.011.2	SD P-Oil bef.High Press.Pump A	Sensor defect of lube oil pressure before high pressure pump in A

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 25 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.025107.215.021.2	SD P-Oil bef.High Press.Pump B	Sensor defect of lube oil pressure before high pressure pump in B
0010.025108.215.001.2	SD P-Piston Cooling Oil	Sensor defect of lube oil pressure in piston cool
0010.025109.215.001.2	SD P-Piston Cool.Oil Filt.Diff	Sensor defect of the piston cool filter difference calculation. May be one of two sensors are inoperative so the difference can not be calculated/measured.
0010.016102.215.001.2	SD P-Raw Water before Pump	Sensor defect of raw water pressure before pump
0010.010101.215.001.2	SD P-Control Air	Sensor defect of control air pressure
0010.006101.215.001.2	SD P-Exhaust back	Sensor defect of exhaust pressure back (turbocharger)
0010.025304.215.001.2	SD Oil Refill Tank Level	Sensor defect of oil level in refill tank
1.0080.075210.205.001.2	AL Com. Lost Port.Ctrl.Interf.	The communicatio to the portable control stand interface is broken. Anchor and thruster control are inoperative.
1.0080.075801.205.001.2	AL Com.Lost RCS Syst.Bus Dev.	One or more RCS sytembus devices on this shaft are missing and the communication may be interrupted. Check "0080.075801.010.000.2" "LostRCSysBusDevices" to get the node numbers of the missing device.
1.0080.075201.205.011.2	AL RCS Transfer PAN Lost CS1	Communication interrupted to Transfer PAN in control stand 1
1.0080.075202.205.011.2	AL RCS Indication PAN Lost CS1	Communication interrupted to Indication PAN in control stand 1
1.0080.075201.205.021.2	AL RCS Transfer PAN Lost CS2	Communication interrupted to Transfer PAN in control stand 2
1.0080.075202.205.021.2	AL RCS Indication PAN Lost CS2	Communication interrupted to Indication PAN in control stand 2
1.0080.075201.205.051.2	AL RCS Transfer PAN Lost CS5	Communication interrupted to Transfer PAN in control stand 5
1.0080.075202.205.051.2	AL RCS Indication PAN Lost CS5	Communication interrupted to Indication PAN in control stand 5
1.0080.075201.205.061.2	AL RCS Transfer PAN Lost CS6	Communication interrupted to Transfer PAN in control stand 6
1.0080.075202.205.061.2	AL RCS Indication PAN Lost CS6	Communication interrupted to Indication PAN in control stand 6
1.0080.075201.205.031.2	AL RCS Transfer PAN Lost CS3	Communication interrupted to Transfer PAN in control stand 3
1.0080.075202.205.031.2	AL RCS Indication PAN Lost CS3	Communication interrupted to Indication PAN in control stand 3
1.0080.075201.205.041.2	AL RCS Transfer PAN Lost CS4	Communication interrupted to Transfer PAN in control stand 4
1.0080.075202.205.041.2	AL RCS Indication PAN Lost CS4	Communication interrupted to Indication PAN in control stand 4
1.0080.075222.205.001.2	AL Com.Lost to RCS IO CAN Dev.	One or more CAN-Bus device connected on the IO-Bus of the RCD on this shaft is missing and the communication may be interrupted. Check "0080.075222.010.000.2" "LostRCSIOCANDevices" to get the node numbers of the missing devices.
1.0080.075223.205.001.2	AL RCS-5 Com. Lost	The communication to the MTU RCS system is interrupted. Gearbox control and speed demand from the MTU RCS are not processed anymore.
1.0080.075220.205.001.2	AL Com.Lost to RCS CAN Dev.	One or more CAN-Bus device connected to the RCS on this shaft is missing and the communication may be interrupted. Check "0100.075200.010.000.2" "MissingCANNodes" to get the node numbers of the missing devices.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 26 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
1.0021.027102.215.001.2	SD P-Gear Control Oil SaSy	The redundand gear lube oil pressure sensor is inoperative, this can be caused by a wire break in the cable or connector. As consequence the gear safty system won't trigger any safty function in case of a low lube oil pressure
1.0021.025102.215.001.2	SD P-Gear Lube Oil SaSy	The redundand gear lube oil pressure sensor is inoperative, this can be caused by a wire break in the cable or connector. As consequence the gear safty system won't trigger any safty function in case of a low lube oil pressure
1.0021.025101.215.001.2	SD P-Gear Lube Oil SaSy	The redundand 4..20mA gear lube oil pressure sensor is out of the plausible range (22mA < I < 2mA). As a consequence the monitoring is inoperative. The gear lube oil pressure information is not available anymore for indication or monitoring. The safety functions related to this signal are not available anymore.
0010.005201.165.001.2	HIHI T-Intake Air	Highest Limit of intake air temperature reached
0010.020202.165.001.2	HIHI T-Fuel before LP Pump	Highest Limit of fuel temperature before low pressure pump reached
0010.020103.115.001.2	LOLO P-Fuel Common Rail	Rail pressure < setpoint value ==> DBR reduction (==> interphase transformer defective or leakage in high-pressure system)
0010.020103.115.021.2	LOLO P-Fuel Common Rail B	Rail pressure on Rail B < setpoint value ==> DBR reduction (==> interphase transformer defective or leakage in high-pressure system)
0070.075800.205.011.2	AL Com.To Managed Switch2 Lost	Communication interrupted to switch2. The interface to the higher lever control center will still operative if switch 1 is OK. The communication to the higher lever control center is handled by other Alarms.
0070.075800.205.021.2	AL Com.To Managed Router1 Lost	Communication interrupted to router 1. The interface to the higher lever control center will still operative if router 2 is OK. The communication to the higher lever control center is handled by other Alarms.
0070.075800.205.031.2	AL Com.To Managed Router2 Lost	Communication interrupted to router 2. The interface to the higher lever control center will still operative if router 1 is OK. The communication to the higher lever control center is handled by other Alarms.
0070.050018.205.011.2	AL Power Red. Lost Switch 2	One of the power supplies of redundad switch are faulty. The redundad switch is still full operative.
0070.050021.205.001.2	AL Power Red. Lost Router 1	One of the power supplies of main router are faulty. The main router is still full operative.
0070.050021.205.011.2	AL Power Red. Lost Router 2	One of the power supplies of redundand router are faulty. The redundad router is still full operative.
0080.065002.205.001.2	AL Backup RCS Active	The emergency backup panel is active, remote control only available through the emergency backup panel. Safety functions are deactivated. Handle with care!
1.0080.066106.205.001.2	AL Com.Lost Joystick System	The communication to the Joystick System is interrupted. If one of the joystick stations had command, RCS forces a new first selection of control levers.
1.0090.035201.205.001.2	AL No Heading Information	Heading information are not valid or missing. The joystick system may not keep the heading steady. Connection to the compass module may be interrupted or compass module is inoperative.
1.0090.035301.205.001.2	AL No Position Information	Position information are not valid or missing. If you are in dynamic positioning mode, the position may not be kept steady anymore. Connection to the GPS module may be interrupted or GPS module is inoperative.
1.0080.066123.205.001.2	AL Com.Lost Joystick 1	The communication to the joystick 1 is interrupted. If this joystick stations had command, RCS forces a new first selection of control levers / joysticks.
1.0080.066123.205.011.2	AL Com.Lost Joystick 2	The communication to the joystick 2 is interrupted. If this joystick stations had command, RCS forces a new first selection of control levers / joysticks.
1.0080.066123.205.021.2	AL Com.Lost Joystick 3	The communication to the joystick 3 is interrupted. If this joystick stations had command, RCS forces a new first selection of control levers / joysticks.
1.0080.066123.205.031.2	AL Com.Lost Joystick 4	The communication to the joystick 4 is interrupted. If this joystick stations had command, RCS forces a new first selection of control levers / joysticks.
1.0080.066123.205.041.2	AL Com.Lost Joystick 5	The communication to the joystick 5 is interrupted. If this joystick stations had command, RCS forces a new first selection of control levers / joysticks.
1.0080.066123.205.051.2	AL Com.Lost Joystick 6	The communication to the joystick 6 is interrupted. If this joystick stations had command, RCS forces a new first selection of control levers / joysticks.
1.0030.073100.205.001.2	AL Bow Thruster not Avail.	Bow thruster is not available. The functionality of the RCS Joystick System is limited.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 27 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
1.0030.073101.155.001.2	HI T-Bow Thruster	Warning that the temperature of the bow thruster is too high. First limit.
1.0030.073102.205.001.2	AL Bow Thruster derated	The power of the bow thruster is derated.
1.0030.050000.105.001.2	LO Bow Thruster Power Supply	The power supply of the bow thruster is too low. If you have a electrical bow thruster the voltage is too low, if you have a hydraulic one, then the hydraulic oil pressure is too low. The output power may be limited.
1.0030.028301.105.001.2	LO Bow Thruster Oil Level	The hydraulic oil level of the bow thruster is too low.
1.0030.073100.205.011.2	AL Stern Thruster not Avail.	Stern thruster is not available. The functionality of the RCS Joystick System is limited.
1.0030.073101.155.011.2	HI T-Stern Thruster	Warning that the temperature of the stern thruster is too high. First limit.
1.0030.073102.205.011.2	AL Stern Thruster derated	The power of the stern thruster is derated.
1.0030.050000.105.011.2	LO Stern Thruster Power Supply	The power supply of the stern thruster is too low. If you have a electrical stern thruster the voltage is too low, if you have a hydraulic one, then the hydraulic oil pressure is too low. The output power may be limited.
1.0030.028301.105.011.2	LO Stern Thruster Oil Level	The hydraulic oil level of the stern thruster is too low.
1.0080.066121.205.001.2	AL Joystick System in Cmd Lost	The joystick system was in command and the communication to the whole joystick system is interrupted. New selection of a availbe controll lever is necessary.
1.0080.066120.205.001.2	AL Joystick Emerg.Deactivation	The joystick system was deactivated via emergency button. Thruster control must be performed manually.
1.0080.066130.205.001.2	AL Active Joystick Lost	The joystick system was in command and the communication to the active joystick was interrupted. New selection of lever or joystick is necessary.
1.0080.066128.205.001.2	AL Joystick Combined Alarm Red	The Joystick System is a alarming a red alarm (warning with priority 2). A red alarm indicates that the operator has to react immediately because the situation needs urgent operator attention. Normally an additional single alarm should indicate the specific alarm. If no further alarm is indicated the display might not support the specific alarm. In that case the alarm should be visible on the service display on the SPU.
1.0080.066129.205.001.2	AL Joystick Combined Alarm Yel	The Joystick System is a alarming a yellow alarm (warning with priority 3 or 4). Normally an additional single alarm should indicate the specific alarm. If no further alarm is indicated the display might not support the specific alarm. In that case the alarm should be visible on the service display on the SPU.
1.0080.046503.205.011.2	AL Not Able To Keep Heading	The RCS can't keep the desired heading. RCS has reached the limits of controll.
1.0080.046502.205.001.2	AL Not Able To Keep Position	The RCS can't keep the desired position. RCS has reached the limits of controll.
0080.065003.205.001.2	AL Backup RCS Defect	Backup RCS is detected as defective. This could be caused by a wire shortcut in cable -W201.The Backup RCS should not be actived and used anymore. Using the Backup RCS may result in unexpected clutch in or engine speed change. ==> Check the cable -W201 and connectors from LOP X7 to Backup RCS Panel. Check the Backup RCS panel.
0080.065003.255.001.2	WB Backup RCS	A cable breakage has been detected in the cable of th Backup RCS. ==> Check the cable -W201 and connectors from LOP X7 to Backup RCS Panel. Check the Backup RCS panel.
0080.065004.205.001.2	AL Clutch Interlock Override	One of the gear signals (astern/ahead) is received while any clutch engage is interlocked or the speed window is not suitable
0010.020109.255.011.2	WB HighPres Fuel Pump	Detected wire brake on the high-pressure pump of the common rail system. Open load or short circuit on channel PWM_CM1.
0010.020110.255.011.2	WB HighPres Fuel Ctrl Valve	Detected wire brake on the fuel high pressure control valve used for overpressure detection in the common rail system. In failsafe position open with no current feed. Open load or short circuit on channel PWM_CM3.
0010.016001.255.011.2	WB Raw Water Ctrl Valve	Detected wire brake on the fuel high pressure control valve used for overpressure detection in the common rail system. In failsafe position open with no current feed. Open load or short circuit on channel PWM_CM6.
0010.008001.255.011.2	WB Blow Over Ctrl Valve	Detected wire brake on the charge-air blow-off valve for controlled charge-air leakage in the system. In failsafe position open with no current feed. Open load or short circuit on channel PWM_CM7.
0010.008002.255.011.2	WB Charge Air Ctrl Valve	Detected wire brake on the wastegate valve on the turbochargers. In failsafe position closed with no current feed. Open load or short circuit on channel PWM_CM8.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 28 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.056004.255.011.2	WB Flap ETC A	Detected wire brake on the exhaust control flap 2 valve. Open load or short circuit on channel PWM_CM9.
0010.056004.255.021.2	WB Flap ETC B	Detected wire brake on the exhaust control flap 1 valve. Open load or short circuit on channel PWM_CM10.
0010.020111.205.011.2	AL StartwithP-Fuel CR too high	Detected out of bound over limit common rail pressure at engine start sequence.
0010.002015.205.011.2	AL Max.Blank Shot Time expired	Maximum time elapsed of blankshot functionality for rail pressure reduction.
0010.002014.205.011.2	AL Perm. Injection Detection	Detection of permanent fuel injection with an engine shut down.
0010.020112.205.011.2	AL P-Fuel CR Constant Value	Detected permanent control deviation within the common rail system.
0010.056001.215.051.2	SD ETC 5 Speed	Speed-sensor of switching charger defect. ==> short circuit or cable breakage ==> Check sensor and cable (B44.5), if necessary replace it.
0010.000506.165.001.2	HIHI Overspeed Camshaft	Engine Overspeed (limit 2), measured on the camshaft.
0050.072001.205.001.2	AL Capsize Function Active	The capsizeswitch has been activated because the tilt sensor detected a capsizesituation.
0050.072001.215.001.2	SD Capsize Switch	The binary capsizesensor switch is detected as defect ==> cable breakage ==> Check sensor and cable (normally found on the yard interface of the LOP: X35.11/12)
0070.050020.105.001.2	LO U-SPU Real Time Clock	The voltage of backup battery for time and date in the LOP is too low, logging features may have an incorrect time stamp. Replace the battery located in the SPU/LOP!
0010.009001.265.001.2	SC Crankcase Vent. Valve	Short circuit in crankcase ventilation valve cable.
0010.009001.255.001.2	WB Crankcase Vent. Valve	Open load on crankcase ventilation valve cable. ==> Check if cable is damaged
1.0910.062011.205.011.2	AL CPU Overload RCS	Caution! CPU of the central processing unit is overloaded. The system may have a delayed responsetime!
0910.062011.205.001.2	AL CPU Overload MCS	Caution! CPU of the central processing unit is overloaded. The system may have a delayed responsetime!
0010.025103.165.001.2	HIHI P-Oil Filter Difference	Differential pressure of oil filter too high (limit 2).
0010.008101.165.001.2	HIHI P-Charge Air A	Pressure of charge air too high (limit 2).
0010.061001.205.001.2	AL EIL Error	Engine Identification Label has detected an error.
0010.020202.155.001.2	HI T-Fuel before LP Pump	Fuel temperature before the low pressure fuel pump is too high.
0010.056001.215.031.2	SD ETC 3 Speed	Speed-sensor of switching charger defect. ==> short circuit or cable breakage ==> Check sensor and cable (B44.2), if necessary replace it.
0010.056001.215.041.2	SD ETC 4 Speed	Speed-sensor of switching charger defect. ==> short circuit or cable breakage ==> Check sensor and cable (B44.4), if necessary replace it.
0010.061002.205.001.2	AL EIL Different Engine Number	The engine number on the engine identification label is different than the engine number found on the ECU
0010.056002.205.051.2	AL ETC 5 Cut in Fail	Switching of charger ETC5 failed.
0010.056002.205.011.2	AL ETC 1 Cut in Fail	Switching of charger ETC1 failed.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 29 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0070.075803.205.001.2	AL Com.To Ext MCS Lost	The communication to the higher lever control center is interrupted
0070.075803.205.011.2	AL Red. Com.To Ext MCS Lost	Communication interrupted to switch2. The interface to the higher lever control center will still operative if switch 1 is OK. The communication to the higher lever control center is handled by other Alarms.
1.0030.073103.205.001.2	AL Bow Thruster Internal Fail	A Communication, Emergency or internal System Error occured in the bow thruster control unit. ==> Check thruster control panel or manual for further information.
1.0030.073101.165.001.2	HIHI T-Bow Thruster	The bow thruster temperature is above the maximum limit, the thruster may not respond to the commands due to protections and depending on parameters this error could limit the operation to maneuver powertrains operations. ==> Avoid to use the thruster to cool down the thruster engine.
1.0030.073103.205.011.2	AL SternThruster Internal Fail	A Communication, Emergency or internal System Error occured in the stern thruster control unit. ==> Check thruster control panel or manual for further information.
1.0030.073101.165.011.2	HIHI T-Stern Thruster	The stern thruster temperature is above the maximum limit, the thruster may not respond to the commands due to protections and depending on parameters this error could limit the operation to maneuver powertrains operations. ==> Avoid to use the thruster to cool down the thruster engine.
1.0080.046509.205.001.2	AL HeadingOrPosition Lost Soon	Automatic RCS Control has limited precision. If current conditions remain Automatic RCS control will soon be deactivated automatically
1.0080.046504.205.001.2	AL Adv. Joystick Mode Deact.	Automatic RCS Control has been deactivated because Position or Heading could not be kept
0010.059200.155.001.2	HI PCV Defect	Pressure Control Valve L1 wear limit reached. Pressure Vontrol valve should be changed.
0010.059200.165.001.2	HIHI PCV Defect	Pressure Control Valve L2 wear limit reached. Pressure Vontrol valve must be changed.
0010.002017.155.001.2	AL Injector Drift Deviation	The deviation in percent between the calculated fuel volume limit (PV 1.1901.003) and the ECU fuel volume limit (PV 1.1020.609) exceed the threshold of the 2D map (PR 1.1901.020)
0012.024404.205.001.2	AL Com. Lost NOx EGAT Inlet 1	Communication to NOx sensor is lost on CAN bus. => Check sensor, cabling and connectors. Replace if necessary.
0012.024405.205.001.2	AL Com. Lost NOx EGAT Inlet 2	Communication to NOx sensor is lost on CAN bus. => Check sensor, cabling and connectors. Replace if necessary.
0012.024406.205.001.2	AL Com. Lost NOx EGAT Outlet 1	Communication to NOx sensor is lost on CAN bus. => Check sensor, cabling and connectors. Replace if necessary.
0012.024407.205.001.2	AL Com. Lost DEF Doser 1	Communication lost ==> Checking actuator and wiring, replacing if necessary.
0012.024408.205.001.2	AL Com. Lost DEF Doser 2	Communication lost ==> Checking actuator and wiring, replacing if necessary.
0012.024409.205.001.2	AL Com. Lost DEF Doser 3	Communication lost ==> Checking actuator and wiring, replacing if necessary.
0012.024410.205.001.2	AL Com. Lost DEF Doser 4	Communication lost ==> Checking actuator and wiring, replacing if necessary.
0012.024411.205.001.2	AL Com. Lost DEF Doser 5	Communication lost ==> Checking actuator and wiring, replacing if necessary.
0012.024412.205.001.2	AL Com. Lost DEF Doser 6	Communication lost ==> Checking actuator and wiring, replacing if necessary.
0012.024413.205.001.2	AL DEF Doser 1 defect	DEF-Supply Unit Number 1 is defect ==> short circuit or cable breakage ==> Check component and cable, if necessary replace it.
0012.024414.205.001.2	AL DEF Doser 2 defect	DEF-Supply Unit Number 2 is defect ==> short circuit or cable breakage ==> Check component and cable, if necessary replace it.
0012.024415.205.001.2	AL DEF Doser 3 defect	DEF-Supply Unit Number 3 is defect ==> short circuit or cable breakage ==> Check component and cable, if necessary replace it.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 30 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Änderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0012.024416.205.001.2	AL DEF Doser 4 defect	DEF-Supply Unit Number 4 is defect ==> short circuit or cable breakage ==> Check component and cable, if necessary replace it.
0012.024417.205.001.2	AL DEF Doser 5 defect	DEF-Supply Unit Number 5 is defect ==> short circuit or cable breakage ==> Check component and cable, if necessary replace it.
0012.024418.205.001.2	AL DEF Doser 6 defect	DEF-Supply Unit Number 6 is defect ==> short circuit or cable breakage ==> Check component and cable, if necessary replace it.
0012.024404.215.001.2	SD NOx EGAT Inlet 1	Any component of the NOx Sensor (NOx detector or O2 detector or heater) is Short Circuit (FMI = 3) or Open Wire (FMI = 5). See PV 1.0711.062, 1.0711.091, and 1.0711.094 for more information. => Check sensor, cabling and connectors. Replace if necessary.
0012.024405.215.001.2	SD NOx EGAT Inlet 2	Any component of the NOx Sensor (NOx detector or O2 detector or heater) is Short Circuit (FMI = 3) or Open Wire (FMI = 5). See PV 1.0711.062, 1.0711.091, and 1.0711.094 for more information. => Check sensor, cabling and connectors. Replace if necessary.
0012.024406.215.001.2	SD NOx EGAT Outlet 1	Any component of the NOx Sensor (NOx detector or O2 detector or heater) is Short Circuit (FMI = 3) or Open Wire (FMI = 5). See PV 1.0715.062, 1.0715.091, and 1.0715.094 for more information. => Check sensor, cabling and connectors. Replace if necessary.
0012.024419.205.001.2	AL SCR F1 SU DEF Quantity	AL SCR F1 Supply Unit DEF Quantity: The Differenz between requested/actual is higher than the limit
0012.024420.205.001.2	AL SCR F2 SU DEF Quantity	AL SCR F2 Supply Unit DEF Quantity: The Differenz between requested/actual is higher than the limit
0012.024421.105.001.2	LO Cataly Conversion F1	AL Catalyzer conversion too low F1
0012.024422.105.001.2	LO Cataly Conversion F2	AL Catalyzer conversion too low F2
0012.024423.105.001.2	LO Cataly Conversion F3	AL Catalyzer conversion too low F3
0012.024400.205.001.2	AL Com. Lost DCM ID2	DCM with ID2 is missing on CAN Bus. ==> Communication with DCM could not be started, is instable or cable is broken. ==> Check cable and DCM, if necessary replace it
0012.024401.205.001.2	AL Com. Lost DCM ID3	DCM with ID3 is missing on CAN Bus. ==> Communication with DCM could not be started, is instable or cable is broken. ==> Check cable and DCM, if necessary replace it
0012.024402.205.001.2	AL Com. Lost DCM ID4	DCM with ID4 is missing on CAN Bus. ==> Communication with DCM could not be started, is instable or cable is broken. ==> Check cable and DCM, if necessary replace it
0012.024403.205.001.2	AL Com. Lost DCM ID5	DCM with ID5 is missing on CAN Bus. ==> Communication with DCM could not be started, is instable or cable is broken. ==> Check cable and DCM, if necessary replace it
0012.050000.105.001.2	LO PS Voltage DCM PDM	Supply voltage of DCM with ID2 is too low ==> 22V for DEF-Dosing undershot. ==> Check DCM, cable, power supply, if necessary replace it.
0012.050001.105.001.2	LO PS Voltage DCM SCR Base 1	Supply voltage of DCM with ID3 is too low ==> 22V for DEF-Dosing undershot. ==> Check DCM, cable, power supply, if necessary replace it.
0012.050001.105.011.2	LO PS Voltage DCM SCR Base 2	Supply voltage of DCM with ID4 is too low ==> 22V for DEF-Dosing undershot. ==> Check DCM, cable, power supply, if necessary replace it.
0012.050002.105.001.2	LO PS Voltage DCM SCR Out	Supply voltage of DCM with ID5 is too low ==> 22V for DEF-Dosing undershot. ==> Check DCM, cable, power supply, if necessary replace it.
0012.024400.155.001.2	HI DEF Dosing	The mass flow rate of DEF as measured by any DEF Doser exceeds the mass flow rate requested by the SCR governor by the value in PR1D 1.1702.935.
0012.024400.105.001.2	LO DEF Dosing	The mass flow rate of DEF as measured by any DEF Doser has fallen below the mass flow rate requested by the SCR governor by the value in PR1D 1.1702.937.
0012.024400.115.001.2	LOLO DEF Dosing	The mass flow rate of DEF as measured by any DEF Doser has fallen below the mass flow rate requested by the SCR governor by the value in PR1D 1.1702.939.
0012.024100.215.001.2	SD T-DEF at PDM	Sensor defect at the temperature sensor for the Diesel Exhaust Fluid (DEF) integrated into the PreDelivery Module (PDM) as part of the DEF Electronic System. ==> Check sensor and cabling.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 31 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0012.024100.105.001.2	LO T-DEF at PDM	LM LO SCR operating temperature exceeded
0012.024100.155.001.2	HI T-DEF at PDM	LM HI SCR operating temperature exceeded
0012.024200.215.001.2	SD P-DEF Filter Out at PDM	Sensor defect at the pressure sensor for the Diesel Exhaust Fluid (DEF) measured at the inlet of the filter integrated into the PreDelivery Module (PDM) as part of the DEF Electronic System. ==> Check sensor and cabling.
0012.024200.105.001.2	LO P-DEF Filter Out at PDM	Pressure of the diesel exhaust fluid in the PDM is too low ==> Pressure undershot parameter 1.1752.056 ==> Check DEF-Hoses and DEF-PDM, if necessary replace it.
0012.006502.215.001.2	SD P-Exhaust SCR Inlet 1	Sensor P-Exhaust SCR1 Inlet defect ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0012.006501.215.001.2	SD P-Exhaust SCR Outlet 1	Sensor P-Exhaust SCR1 Outlet defect ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0012.006500.155.001.2	HI P-Exhaust Diff. SCR 1	LM HI for pressure difference of exhaust gas between inlet and outlet of the SCR exceeded. ==> Pressure difference exceeds value of parameter 1.1750.046 ==> Check if SCR 1 is blocked.
0012.006500.165.001.2	HIHI P-Exhaust Diff. SCR 1	LM HIHI for pressure difference of exhaust gas between inlet and outlet of the SCR exceeded. ==> Pressure difference exceeds value of parameter 1.1750.047 ==> Check if SCR 1 is blocked.
0012.006201.215.001.2	SD T-Exhaust SCR Outlet 1	Sensor T-Exhaust after SCR F1 defect ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0012.006201.155.001.2	HI T-Exhaust SCR Outlet 1	LM HI T-Exhaust After SCR flow1 exceeded
0012.006201.165.001.2	HIHI T-Exhaust SCR Outlet 1	LM HIHI T-Exhaust After SCR flow1 exceeded
0012.006200.215.011.2	SD T-Exhaust SCR Inlet 2	Sensor T-Exhaust before SCR F2 defect ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0012.006200.155.011.2	HI T-Exhaust SCR Inlet 2	LM HI T-Exhaust Before SCR flow2 exceeded
0012.006200.165.011.2	HIHI T-Exhaust SCR Inlet 2	LM HIHI T-Exhaust Before SCR flow2 exceeded
0012.006200.215.001.2	SD T-Exhaust SCR Inlet 1	Defect of sensor or cabling for the temperature of the exhaust gas at the inlet of the SCR Catalyst has been detected. Inlet means where the exhaust gas stream enters the SCR Catalyst. The number identifies the software measurement value. For the corresponding physical measurement point of the real system see system description in engine documentation. ==> Short circuit or wire breakage (open load at device input) ==> Check sensor, wiring and DCM. If necessary replace it.
0012.006200.155.001.2	HI T-Exhaust SCR Inlet 1	LM HI T-Exhaust Before SCR flow1 exceeded
0012.006200.165.001.2	HIHI T-Exhaust SCR Inlet 1	LM HIHI T-Exhaust Before SCR flow1 exceeded
0050.020100.215.001.2	SD P-Fuel Prefilter	The pressure sensor of the fuel prefilter seems to be defect or the sensor cable has a short circuite or is broken. ==> Check sensor and cable, if necessary replace it.
0050.020100.105.001.2	LO P-Fuel Prefilter	The pressure of the fuel prefilter has exceeded the first warning level. The prefilter may be clogged and has to be replaced. ==> Check the prefilter, if necessary replace it.
0050.020100.115.001.2	LOLO P-Fuel Prefilter	The pressure of the fuel prefilter has exceeded the second warning level. The prefilter may be clogged and has to be replaced. ==> Check the prefilter, if necessary replace it.
0050.024300.215.011.2	SD DEF Tank Level	Tank level sensor of the diesel exhaust fluid seems to be defect or the sensor cable has a short circuite or is broken. ==> Check sensor and cable, if necessary replace it.
0050.024300.105.011.2	LO DEF Tank Level	The tank level of the diesel exhaust fluid has fallen below the warning level. ==> Refill the diesel exhaust fluid
0050.024300.115.011.2	LOLO DEF Tank Level	The tank level of the diesel exhaust fluid has fallen below the minimum level. The exhaust aftertreatment system could be in an unacceptable state (switched off) ==> Refill the diesel exhaust fluid

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 32 von/of 137
--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0910.062400.255.011.2	WB Binary Input DI1 (SPU)	Cable breakage or no monitor resistor is installed. ==> Check cabeling of LOP connectors X34.13 and X34.14 and check the sensor/switch.
0910.062400.255.021.2	WB Binary Input DI2 (SPU)	Cable breakage or no monitor resistor is installed. ==> Check cabeling of LOP connectors X34.10 and X34.9 and check the sensor/switch.
0910.062400.255.031.2	WB Binary Input DI3 (SPU)	Cable breakage or no monitor resistor is installed. ==> Check cabeling of LOP connectors X34.11 and X34.12 and check the sensor/switch.
0910.062400.255.041.2	WB Binary Input DI4 (SPU)	Cable breakage or no monitor resistor is installed. ==> Check cabeling of LOP connectors X35.9 and X35.10 and check the sensor/switch.
0910.062400.255.051.2	WB Binary Input DI5 (SPU)	Cable breakage or no monitor resistor is installed. ==> Check cabeling of LOP connectors X35.11 and X35.12 and check the sensor/switch.
0910.062400.255.061.2	WB Binary Input DI6 (SPU)	Cable breakage or no monitor resistor is installed. ==> Check cabeling of LOP connectors X35.13 and X35.14 and check the sensor/switch.
0910.062400.255.071.2	WB Binary Input DI7 (SPU)	Cable breakage or no monitor resistor is installed. ==> Check cabeling of LOP connectors X35.15 and X35.16 and check the sensor/switch.
0910.062400.255.081.2	WB Binary Input DI8 (SPU)	Cable breakage or no monitor resistor is installed. ==> Check cabeling of LOP connectors X7.9 and check the sensor/switch.
1.0080.064003.205.001.2	AL Portable Control Lost	The connection to the portable control is disconnected or the "dead man switch" was pressed.
0070.075232.205.011.2	AL MCS Dim PAN Lost CS1	The communication to Dim PAN on first (#1) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.021.2	AL MCS Dim PAN Lost CS2	The communication to Dim PAN on second (#2) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.031.2	AL MCS Dim PAN Lost CS3	The communication to Dim PAN on third (#3) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.041.2	AL MCS Dim PAN Lost CS4	The communication to Dim PAN on fourth (#4) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.051.2	AL MCS Dim PAN Lost CS5	The communication to Dim PAN on fifth (#5) control stand is interrupted. Dimming from the PAN won't have a effect.
0070.075232.205.061.2	AL MCS Dim PAN Lost CS6	The communication to Dim PAN on sixth (#6) control stand is interrupted. Dimming from the PAN won't have a effect.
0010.087201.155.001.2	HI P-Cylinder Max A1	AL EXU Cylinder Pressure A1 too hign (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.155.011.2	HI P-Cylinder Max A2	AL EXU Cylinder Pressure A2 too hign (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.155.021.2	HI P-Cylinder Max A3	AL EXU Cylinder Pressure A3 too hign (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.155.031.2	HI P-Cylinder Max A4	AL EXU Cylinder Pressure A4 too hign (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.155.041.2	HI P-Cylinder Max A5	AL EXU Cylinder Pressure A5 too hign (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.155.051.2	HI P-Cylinder Max A6	AL EXU Cylinder Pressure A6 too hign (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.155.061.2	HI P-Cylinder Max A7	AL EXU Cylinder Pressure A7 too hign (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.155.071.2	HI P-Cylinder Max A8	AL EXU Cylinder Pressure A8 too hign (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.155.081.2	HI P-Cylinder Max A9	AL EXU Cylinder Pressure A9 too hign (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 33 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087201.155.091.2	HI P-Cylinder Max A10	AL EXU Cylinder Pressure A10 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.001.2	HI P-Cylinder Max B1	AL EXU Cylinder Pressure B1 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.011.2	HI P-Cylinder Max B2	AL EXU Cylinder Pressure B2 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.021.2	HI P-Cylinder Max B3	AL EXU Cylinder Pressure B3 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.031.2	HI P-Cylinder Max B4	AL EXU Cylinder Pressure B4 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.041.2	HI P-Cylinder Max B5	AL EXU Cylinder Pressure B5 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.051.2	HI P-Cylinder Max B6	AL EXU Cylinder Pressure B6 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.061.2	HI P-Cylinder Max B7	AL EXU Cylinder Pressure B7 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.071.2	HI P-Cylinder Max B8	AL EXU Cylinder Pressure B8 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.081.2	HI P-Cylinder Max B9	AL EXU Cylinder Pressure B9 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.155.091.2	HI P-Cylinder Max B10	AL EXU Cylinder Pressure B10 too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.001.2	HIHI P-Cylinder Max A1	AL EXU Cylinder Pressure A1 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.011.2	HIHI P-Cylinder Max A2	AL EXU Cylinder Pressure A2 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.021.2	HIHI P-Cylinder Max A3	AL EXU Cylinder Pressure A3 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.031.2	HIHI P-Cylinder Max A4	AL EXU Cylinder Pressure A4 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.041.2	HIHI P-Cylinder Max A5	AL EXU Cylinder Pressure A5 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.051.2	HIHI P-Cylinder Max A6	AL EXU Cylinder Pressure A6 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.061.2	HIHI P-Cylinder Max A7	AL EXU Cylinder Pressure A7 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.071.2	HIHI P-Cylinder Max A8	AL EXU Cylinder Pressure A8 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.081.2	HIHI P-Cylinder Max A9	AL EXU Cylinder Pressure A9 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.165.091.2	HIHI P-Cylinder Max A10	AL EXU Cylinder Pressure A10 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.165.001.2	HIHI P-Cylinder Max B1	AL EXU Cylinder Pressure B1 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.165.011.2	HIHI P-Cylinder Max B2	AL EXU Cylinder Pressure B2 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.165.021.2	HIHI P-Cylinder Max B3	AL EXU Cylinder Pressure B3 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.165.031.2	HIHI P-Cylinder Max B4	AL EXU Cylinder Pressure B4 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 34 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087202.165.041.2	HIHI P-Cylinder Max B5	AL EXU Cylinder Pressure B5 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.165.051.2	HIHI P-Cylinder Max B6	AL EXU Cylinder Pressure B6 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.165.061.2	HIHI P-Cylinder Max B7	AL EXU Cylinder Pressure B7 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.165.071.2	HIHI P-Cylinder Max B8	AL EXU Cylinder Pressure B8 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.165.081.2	HIHI P-Cylinder Max B9	AL EXU Cylinder Pressure B9 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.165.091.2	HIHI P-Cylinder Max B10	AL EXU Cylinder Pressure B10 very high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012202.105.001.2	LO P-Gas in Rail A	P Gas A Limit 1 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012202.105.011.2	LO P-Gas in Rail B	P Gas B Limit 1 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012202.115.001.2	LOLO P-Gas in Rail A	P Gas A Limit 2 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012202.115.011.2	LOLO P-Gas in Rail B	P Gas B Limit 2 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012202.155.001.2	HI P-Gas in Rail A	P Gas A Limit 3 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012202.155.011.2	HI P-Gas in Rail B	P Gas B Limit 3 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012202.165.001.2	HIHI P-Gas in Rail A	P Gas A Limit 4 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012202.165.011.2	HIHI P-Gas in Rail B	P Gas B Limit 4 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012101.105.001.2	LO T-Gas	T-Gas has reached limit 1. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012101.115.001.2	LOLO T-Gas	T-Gas has reached limit 2. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012101.155.001.2	HI T-Gas	T-Gas has reached limit 3. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012101.165.001.2	HIHI T-Gas	T-Gas has reached limit 4. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087207.155.001.2	HI T-CPM	AL EXU Device Temperature exceeds upper Limit. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.015302.105.001.2	LO Coolant Level Intercooler	Coolant level of intercooler too low (limit 1). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.000528.205.001.2	Idle Speed not reached	Idle speed not reached ==> Start abort ==> pay attention to other messages (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.000529.205.001.2	AL Release Speed not reached	Acceleration speed not reached ==> Start abort ==> observe other messages (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.015302.215.001.2	SD Coolant Level Intercooler	Sensor for coolant level of intercooler defect. ==> short circuit or cable breakage ==> Check sensor and cable (F57), if necessary replace it. After Engine restart follows curing of failure. (Alar
0010.015103.105.001.2	LO P-Coolant Difference	Coolant difference pressure too low (limit 1) ==> check cooling filter. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.015101.155.001.2	HI P-Coolant	P-Coolant too high (limit 3). (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 35 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.015102.105.001.2	LO P-Coolant before engine	Coolant pressure too low (limit 1) ==> check cooling cycle. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.015102.215.001.2	SD P-Coolant before engine	Coolant pressure-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B5), if necessary replace it. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.015102.115.001.2	LOLO P-Coolant before engine	Coolant pressure too low (limit 2) ==> check cooling cycle. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.005201.105.001.2	LO T-Intake Air	Intake Air temperature too low (limit 1). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.005201.115.001.2	LOLO T-Intake Air	Intake Air temperature too low (limit 2). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087208.205.001.2	AL CPM Communication Lost	AL CPM Communication Lost (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.011300.155.011.2	HIHI Rel. Humidity	relative humidity after mix cooler has reached limit 2. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.012204.155.001.2	HI P-Gas Difference A B	P-Gas Differenz A - B Limit exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087015.205.001.2	AL Act. greater Req. Eng.Power	AL actual Engine Power greater than requested Power (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087016.205.001.2	AL Combined Warning GRU	AL GRU Yellow (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087017.205.001.2	AL Combined Failure GRU	AL Gas Regulation Unit Red (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087018.205.001.2	AL Ign.Control Testmode Act..	AL MIC5 Test Mode is active (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.005103.215.001.2	SD P-Air before Throttle	Air pressure-sensor before Throttle defect. ==> short circuit or cable breakage ==> Check sensor and cable (B10.3), if necessary replace it. After Engine restart follows curing of failure. (Alarm
0010.087002.205.001.2	AL Knock Ignition L1 Comb	Combined Alarm of "knock ignition retarding" limit 1 alarms. Check the LOP service display to get specific cylinder number.The retarding of the ignition timing on one or more cylinders has exceeded the first limit.
0010.087002.205.011.2	AL Knock Ignition L1 A1	The retarding of the ignition timing on cylinder A1 has exceeded the first Limit
0010.087002.205.021.2	AL Knock Ignition L1 A2	The retarding of the ignition timing on cylinder A2 has exceeded the first Limit
0010.087002.205.031.2	AL Knock Ignition L1 A3	The retarding of the ignition timing on cylinder A3 has exceeded the first Limit
0010.087002.205.041.2	AL Knock Ignition L1 A4	The retarding of the ignition timing on cylinder A4 has exceeded the first Limit
0010.087002.205.051.2	AL Knock Ignition L1 A5	The retarding of the ignition timing on cylinder A5 has exceeded the first Limit
0010.087002.205.061.2	AL Knock Ignition L1 A6	The retarding of the ignition timing on cylinder A6 has exceeded the first Limit
0010.087002.205.071.2	AL Knock Ignition L1 A7	The retarding of the ignition timing on cylinder A7 has exceeded the first Limit
0010.087002.205.081.2	AL Knock Ignition L1 A8	The retarding of the ignition timing on cylinder A8 has exceeded the first Limit
0010.087002.205.091.2	AL Knock Ignition L1 A9	The retarding of the ignition timing on cylinder A9 has exceeded the first Limit
0010.087002.205.101.2	AL Knock Ignition L1 A10	The retarding of the ignition timing on cylinder 10 has exceeded the first Limit
0010.087002.205.111.2	AL Knock Ignition L1 B1	The retarding of the ignition timing on cylinder B1 has exceeded the first Limit

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 36 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Änderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0010.087002.205.121.2	AL Knock Ignition L1 B2	The retarding of the ignition timing on cylinder B2 has exceeded the first Limit
0010.087002.205.131.2	AL Knock Ignition L1 B3	The retarding of the ignition timing on cylinder B3 has exceeded the first Limit
0010.087002.205.141.2	AL Knock Ignition L1 B4	The retarding of the ignition timing on cylinder B4 has exceeded the first Limit
0010.087002.205.151.2	AL Knock Ignition L1 B5	The retarding of the ignition timing on cylinder B5 has exceeded the first Limit
0010.087002.205.161.2	AL Knock Ignition L1 B6	The retarding of the ignition timing on cylinder B6 has exceeded the first Limit
0010.087002.205.171.2	AL Knock Ignition L1 B7	The retarding of the ignition timing on cylinder B7 has exceeded the first Limit
0010.087002.205.181.2	AL Knock Ignition L1 B8	The retarding of the ignition timing on cylinder B8 has exceeded the first Limit
0010.087002.205.191.2	AL Knock Ignition L1 B9	The retarding of the ignition timing on cylinder B9 has exceeded the first Limit
0010.087002.205.201.2	AL Knock Ignition L1 B10	The retarding of the ignition timing on cylinder 10 has exceeded the first Limit
0010.087003.205.011.2	AL Knock Ignition L2 A1	The retarding of the ignition timing on cylinder A1 has exceeded the second Limit
0010.087003.205.021.2	AL Knock Ignition L2 A2	The retarding of the ignition timing on cylinder A2 has exceeded the second Limit
0010.087003.205.031.2	AL Knock Ignition L2 A3	The retarding of the ignition timing on cylinder A3 has exceeded the second Limit
0010.087003.205.041.2	AL Knock Ignition L2 A4	The retarding of the ignition timing on cylinder A4 has exceeded the second Limit
0010.087003.205.051.2	AL Knock Ignition L2 A5	The retarding of the ignition timing on cylinder A5 has exceeded the second Limit
0010.087003.205.061.2	AL Knock Ignition L2 A6	The retarding of the ignition timing on cylinder A6 has exceeded the second Limit
0010.087003.205.071.2	AL Knock Ignition L2 A7	The retarding of the ignition timing on cylinder A7 has exceeded the second Limit
0010.087003.205.081.2	AL Knock Ignition L2 A8	The retarding of the ignition timing on cylinder A8 has exceeded the second Limit
0010.087003.205.091.2	AL Knock Ignition L2 A9	The retarding of the ignition timing on cylinder A9 has exceeded the second Limit
0010.087003.205.101.2	AL Knock Ignition L2 A10	The retarding of the ignition timing on cylinder 10 has exceeded the second Limit
0010.087003.205.111.2	AL Knock Ignition L2 B1	The retarding of the ignition timing on cylinder B1 has exceeded the second Limit
0010.087003.205.121.2	AL Knock Ignition L2 B2	The retarding of the ignition timing on cylinder B2 has exceeded the second Limit
0010.087003.205.131.2	AL Knock Ignition L2 B3	The retarding of the ignition timing on cylinder B3 has exceeded the second Limit
0010.087003.205.141.2	AL Knock Ignition L2 B4	The retarding of the ignition timing on cylinder B4 has exceeded the second Limit
0010.087003.205.151.2	AL Knock Ignition L2 B5	The retarding of the ignition timing on cylinder B5 has exceeded the second Limit
0010.087003.205.161.2	AL Knock Ignition L2 B6	The retarding of the ignition timing on cylinder B6 has exceeded the second Limit

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 37 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087003.205.171.2	AL Knock Ignition L2 B7	The retarding of the ignition timing on cylinder B7 has exceeded the second Limit
0010.087003.205.181.2	AL Knock Ignition L2 B8	The retarding of the ignition timing on cylinder B8 has exceeded the second Limit
0010.087003.205.191.2	AL Knock Ignition L2 B9	The retarding of the ignition timing on cylinder B9 has exceeded the second Limit
0010.087003.205.201.2	AL Knock Ignition L2 B10	The retarding of the ignition timing on cylinder 10 has exceeded the second Limit
0010.087004.205.011.2	AL Knock Ignition L3 A1	The retarding of the ignition timing on cylinder A1 has exceeded the third Limit
0010.087004.205.021.2	AL Knock Ignition L3 A2	The retarding of the ignition timing on cylinder A2 has exceeded the third Limit
0010.087004.205.031.2	AL Knock Ignition L3 A3	The retarding of the ignition timing on cylinder A3 has exceeded the third Limit
0010.087004.205.041.2	AL Knock Ignition L3 A4	The retarding of the ignition timing on cylinder A4 has exceeded the third Limit
0010.087004.205.051.2	AL Knock Ignition L3 A5	The retarding of the ignition timing on cylinder A5 has exceeded the third Limit
0010.087004.205.061.2	AL Knock Ignition L3 A6	The retarding of the ignition timing on cylinder A6 has exceeded the third Limit
0010.087004.205.071.2	AL Knock Ignition L3 A7	The retarding of the ignition timing on cylinder A7 has exceeded the third Limit
0010.087004.205.081.2	AL Knock Ignition L3 A8	The retarding of the ignition timing on cylinder A8 has exceeded the third Limit
0010.087004.205.091.2	AL Knock Ignition L3 A9	The retarding of the ignition timing on cylinder A9 has exceeded the third Limit
0010.087004.205.101.2	AL Knock Ignition L3 A10	The retarding of the ignition timing on cylinder 10 has exceeded the third Limit
0010.087004.205.111.2	AL Knock Ignition L3 B1	The retarding of the ignition timing on cylinder B1 has exceeded the third Limit
0010.087004.205.121.2	AL Knock Ignition L3 B2	The retarding of the ignition timing on cylinder B2 has exceeded the third Limit
0010.087004.205.131.2	AL Knock Ignition L3 B3	The retarding of the ignition timing on cylinder B3 has exceeded the third Limit
0010.087004.205.141.2	AL Knock Ignition L3 B4	The retarding of the ignition timing on cylinder B4 has exceeded the third Limit
0010.087004.205.151.2	AL Knock Ignition L3 B5	The retarding of the ignition timing on cylinder B5 has exceeded the third Limit
0010.087004.205.161.2	AL Knock Ignition L3 B6	The retarding of the ignition timing on cylinder B6 has exceeded the third Limit
0010.087004.205.171.2	AL Knock Ignition L3 B7	The retarding of the ignition timing on cylinder B7 has exceeded the third Limit
0010.087004.205.181.2	AL Knock Ignition L3 B8	The retarding of the ignition timing on cylinder B8 has exceeded the third Limit
0010.087004.205.191.2	AL Knock Ignition L3 B9	The retarding of the ignition timing on cylinder B9 has exceeded the third Limit
0010.087004.205.201.2	AL Knock Ignition L3 B10	The retarding of the ignition timing on cylinder 10 has exceeded the third Limit
0010.068300.155.001.2	HI T-EMU	AL EXU Device Temperature exceeds upper Limit (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 38 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.050300.105.001.2	LO Power Supply EMU	AL EXU Supply Voltage exceeds Lower Limit (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.050300.115.001.2	LOLO Power Supply EMU	AL EXU Supply Voltage ist too low, full function not guaranteed anymore (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.050300.155.001.2	HI Power Supply EMU	AL EXU Supply Voltage exceeds upper limit (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.050300.165.001.2	HIHI Power Supply EMU	AL EXU Supply Voltage ist too high, Device can be destroyed (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.043312.205.001.2	AL SCWB Emergency Stop GRU	The emergency stop output of the GRU has a wire brake or a short circuit
0010.060300.155.001.2	HI T-EIM	AL EIM Device Temperature exceeds upper Limit (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.040602.205.001.2	AL Turning Terminated	The engine turn procedure is terminated because the stop signal in the ECU is not active.
0010.015103.215.001.2	SD P-Coolant Difference	Collant pressure-sensor defect. or Coolant Out pressure-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B16), if necessary replace it or, ==> Check sensor and cable
0010.087012.205.001.2	AL GasControlCheck Fault	Gas control check failed. Alarm becomes active, if the gas control check feedback isn't ok within the selected time interval. Perhaps the tightness check wasn't successful, the time interval is too sh
0010.087013.205.001.2	AL Ignition Fault	Ignition fault. Alarm becomes active, if the ignition feedback isn't received within the selected time interval. Perhaps the ignition couldn't activated/deactivated, the waiting time interval is too s
0010.087014.205.001.2	AL GasValve Fault	Gas valves fault. Alarm becomes active, if the gas valves feedback isn't received within the selected time interval. Perhaps the gas valves couldn't opend/closed, the waiting time interval is too shor
0010.011200.215.001.2	SD P-Ambient Air	Humirel HDT2800P1B11C6 CAN Device defekt (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.011100.215.001.2	SD T-Ambient Air	T0-Ambient Air (HDT2800) CAN sensor defect. ==> Check sensor and cable, if necessary replace it. (Alarm Configuration Parameter, for details see PR 2.8008.100) (Alarm Configuration Parameter, f
0010.011300.215.001.2	SD Rel Humidity	Air Humidity CAN sensor defect. ==> Check sensor and cable, if necessary replace it. (Alarm Configuration Parameter, for details
0010.006501.215.001.2	SD P-Exhaust Lambda	Exhasut pressure-sensor near Lambdasensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B91), if necessary replace it. After Engine restart follows curing of failure. (Al
0010.087101.205.001.2	Al Req Angle Throttle A	Al Req Angle Throttle A (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087101.205.011.2	Al Req Angle Throttle B	Al Req Angle Throttle B (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.005000.205.001.2	AL Act Intake Air Defect	Alarm is set when the actuator sends the following error codes: error = 5 : internal hall sensor error, Motor coils unpowered due to detected fault condition, operation cannot continue and position
0010.011300.155.001.2	HI Rel. Humidity	relative humidity after mix cooler has reached limit 1. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.058601.205.001.2	AL Wastegate 2 Defect	Alarm is set when the actuator sends the following error codes: error = 5 : internal hall sensor error, Motor coils unpowered due to detected fault condition, operation cannot continue and position
0010.058602.205.001.2	AL Wastegate 1 Wear Limit3	Fast reference process faulty. The fast reference process couldn't be completed successfully within the projected time (PR 1,0700,985). Reason: 1. The learned span is bigger than the reference
0010.058603.205.001.2	AL Wastegate 2 Wear Limit3	Fast reference process faulty. The fast reference process couldn't be completed successfully within the projected time (PR 1,0700,985). Reason: 1. The learned span is bigger than the reference
0010.087007.205.001.2	AL Com. to Sensor HDT2800 Lost	loss of communications ==> Check the sensor and wiring, replace sensor if necessary. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087008.205.001.2	AL Comb.WarningIgnitionControl	AL MIC Yellow (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087008.205.011.2	AL Comb.FailureIgnitionControl	AL MIC Red (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 39 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087009.205.001.2	AL Com.to IgnitionControl Lost	AL MIC Comm Lost (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087010.205.001.2	AL IgnitionControlSignal.Diff.	AL MIC Signature difference (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087011.205.001.2	AL Ign.Ctrl.PR Download act.	AL MIC parameter download active (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.057012.265.001.2	SC ECU Analog Out 1	This fault occurs if the analog output 1 channel has a short circuit (if the Output value and the back readed signal value differs more than in PR 2.1052.009) (Alarm Configuration Parameter, for de
0010.057012.265.011.2	SC ECU Analog Out 2	This fault occurs if the analog output 2 channel has a short circuit (if the Output value and the back readed signal value differs more than in PR 2.1052.009) (Alarm Configuration Parameter, for de
0010.075214.205.001.2	AL EMU CAN_E Lost	AL EMU9 Com Lost (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.057011.205.001.2	AL Wiring PWM_CM1	Open load or short circuit on channel PWM_CM1. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087006.205.001.2	AL Com. Lost GRU	The ECU has detected a loss of communication to the gas regulation unit. Reason: Cable break or short circuit CAN bus. GRU does not send status messages or the ECU or can not receive status messag
0010.057011.205.041.2	AL Wiring PWM_CM4	Yellow alarm pressure relief valve second rail.
0010.057011.205.051.2	AL Wiring PWM_CM5	Open load or short circuit on channel PWM_CM5. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.205.001.2	AL SplashOilCalib.not Possible	AL EXU Supply Voltage is too high, device can be destroyed. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.001.2	HI T-SplashOilCombLifeCycDrift	AL Splash Oil Life Cycle drift exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.011.2	HI T-Splash Oil LifeCycDriftB1	AL Splash Oil Life Cycle drift exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.021.2	HI T-Splash Oil LifeCycDriftB2	AL Splash Oil Life Cycle drift of splash oil compartment 2 exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.031.2	HI T-Splash Oil LifeCycDriftB3	AL Splash Oil Life Cycle drift of splash oil compartment 3 exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.041.2	HI T-Splash Oil LifeCycDriftB4	AL Splash Oil Life Cycle drift of splash oil compartment 4 exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.051.2	HI T-Splash Oil LifeCycDriftB5	AL Splash Oil Life Cycle drift of splash oil compartment 5 exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.061.2	HI T-Splash Oil LifeCycDriftB6	AL Splash Oil Life Cycle drift of splash oil compartment 6 exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.071.2	HI T-Splash Oil LifeCycDriftB7	AL Splash Oil Life Cycle drift of splash oil compartment 7 exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.081.2	HI T-Splash Oil LifeCycDriftB8	AL Splash Oil Life Cycle drift of splash oil compartment 8 exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.091.2	HI T-Splash Oil LifeCycDriftB9	AL Splash Oil Life Cycle drift of splash oil compartment 9 exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.155.101.2	HI T-Splash Oil LifeCycDriftB10	AL Splash Oil Life Cycle drift of splash oil compartment 10 exceeds first upper limit U1L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.001.2	HIHI T-SplashOilCombLifeCycDri	Combined AL Splash Oil Life Cycle drift of any splash oil compartment 1-10 exceeds upper second limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.011.2	HIHI T-Splash Oil LifeCycDriftB1	AL Splash Oil Life Cycle drift of splash oil compartment 1 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.021.2	HIHI T-Splash Oil LifeCycDriftB2	AL Splash Oil Life Cycle drift of splash oil compartment 2 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 40 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.025605.165.031.2	HIHI T-Splash Oil LifeCycDriftB3	AL Splash Oil Life Cycle drift of splash oil compartment 3 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.041.2	HIHI T-Splash Oil LifeCycDriftB4	AL Splash Oil Life Cycle drift of splash oil compartment 4 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.051.2	HIHI T-Splash Oil LifeCycDriftB5	AL Splash Oil Life Cycle drift of splash oil compartment 5 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.061.2	HIHI T-Splash Oil LifeCycDriftB6	AL Splash Oil Life Cycle drift of splash oil compartment 6 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.071.2	HIHI T-Splash Oil LifeCycDriftB7	AL Splash Oil Life Cycle drift of splash oil compartment 7 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.081.2	HIHI T-Splash Oil LifeCycDriftB8	AL Splash Oil Life Cycle drift of splash oil compartment 8 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.091.2	HIHI T-Splash Oil LifeCycDriftB9	AL Splash Oil Life Cycle drift of splash oil compartment 9 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025605.165.101.2	HIHI T-Splash Oil LifeCycDriftB10	AL Splash Oil Life Cycle drift of splash oil compartment 10 exceeds second upper limit U2L (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087206.105.001.2	LO Power Supply CPM	AL EXU Supply Voltage too low (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087206.115.001.2	LOLO Power Supply CPM	AL EXU Supply Voltage is too low, full function not guaranteed anymore. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087206.155.001.2	HI Power Supply CPM	AL EXU Supply Voltage too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087206.165.001.2	HIHI Power Supply CPM	AL EXU Supply Voltage is too high, device can be destroyed. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.011.2	AL Glow Ignition A1	AL Glow ignition Zyl 1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.021.2	AL Glow Ignition A2	AL Glow ignition Zyl 2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.031.2	AL Glow Ignition A3	AL Glow ignition Cyl 3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.041.2	AL Glow Ignition A4	AL Glow ignition Cyl 4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.051.2	AL Glow Ignition A5	AL Glow ignition Cyl 5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.061.2	AL Glow Ignition A6	AL Glow ignition Cyl A6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.071.2	AL Glow Ignition A7	AL Glow ignition Cyl A7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.081.2	AL Glow Ignition A8	AL Glow ignition Cyl A8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.091.2	AL Glow Ignition A9	AL Glow ignition Cyl A9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.101.2	AL Glow Ignition A10	AL Glow ignition Cyl A10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.111.2	AL Glow Ignition B1	AL Glow ignition Cyl B1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.121.2	AL Glow Ignition B2	AL Glow ignition Cyl B2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.131.2	AL Glow Ignition B3	AL Glow ignition Cyl B3 (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 41 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087203.205.141.2	AL Glow Ignition B4	AL Glow ignition Cyl B4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.151.2	AL Glow Ignition B5	AL Glow ignition Cyl B5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.161.2	AL Glow Ignition B6	AL Glow ignition Cyl B6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.171.2	AL Glow Ignition B7	AL Glow ignition Cyl B7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.181.2	AL Glow Ignition B8	AL Glow ignition Cyl B8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.191.2	AL Glow Ignition B9	AL Glow ignition Cyl B9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087203.205.201.2	AL Glow Ignition B10	AL Glow ignition Cyl B10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.011.2	HI Misfire A1	AL L1 Misfire A1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.021.2	HI Misfire A2	AL L1 Misfire A2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.031.2	HI Misfire A3	AL L1 Misfire A3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.041.2	HI Misfire A4	AL L1 Misfire A4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.051.2	HI Misfire A5	AL L1 Misfire A5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.061.2	HI Misfire A6	AL L1 Misfire A6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.071.2	HI Misfire A7	AL L1 Misfire A7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.081.2	HI Misfire A8	AL L1 Misfire A8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.091.2	HI Misfire A9	AL L1 Misfire A9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.101.2	HI Misfire A10	AL L1 Misfire A10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.111.2	HI Misfire B1	AL L1 Misfire B1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.121.2	HI Misfire B2	AL L1 Misfire B2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.131.2	HI Misfire B3	AL L1 Misfire B3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.141.2	HI Misfire B4	AL L1 Misfire B4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.151.2	HI Misfire B5	AL L1 Misfire B5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.161.2	HI Misfire B6	AL L1 Misfire B6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.171.2	HI Misfire B7	AL L1 Misfire B7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.181.2	HI Misfire B8	AL L1 Misfire B8 (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 42 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087204.155.191.2	HI Misfire B9	AL L1 Misfire B9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.155.201.2	HI Misfire B10	AL L1 Misfire B10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.011.2	HIHI Misfire A1	AL L2 Misfire Cyl A1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.021.2	HIHI Misfire A2	AL L2 Misfire Cyl A2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.031.2	HIHI Misfire A3	AL L2 Misfire Cyl A3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.041.2	HIHI Misfire A4	AL L2 Misfire Cyl A4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.051.2	HIHI Misfire A5	AL L2 Misfire Cyl A5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.061.2	HIHI Misfire A6	AL L2 Misfire Cyl A6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.071.2	HIHI Misfire A7	AL L2 Misfire Cyl A7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.081.2	HIHI Misfire A8	AL L2 Misfire Cyl A8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.091.2	HIHI Misfire A9	AL L2 Misfire Cyl A9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.101.2	HIHI Misfire A10	AL L2 Misfire Cyl A10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.111.2	HIHI Misfire B1	AL L2 Misfire Cyl B1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.121.2	HIHI Misfire B2	AL L2 Misfire Cyl B2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.131.2	HIHI Misfire B3	AL L2 Misfire Cyl B3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.141.2	HIHI Misfire B4	AL L2 Misfire Cyl B4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.151.2	HIHI Misfire B5	AL L2 Misfire Cyl B5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.161.2	HIHI Misfire B6	AL L2 Misfire Cyl B6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.171.2	HIHI Misfire B7	AL L2 Misfire Cyl B7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.181.2	HIHI Misfire B8	AL L2 Misfire Cyl B8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.191.2	HIHI Misfire B9	AL L2 Misfire Cyl B9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.165.201.2	HIHI Misfire B10	AL L2 Misfire Cyl B10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.011.2	LO P-Cyl. Deviat. to Avg A1	AL LO IMEPH deviation to mean value Cylinder A1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.021.2	LO P-Cyl. Deviat. to Avg A2	AL LO IMEPH deviation to mean value Cylinder A2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.031.2	LO P-Cyl. Deviat. to Avg A3	AL LO IMEPH deviation to mean value Cylinder A3 (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 43 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087205.105.041.2	LO P-Cyl. Deviat. to Avg A4	AL LO IMEPH deviation to mean value Cylinder A4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.051.2	LO P-Cyl. Deviat. to Avg A5	AL LO IMEPH deviation to mean value Cylinder A5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.061.2	LO P-Cyl. Deviat. to Avg A6	AL LO IMEPH deviation to mean value Cylinder A6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.071.2	LO P-Cyl. Deviat. to Avg A7	AL LO IMEPH deviation to mean value Cylinder A7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.081.2	LO P-Cyl. Deviat. to Avg A8	AL LO IMEPH deviation to mean value Cylinder A8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.091.2	LO P-Cyl. Deviat. to Avg A9	AL LO IMEPH deviation to mean value Cylinder A9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.101.2	LO P-Cyl. Deviat. to Avg A10	AL LO IMEPH deviation to mean value Cylinder A10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.111.2	LO P-Cyl. Deviat. to Avg B1	AL LO IMEPH deviation to mean value Cylinder B1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.121.2	LO P-Cyl. Deviat. to Avg B2	AL LO IMEPH deviation to mean value Cylinder B2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.131.2	LO P-Cyl. Deviat. to Avg B3	AL LO IMEPH deviation to mean value Cylinder B3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.141.2	LO P-Cyl. Deviat. to Avg B4	AL LO IMEPH deviation to mean value Cylinder B4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.151.2	LO P-Cyl. Deviat. to Avg B5	AL LO IMEPH deviation to mean value Cylinder B5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.161.2	LO P-Cyl. Deviat. to Avg B6	AL LO IMEPH deviation to mean value Cylinder B6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.171.2	LO P-Cyl. Deviat. to Avg B7	AL LO IMEPH deviation to mean value Cylinder B7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.181.2	LO P-Cyl. Deviat. to Avg B8	AL LO IMEPH deviation to mean value Cylinder B8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.191.2	LO P-Cyl. Deviat. to Avg B9	AL LO IMEPH deviation to mean value Cylinder B9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.105.201.2	LO P-Cyl. Deviat. to Avg B10	AL LO IMEPH deviation to mean value Cylinder B10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.011.2	LOLO P-Cyl. Deviat. to Avg A1	AL LOLO IMEPH deviation to mean value Cylinder A1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.021.2	LOLO P-Cyl. Deviat. to Avg A2	AL LOLO IMEPH deviation to mean value Cylinder A2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.031.2	LOLO P-Cyl. Deviat. to Avg A3	AL LOLO IMEPH deviation to mean value Cylinder A3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.041.2	LOLO P-Cyl. Deviat. to Avg A4	AL LOLO IMEPH deviation to mean value Cylinder A4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.051.2	LOLO P-Cyl. Deviat. to Avg A5	AL LOLO IMEPH deviation to mean value Cylinder A5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.061.2	LOLO P-Cyl. Deviat. to Avg A6	AL LOLO IMEPH deviation to mean value Cylinder A6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.071.2	LOLO P-Cyl. Deviat. to Avg A7	AL LOLO IMEPH deviation to mean value Cylinder A7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.081.2	LOLO P-Cyl. Deviat. to Avg A8	AL LOLO IMEPH deviation to mean value Cylinder A8 (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 44 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087205.115.091.2	LOLO P-Cyl. Deviat. to Avg A9	AL LOLO IMEPH deviation to mean value Cylinder A9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.101.2	LOLO P-Cyl. Deviat. to Avg A10	AL LOLO IMEPH deviation to mean value Cylinder A10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.111.2	LOLO P-Cyl. Deviat. to Avg B1	AL LOLO IMEPH deviation to mean value Cylinder B1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.121.2	LOLO P-Cyl. Deviat. to Avg B2	AL LOLO IMEPH deviation to mean value Cylinder B2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.131.2	LOLO P-Cyl. Deviat. to Avg B3	AL LOLO IMEPH deviation to mean value Cylinder B3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.141.2	LOLO P-Cyl. Deviat. to Avg B4	AL LOLO IMEPH deviation to mean value Cylinder B4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.151.2	LOLO P-Cyl. Deviat. to Avg B5	AL LOLO IMEPH deviation to mean value Cylinder B5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.161.2	LOLO P-Cyl. Deviat. to Avg B6	AL LOLO IMEPH deviation to mean value Cylinder B6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.171.2	LOLO P-Cyl. Deviat. to Avg B7	AL LOLO IMEPH deviation to mean value Cylinder B7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.181.2	LOLO P-Cyl. Deviat. to Avg B8	AL LOLO IMEPH deviation to mean value Cylinder B8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.191.2	LOLO P-Cyl. Deviat. to Avg B9	AL LOLO IMEPH deviation to mean value Cylinder B9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.115.201.2	LOLO P-Cyl. Deviat. to Avg B10	AL LOLO IMEPH deviation to mean value Cylinder B10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.011.2	HI P-Cyl. Deviat. to Avg A1	AL HI IMEPH deviation to mean value Cylinder A1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.021.2	HI P-Cyl. Deviat. to Avg A2	AL HI IMEPH deviation to mean value Cylinder A2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.031.2	HI P-Cyl. Deviat. to Avg A3	AL HI IMEPH deviation to mean value Cylinder A3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.041.2	HI P-Cyl. Deviat. to Avg A4	AL HI IMEPH deviation to mean value Cylinder A4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.051.2	HI P-Cyl. Deviat. to Avg A5	AL HI IMEPH deviation to mean value Cylinder A5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.061.2	HI P-Cyl. Deviat. to Avg A6	AL HI IMEPH deviation to mean value Cylinder A6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.071.2	HI P-Cyl. Deviat. to Avg A7	AL HI IMEPH deviation to mean value Cylinder A7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.081.2	HI P-Cyl. Deviat. to Avg A8	AL HI IMEPH deviation to mean value Cylinder A8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.091.2	HI P-Cyl. Deviat. to Avg A9	AL HI IMEPH deviation to mean value Cylinder A9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.101.2	HI P-Cyl. Deviat. to Avg A10	AL HI IMEPH deviation to mean value Cylinder A10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.111.2	HI P-Cyl. Deviat. to Avg B1	AL HI IMEPH deviation to mean value Cylinder B1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.121.2	HI P-Cyl. Deviat. to Avg B2	AL HI IMEPH deviation to mean value Cylinder B2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.131.2	HI P-Cyl. Deviat. to Avg B3	AL HI IMEPH deviation to mean value Cylinder B3 (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 45 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087205.155.141.2	HI P-Cyl. Deviat. to Avg B4	AL HI IMEPH deviation to mean value Cylinder B4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.151.2	HI P-Cyl. Deviat. to Avg B5	AL HI IMEPH deviation to mean value Cylinder B5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.161.2	HI P-Cyl. Deviat. to Avg B6	AL HI IMEPH deviation to mean value Cylinder B6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.171.2	HI P-Cyl. Deviat. to Avg B7	AL HI IMEPH deviation to mean value Cylinder B7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.181.2	HI P-Cyl. Deviat. to Avg B8	AL HI IMEPH deviation to mean value Cylinder B8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.191.2	HI P-Cyl. Deviat. to Avg B9	AL HI IMEPH deviation to mean value Cylinder B9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.155.201.2	HI P-Cyl. Deviat. to Avg B10	AL HI IMEPH deviation to mean value Cylinder B10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.011.2	HIHI P-Cyl. Deviat. to Avg A1	AL HI IMEPH deviation to mean value Cylinder A1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.021.2	HIHI P-Cyl. Deviat. to Avg A2	AL HI IMEPH deviation to mean value Cylinder A2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.031.2	HIHI P-Cyl. Deviat. to Avg A3	AL HI IMEPH deviation to mean value Cylinder A3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.041.2	HIHI P-Cyl. Deviat. to Avg A4	AL HI IMEPH deviation to mean value Cylinder A4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.051.2	HIHI P-Cyl. Deviat. to Avg A5	AL HI IMEPH deviation to mean value Cylinder A5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.061.2	HIHI P-Cyl. Deviat. to Avg A6	AL HI IMEPH deviation to mean value Cylinder A6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.071.2	HIHI P-Cyl. Deviat. to Avg A7	AL HI IMEPH deviation to mean value Cylinder A7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.081.2	HIHI P-Cyl. Deviat. to Avg A8	AL HI IMEPH deviation to mean value Cylinder A8 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.091.2	HIHI P-Cyl. Deviat. to Avg A9	AL HI IMEPH deviation to mean value Cylinder A9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.101.2	HIHI P-Cyl. Deviat. to Avg A10	AL HI IMEPH deviation to mean value Cylinder A10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.111.2	HIHI P-Cyl. Deviat. to Avg B1	AL HI IMEPH deviation to mean value Cylinder B1 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.121.2	HIHI P-Cyl. Deviat. to Avg B2	AL HI IMEPH deviation to mean value Cylinder B2 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.131.2	HIHI P-Cyl. Deviat. to Avg B3	AL HI IMEPH deviation to mean value Cylinder B3 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.141.2	HIHI P-Cyl. Deviat. to Avg B4	AL HI IMEPH deviation to mean value Cylinder B4 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.151.2	HIHI P-Cyl. Deviat. to Avg B5	AL HI IMEPH deviation to mean value Cylinder B5 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.161.2	HIHI P-Cyl. Deviat. to Avg B6	AL HI IMEPH deviation to mean value Cylinder B6 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.171.2	HIHI P-Cyl. Deviat. to Avg B7	AL HI IMEPH deviation to mean value Cylinder B7 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.181.2	HIHI P-Cyl. Deviat. to Avg B8	AL HI IMEPH deviation to mean value Cylinder B8 (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 46 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087205.165.191.2	HIHI P-Cyl. Deviat. to Avg B9	AL HI IMEPH deviation to mean value Cylinder B9 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087205.165.201.2	HIHI P-Cyl. Deviat. to Avg B10	AL HI IMEPH deviation to mean value Cylinder B10 (Alarm Configuration Parameter, for details see PR 2.8008.100)
0021.043101.205.001.2	AL Power Limitation Active Gear SaSy	The power limitation of the engine is active due to any gear failure of the gear safety system
0080.049003.205.001.2	AL Disengage Timeout	The SPU output transistor for the gear cmd is defect. The reason could be short circuit or the X33 configuration is wrong.
0080.049004.205.001.2	AL Engage Timeout	The SPU output transistor for the gear cmd is defect. The reason could be short circuit or the X33 configuration is wrong.
0080.059002.205.010.2	AL Emergency Disengage SaSy	The clutch was automatically disengaged by a safety function. The clutch will be always automatically disengaged by an emergency stop or security shutdown.
0080.075899.205.001.2	AL Com To MCS Lost	The communication to the MCS is lost. The PLC is not running anymore or the complete MCS node is not available anymore.
0010.087201.215.001.2	SD P-Cylinder Max A1	AL Pressure Sensor Cylinder A1 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.215.011.2	SD P-Cylinder Max A2	AL Pressure Sensor Cylinder A2 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.215.021.2	SD P-Cylinder Max A3	AL Pressure Sensor Cylinder A3 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.215.031.2	SD P-Cylinder Max A4	AL Pressure Sensor Cylinder A4 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.215.041.2	SD P-Cylinder Max A5	AL Pressure Sensor Cylinder A5 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.215.051.2	SD P-Cylinder Max A6	AL Pressure Sensor Cylinder A6 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.215.061.2	SD P-Cylinder Max A7	AL Pressure Sensor Cylinder A7 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.215.071.2	SD P-Cylinder Max A8	AL Pressure Sensor Cylinder A8 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.215.081.2	SD P-Cylinder Max A9	AL Pressure Sensor Cylinder A9 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087201.215.091.2	SD P-Cylinder Max A10	AL Pressure Sensor Cylinder A10 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.215.001.2	SD P-Cylinder Max B1	AL Pressure Sensor Cylinder B1 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.215.011.2	SD P-Cylinder Max B2	AL Pressure Sensor Cylinder B2 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.215.021.2	SD P-Cylinder Max B3	AL Pressure Sensor Cylinder B3 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.215.031.2	SD P-Cylinder Max B4	AL Pressure Sensor Cylinder B4 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.215.041.2	SD P-Cylinder Max B5	AL Pressure Sensor Cylinder B5 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.215.051.2	SD P-Cylinder Max B6	AL Pressure Sensor Cylinder B6 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.215.061.2	SD P-Cylinder Max B7	AL Pressure Sensor Cylinder B7 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.215.071.2	SD P-Cylinder Max B8	AL Pressure Sensor Cylinder B8 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 47 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.087202.215.081.2	SD P-Cylinder Max B9	AL Pressure Sensor Cylinder B9 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087202.215.091.2	SD P-Cylinder Max B10	AL Pressure Sensor Cylinder B10 defect (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.087204.215.001.2	SD T-CPM	AL Sensor defect Temperature EXU Device. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0011.043511.215.001.2	SD T-EMU	AL Sensordefect T-EXU Device (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.061003.205.001.2	AL EIL Protection	EIL Protectionmodul Defect
0010.087300.205.001.2	AL Com.To Compressor Bypass Lost	Communication to the compressor bypass is lost
0010.006600.205.011.2	AL Com. to NOx Lost	Communication to the NOX sensor is lost
0010.087301.205.001.2	AL Comb. Warning Compressor Bypass	Combined warning from the compressor bypass
0010.087301.205.011.2	AL Comb. Failure Compressor Bypass	Combined alarm from the compressor bypass
0010.006601.205.011.2	AL Emission Warning	Warning: The emissions are not optimal
0010.040428.205.001.2	AL Engine Cold Active	The Engine Cold Function is active
0010.087102.205.001.2	AL Com To Restrictor Valve A Lost	Communication to the restrictor valve A is lost
0010.087102.205.011.2	AL Com To Restrictor Valve B Lost	Communication to the restrictor valve B is lost
0010.087400.205.001.2	AL Com. To Wastegate A Lost	Communication to the wastegate A is lost
0010.087400.205.011.2	AL Com. To Wastegate B Lost	Communication to the wastegate B is lost
0010.087500.205.001.2	AL Explosion Relief Valve open	The explosion relief valve is open
0010.015201.105.001.2	LO T-Coolant	Coolant temperature too low (limit 1) ==> Check circulation of coolant
0010.002020.205.001.2	AL Perm. Injection Detection 2	This alarm is released, if a permanent injection is detected (Rail2).
0100.078002.205.001.2	AL MMS Combined Red	Any red engine alarm occurred on the MCS, which is not known in the SPU
0100.078003.205.001.2	AL MMS Combined Yel	Any yellow engine alarm occurred on the MCS, which is not known in the SPU
0050.024300.205.011.2	AL DEF Tank Level Empty	DEF tank level below threshold "empty". ==> Fill up with DEF. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.025305.105.001.2	SD Lube Oil Level Switch	The Lube Oil Level Sensor (Switch) is defect.
0010.016101.115.001.2	LOLO P-Raw Water	The raw water pressure after The pump is too low (limit 2)
0010.056007.205.001.2	AL Gas Inclusion	Gas inclusion occurred (pressure difference between P6 and P5): P6 > (P5 + (Offset))
0010.015104.215.001.2	SD P-Coolant Intercooler	Intercooler coolant pressure-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B43), if necessary replace it. (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 48 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm Description
0010.015104.105.001.2	LO P-Coolant Intercooler	Coolant pressure of InterCooler too low (limit 1). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.015104.115.001.2	LOLO P-Coolant Intercooler	Coolant pressure of InterCooler too low (limit 2). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.005102.215.001.2	SD P-Intake Air After FilterA	Intake air pressure sensor and cable , if necessary replace it. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.005102.105.001.2	LO P-Intake Air After FilterA	P-Intake Air after Filter A over Limit (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.005102.115.001.2	LOLO P-Intake AirAfterFilterA	P-Intake Air after Filter A over Limit (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.005102.115.011.2	LOLO P-Intake AirAfterFilterB	P-Intake Air after Filter B over Limit (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.015202.215.001.2	SD T-Coolant Intercooler	Intercooler coolant temperature-sensor defect. ==> short circuit or cable breakage ==> Check sensor and cable (B26), if necessary replace it. After Engine restart follows curing of failure. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.015202.155.001.2	HI T-Coolant Intercooler	Coolant temperature of InterCooler too high (limit 1). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.015202.165.001.2	HIHI T-Coolant Intercooler	Coolant temperature of InterCooler too high (limit 2). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.001.2	AL Inj. Drift Limit 1 Cyl.A1	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A1. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.011.2	AL Inj. Drift Limit 1 Cyl.A2	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A2. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.021.2	AL Inj. Drift Limit 1 Cyl.A3	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A3. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.031.2	AL Inj. Drift Limit 1 Cyl.A4	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A4. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.041.2	AL Inj. Drift Limit 1 Cyl.A5	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A5. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.051.2	AL Inj. Drift Limit 1 Cyl.A6	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A6. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.061.2	AL Inj. Drift Limit 1 Cyl.A7	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A7. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.071.2	AL Inj. Drift Limit 1 Cyl.A8	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A8. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.081.2	AL Inj. Drift Limit 1 Cyl.A9	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A9. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.091.2	AL Inj. Drift Limit 1 Cyl.A10	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder A10. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.001.2	AL Inj. Drift Limit 2 Cyl.A1	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A1. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.011.2	AL Inj. Drift Limit 2 Cyl.A2	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A2. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.021.2	AL Inj. Drift Limit 2 Cyl.A3	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A3. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.031.2	AL Inj. Drift Limit 2 Cyl.A4	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A4. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.041.2	AL Inj. Drift Limit 2 Cyl.A5	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A5. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.051.2	AL Inj. Drift Limit 2 Cyl.A6	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A6. (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 49 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Änderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0010.002019.205.061.2	AL Inj. Drift Limit 2 Cyl.A7	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A7. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.071.2	AL Inj. Drift Limit 2 Cyl.A8	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A8. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.081.2	AL Inj. Drift Limit 2 Cyl.A9	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A9. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.091.2	AL Inj. Drift Limit 2 Cyl.A10	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder A10. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.101.2	AL Inj. Drift Limit 1 Cyl.B1	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B1. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.111.2	AL Inj. Drift Limit 1 Cyl.B2	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B2. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.121.2	AL Inj. Drift Limit 1 Cyl.B3	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B3. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.131.2	AL Inj. Drift Limit 1 Cyl.B4	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B4. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.141.2	AL Inj. Drift Limit 1 Cyl.B5	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B5. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.151.2	AL Inj. Drift Limit 1 Cyl.B6	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B6. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.161.2	AL Inj. Drift Limit 1 Cyl.B7	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B7. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.171.2	AL Inj. Drift Limit 1 Cyl.B8	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B8. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.181.2	AL Inj. Drift Limit 1 Cyl.B9	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B9. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002018.205.191.2	AL Inj. Drift Limit 1 Cyl.B10	IAP: Limit 1 of correction of Energization Duration or Begin of Energization reached for cylinder B10. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.101.2	AL Inj. Drift Limit 2 Cyl.B1	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B1. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.111.2	AL Inj. Drift Limit 2 Cyl.B2	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B2. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.121.2	AL Inj. Drift Limit 2 Cyl.B3	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B3. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.131.2	AL Inj. Drift Limit 2 Cyl.B4	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B4. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.141.2	AL Inj. Drift Limit 2 Cyl.B5	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B5. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.151.2	AL Inj. Drift Limit 2 Cyl.B6	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B6. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.161.2	AL Inj. Drift Limit 2 Cyl.B7	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B7. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.171.2	AL Inj. Drift Limit 2 Cyl.B8	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B8. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.181.2	AL Inj. Drift Limit 2 Cyl.B9	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B9. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.002019.205.191.2	AL Inj. Drift Limit 2 Cyl.B10	IAP: Limit 2 of correction of Energization Duration or Begin of Energization reached for cylinder B10. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0010.056006.155.011.2	HI ETC Idle Speed	Idle Speed of one of the switcheable chargers too high. (Alarm Configuration Parameter, for details see PR 2.8008.100)

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 50 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438	
		Bearbeitungsstatus/Lifecycle Released	

SysID	Alarm Name	Alarm Description
0012.024424.105.001.2	LO RA Concentration	The concentration of the reducing agent for the SCR system (RA quality) is lower than the first specified limit (LO). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.024424.115.001.2	LOLO RA Concentration	The concentration of the reducing agent for the SCR system (RA quality) is lower than the second specified limit (LOLO). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.024424.215.001.2	SD RA Concentration	DEF Quality sensor is defect ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.024424.155.001.2	HI RA Concentration	The concentration of the reducing agent for the SCR system (RA quality) is higher as the specified limit 1 (HI). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.024424.165.001.2	HIHI RA Concentration	The concentration of the reducing agent for the SCR system is higher as the specified limit 2 (HIHI). (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.024425.105.001.2	LO RA Quality	AL Urea quality not ok (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.006500.155.011.2	HI P-Exhaust Diff. SCR 2	Limit 1 for pressure difference of exhaust gas between inlet and outlet of the SCR 2 exceeded. ==> Pressure difference exceeds value of parameter 1.1750.046 ==> Check if SCR 2 is blocked. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.006500.165.011.2	HIHI P-Exhaust Diff. SCR 2	Limit 2 for pressure difference of exhaust gas between inlet and outlet of the SCR 2 exceeded. ==> Pressure difference exceeds value of parameter 1.1750.047 ==> Check if SCR 2 is blocked. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.006201.215.011.2	SD T-Exhaust SCR Outlet 2	Sensor T-Exhaust after SCR F2 defect ==> short circuit or cable breakage ==> Check sensor and cable, if necessary replace it.
0012.006201.155.011.2	HI T-Exhaust SCR Outlet 2	L1 T-Exhaust After SCR flow2 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.006201.165.011.2	HIHI T-Exhaust SCR Outlet 2	L2 T-Exhaust After SCR flow2 exceeded (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.024426.205.001.2	AL PDM Leak Check Failed	AL PDM LeakCheck has failed, EGA system may not be operated. ==> Check DEF-Hoses and DEF-PDM, if necessary replace it. (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.024101.155.001.2	HI T-Reducing Agent SUDU F1	AL DEF temperature at dosers is too high (Alarm Configuration Parameter, for details see PR 2.8008.100)
0012.024101.155.011.2	HI T-Reducing Agent SUDU F2	AL DEF temperature at dosers is too high
0012.024425.205.001.2	AL Hydraulics Fault SUDU 1	A hydraulical fault is reported by the on-board diagnostic system (OBD) of the Diesel Exhaust Fluid (DEF) Dosing System 1 mounted to the SCR catalyst. See PV 1.0721.042 Fault State 1 DEF Doser 1 and PV 1.0721.043 Fault State 2 DEF Doser 1 for detailed information. See documentation of the Exhaust Gas Aftertreatment System for where DEF Doser 1 is located. ==> Check DEF hydraulics system. Replace parts if necessary.
0012.024425.205.011.2	AL Hydraulics Fault SUDU 2	A hydraulical fault is reported by the on-board diagnostic system (OBD) of the Diesel Exhaust Fluid (DEF) Dosing System 2 mounted to the SCR catalyst. See PV 1.0722.042 Fault State 1 DEF Doser 2 and PV 1.0722.043 Fault State 2 DEF Doser 2 for detailed information. See documentation of the Exhaust Gas Aftertreatment System for where DEF Doser 2 is located. ==> Check DEF hydraulics system. Replace parts if necessary.
0012.024425.205.021.2	AL Hydraulics Fault SUDU 3	A hydraulical fault is reported by the on-board diagnostic system (OBD) of the Diesel Exhaust Fluid (DEF) Dosing System 3 mounted to the SCR catalyst. See PV 1.0723.042 Fault State 1 DEF Doser 3 and PV 1.0723.043 Fault State 2 DEF Doser 3 for detailed information. See documentation of the Exhaust Gas Aftertreatment System for where DEF Doser 3 is located. ==> Check DEF hydraulics system. Replace parts if necessary.
0012.024425.205.031.2	AL Hydraulics Fault SUDU 4	A hydraulical fault is reported by the on-board diagnostic system (OBD) of the Diesel Exhaust Fluid (DEF) Dosing System 4 mounted to the SCR catalyst. See PV 1.0724.042 Fault State 1 DEF Doser 4 and PV 1.0724.043 Fault State 2 DEF Doser 4 for detailed information. See documentation of the Exhaust Gas Aftertreatment System for where DEF Doser 4 is located. ==> Check DEF hydraulics system. Replace parts if necessary.
0012.024425.205.041.2	AL Hydraulics Fault SUDU 5	A hydraulical fault is reported by the on-board diagnostic system (OBD) of the Diesel Exhaust Fluid (DEF) Dosing System 4 mounted to the SCR catalyst. See PV 1.0724.042 Fault State 1 DEF Doser 5 and PV 1.0724.043 Fault State 2 DEF Doser 4 for detailed information. See documentation of the Exhaust Gas Aftertreatment System for where DEF Doser 5 is located. ==> Check DEF hydraulics system. Replace parts if necessary.
0012.024425.205.051.2	AL Hydraulics Fault SUDU 6	A hydraulical fault is reported by the on-board diagnostic system (OBD) of the Diesel Exhaust Fluid (DEF) Dosing System 4 mounted to the SCR catalyst. See PV 1.0724.042 Fault State 1 DEF Doser 6 and PV 1.0724.043 Fault State 2 DEF Doser 4 for detailed information. See documentation of the Exhaust Gas Aftertreatment System for where DEF Doser 6 is located. ==> Check DEF hydraulics system. Replace parts if necessary.
0910.062017.205.001.2	AL SD-Card Unaccessible	The SD card from the SPU is not accessible. While the SPU is in operation, the SD card has to be plugged. When unplugged, the SPU has to be restarted to recognize the SD card

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 51 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision

war kZ

Kommt vor/Frequency

Buchst./Rev.Ltr.

-.8

Aenderungs-Nr./Revision Notice No.

PR033438

Bearbeitungsstatus/Lifecycle

Released

SysID	Alarm Name	Alarm Description
0050.072002.205.001.2	AL Capsize Timeout	The capsiz switch is longer active than the defined time in parameter "pDN_AL_CapsizeTimeout". A security shutdown is activated
0011.043513.215.001.2	SD Eng.Speed Crankshaft SaSy	Sensor Defect Crankshaft RPM (Alarm Configuration Parameter, for details see PR 2.8008.100)
0011.043513.225.001.2	TD Engine Speed Crankshaft	Transmitter Deviation Crankshaft Speed EMU to Crankshaft Speed ECU sensor defect or wrong configuration of measurement wheel (Alarm Configuration Parameter, for details see PR 2.8008.100)



MTU Friedrichshafen GmbH

Zeichnungs-Nr./Drawing No.

ZNG00013183

Blatt/ Sheet

52

von/of

137

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

Alarm Language Mapping

German, English, French, Spanish, Italian

SysID	English	German	French	Spanish	Italian
0010.057303.205.001.2	AL ECU Defect	AL ECU Defekt	AL Défaut ECU	AL ECU Defecto	AL ECU Difetto
0010.075101.245.001.2	SE Lifedata Not Available	SE Lifedata nicht verfuegbar	SE Temps Réel absent	SE Lifedata no disponible	SE Lifedata non disponibile
0010.075102.245.001.2	SE Lifedata Restore Incomp	SE Lifedata speichern inkomp	SE Temps Réel restaur incomp	SE Lifedata Restaurar Incompl.	SE Lifedata Riprist. Incompl.
0010.075103.245.001.2	SE CAN 1 Node Lost	SE CAN 1 Knoten verloren	SE CAN 1 Noeud Insolite	SE CAN 1 Nodo Perdido	SE CAN 1 Nodo Perso
0010.075104.245.001.2	SE CAN 2 Node Lost	SE CAN 2 Knoten verloren	SE CAN 2 Noeud Insolite	SE CAN 2 Nodo Perdido	SE CAN 2 Nodo Perso
0010.075105.245.001.2	SE CAN Wrong Parameters	SE CAN falsche Parameter	SE CAN Fausse Param	SE CAN Parámetros Incorrectos	SE CAN Parametro non corretto
0010.075106.245.001.2	SE CAN No PU Data	SE CAN keine PU Daten	SE CAN Non PU Data	SE CAN No PU Data	SE CAN No PU Data
0010.075107.245.001.2	SE CAN PU Data Flash Error	SE CAN PU Daten Flash Fehler	SE CAN Erreur PU Data Flash	SE CAN PU Data Error de Flash	SE CAN PU Data Errore di Flash
0010.075108.245.001.2	SE CAN 1 Bus off	SE CAN 1 Bus off	SE CAN 1 Bus éteint	SE CAN 1 Bus off	SE CAN 1 Bus off
0010.075109.245.001.2	SE CAN 1 Fehler Passive	SE CAN 1 Fehler passiv	SE CAN 1 Erreur Passive	SE CAN 1 Error Passive	SE CAN 1 Error Passive
0010.075110.245.001.2	SE CAN 2 Bus off	SE CAN 2 Bus off	SE CAN 2 Bus éteint	SE CAN 2 Bus off	SE CAN 2 Bus off
0010.075111.245.001.2	SE CAN 2 Error Passive	SE CAN 2 Fehler passiv	SE CAN 2 Erreur Passive	SE CAN 2 Error Passive	SE CAN 2 Error Passive
0010.075112.245.001.2	SE EMU PR Not Supported	SE EMU PR nicht unterstuetzt	SE EMU PR Non Supportée	SE EMU PR No soportado	SE EMU PR Non Supportato
0010.056001.215.051.2	SD ETC 5 Speed	SD ATL 5 Drehzahl	SD ETC 5 régime	SD ETC 5 Velocidad	SD ETC 5 Velocità
0011.000501.165.001.2	HIHI Motor Ueberdrehzahl SaSy	HIHI Motor Ueberdrehzahl SiSy	HIHI Moteur Surrégime SaSy	HIHI Sobrevelocidad Motor SaSy	HIHI Giri Motore Sovravel.SaSy
0011.025101.105.001.2	LO P-Lube Oil SaSy	LO P-Schmieroel SiSy	LO P-Huile Lubrification SaSy	LO P-Aceite Lubricante SaSy	LO P-Olio Lubrificante SaSy
0011.025101.115.001.2	LOLO P-Lube Oil SaSy	LOLO P-Schmieroel SiSy	LOLO P-Huile Lubr. SaSy	LOLO P-Aceite Lubricante SaSy	LOLO P-Olio Lubrificante SaSy
0011.015201.155.001.2	HI T-Coolant SaSy	HI T-Kuehlmittel SiSy	HI T-Liquide Refroid SaSy	HI T-Refrigerante SaSy	HI T-Refrigerante SaSy
0011.015201.165.001.2	HIHI T-Coolant SaSy	HIHI T-Kuehlmittel SiSy	HIHI T-Liquide Refroid SaSy	HIHI T-Refrigerante SaSy	HIHI T-Refrigerante SaSy
0011.043301.255.001.2	WB SaSy Emergency Stop Output	WB SiSy Notstopp Ausgang	WB SaSy Sortie arrêt urgence	WB SaSy Parada Emerg Salida	WB SaSy Output di emergenza
0011.043302.265.001.2	SC SaSy Emergency Stop Output	SC SiSy Notstopp Ausgang	SC SaSy Sortie arrêt urgence	SC SaSy Parada Emerg Salida	SC SaSy Output di emergenza
0010.055202.155.001.2	HI T-Bearing Mean	HI T-Lager Mittelwert	HI T-Palier Moyenne	HI T-Cojinete media	HI T-Cusc. medio
0010.006201.155.011.2	HI T-Exhaust A1	HI T-Abgas A1	HI T-Echappement A1	HI T-Escape A1	HI T-Gas di Scarico A1
0010.006201.155.021.2	HI T-Exhaust A2	HI T-Abgas A2	HI T-Echappement A2	HI T-Escape A2	HI T-Gas di Scarico A2
0010.006201.155.031.2	HI T-Exhaust A3	HI T-Abgas A3	HI T-Echappement A3	HI T-Escape A3	HI T-Gas di Scarico A3
0010.006201.155.041.2	HI T-Exhaust A4	HI T-Abgas A4	HI T-Echappement A4	HI T-Escape A4	HI T-Gas di Scarico A4
0010.006201.155.051.2	HI T-Exhaust A5	HI T-Abgas A5	HI T-Echappement A5	HI T-Escape A5	HI T-Gas di Scarico A5
0010.006201.155.061.2	HI T-Exhaust A6	HI T-Abgas A6	HI T-Echappement A6	HI T-Escape A6	HI T-Gas di Scarico A6
0010.006201.155.071.2	HI T-Exhaust A7	HI T-Abgas A7	HI T-Echappement A7	HI T-Escape A7	HI T-Gas di Scarico A7
0010.006201.155.081.2	HI T-Exhaust A8	HI T-Abgas A8	HI T-Echappement A8	HI T-Escape A8	HI T-Gas di Scarico A8
0010.006201.155.091.2	HI T-Exhaust A9	HI T-Abgas A9	HI T-Echappement A9	HI T-Escape A9	HI T-Gas di Scarico A9
0010.006201.155.101.2	HI T-Exhaust A10	HI T-Abgas A10	HI T-Echappement A10	HI T-Escape A10	HI T-Gas di Scarico A10
0010.006202.155.011.2	HI T-Exhaust B1	HI T-Abgas B1	HI T-Echappement B1	HI T-Escape B1	HI T-Gas di Scarico B1
0010.006202.155.021.2	HI T-Exhaust B2	HI T-Abgas B2	HI T-Echappement B2	HI T-Escape B2	HI T-Gas di Scarico B2



MTU Friedrichshafen GmbH

Zeichnungs-Nr./Drawing No.

ZNG00013183

Blatt/ Sheet

53
von/of
137

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released

SysID	English	German	French	Spanish	Italian
0010.006202.155.031.2	HI T-Exhaust B3	HI T-Abgas B3	HI T-Echappement B3	HI T-Escape B3	HI T-Gas di Scarico B3
0010.006202.155.041.2	HI T-Exhaust B4	HI T-Abgas B4	HI T-Echappement B4	HI T-Escape B4	HI T-Gas di Scarico B4
0010.006202.155.051.2	HI T-Exhaust B5	HI T-Abgas B5	HI T-Echappement B5	HI T-Escape B5	HI T-Gas di Scarico B5
0010.006202.155.061.2	HI T-Exhaust B6	HI T-Abgas B6	HI T-Echappement B6	HI T-Escape B6	HI T-Gas di Scarico B6
0010.006202.155.071.2	HI T-Exhaust B7	HI T-Abgas B7	HI T-Echappement B7	HI T-Escape B7	HI T-Gas di Scarico B7
0010.006202.155.081.2	HI T-Exhaust B8	HI T-Abgas B8	HI T-Echappement B8	HI T-Escape B8	HI T-Gas di Scarico B8
0010.006202.155.091.2	HI T-Exhaust B9	HI T-Abgas B9	HI T-Echappement B9	HI T-Escape B9	HI T-Gas di Scarico B9
0010.006202.155.101.2	HI T-Exhaust B10	HI T-Abgas B10	HI T-Echappement B10	HI T-Escape B10	HI T-Gas di Scarico B10
0010.055201.155.011.2	HI T-Bearing 1	HI T-Lager 1	HI T-Palier 1	HI T-Cojnete 1	HI T-Cuscinetto 1
0010.055201.155.021.2	HI T-Bearing 2	HI T-Lager 2	HI T-Palier 2	HI T-Cojnete 2	HI T-Cuscinetto 2
0010.055201.155.031.2	HI T-Bearing 3	HI T-Lager 3	HI T-Palier 3	HI T-Cojnete 3	HI T-Cuscinetto 3
0010.055201.155.041.2	HI T-Bearing 4	HI T-Lager 4	HI T-Palier 4	HI T-Cojnete 4	HI T-Cuscinetto 4
0010.055201.155.051.2	HI T-Bearing 5	HI T-Lager 5	HI T-Palier 5	HI T-Cojnete 5	HI T-Cuscinetto 5
0010.055201.155.061.2	HI T-Bearing 6	HI T-Lager 6	HI T-Palier 6	HI T-Cojnete 6	HI T-Cuscinetto 6
0010.055201.155.071.2	HI T-Bearing 7	HI T-Lager 7	HI T-Palier 7	HI T-Cojnete 7	HI T-Cuscinetto 7
0010.055201.155.081.2	HI T-Bearing 8	HI T-Lager 8	HI T-Palier 8	HI T-Cojnete 8	HI T-Cuscinetto 8
0010.055201.155.091.2	HI T-Bearing 9	HI T-Lager 9	HI T-Palier 9	HI T-Cojnete 9	HI T-Cuscinetto 9
0010.055201.155.101.2	HI T-Bearing 10	HI T-Lager 10	HI T-Palier 10	HI T-Cojnete 10	HI T-Cuscinetto 10
0010.055201.155.111.2	HI T-Bearing 11	HI T-Lager 11	HI T-Palier 11	HI T-Cojnete 11	HI T-Cuscinetto 11
0010.055201.165.011.2	HIHI T-Bearing 1	HIHI T-Lager 1	HIHI T-Palier 1	HIHI T-Cojnete 1	HIHI T-Cuscinetto 1
0010.055201.165.021.2	HIHI T-Bearing 2	HIHI T-Lager 2	HIHI T-Palier 2	HIHI T-Cojnete 2	HIHI T-Cuscinetto 2
0010.055201.165.031.2	HIHI T-Bearing 3	HIHI T-Lager 3	HIHI T-Palier 3	HIHI T-Cojnete 3	HIHI T-Cuscinetto 3
0010.055201.165.041.2	HIHI T-Bearing 4	HIHI T-Lager 4	HIHI T-Palier 4	HIHI T-Cojnete 4	HIHI T-Cuscinetto 4
0010.055201.165.051.2	HIHI T-Bearing 5	HIHI T-Lager 5	HIHI T-Palier 5	HIHI T-Cojnete 5	HIHI T-Cuscinetto 5
0010.055201.165.061.2	HIHI T-Bearing 6	HIHI T-Lager 6	HIHI T-Palier 6	HIHI T-Cojnete 6	HIHI T-Cuscinetto 6
0010.055201.165.071.2	HIHI T-Bearing 7	HIHI T-Lager 7	HIHI T-Palier 7	HIHI T-Cojnete 7	HIHI T-Cuscinetto 7
0010.055201.165.081.2	HIHI T-Bearing 8	HIHI T-Lager 8	HIHI T-Palier 8	HIHI T-Cojnete 8	HIHI T-Cuscinetto 8
0010.055201.165.091.2	HIHI T-Bearing 9	HIHI T-Lager 9	HIHI T-Palier 9	HIHI T-Cojnete 9	HIHI T-Cuscinetto 9
0010.055201.165.101.2	HIHI T-Bearing 10	HIHI T-Lager 10	HIHI T-Palier 10	HIHI T-Cojnete 10	HIHI T-Cuscinetto 10
0010.055201.165.111.2	HIHI T-Bearing 11	HIHI T-Lager 11	HIHI T-Palier 11	HIHI T-Cojnete 11	HIHI T-Cuscinetto 11
0010.006201.105.011.2	LO T-Exhaust A1	LO T-Abgas A1	LO T-Echappement A1	LO T-Escape A1	LO T-Gas di Scarico A1
0010.006201.105.021.2	LO T-Exhaust A2	LO T-Abgas A2	LO T-Echappement A2	LO T-Escape A2	LO T-Gas di Scarico A2
0010.006201.105.031.2	LO T-Exhaust A3	LO T-Abgas A3	LO T-Echappement A3	LO T-Escape A3	LO T-Gas di Scarico A3
0010.006201.105.041.2	LO T-Exhaust A4	LO T-Abgas A4	LO T-Echappement A4	LO T-Escape A4	LO T-Gas di Scarico A4
0010.006201.105.051.2	LO T-Exhaust A5	LO T-Abgas A5	LO T-Echappement A5	LO T-Escape A5	LO T-Gas di Scarico A5
0010.006201.105.061.2	LO T-Exhaust A6	LO T-Abgas A6	LO T-Echappement A6	LO T-Escape A6	LO T-Gas di Scarico A6
0010.006201.105.071.2	LO T-Exhaust A7	LO T-Abgas A7	LO T-Echappement A7	LO T-Escape A7	LO T-Gas di Scarico A7
0010.006201.105.081.2	LO T-Exhaust A8	LO T-Abgas A8	LO T-Echappement A8	LO T-Escape A8	LO T-Gas di Scarico A8
0010.006201.105.091.2	LO T-Exhaust A9	LO T-Abgas A9	LO T-Echappement A9	LO T-Escape A9	LO T-Gas di Scarico A9

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 54 von/of 137

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency			
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released	
SysID	English	German	French	Spanish	Italian
0010.006201.105.101.2	LO T-Exhaust A10	LO T-Abgas A10	LO T-Echappement A10	LO T-Escape A10	LO T-Gas di Scarico A10
0010.006202.105.011.2	LO T-Exhaust B1	LO T-Abgas B1	LO T-Echappement B1	LO T-Escape B1	LO T-Gas di Scarico B1
0010.006202.105.021.2	LO T-Exhaust B2	LO T-Abgas B2	LO T-Echappement B2	LO T-Escape B2	LO T-Gas di Scarico B2
0010.006202.105.031.2	LO T-Exhaust B3	LO T-Abgas B3	LO T-Echappement B3	LO T-Escape B3	LO T-Gas di Scarico B3
0010.006202.105.041.2	LO T-Exhaust B4	LO T-Abgas B4	LO T-Echappement B4	LO T-Escape B4	LO T-Gas di Scarico B4
0010.006202.105.051.2	LO T-Exhaust B5	LO T-Abgas B5	LO T-Echappement B5	LO T-Escape B5	LO T-Gas di Scarico B5
0010.006202.105.061.2	LO T-Exhaust B6	LO T-Abgas B6	LO T-Echappement B6	LO T-Escape B6	LO T-Gas di Scarico B6
0010.006202.105.071.2	LO T-Exhaust B7	LO T-Abgas B7	LO T-Echappement B7	LO T-Escape B7	LO T-Gas di Scarico B7
0010.006202.105.081.2	LO T-Exhaust B8	LO T-Abgas B8	LO T-Echappement B8	LO T-Escape B8	LO T-Gas di Scarico B8
0010.006202.105.091.2	LO T-Exhaust B9	LO T-Abgas B9	LO T-Echappement B9	LO T-Escape B9	LO T-Gas di Scarico B9
0010.006202.105.101.2	LO T-Exhaust B10	LO T-Abgas B10	LO T-Echappement B10	LO T-Escape B10	LO T-Gas di Scarico B10
0010.016101.105.001.2	LO P-Raw Water	LO P-Rohwasser	LO P-Eau Brute	LO P-Agua de Mar	LO P-Acqua Raffredd Esterna
0010.006207.205.001.2	AL Exhaust Monitoring Fail	AL Abgas Ueberwachungs Fehler	AL Défaut Surveillance Ech	AL Fallo Vigilancia Escape	Al Difetto Mon Gas di Scarico
0011.043501.205.001.2	AL Security Channel def. SaSy	AL Sicherheitskanal def. SiSy	AL Canal Sécurité Défect SaSy	AL Canal Segurid Defec SaSy	AL Canale Sicur Difetto SaSy
0011.015201.225.001.2	TD T-Coolant	TD T-Kuehlmittel	TD T-Liquide Refroid	TD T-Refrigerante	TD-T-Refrigerante
0011.025101.225.001.2	TD P-Lube Oil	TD P-Schmieroel	TD P-Huile Lubrification	TD P-Aceite Lubricante	TD P-Olio Lubrificante
0011.043502.205.001.2	AL EMU 11V	AL EMU 11V	AL EMU 11V	AL EMU 11V	AL EMU 11V
0011.043503.205.001.2	AL EMU 7V	AL EMU 7V	AL EMU 7V	AL EMU 7V	AL EMU 7V
0010.006206.205.001.2	AL T-Exhaust L2 above/below	AL Abgastemp. ueber/unter L2	AL Temp Gaz Échapp L2 Sup/Inf	AL T-Escape L2 superior/infer.	AL Temp. Scar.L2 sup./non rag.
0010.025601.155.011.2	HI T-Splash Oil B1	HI T-Spritzoel B1	HI T-Huile barbotage B1	HI T-Aceite salpic. B1	HI T-Olio spruzz. B1
0010.025601.155.021.2	HI T-Splash Oil B2	HI T-Spritzoel B2	HI T-Huile barbotage B2	HI T-Aceite salpic. B2	HI T-Olio spruzz. B2
0010.025601.155.031.2	HI T-Splash Oil B3	HI T-Spritzoel B3	HI T-Huile barbotage B3	HI T-Aceite salpic. B3	HI T-Olio spruzz. B3
0010.025601.155.041.2	HI T-Splash Oil B4	HI T-Spritzoel B4	HI T-Huile barbotage B4	HI T-Aceite salpic. B4	HI T-Olio spruzz. B4
0010.025601.155.051.2	HI T-Splash Oil B5	HI T-Spritzoel B5	HI T-Huile barbotage B5	HI T-Aceite salpic. B5	HI T-Olio spruzz. B5
0010.025601.155.061.2	HI T-Splash Oil B6	HI T-Spritzoel B6	HI T-Huile barbotage B6	HI T-Aceite salpic. B6	HI T-Olio spruzz. B6
0010.025601.155.071.2	HI T-Splash Oil B7	HI T-Spritzoel B7	HI T-Huile barbotage B7	HI T-Aceite salpic. B7	HI T-Olio spruzz. B7
0010.025601.155.081.2	HI T-Splash Oil B8	HI T-Spritzoel B8	HI T-Huile barbotage B8	HI T-Aceite salpic. B8	HI T-Olio spruzz. B8
0010.025601.155.091.2	HI T-Splash Oil B9	HI T-Spritzoel B9	HI T-Huile barbotage B9	HI T-Aceite salpic. B9	HI T-Olio spruzz. B9
0010.025601.155.101.2	HI T-Splash Oil B10	HI T-Spritzoel B10	HI T-Huile barbotage B10	HI T-Aceite salpic. B10	HI T-Olio spruzz. B10
0010.025601.165.011.2	HIHI T-Splash Oil B1	HIHI T-Spritzoel B1	HIHI T-Huile barbotage B1	HIHI T-Aceite salpic. B1	HIHI T-Olio spruzz. B1
0010.025601.165.021.2	HIHI T-Splash Oil B2	HIHI T-Spritzoel B2	HIHI T-Huile barbotage B2	HIHI T-Aceite salpic. B2	HIHI T-Olio spruzz. B2
0010.025601.165.031.2	HIHI T-Splash Oil B3	HIHI T-Spritzoel B3	HIHI T-Huile barbotage B3	HIHI T-Aceite salpic. B3	HIHI T-Olio spruzz. B3
0010.025601.165.041.2	HIHI T-Splash Oil B4	HIHI T-Spritzoel B4	HIHI T-Huile barbotage B4	HIHI T-Aceite salpic. B4	HIHI T-Olio spruzz. B4
0010.025601.165.051.2	HIHI T-Splash Oil B5	HIHI T-Spritzoel B5	HIHI T-Huile barbotage B5	HIHI T-Aceite salpic. B5	HIHI T-Olio spruzz. B5
0010.025601.165.061.2	HIHI T-Splash Oil B6	HIHI T-Spritzoel B6	HIHI T-Huile barbotage B6	HIHI T-Aceite salpic. B6	HIHI T-Olio spruzz. B6
0010.025601.165.071.2	HIHI T-Splash Oil B7	HIHI T-Spritzoel B7	HIHI T-Huile barbotage B7	HIHI T-Aceite salpic. B7	HIHI T-Olio spruzz. B7
0010.025601.165.081.2	HIHI T-Splash Oil B8	HIHI T-Spritzoel B8	HIHI T-Huile barbotage B8	HIHI T-Aceite salpic. B8	HIHI T-Olio spruzz. B8
0010.025601.165.091.2	HIHI T-Splash Oil B9	HIHI T-Spritzoel B9	HIHI T-Huile barbotage B9	HIHI T-Aceite salpic. B9	HIHI T-Olio spruzz. B9
0010.025601.165.101.2	HIHI T-Splash Oil B10	HIHI T-Spritzoel B10	HIHI T-Huile barbotage B10	HIHI T-Aceite salpic. B10	HIHI T-Olio spruzz. B10

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 55 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	German	French	Spanish	Italian
0010.025604.205.011.2	AL Splash Oil Cal not Poss	AL Spritzoelkal Nicht Moeglich	AL Calib. huile barb. imposs.	AL cal. aceite salpic. no pos.	AL Calibr. olio spr. imposs.
0010.055201.215.011.2	SD T-Bearing 1	SD T-Lager 1	SD T-Palier 1	SD T-Cojinete 1	SD T-Cuscinetto 1
0010.055201.215.021.2	SD T-Bearing 2	SD T-Lager 2	SD T-Palier 2	SD T-Cojinete 2	SD T-Cuscinetto 2
0010.055201.215.031.2	SD T-Bearing 3	SD T-Lager 3	SD T-Palier 3	SD T-Cojinete 3	SD T-Cuscinetto 3
0010.055201.215.041.2	SD T-Bearing 4	SD T-Lager 4	SD T-Palier 4	SD T-Cojinete 4	SD T-Cuscinetto 4
0010.055201.215.051.2	SD T-Bearing 5	SD T-Lager 5	SD T-Palier 5	SD T-Cojinete 5	SD T-Cuscinetto 5
0010.055201.215.061.2	SD T-Bearing 6	SD T-Lager 6	SD T-Palier 6	SD T-Cojinete 6	SD T-Cuscinetto 6
0010.055201.215.071.2	SD T-Bearing 7	SD T-Lager 7	SD T-Palier 7	SD T-Cojinete 7	SD T-Cuscinetto 7
0010.055201.215.081.2	SD T-Bearing 8	SD T-Lager 8	SD T-Palier 8	SD T-Cojinete 8	SD T-Cuscinetto 8
0010.055201.215.091.2	SD T-Bearing 9	SD T-Lager 9	SD T-Palier 9	SD T-Cojinete 9	SD T-Cuscinetto 9
0010.055201.215.101.2	SD T-Bearing 10	SD T-Lager 10	SD T-Palier 10	SD T-Cojinete 10	SD T-Cuscinetto 10
0010.055201.215.111.2	SD T-Bearing 11	SD T-Lager 11	SD T-Palier 11	SD T-Cojinete 11	SD T-Cuscinetto 11
0010.016102.215.001.2	SD P-Raw Water before Pump	SD P-Seewasser vor Pumpe	SD Eau brute avant pompe	SD Agua de Mar antes Bomba	SD P-Acqua.Estern.prima pompa
0010.025106.215.001.2	SD P-Lube Oil Last Bearing	SD P-Schmieroel letztes Lager	SD P-Huile lubrif dern palier	SD P-Acete Lubr Ult Cojinete	SD P-Olio Lubr.ulti.cuscinetto
0010.025108.215.001.2	SD P-Piston Cooling Oil	SD P-Kolbenkuehloel	SD P-Huile lub refr piston	SD P-Acete Lubr Refrig Pistón	SD P-Olio raffreddamen.pistone
0010.010101.215.001.2	SD P-Control Air	SD P-Steuerluft	SD P-Air de commande	SD P-Aire de mando	SD P-Aire de Mando
0010.006101.215.001.2	SD P-Exhaust back	SD Abgasgegendruck	SD P-Contrepression éch	SD P-Contrapresión Escape	SD P-Controscarico
0011.020101.215.011.2	SD P-Fuel Common Rail A SaSy	SD P-Kraftstoff Com.RailA SiSy	SD P-HP carburant côté A	SD P-Comb Cond Lado A SaSy	SD P-Carburante CR A SaSy
0011.020101.215.021.2	SD P-Fuel Common Rail B SaSy	SD P-Kraftstoff Com.RailB SiSy	SD P-HP carburant côté B	SD P-Comb Cond Lado B SaSy	SD P-Carburante CR B SaSy
0010.025109.215.001.2	SD P-Piston Cool.Oil Filt.Diff	SD P-KolbenkuehloelfilterDiff.	SD P-Diff f huile ref piston	SD P-Dif Filtro Refrig Pistón	SD P-Dif.Filt.Olio raffr.pist.
0010.016101.215.001.2	SD P-Raw Water	SD P-Rohwasser	SD P-Eau Brute	SD P-Agua de Mar	SD P-Acqua Raffredd Esterna
0010.025601.215.011.2	SD T-Splash Oil B1	SD T-Spritzoel B1	SD T-Huile barbotage B1	SD T-Aceite salpic. B1	SD T-Olio spruzz. B1
0010.025601.215.021.2	SD T-Splash Oil B2	SD T-Spritzoel B2	SD T-Huile barbotage B2	SD T-Aceite salpic. B2	SD T-Olio spruzz. B2
0010.025601.215.031.2	SD T-Splash Oil B3	SD T-Spritzoel B3	SD T-Huile barbotage B3	SD T-Aceite salpic. B3	SD T-Olio spruzz. B3
0010.025601.215.041.2	SD T-Splash Oil B4	SD T-Spritzoel B4	SD T-Huile barbotage B4	SD T-Aceite salpic. B4	SD T-Olio spruzz. B4
0010.025601.215.051.2	SD T-Splash Oil B5	SD T-Spritzoel B5	SD T-Huile barbotage B5	SD T-Aceite salpic. B5	SD T-Olio spruzz. B5
0010.025601.215.061.2	SD T-Splash Oil B6	SD T-Spritzoel B6	SD T-Huile barbotage B6	SD T-Aceite salpic. B6	SD T-Olio spruzz. B6
0010.025601.215.071.2	SD T-Splash Oil B7	SD T-Spritzoel B7	SD T-Huile barbotage B7	SD T-Aceite salpic. B7	SD T-Olio spruzz. B7
0010.025601.215.081.2	SD T-Splash Oil B8	SD T-Spritzoel B8	SD T-Huile barbotage B8	SD T-Aceite salpic. B8	SD T-Olio spruzz. B8
0010.025601.215.091.2	SD T-Splash Oil B9	SD T-Spritzoel B9	SD T-Huile barbotage B9	SD T-Aceite salpic. B9	SD T-Olio spruzz. B9
0010.025601.215.101.2	SD T-Splash Oil B10	SD T-Spritzoel B10	SD T-Huile barbotage B10	SD T-Aceite salpic. B10	SD T-Olio spruzz. B10
0010.050201.205.001.2	AL Battery Charger Failure	Alarm Batterie Ladefehler	AL Défaut de charge batterie	AL Bateria Fallo Carga	AL Guasto Caricabatteria
0010.050001.205.011.2	AL MMS Internal Power Fail	AL MMS interner Spgs.Fehler	AL MMS Défaut alim interne	AL MMS Fallo Interno Alim	AL MMS Falla aliment. interna
0010.050002.205.011.2	AL MMS Main Power Fail	AL MMS Hauptstromversorgung	AL MMS Alimentation principale	AL MMS Fallo Alim Principal	AL MMS Falla aliment. princip.
0010.050002.205.021.2	AL MMS Emerg Power Fail	AL MMS Notstromversorgung	AL MMS Alimentation secours	AL MMS Fallo Alim Emerg	AL MMS Falla aliment. emerg.
0010.050003.105.011.2	LO Starter Supply Voltage	LO U-Anlasser-Bat	LO Aliment. Démarreur	LO Alim Voltaje Arrancador	LO Tensione Aliment.Aviatore
0010.043602.205.001.2	AL Shut Down Air Flaps Fail	Alarmierung SSK	AL Défaut volets étouffement	AL Parada Fallo Chapaletas	AL SDAF difettoso
0010.043601.205.001.2	AL Shut Down Air Flaps closed	AL SSK geschlossen	AL Volets étouffement fermés	AL Parada Chapaletas cerradas	AL Serr. Aria Chiuse
0010.043305.205.001.2	AL Emerg. Stop Circuit Fail	Alarm Fehler Notstopkreis	AL Défaut circuit arr urg	AL Fallo Circuito Parada Emerg	AL Falla circ. stop di emerg.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 56 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	German	French	Spanish	Italian
0010.043307.205.001.2	AL Emergency Stop	AL Notstop	AL Stop Urgence	AL Parada de Emergencia	AL Stop di Emergenza
0010.040105.205.001.2	AL Priming Pump Fail	Alarm Vorschmierpumpenfehler	AL pompe prélubrification	AL Fallo Bomba Prelubricación	AL Guasto Pompa
0010.040702.205.001.2 0010.040701.205.001.2	AL Air Starter Fail	Alarm pn. Anlasserfehler	AL Défaut démarreur pn	AL Fallo Aire Arrancador	AL Falla Avviatore. pneumat.
0010.040705.205.001.2	AL Start terminated	AL Start abgebrochen	AL Démarrage terminé	AL Arranque interrumpido	AL Avviare terminato
0010.040706.235.001.2	MG Cold Start required	MG Kaltstart notwendig	MG Démarrage froid nécessaire	MG Se requiere Arrq en frío	MG Avvio a freddo richiesto
0010.025110.105.001.2	LO P-Priming	LO P-Vorschmierung	LO P-Pression d'huile demandée	LO Presión Aceite Requerida	LO P-Prelubrificazione
0010.040801.205.001.2	AL Barring Gear Engaged	AL Verr. Durchdrehvorrichtung	AL Vireur Engagé	AL Virador engranado	AL Meccanis.Rotaz.Innestrato
0010.060301.205.001.2	AL EIM defect	AL EIM defect	AL EIM défectueux	AL EIM Defectuoso	AL EIM difettoso
0010.025401.105.001.2	LO P-Oil Refill Pump	LO P-Oelnachfuellpumpe	LO P-Pompe Appoint Huile	LO P-Bomba Llenado Aceite	LO P-Olio Rabbocco Pompa
0010.007101.105.001.2	LO P-Start Air	LO P-Startluft	LO P-Air Démarrage	LO P-Aire de arranque	LO P-Avvio Aria
0010.007101.115.001.2	LOLO P-Start Air	LOLO P-Startluft	LOLO P-Air Démarrage	LOLO P-Aire de arranque	LOLO P-Avvio Aria
0010.025401.215.001.2	SD P-Oil Refill Pump	SD P-Oelnachfuellpumpe	P-Pompe Appoint Huile	P-Bomba Llenado Aceite	P-Olio Rabbocco Pompa
0010.007101.215.001.2	SD P-Start Air	SD P-Startluft	P-Air Démarrage	P-Aire de arranque	P-Avvio Aria
0010.000501.165.003.2	HIHI Engine Overspeed (EIM)	HIHI Motor Ueberdrehzahl (EIM)	HIHI Surrégime (EIM)	HIHI Sobrevelocidad (EIM)	HIHI Sovravelocità (EIM)
0075.043002.205.001.2	AL Shutdown Expected	AL Sicherheitsstop zu erwarten	AL Arrêt sécurité attendu	AL Parada Seguridad Esperada	AL Arresto Sicurezza previsto
0075.043001.205.001.2	AL Power Limitation Expected	AL Leistungsbegr. zu erwarten	AL Limit. puissance attendue	AL Limitación Pot Esperada	AL Riduz. Potenza previsto
0011.050001.205.001.2	AL SaSy Int.Power Supply Fail	AL SiSy Int. Spgs.Vers.Fehler	AL SiSy Défaut interne alim él	AL SaSy Fallo Alim Int	AL SaSy Falimento Alim. Int.
0070.050017.205.001.2	AL SPU Int. Power Supply Fail	AL SPU Int. Spgs.Vers.Fehler	AL SPU Défaut interne alim él	AL SPU Fallo Alim Int	AL SPU Falimento Alim. Int.
0010.043102.205.001.2	AL Security Shutdown	AL Sicherheits Stop	AL Arret de Securite	AL Parada de emergencia	AL Arresto Sicurezza
0010.043101.205.001.2	AL Power Limitation Active	AL Leistungsbegrenzung aktiv	AL Limitation puissance active	AL Limitación Pot Activa	AL Riduz. Potenza Attivo
0010.043201.205.001.2	AL Override Activated	AL Sicherheitssystem Ueberbr.	AL Cde Prioritaire Active	AL Cancelación Activada	AL Supero Attivato
0010.040422.205.001.2	AL Safety Start Interlock	AL Sicherheits Startverriegel.	AL Verr démarrage de sécurité	AL Bloqueo Arrq Seguridad	AL Blocco Avvio di Sicurezza
0020.043109.205.001.2	AL Safety Engage Interlock	AL Sicherheits Kuppelverrieg.	AL Verr embrayage sécurité	AL Bloqueo Embr Seguridad	AL Blocco Frizione Sicurezza
0050.072001.205.001.2	AL Capsize Function Active	AL Durchkernern Funktion Aktiv	AL Chavirage interr actif	AL Zozobrado Interr Activado	AL Capovolgim. Funzione Attiva
0050.072001.215.001.2	SD Capsize Switch	SD Durchkernern Schalter	SD Chavirage interr actif	SD Zozobrado Interr Activado	SD Interruttore capovolgersi
0075.043501.205.001.2	AL Safety System defect	AL Sicherheitssystem defekt	AL Système sécurité défectueux	AL Sistema Seguridad defect	AL Sistema Sicurezza defetto
0010.009001.265.001.2	SC Crankcase Vent. Valve	SC Kurbelgeh. Ventil. Ventil	SC Carter Moteur Vent. Valve	SC Válvula de ventil.de cárter	SC Valvola Ventil. Basamento
0010.009001.255.001.2	WB Crankcase Vent. Valve	WB Kurbelgeh. Ventil. Ventil	WB Carter Moteur Vent. Valve	WB Válvula de ventil.de cárter	WB Valvola Ventil. Basamento
1.0910.062011.205.011.2	AL CPU Overload RCS	AL CPU Ueberlast RCS	AL CPU Surcharge RCS	AL CPU Sobrecarga RCS	AL CPU Sovraccarico RCS
0910.062011.205.001.2	AL CPU Overload MCS	AL CPU Ueberlast MCS	AL CPU Surcharge MCS	AL CPU Sobrecarga MCS	AL CPU Sovraccarico MCS
0910.062400.255.011.2	WB Binary Input DI1 (SPU)	WB Binaereingang DI1 (SPU)	WB Entrée Binaire DI1 (SPU)	WB Binaria Entrada DI1 (SPU)	WB Binario Ingresso DI1 (SPU)
0910.062400.255.021.2	WB Binary Input DI2 (SPU)	WB Binaereingang DI2 (SPU)	WB Entrée Binaire DI2 (SPU)	WB Binaria Entrada DI2 (SPU)	WB Binario Ingresso DI2 (SPU)
0910.062400.255.031.2	WB Binary Input DI3 (SPU)	WB Binaereingang DI3 (SPU)	WB Entrée Binaire DI3 (SPU)	WB Binaria Entrada DI3 (SPU)	WB Binario Ingresso DI3 (SPU)
0910.062400.255.041.2	WB Binary Input DI4 (SPU)	WB Binaereingang DI4 (SPU)	WB Entrée Binaire DI4 (SPU)	WB Binaria Entrada DI4 (SPU)	WB Binario Ingresso DI4 (SPU)
0910.062400.255.051.2	WB Binary Input DI5 (SPU)	WB Binaereingang DI5 (SPU)	WB Entrée Binaire DI5 (SPU)	WB Binaria Entrada DI5 (SPU)	WB Binario Ingresso DI5 (SPU)
0910.062400.255.061.2	WB Binary Input DI6 (SPU)	WB Binaereingang DI6 (SPU)	WB Entrée Binaire DI6 (SPU)	WB Binaria Entrada DI6 (SPU)	WB Binario Ingresso DI6 (SPU)
0910.062400.255.071.2	WB Binary Input DI7 (SPU)	WB Binaereingang DI7 (SPU)	WB Entrée Binaire DI7 (SPU)	WB Binaria Entrada DI7 (SPU)	WB Binario Ingresso DI7 (SPU)
0910.062400.255.081.2	WB Binary Input DI8 (SPU)	WB Binaereingang DI8 (SPU)	WB Entrée Binaire DI8 (SPU)	WB Binaria Entrada DI8 (SPU)	WB Binario Ingresso DI8 (SPU)
0070.059002.205.001.2	AL Emergency Disengage	AL Notauskuppeln	AL débrayage d'urgence	AL Desembrague de Emergencia	AL disinnesto di emergenza

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 57 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	German	French	Spanish	Italian
0070.050001.215.001.2	SD U-SPU Main Power Supply	SD U-SPU Hauptstromversorgung	SD U-SPU Alimentation princip.	SD U-SPU Alim Eléctr Principal	SD U-SPU Aliment. Principale
0070.050001.205.001.2	AL U-SPU Main Power SupplyFail	AL U-SPU Hauptstromvers.Fehler	AL U-SPU Alimentprincip.défaut	AL U-SPU Alim.Eléc.Prin.Fallo	AL U-SPU Aliment.Princip.fall.
0070.050002.215.001.2	SD U-SPU Emerg. Power Supply	SD U-SPU Notstromversorgung	SD U-SPU Alimentation secours	SD U-SPU Alim.Eléc.Emergenc.	SD U-SPU Aliment. Emergenca
0070.050002.205.001.2	AL U-SPU Emerg. Pow Sup Fail	AL U-SPU Notstromvers. Fehler	AL U-SPU Aliment secoursdéfaut	AL U-SPU Alim.El.Emerg.Fallo	AL U-SPU Aliment. Emerg.fall.
0050.020002.205.011.2	AL Water in Fuel Prefilter 1	AL Wasser im Kraftst.vorfilt.1	AL Eau d carburant préfiltre 1	AL Agua en Prefiltro Comb 1	AL Acqua nel Prefiltro Carb.1
0050.020002.205.021.2	AL Water in Fuel Prefilter 2	AL Wasser im Kraftst.vorfilt.2	AL Eau d carburant préfiltre 2	AL Agua en Prefiltro Comb 2	AL Acqua nel Prefiltro Carb.2
0070.049004.205.001.2	AL FRCS Ctrl Fail	AL FRCS Steuerungsfehler	AL FRCS Défaut commande	AL FRCS Fallo Mando	AL FRCS Fallimento Controllo
0050.058103.155.001.2	HI T-Riser	HI T-Spruehkranz	HI Boudin-T	HI Trefrigeración escape spray	HI T-Corona spr.
0070.050001.105.001.2	LO U-SPU Main Power Supply	LO U-SPU Hauptstromversorg.	LO U-SPU Aliment principale	LO U-SPU Alim Eléctr Ppal	LO U-SPU Aliment. Princip.
0070.050001.155.001.2	HI U-SPU Main Power Supply	HI U-SPU Hauptstromversorg.	HI U-SPU Aliment principale	HI U-SPU Alim Eléctr Ppal	HI U-SPU Aliment. Princip.
0070.050002.105.001.2	LO U-SPU Emerg.Power Supply	LO U-SPU Notstromversorgung	LO U-SPU Aliment secours	LO U-SPU Alim Eléctr Emerg	LO U-SPU Aliment. Emerg.
0070.050002.155.001.2	HI U-SPU Emerg.Power Supply	HI U-SPU Notstromversorgung	HI U-SPU Aliment secours	HI U-SPU Alim Eléctr Emerg	HI U-SPU Aliment. Emerg.
0070.050020.105.001.2	LO U-SPU Real Time Clock	LO U-SPU Echzeit Uhr	LO U-SPU Temps Réel Montre	LO U-SPU Reloj Tiempo real	LO U-SPU Orologio Tempo reale
0050.020301.105.011.2	LO Fuel Level 1	LO Kraftstoffniveau 1	LO Niveau carburant 1	LO Nivel Combustible 1	LO Livello Carburante 1
0050.020301.115.011.2	LOLO Fuel Level 1	LOLO Kraftstoffniveau 1	LOLO Niveau carburant 1	LOLO Nivel Combustible 1	LOLO Livello Carburante 1
0050.020301.155.011.2	HI Fuel Level 1	HI Kraftstoffniveau 1	HI Niveau carburant 1	HI Nivel Combustible 1	HI Livello Carburante 1
0050.020301.165.011.2	HIHI Fuel Level 1	HIHI Kraftstoffniveau 1	HIHI Niveau carburant 1	HIHI Nivel Combustible 1	HIHI Livello Carburante 1
0050.020302.105.011.2	LO Fuel Level 2	LO Kraftstoffniveau 2	LO Niveau carburant 2	LO Nivel Combustible 2	LO Livello Carburante 2
0050.020302.115.011.2	LOLO Fuel Level 2	LOLO Kraftstoffniveau 2	LOLO Niveau carburant 2	LOLO Nivel Combustible 2	LOLO Livello Carburante 2
0050.020302.155.011.2	HI Fuel Level 2	HI Kraftstoffniveau 2	HI Niveau carburant 2	HI Nivel Combustible 2	HI Livello Carburante 2
0050.020302.165.011.2	HIHI Fuel Level 2	HIHI Kraftstoffniveau 2	HIHI Niveau carburant 2	HIHI Nivel Combustible 2	HIHI Livello Carburante 2
0050.020301.205.011.2	AL Config.Failure Fuel Level 1	AL Konfig. Kraftstoffniveau 1	AL Config. niveau carburant 1	AL Config. Nivel Comb 1	AL Config. Livello Carb. 1
0050.020302.205.021.2	AL Config.Failure Fuel Level 2	AL Konfig. Kraftstoffniveau 2	AL Config. Niveau carburant 2	AL Config. Nivel Comb 2	AL Config. Livello Carb. 2
0050.024300.105.011.2	LO DEF Tank Level	LO DEF Tank Niveau	LO DEF Niveau Réservoir	LO DEF Nivel Tanque	LO DEF Livello Serbatoio
0050.024300.115.011.2	LOLO DEF Tank Level	LOLO DEF Tank Niveau	LOLO DEF Niveau Réservoir	LOLO DEF Nivel Tanque	LOLO DEF Livello Serbatoio
0050.020100.105.001.2	LO P-Fuel Prefilter	LO P-Kraftstoffvorfilter	LO P-Carburant Préfiltre	LO P-Combustible Filtro Previo	LO P-Carburante Prefiltro
0050.020100.115.001.2	LOLO P-Fuel Prefilter	LOLO P-Kraftstoffvorfilter	LOLO P-Carburant Préfiltre	LOLO P-Combustible Filtro Prev	LOLO P-Carburante Prefiltro
0050.020002.215.011.2	SD Fuel Prefilter 1	SD Kraftstoffvorfilter 1	SD Préfiltre carburant 1	SD Prefiltro Combustible 1	SD Prefiltro Carb.1
0050.020002.215.021.2	SD Fuel Prefilter 2	SD Kraftstoffvorfilter 2	SD Préfiltre carburant 2	SD Prefiltro Combustible 2	SD Prefiltro Carb.2
0050.058102.215.001.2	SD T-Riser	SD T-Spruehkranz	SD Boudin-T	SD Trefrigeración escape spray	SD T-Corona spr.
0050.058101.215.001.2	SD T-Riser	SD T-Spruehkranz	SD Boudin-T	SD Trefrigeración escape spray	SD T-Corona spr.
0050.020301.215.011.2	SD Fuel Level 1	SD Kraftstoffniveau 1	SD Niveau carburant 1	SD Nivel Combustible 1	SD Livello Carburante 1
0050.020302.215.011.2	SD Fuel Level 2	SD Kraftstoffniveau 2	SD Niveau carburant 2	SD Nivel Combustible 2	SD Livello Carburante 2
0050.024300.215.011.2	SD DEF Tank Level	SD DEF Tank Niveau	SD DEF Niveau Réservoir	SD DEF Nivel Tanque	SD DEF Livello Serbatoio
0050.020100.215.001.2	SD P-Fuel Prefilter	SD P-Kraftstoffvorfilter	SD P-Carburant Préfiltre	SD P-Combustible Filtro Previo	SD P-Carburante Prefiltro
0010.020201.155.001.2	HI T-Fuel	HI T-Kraftstoff	HI T-Combustible	HI T-combustible	HI T-Carburante
0010.020201.165.001.2	HIHI T-Fuel	HIHI T-Kraftstoff	HIHI T-Combustible	HIHI T-Combustible	HIHI T-Carburante
0010.008201.155.001.2	HI T-Charge Air	HI T-Ladeluft	HI T-Air Suralimentation	HI T-Carga Aire	HI T-Carico Aria
0010.008201.165.001.2	HIHI T-Charge Air	HIHI T-Ladeluft	HIHI T-Air Suralimentation	HIHI T-Carga de Aire	HIHI T-Carico Aria

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 58 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8			Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released
SysID	English	German	French	Spanish	Italian
0010.025101.105.001.2	LO P-Lube Oil	LO P-Schmieroel	LO P-Huile Lub.	LO P-Aceite Lubricante	LO P-Olio Lubrif
0010.025101.115.001.2	LOLO P-Lube Oil	LOLO P-Schmieroel	LOLO P-Huile Lub.	LOLO P-Aceite Lubricante	LOLO P-Olio Lubrif
0010.006401.155.011.2	HI T-Exhaust Combined A	HI T-Abgassammel A	HI T-Echappement A	HI T-Evacuación A	HI T-Scarico A
0010.006401.165.011.2	HIHI T-Exhaust Combined A	HIHI T-Abgassammel A	HIHI T-Echappement A	HIHI T-Evacuación A	HIHI T-Scarico A
0010.006401.155.021.2	HI T-Exhaust Combined B	HI T-Abgassammel B	HI T-Echappement B	HI T-Evacuación B	HI T-Scarico B
0010.006401.165.021.2	HIHI T-Exhaust Combined B	HIHI T-Abgassammel B	HIHI T-Echappement B	HIHI T-Evacuación B	HIHI T-Scarico B
0010.015301.105.001.2	LO Coolant Level	LO Kuehlmittelniveau	LO Niveau Liquide Refroid.	LO Nivel Refrigerante	LO Livello Refrigerante
0010.025103.155.001.2	HI P-Oil Filter Difference	HI P-Oelfilterdifferenz	HI P-Différence Filtre Huile	HI P-Diferencia Filtro Aceite	HI P-Differenza Filtro Olio
0010.025103.165.001.2	HIHI P-Oil Filter Difference	HIHI P-Oelfilterdifferenz	HIHI P-Différence Filtre Huile	HIH P-Diferencia Filtro Aceite	HIHI P-Differenza Filtro Olio
0010.020301.155.001.2	HI Fuel Leakage	HI Leckkraftstoffniveau	HI Fuite Combustible	HI Pérdida Combustible	HI Perdita Carburante
0010.000501.165.001.2	HIHI Engine Overspeed (ECU)	HIHI Ueberdrehzahl (ECU)	HIHI Surrégime (ECU)	HIHI Sobrevelocidad (ECU)	HIHI Sovravelocità (ECU)
0010.056001.155.011.2	HI ETC 1 Speed	HI ATL 1 Drehzahl	HI Turbo Vitesse 1	HI ETC 1 Velocidad	HI ETC 1 Velocità
0010.056001.165.011.2	HIHI ETC 1 Overspeed	HIHI ATL 1 Ueberdrehzahl	HIHI Surrégime Turbo 1	HIHI ETC1 Sobrevelocidad	HIHI ETC1 Sovravelocità
0010.020105.155.001.2	HI P-Fuel Filter Difference	HI P-Kraftstofffilterdifferenz	HI P-Différence Filtre Combust	HI P-Diff. Filtro Combustible	HI P-Diff. Filtro Carburante
0010.056001.155.021.2	HI ETC 2 Speed	HI ATL 2 Drehzahl	HI ETC 2 Vitesse	HI ETC 2 Velocidad	HI ETC 2 Velocità
0010.056001.165.021.2	HIHI ETC 2 Overspeed	HIHI ATL 2 Ueberdrehzahl	HIHI Surrégime Turbo 2	HIHI ETC 2 Sobregirocidad	HIHI ETC 2 Sovravelocità
0010.056001.155.001.2	HI ETC Speed Difference	HI ATL Gleichlaufabweichung	HI ETC Différence Régime	HI ETC Difer de Velocidad	HI ETC Differenza Velocità
0010.056002.205.021.2	AL ETC 2 Cut in Fail	AL ATL 2 Zuschaltfehler	AL ETC 2 Défaut Enclenché	AL ETC2 Fallo de Interrup.	AL ETC2 AnomaliaInclusione
0010.025201.155.001.2	HI T-Lube Oil	HI T-Schmieroel	HI T-Huile Lubrification	HI T-Aceite Lubricante	HI T-Olio Lubrificante
0010.025201.165.001.2	HIHI T-Lube Oil	HIHI T-Schmieroel	HIHI T-Huile lubrification	HIHI T-Aceite Lubricante	HIHI T-Olio Lubrificante
0010.005201.155.001.2	HI T-Intake Air	HI T-Ansaugluft	HI T-Air d'admission	HI T-Aire Aspiración	HI T-Aspirazione Aria
0010.005201.165.001.2	HIHI T-Intake Air	HIHI T-Ansaugluft	HIHI T-Air d'admission	HIHI T-Aire Aspiración	HIHI T-Aspirazione Aria
0010.015101.105.001.2	LO P-Coolant	LO P-Kuehlmittel	LO P-Liquide Refroid.	LO P-Refrigerante	LO P-Refrigerante
0010.015101.115.001.2	LOLO P-Coolant	LOLO P-Kuehlmittel	LOLO P-Liquide Refroid.	LOLO P-Refrigerante	LOLO P-Refrigerante
0010.009101.155.001.2	HI P-Crankcase	HI P-Kurbelgehaeuse	HI P-Carter Moteur	HI P-Cárter	HI P-Basamento
0010.009101.165.001.2	HIHI P-Crankcase	HIHI P-Kurbelgehaeuse	HIHI P-Carter Moteur	HIHI P-Cárter	HIHI P-Basamento
0010.020101.105.001.2	LO P-Fuel	LO P-Kraftstoff	LO P-Combustible	LO P-Combustible	LO P-Carburante
0010.020101.115.001.2	LOLO P-Fuel	LOLO P-Kraftstoff	LOLO P-Combustible	LOLO P-Combustible	LOLO P-Carburante
0010.015201.155.001.2	HI T-Coolant	HI T-Kuehlmittel	HI T-Liquide Refroid.	HI T-Refrigerante	HI T-Refrigerante
0010.015201.165.001.2	HIHI T-Coolant	HIHI T-Kuehlmittel	HIHI T-Liquide Refroid.	HIHI T-Refrigerante	HIHI T-Refrigerante
0010.020104.205.001.2	AL Common Rail Leakage	AL Leckage KS Hochdruckleitung	AL Fuite Common Rail	AL Fuga del Colector Común	AL Perdita Common Rail
0010.020103.155.001.2	HI P-Fuel Common Rail	HI P-Kraftstoff Common Rail	HI P-Combust Common Rail	HI P-Combustible Rail Común	HI P-Carburante Common Rail
0010.020103.105.001.2	LO P-Fuel Common Rail	LO P-Kraftstoff Common Rail	LO P-Combust Common Rail	LO P-Combustible Rail Común	LO P-Carburante Common Rail
0010.008202.155.001.2	HI T-Charge Air Seq Ctrl Valve	HI T-Ladeluft v Umlase Vent	HI T-Air Sur Valve Rég Séq	HI T-Carga de Aire Valv Sec	HI T-Valv Ctr Seq Aria Sovr
0010.008202.165.001.2	HIHI T-Charge Air Seq Ctrl Val	HIHI T-Ladeluft v Umlase Vent	HIHI T-Air Sur Valve Rég Séq	HIHI T-Carga de Aire Valv Sec	HIHI T-Valv Ctr Seq Aria Sovr
0010.000501.115.001.2	LOLO Engine Speed	LOLO Motordrehzahl	LOLO Vitesse moteur	LOLO velocidad motor	LOLO Velocità Engine
0010.050101.105.001.2	LO ECU Power Supply Voltage	LO ECU Spannungsversorgung	LO Tension Alim. ECU	LO ECU Volt. Fuente aliment.	LO ECU Tensione Alimentaz
0010.050101.115.001.2	LOLO ECU Power Supply Voltage	LOLO ECU Spannungsversorgung	LOLO Tension Alim. ECU	LOLO ECU Volt. Fuente aliment.	LOLO ECU Tensione Alimentaz
0010.050101.155.001.2	HI ECU Power Supply Voltage	HI ECU Spannungsversorgung	HI Tension Alim. ECU	HI ECU Volt. Fuente aliment.	HI ECU Tensione Alimentaz

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 59 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	German	French	Spanish	Italian
0010.050101.165.001.2	HIHI ECU Power Supply Voltage	HIHI ECU Spannungsversorgung	HIHI Tension Alim. ECU	HIHI ECU Volt. Fuente aliment.	HIHI ECU Tensione Alimentaz
0010.057304.155.001.2	HI T-ECU	HI T-ECU	HI T-ECU	HI T-ECU	HI T-ECU
0010.015201.215.001.2	SD T-Coolant	SD T-Kuehlmittel	SD T-Réfrigérant	SD T-Refrigerante	SD T-Refrigerante
0010.020201.215.001.2	SD T-Fuel	SD T-Kraftstoff	SD T-Combustible	SD T-Combustible	SD T-Carburante
0010.008201.215.001.2	SD T-Charge Air	SD T-Ladeluft	SD T-Air de suralimentation	SD T-Aire de Carga	SD T-Carico Aria
0010.025301.215.001.2	SD Lube Oil Level	SD Schmieroelniveau	SD Contacteur niveau huile	SD Nivel Aceite Lubricante	SD Inter.Lubr.livello Olio
0010.006401.215.011.2	SD T-Exhaust Combined A	SD T-Abgassammel A	SD T-Collecteur échappement A	SD T-Colector Escape A	SD T-Scarico A
0010.006401.215.021.2	SD T-Exhaust Combined B	SD T-Abgassammel B	SD T-Collecteur échappement B	SD T-Colector Escape B	SD T-Scarico B
0010.008101.215.001.2	SD P-Charge Air A	SD P-Ladeluft	SD P-Air de suralimentation A	SD P-Aire de Carga A	SD P-Carico Aria A
0010.025101.215.001.2	SD P-Lube Oil	SD P-Schmieroel	SD P-Huile lubrifiante	SD P-Aceite Lubricante	SD P-Olio Lubrificante
0010.015101.215.001.2	SD P-Coolant	SD P-Kuehlmittel	SD P-Réfrigérant	SD P-Refrigerante	SD P-Refrigerante
0010.009101.215.001.2	SD P-Crankcase	SD P-Kurbelgehäuse	SD P-Carter de vilebrequin	SD P-Bloque Motor	SD P-Basamento
0010.020103.215.001.2	SD P-Fuel Common Rail	SD P-Kraftstoff Common Rail	SD P-Carburant (Common Rail)	SD P-Combustible (Common Rail)	SD P-Carburante Common Rail
0010.025201.215.001.2	SD T-Lube Oil	SD T-Schmieroel	SD T-Huile lubrifiante	SD T-Aceite Lubricante	SD T-Olio Lubrificante
0010.005201.215.001.2	SD T-Intake Air	SD T-Ansaugluft	SD T-Air de suralimentation	SD T-Aire de Aspiración	SD T-Aspirazione Aria
0010.015301.215.001.2	SD Coolant Level	SD Kuehlmittelevel	SD Niveau de réfrigérant	SD Nivel de Refrigerante	SD Livello Refrigerante
0010.025103.215.001.2	SD P-Oil Filter Difference	SD P-Oelfilterdifferenz	SD P-Différence filtre à huile	SD P-Diferencia Filtro Aceite	SD P-Differenza Filtro Olio
0010.020301.215.001.2	SD Fuel Leakage	SD Leckkraftstoffniveau	SD Niveau carburant de fuite	SD Nivel Combustible de Fuga	SD Livello Perdita Carburante
0010.025102.215.001.2	SD P-Lube Oil before Filter	SD P-Schmieroel vor Filter	SD P-Huile lubrif avant filtre	SD P-Aceite Lubr antes Filtro	SD Olio lubr. p-monte filtro
0010.020102.215.001.2	SD P-Fuel before Filter	LO P-Kraftstoff vor Filter	LO P-Carburant avant filtre	SD P-Combustible antes Filtro	SD P-Carburante prima Filtro
0010.000507.215.001.2	SD Engine Speed Crankshaft	SD Motordrehzahl Kurbelwelle	SD Régime moteur vilebrequin	SD Velocidad Motor Cigüeñal	SD Giri asse a manovella
0010.000506.215.001.2	SD Engine Speed Camshaft	SD Motordrehzahl Nockenwelle	SD Régime moteur arbre cames	SD Velocidad Motor Árbol Levas	SD Vel Motore Albero a Camme
0010.056001.215.011.2	SD ETC 1 Speed	SD ATL 1 Drehzahl	SD TC 1 régime	SD ETC 1 Velocidad	SD ETC 1 Velocità
0010.056001.215.021.2	SD ETC 2 Speed	SD ATL 2 Drehzahl	SD TC 2 régime	SD ETC 2 Velocidad	SD ETC 2 Velocità
0010.020105.215.001.2	SD P-Fuel Filter Difference	SD P-Kraftstofffilterdifferenz	SD P-Différ filtre carburant	SD P-Diferencia Filtro Comb	SD P-Diff. Filtro Carburante
0010.020101.215.001.2	SD P-Fuel after Filter	SD P-Kraftstoff nach Filter	SD P-Carburant après filtre	SD P-Combustible dsp de Filtro	SD P-Carbur. dopo il Filtro
0010.008202.215.001.2	SD T-Charge Air Seq Ctrl Valve	SD T-Ladeluft v Umblase Vent	SD T-Air sur av soup cde séqu	SD T-Aire Carga de Válv Ctrl	SD T-Valv Ctr Seq Aria Sovr
0010.050101.215.001.2	SD ECU Power Supply Voltage	SD ECU Spannungsversorgung	SD ECU Alimentation électrique	SD ECU Alimentación voltaje	SD ECU Tensione Alimentaz.
0010.000609.205.001.2	AL RCS Speed Demand Defect	AL Ausfall Drehzahlvorgabe RCS	AL Défaut Demande Vitesse RCS	AL RCS Demanda Veloc. Defecto	AL Difet. Richiesta Veloc. RCS
0010.057101.265.011.2	SC Injector A1	SC Injektor A1	SC Injecteur A1	SC Injector A1	SC Iniettore A1
0010.057101.265.021.2	SC Injector A2	SC Injektor A2	SC Injecteur A2	SC Injector A2	SC Iniettore A2
0010.057101.265.031.2	SC Injector A3	SC Injektor A3	SC Injecteur A3	SC Injector A3	SC Iniettore A3
0010.057101.265.041.2	SC Injector A4	SC Injektor A4	SC Injecteur A4	SC Injector A4	SC Iniettore A4
0010.057101.265.051.2	SC Injector A5	SC Injektor A5	SC Injecteur A5	SC Injector A5	SC Iniettore A5
0010.057101.265.061.2	SC Injector A6	SC Injektor A6	SC Injecteur A6	SC Injector A6	SC Iniettore A6
0010.057101.265.071.2	SC Injector A7	SC Injektor A7	SC Injecteur A7	SC Injector A7	SC Iniettore A7
0010.057101.265.081.2	SC Injector A8	SC Injektor A8	SC Injecteur A8	SC Injector A8	SC Iniettore A8
0010.057101.265.091.2	SC Injector A9	SC Injektor A9	SC Injecteur A9	SC Injector A9	SC Iniettore A9
0010.057101.265.101.2	SC Injector A10	SC Injektor A10	SC Injecteur A10	SC Injector A10	SC Iniettore A10

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 60 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency			
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released	
SysID	English	German	French	Spanish	Italian
0010.057102.265.011.2	SC Injector B1	SC Injektor B1	SC Injecteur B1	SC Injector B1	SC Inietttore B1
0010.057102.265.021.2	SC Injector B2	SC Injektor B2	SC Injecteur B2	SC Injector B2	SC Inietttore B2
0010.057102.265.031.2	SC Injector B3	SC Injektor B3	SC Injecteur B3	SC Injector B3	SC Inietttore B3
0010.057102.265.041.2	SC Injector B4	SC Injektor B4	SC Injecteur B4	SC Injector B4	SC Inietttore B4
0010.057102.265.051.2	SC Injector B5	SC Injektor B5	SC Injecteur B5	SC Injector B5	SC Inietttore B5
0010.057102.265.061.2	SC Injector B6	SC Injektor B6	SC Injecteur B6	SC Injector B6	SC Inietttore B6
0010.057102.265.071.2	SC Injector B7	SC Injektor B7	SC Injecteur B7	SC Injector B7	SC Inietttore B7
0010.057102.265.081.2	SC Injector B8	SC Injektor B8	SC Injecteur B8	SC Injector B8	SC Inietttore B8
0010.057102.265.091.2	SC Injector B9	SC Injektor B9	SC Injecteur B9	SC Injector B9	SC Inietttore B9
0010.057102.265.101.2	SC Injector B10	SC Injektor B10	SC Injecteur B10	SC Injector B10	SC Inietttore B10
0010.057103.255.011.2	WB Injector A1	WB Injektor A1	WB Injecteur A1	WB Injector A1	WB Inietttore A1
0010.057103.255.021.2	WB Injector A2	WB Injektor A2	WB Injecteur A2	WB Injector A2	WB Inietttore A2
0010.057103.255.031.2	WB Injector A3	WB Injektor A3	WB Injecteur A3	WB Injector A3	WB Inietttore A3
0010.057103.255.041.2	WB Injector A4	WB Injektor A4	WB Injecteur A4	WB Injector A4	WB Inietttore A4
0010.057103.255.051.2	WB Injector A5	WB Injektor A5	WB Injecteur A5	WB Injector A5	WB Inietttore A5
0010.057103.255.061.2	WB Injector A6	WB Injektor A6	WB Injecteur A6	WB Injector A6	WB Inietttore A6
0010.057103.255.071.2	WB Injector A7	WB Injektor A7	WB Injecteur A7	WB Injector A7	WB Inietttore A7
0010.057103.255.081.2	WB Injector A8	WB Injektor A8	WB Injecteur A8	WB Injector A8	WB Inietttore A8
0010.057103.255.091.2	WB Injector A9	WB Injektor A9	WB Injecteur A9	WB Injector A9	WB Inietttore A9
0010.057103.255.101.2	WB Injector A10	WB Injektor A10	WB Injecteur A10	WB Injector A10	WB Inietttore A10
0010.057104.255.011.2	WB Injector B1	WB Injektor B1	WB Injecteur B1	WB Injector B1	WB Inietttore B1
0010.057104.255.021.2	WB Injector B2	WB Injektor B2	WB Injecteur B2	WB Injector B2	WB Inietttore B2
0010.057104.255.031.2	WB Injector B3	WB Injektor B3	WB Injecteur B3	WB Injector B3	WB Inietttore B3
0010.057104.255.041.2	WB Injector B4	WB Injektor B4	WB Injecteur B4	WB Injector B4	WB Inietttore B4
0010.057104.255.051.2	WB Injector B5	WB Injektor B5	WB Injecteur B5	WB Injector B5	WB Inietttore B5
0010.057104.255.061.2	WB Injector B6	WB Injektor B6	WB Injecteur B6	WB Injector B6	WB Inietttore B6
0010.057104.255.071.2	WB Injector B7	WB Injektor B7	WB Injecteur B7	WB Injector B7	WB Inietttore B7
0010.057104.255.081.2	WB Injector B8	WB Injektor B8	WB Injecteur B8	WB Injector B8	WB Inietttore B8
0010.057104.255.091.2	WB Injector B9	WB Injektor B9	WB Injecteur B9	WB Injector B9	WB Inietttore B9
0010.057104.255.101.2	WB Injector B10	WB Injektor B10	WB Injecteur B10	WB Injector B10	WB Inietttore B10
0010.057201.205.001.2	AL Power Driver Unit Low	AL Spannung Endstufe niedrig	AL Amplificateur puiss Low	AL Unidad de Contr. bajo	AL Unità driver di pot. bassa
0010.057202.205.001.2	AL Power Driver Unit High	AL Spannung Endstufe hoch	AL Amplificasteur puiss High	AL Unidad de Contr. alto	AL Unità driver di pot. alto
0010.057203.205.001.2	AL Power Driver Unit Fail	AL Endstufenfehler	AL Amplificateur puiss défaut	AL Unidad de Contr. defecto	AL Unità driver di pot. errore
0010.057105.265.001.2	SC Injector Line / Eng. Stop	SC Injektor Line / Motor Stop	SC Câble inject/arrêt moteur	SC Cable Inject / Parada Motor	SC inietttore Line / Mot. Stop
0010.075301.205.011.2	AL SC/WB Trans.Outp.TO1 (ECU)	AL SC/WB Trans.Ausg.TO1 (ECU)	AL SC/WB Sort.Trans.TO1 (ECU)	AL SC/WB Trans.Outp.TO1 (ECU)	AL SC/WB Trans.Outp.TO1 (ECU)
0010.075301.205.021.2	AL SC/WB Trans.Outp.TO2 (ECU)	AL SC/WB Trans.Ausg.TO2 (ECU)	AL SC/WB Sort.Trans.TO2 (ECU)	AL SC/WB Trans.Outp.TO2 (ECU)	AL SC/WB Trans.Outp.TO2 (ECU)
0010.075301.205.031.2	AL SC/WB Trans.Outp.TO3 (ECU)	AL SC/WB Trans.Ausg.TO3 (ECU)	AL SC/WB Sort.Trans.TO3 (ECU)	AL SC/WB Trans.Outp.TO3 (ECU)	AL SC/WB Trans.Outp.TO3 (ECU)
0010.075301.205.041.2	AL SC/WB Trans.Outp.TO4 (ECU)	AL SC/WB Trans.Ausg.TO4 (ECU)	AL SC/WB Sort.Trans.TO4 (ECU)	AL SC/WB Trans.Outp.TO4 (ECU)	AL SC/WB Trans.Outp.TO4 (ECU)
0010.075302.205.011.2	AL SC/WB Trans.Outp.TOP1 (ECU)	AL SC/WB Trans.Ausg.TOP1 (ECU)	AL SC/WB Sort.Trans.TOP1 (ECU)	AL SC/WB Trans.Outp.TOP1 (ECU)	AL SC/WB Trans.Outp.TOP1 (ECU)
 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183		Blatt/ Sheet 61 von/of 137	
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.					

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	German	French	Spanish	Italian
0010.075302.205.021.2	AL SC/WB Trans.Outp.TOP2 (ECU)	AL SC/WB Trans.Ausg.TOP2 (ECU)	AL SC/WB Sort.Trans.TOP2 (ECU)	AL SC/WB Trans.Outp.TOP2 (ECU)	AL SC/WB Trans.Outp.TOP2 (ECU)
0010.075302.205.031.2	AL SC/WB Trans.Outp.TOP3 (ECU)	AL SC/WB Trans.Ausg.TOP3 (ECU)	AL SC/WB Sort.Trans.TOP3 (ECU)	AL SC/WB Trans.Outp.TOP3 (ECU)	AL SC/WB Trans.Outp.TOP3 (ECU)
0010.075302.205.041.2	AL SC/WB Trans.Outp.TOP4 (ECU)	AL SC/WB Trans.Ausg.TOP4 (ECU)	AL SC/WB Sort.Trans.TOP4 (ECU)	AL SC/WB Trans.Outp.TOP4 (ECU)	AL SC/WB Trans.Outp.TOP4 (ECU)
0010.002501.205.001.2	AL MCR Overload	AL MCR Ueberlast	AL MCR surcharge	AL Sobrecarga MCR	AL MCR Sovraccarico
0010.075401.255.011.2	WB Binary Input DI1 (ECU)	WB Binaereingang DI1 (ECU)	WB Entrée Binaire DI1 (ECU)	WB Binaria Entrada DI1 (ECU)	WB Binario Ingresso DI1 (ECU)
0010.075401.255.021.2	WB Binary Input DI2 (ECU)	WB Binaereingang DI2 (ECU)	WB Entrée Binaire DI2 (ECU)	WB Binaria Entrada DI2 (ECU)	WB Binario Ingresso DI2 (ECU)
0010.075401.255.031.2	WB Binary Input DI3 (ECU)	WB Binaereingang DI3 (ECU)	WB Entrée Binaire DI3 (ECU)	WB Binaria Entrada DI3 (ECU)	WB Binario Ingresso DI3 (ECU)
0010.075401.255.041.2	WB Binary Input DI4 (ECU)	WB Binaereingang DI4 (ECU)	WB Entrée Binaire DI4 (ECU)	WB Binaria Entrada DI4 (ECU)	WB Binario Ingresso DI4 (ECU)
0010.075401.255.051.2	WB Binary Input DI5 (ECU)	WB Binaereingang DI5 (ECU)	WB Entrée Binaire DI5 (ECU)	WB Binaria Entrada DI5 (ECU)	WB Binario Ingresso DI5 (ECU)
0010.075401.255.061.2	WB Binary Input DI6 (ECU)	WB Binaereingang DI6 (ECU)	WB Entrée Binaire DI6 (ECU)	WB Binaria Entrada DI6 (ECU)	WB Binario Ingresso DI6 (ECU)
0010.075401.255.071.2	WB Binary Input DI7 (ECU)	WB Binaereingang DI7 (ECU)	WB Entrée Binaire DI7 (ECU)	WB Binaria Entrada DI7 (ECU)	WB Binario Ingresso DI7 (ECU)
0010.075401.255.081.2	WB Binary Input DI8 (ECU)	WB Binaereingang DI8 (ECU)	WB Entrée Binaire DI8 (ECU)	WB Binaria Entrada DI8 (ECU)	WB Binario Ingresso DI8 (ECU)
0010.043306.255.001.2	WB ECU Emerg.Stop Input (ESI)	WB ECU Notstopp Eing.(ESI)	WB ECU Entrée Arrêt Sec (ESI)	WB ECU Entr.Parada Emerg.(ESI)	WB ECU Ingr. Arr.Emerg.(ESI)
0010.057204.105.001.2	LO U-Power Driver Unit	LO U-Endstufe	LO U-Amplificateur puissance	LO U-Unidad de Controlador	LO U-Unità driver di potenza
0010.057204.115.001.2	LOLO U-Endstufe	LOLO U-Power Driver Unit	LOLO U-Amplificateur puis	LOLO U-Unidad de Controlador	LOLO U-Unità driver di potenza
0010.057204.155.001.2	HI U-Power Driver Unit	HI U-Endstufe	HI U-Amplificateur puissance	HI U-Unidad de Controlador	HI U-Unità driver di potenza
0010.057204.165.001.2	HIHI U-Power Driver Unit	HIHI U-Endstufe	HIHI U-Amplificateur puissance	HIHI U-Unidad de Controlador	HIHI U-Unità driver di potenza
0010.008201.215.021.2	SD T-Charge Air B	SD T-Ladeluft B	SD T-Air de suralimentation B	SD T-Aire de Carga B	SD T-Carico Aria B
0010.020103.105.021.2	LO P-Fuel Common Rail B	LO P-Kraftstoff Common Rail B	LO P-Carburant (Common Rail)B	LO P-Comb (Common Rail) B	LO P-Carburante Common Rail B
0010.020103.155.021.2	HI P-Fuel Common Rail B	HI P-Kraftstoff Common Rail B	HI P-Carburant (Common Rail)B	HI P-Comb (Common Rail) B	HI P-Carburante Common Rail B
0010.057204.215.001.2	SD U-Power Driver Unit	SD U-Endstufe	SD U-Amplificateur puissance	SD U-Unidad de Controlador	SD U-Unità driver di potenza
0010.020103.215.021.2	SD P-Fuel Common Rail B	SD P-Kraftstoff Common Rail B	SD P-Carburant (Common Rail)B	SD P-Comb (Common Rail) B	SD P-Carburante Common Rail B
0010.008101.155.001.2	HI P-Charge Air A	HI P-Ladeluft A	HI P-Air Suralimentation A	HI P-Carga de Aire A	HI P-Carico Aria A
0010.008101.165.001.2	HIHI P-Charge Air A	HIHI P-Ladeluft A	HIHI P-Air Suralimentation A	HIHI P-Carga de Aire A	HIHI P-Carico Aria A
0010.057304.215.001.2	SD T-ECU	SD T-ECU	SD T-ECU	SD T-ECU	SD T-ECU
0010.006401.215.031.2	SD T-Exhaust Combined C	SD T-Abgassammel C	SD T-Echappement C	SD T-Evacuación C	SD T-Scarico C
0010.006401.215.041.2	SD T-Exhaust Combined D	SD T-Abgassammel D	SD T-Echappement D	SD T-Evacuación D	SD T-Scarico D
0010.006401.155.031.2	HI T-Exhaust Combined C	HI T-Abgassammel C	HI T-Echappement C	HI T-Evacuación C	HI T-Scarico C
0010.006401.165.031.2	HIHI T-Exhaust Combined C	HIHI T-Abgassammel C	HIHI T-Echappement C	HIHI T-Evacuación C	HIHI T-Scarico C
0010.006401.155.041.2	HI T-Exhaust Combined D	HI T-Abgassammel D	HI T-Echappement D	HI T-Evacuación D	HI T-Scarico D
0010.006401.165.041.2	HIHI T-Exhaust Combined D	HIHI T-Abgassammel D	HIHI T-Echappement D	HIHI T-Evacuación D	HIHI T-Scarico D
0010.056001.155.031.2	HI ETC 3 Speed	HI ATL 3 Drehzahl	HI Turbo Vitesse 3	HI ETC 3 Velocidad	HI ETC 3 Velocità
0010.056001.165.031.2	HIHI ETC 3 Overspeed	HIHI ATL 3 Ueberdrehzahl	HIHI Surrégime Turbo 3	HIHI ETC3 Sobrevelocidad	HIHI ETC3 Sovravelocità
0010.056001.155.041.2	HI ETC 4 Speed	HI ATL 4 Drehzahl	HI Turbo Vitesse 4	HI ETC 4 Velocidad	HI ETC 4 Velocità
0010.056001.165.041.2	HIHI ETC 4 Overspeed	HIHI ATL 4 Ueberdrehzahl	HIHI Surrégime Turbo 4	HIHI ETC4 Sobrevelocidad	HIHI ETC4 Sovravelocità
0010.056002.205.041.2	AL ETC 4 Cut in Fail	AL ATL 4 Zuschaltfehler	AL ETC 4 Défaut Enclenchement	AL ETC 4 Fallo de Interrupción	AL ETC 4 Anomalia Inclusionione
0010.056002.205.031.2	AL ETC 3 Cut in Fail	AL ATL 3 Zuschaltfehler	AL ETC 3 Défaut Enclenchement	AL ETC 3 Fallo de Interrupción	AL ETC 3 Anomalia Inclusionione
0010.005101.215.021.2	SD P-Intake Air After FilterB	SD P-Ansaugluft B	AL Esclaves FHD multiples	SD T-Aire Aspiración B	SD P-Aria Aspirata B
0010.020109.255.011.2	WB HighPres Fuel Pump	WB HD Kraftstoffpumpe	WB HighPres Pompe à Carburant	WB HP Bomba Combustible	WB pompa del carb. ad alta pr.

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 62 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision			Kommt vor/Frequency		
war kZ					
Buchst./Rev.Ltr. -8			Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released
SysID	English	German	French	Spanish	Italian
0010.085003.205.001.2	AL Multiple FDH Slaves	AL Mehr als ein FDH Slave	AL Plusieurs Esclaves FDH	AL Esclavos FDH Múltiples	AL Multipli Schiavi FDH
0010.085002.205.001.2	AL Configuration Changed	AL Konfiguration geaendert	AL Configuration modifiée	AL Configuración Cambiada	AL Configurazione Cambiata
0010.057301.205.001.2	AL ECU Reset while Eng.Run.	AL ECU Reset bei lauf. Motor	AL ECU Reset Tout Mot. Marche	AL Reset ECU con Motor Mrch	AL ECU reset. durante funzion.
0010.000506.165.001.2	HIHI Overspeed Camshaft	HIHI Ueberdrehzahl Nockenwelle	HIHI Surrégime Arbre Cames	HIHI Sobrevelocidad Árbol Leva	HIHI Sovravelocità a Camme
0010.085001.205.001.2	AL Call MTU Field Service	AL MTU Kundendienst rufen	AL Service Appel MTU Champs	AL Solicitar Servicio MTU	AL Contattare l'assistenza MTU
0010.005101.105.021.2	LO P-Intake Air After FilterB	LO P-Ansaugluft B	LO P-Air Admission B	LO P-Aire Aspiración B	LO P-Aria Aspirata B
0010.025202.215.001.2	SD T-Lube Oil (Oil PAN)	SD T-Schmieroel Oelwanne	SD T-Huile Lubrif. (Huile PAN)	SD T-Lubr (Cárter de Aceite)	SD T-Olio Lubrif.(Coppa Olio)
0010.020110.255.011.2	WB HighPres Fuel Ctrl Valve	WB Kraftst.HDKontrollventil	WB HighP. Carburant Ctrl Valve	WB Válvula Ctrl Combust. HP	WB Val. di cont. del Car. a.p.
0010.025202.105.001.2	LO T-Lube Oil (Oil PAN)	LO T-Schmieroel Oelwanne	LO T-Huile Lubrif. (Huile PAN)	LO T-Lubr (Cárter de Aceite)	LO T-Olio Lubrif.(Coppa Olio)
0010.057405.205.001.2	AL Develop PR Set	AL Versuchsparametersatz	AL PR développer ensemble	AL Conjunto Parám Ensayo	AL Set Parametri Sperimentali
0010.016001.255.011.2	WB Raw Water Ctrl Valve	WB Seewasserkontrollventil	WB eau brute Ctrl Valve	WB vál.de cont.de agua de mar	WB Valvola di reg. acqua di m.
0010.008001.255.011.2	WB Blow Over Ctrl Valve	WB Umblasen Kontrollventil	WB Coup Cours Ctrl Valve	WB válvula de control pasar	WB valvola di cont. sof. sopra
0010.020106.155.001.2	HI P-Fuel Int. Filter Diff.	HI P-Kraftst.Zw. Filterdiff.	HI P-Diff Entrefiltrecarburant	HI P-DiferenciaEntrefiltroComb	HI P-Diff.Traffiltro carburante
0010.061001.205.001.2	AL EIL Error	AL EIL Fehler	AL EIL Erreur	AL EIL Error	AL EIL Errore
0010.008002.255.011.2	WB Charge Air Ctrl Valve	WB Ladeluft Kontrollventil	WB Suraliment. Air Ctrl Valve	WB Vál.de Cont.del aire de ca.	WB Carica Valvola Ctrl Air
0010.056004.255.011.2	WB Flap ETC A	WB Klappe ATL A	WB Flap Turbo A	WB Solapa ETC A	WB Flap Turbocompressore A
0010.056004.255.021.2	WB Flap ETC B	WB Klappe ATL B	WB Flap Turbo B	WB Solapa ETC B	WB Flap Turbocompressore B
0010.008101.215.021.2	SD P-Charge Air B	SD P-Ladeluft B	SD P-Air Suralimentation B	SD P-Aire de Carga B	SD P-Carico Aria B
0010.025301.105.001.2	LO Lube Oil Level	LO Schmieroelniveau	LO Niveau huile lubrifiante	LO Nivel Aceite Lubricante	LO Lubr.livello Olio
0012.006200.215.001.2	SD T-Exhaust SCR Inlet 1	SD T-Abgas SCR Eingang 1	SD T-Échappement SCR Entrée 1	SD T-Escape SCR Entrada 1	SD T-Scarico SCR Ingresso 1
0012.006200.215.011.2	SD T-Exhaust SCR Inlet 2	SD T-Abgas SCR Eingang 2	SD T-Échappement SCR Entrée 2	SD T-Escape SCR Entrada 2	SD T-Scarico SCR Ingresso 2
0012.006201.215.001.2	SD T-Exhaust SCR Outlet 1	SD T-Abgas SCR Ausgang 1	SD T-Échappement SCR Sortie 1	SD T-Escape SCR Salida 1	SD T-Scarico SCR Uscita 1
0010.020202.155.001.2	HI T-Fuel before LP Pump	HI T-Kraftst.vor ND Pumpe	HI T-Carburant avant moteur	HI T-Comb antes Bomba BP	HI T-Carburante prima BP
0010.020202.165.001.2	HIHI T-Fuel before LP Pump	HIHI T-Kraftst.vor ND Pumpe	HIHI T-Carburant avant moteur	HIHI T-Comb antes Bomba BP	HIHI T-Carburante prima BP
0010.020202.215.001.2	SD T-Fuel bef.Low Press.Pump	SD T-Kraftstoff vor ND Pumpe	SD T-Carburant avant moteur	SD T-Comb antes Motor	SD T-Carburante prima Pompa BP
0010.006402.215.011.2	SD T-Exhaust after Engine	SD T-Abgas nach Motor	SD T-Echappement après moteur	SD T-Escape dsp de Motor	SD T-Scarico dopo Motore
0010.016201.215.001.2	SD T-Raw Water after Pump	SD T-Seewasser nach Pumpe	SD T-Eau brute après pompe	SD T-Agua Mar dsp de Bomba	SD T-Acqua Esterna dopo pompa
0010.020201.215.021.2	SD T-Fuel Common Rail B	SD T-Kraftstoff Common Rail B	SD T-Carburant B	SD T-Combustible B	SD T-Carburante Common Rail B
0010.025304.215.001.2	SD Oil Refill Tank Level	SD Niveau Oel Nachfuelltank	SD Niveau huile réserv rempl	SD Nivel Dep Relleno Aceite	SD Livello Serb.Riempimen.Olio
0010.020107.215.001.2	SD P-Fuel Return Path	SD P-Kraftstoffruecklauf	SD P-Conduite retour carburant	SD P-Retorno de Combustible	SD P-Ritorno Carburante
0010.020108.215.001.2	SD P-Fuel bef. Low Press. Pump	SD P-Kraftstoff vor ND-Pumpe	SD P-Carburant avant pompe BP	SD P-Comb antes Bomba BP	SD P-Carburante prima Pompa BP
0010.025105.215.001.2	SD P-Oil after Level Pump	SD P-Oel nach Niveaupumpe	SD P-Huile lub après pompe niv	SD P-Lubr dsp de Bomba Nivel	SD P-Olio dopo pompa livello
0010.025107.215.011.2	SD P-Oil bef.High Press.Pump A	SD P-Schmieroel vor HD Pumpe A	SD P-Huile lub pompe HP A	SD P-Aceite Lubr AP Bomba A	SD P-Olio prima pompa AP A
0010.025107.215.021.2	SD P-Oil bef.High Press.Pump B	SD P-Schmieroel vor HD Pumpe B	SD P-Huile lub pompe HP B	SD P-Aceite Lubr AP Bomba B	SD P-Olio prima pompa AP B
0010.025104.215.011.2	SD P-Lube Oil A-Side ETCs	SD P-Schm.oel A-Seite ATLS	SD P-Huile lub côté A TCs	SD P-Aceite Lubr Lado A ETCs	SD P-Olio Lubr. A ETCs
0010.025107.105.011.2	LO P-Oil bef.High Press.Pump A	LO P-Schmieroel HD Pumpe A	LO P-Huile lub pompe HP A	LO P-Aceite Lubr AP Bomba A	LO P-Olio prima pompa AP A
0010.025107.105.021.2	LO P-Oil bef.High Press.Pump B	LO P-Schmieroel HD Pumpe B	LO P-Huile lub pompe HP B	LO P-Aceite Lubr AP Bomba B	LO P-Olio prima pompa AP B
0010.025105.105.001.2	LO P-Oil after Level Pump	LO P-Oel nach Niveaupumpe	LO P-Huile lub apr pompe niv	LO P-Lubr dsp de Bomba Nivel	LO P-Olio dopo pompa livello
0010.008101.155.021.2	HI P-Charge Air B	HI P-Ladeluft B	HI P-Air Suralimentation B	HI P-Carga de Aire B	HI P-Carico Aria B
 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183		Blatt/ Sheet 63 von/of 137	
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.					

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. - .8	Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released		

SysID	English	German	French	Spanish	Italian
0010.008101.165.021.2	HIHI P-Charge Air B	HIHI P-Ladeluft B	HIHI P-Air Suralimentation B	HIHI P-Carga de Aire B	HIHI P-Carico Aria B
0010.020108.105.001.2	LO P-Fuel bef. Low Press. Pump	LO P-Kraftstoff vor ND-Pumpe	LO P-Carburant avant pompe BP	LO P-Comb antes Bomba BP	LO P-Carburante prima Pompa BP
0010.020107.155.001.2	HI P-Fuel Return Path	HI P-Kraftstoffruecklauf	HI P-Conduite retour carburant	HI P-Retorno de Combustible	HI P-Ritorno Carburante
0010.008201.155.021.2	HI T-Charge Air B	HI T-Ladeluft B	HI T-Air Suralimentation B	HI T-Carga Aire B	HI T-Carico Aria B
0010.008201.165.021.2	HIHI T-Charge Air B	HIHI T-Ladelluft B	HIHI T-Air Suralimentation B	HIHI T-Carga de Aire B	HIHI T-Carico Aria B
0010.006402.155.011.2	HI T-Exhaust after Engine	HI T-Abgas nach Motor	HI T-Gaz échap. après mot	HI T-Escape dsp de Motor	HI T-Scarico dopo Motore
0010.016201.155.001.2	HI T-Raw Water after Pump	HI T-Seewasser nach Pumpe	HI T-Eau brute après pompe	HI T-Agua Mar dsp de Bomba	HI T-Acqua Esterna dopo pompa
0010.020201.155.021.2	HI T-Fuel Common Rail B	HI T-Kraftstoff Common Rail B	HI T-Carburant rampe commune B	HI T-Combust. Common Rail B	HI T-Carburante Common Rail B
0010.020201.165.021.2	HIHI T-Fuel Common Rail B	HIHI T-Kraftstoff Common Rail B	HIHI T-Carburant rampe com. B	HIHI T-Combust. Common Rail B	HIHI T-Carbur. Common Rail B
0010.025304.105.001.2	LO Oil Refill Tank Level	LO Niveau Oel Nachfuelltank	LO Niveau huile réserv rempl	LO Nivel Aceite Dep Relleno	LO Livello Serb.Riempimen.Olio
0010.056001.215.031.2	SD ETC 3 Speed	SD ATL 3 Drehzahl	SD TC 3 régime	SD ETC 3 Velocidad	SD ETC 3 Velocità
0010.056001.215.041.2	SD ETC 4 Speed	SD ATL 4 Drehzahl	SD TC 4 régime	SD ETC 4 Velocidad	SD ETC 4 Velocità
0010.061002.205.001.2	AL EIL Different Engine Number	AL EIL untersch. Motornummer	AL EIL Nombre moteurs diff.	AL EIL Números Motor Diferent.	AL EIL Numeri Motore Diversi
0010.020111.205.011.2	AL StartwithP-Fuel CR too high	AL StartmitzuhohemP-Kraft. HD	AL StartwithP-Carbur. CR haut	AL StartwithP Combust CR alto	AL StartwithP-Fuel CR pur alto
0010.002015.205.011.2	AL Max.Blank Shot Time expired	AL Blank Shot Zeit abgelaufen	AL Max.Blank Shot Temps expiré	AL Max.Blank Shot Time expiró	AL Max.Blank Shot Time scaduto
0010.025104.215.021.2	SD P-Lube Oil B-Side ETCs	SD P-Schm.oel B-Seite ATLS	SD P-Huile lubrif côté B TCs	SD P-Aceite Lubr Lado B ETCs	SD P-Olio Lubr. B ETCs
0010.025104.105.021.2	LO P-Lube Oil B-Side ETCs	LO P-Schm.oel B-Seite ATLS	LO P-Huile lubrif côté B TCs	LO P-Aceite Lubr Lado B ETCs	LO P-Olio Lubr. B ETCs
0010.025104.105.011.2	LO P-Lube Oil A-Side ETCs	LO P-Schm.oel A-Seite ATLS	LO P-Huile lubrif côté A TCs	LO P-Aceite Lubr Lado A ETCs	LO P-Olio Lubr. A ETCs
0010.025104.115.011.2	LOLO P-Lube Oil A-Side ETCs	LOLO P-Schm.oel A-Seite ATLS	LOLO Huile lubrif côté A TCs	LOLO P-Ac Lubr Lado A ETCs	LOLO P-Olio Lubr. A ETCs
0010.025104.115.021.2	LOLO P-Lube Oil B-Side ETCs	LOLO P-Schm.oel B-Seite ATLS	LOLO Huile lubrif côté B TCs	LOLO P-Ac Lubr Lado B ETCs	LOLO P-Olio Lubr. B ETCs
0012.024419.205.001.2	AL SCR F1 SU DEF Quantity	AL SCR F1 VE HWL Dosiermenge	AL SCR F1 UA DEF Qté Dosage	AL SCR F1 VE DEF Dosificación	AL SCR F1 UA DEF Quant. dos.
0012.024420.205.001.2	AL SCR F2 SU DEF Quantity	AL SCR F2 VE HWL Dosiermenge	AL SCR F2 UA DEF Qté Dosage	AL SCR F2 VE DEF Dosificación	AL SCR F2 UA DEF Quant. dos.
0010.025203.215.001.2	SD T-Lube Oil ETCs	SD T-Schmieroel ATLS	SD T-Huile lubrifiante TC	SD T-Aceite Lubricante ETC	SD T-Olio Lubr. ETC
0010.025203.165.001.2	HIHI T-Lube Oil ETCs	HIHI T-Schmieroel ATLS	HIHI T-Huile lubrifiante TC	HIHI T-Aceite Lubricante ETC	HIHI T-Olio Lubr. ETC
0010.025203.155.001.2	HI T-Lube Oil ETCs	HI T-Schmieroel ATLS	HI T-Huile lubrifiante TC	HI T-Aceite Lubricante ETC	HI T-Olio Lubr. ETC
0012.006200.155.001.2	HI T-Exhaust SCR Inlet 1	HI T-Abgas SCR Eingang 1	HI T-Échappement SCR Entrée 1	HI-T-Escape SCR Entrada 1	HI T-Scarico SCR Ingresso 1
0012.006200.165.001.2	HIHI T-Exhaust SCR Inlet 1	HIHI T-Abgas SCR Eingang 1	HIHI T-Échappement SCR Entrée1	HIHI T-Escape SCR Entrada 1	HIHI T-Scarico SCR Ingresso 1
0012.006201.155.001.2	HI T-Exhaust SCR Outlet 1	HI T-Abgas SCR Ausgang 1	HI T-Échappement SCR Sortie 1	HI-T-Escape SCR Salida 1	HI T-Scarico SCR Uscita 1
0012.006201.165.001.2	HIHI T-Exhaust SCR Outlet 1	HIHI T-Abgas SCR Ausgang 1	HIHI T-Échappement SCR Sortie1	HIHI T-Escape SCR Salida 1	HIHI T-Scarico SCR Uscita 1
0012.006200.155.011.2	HI T-Exhaust SCR Inlet 2	HI T-Abgas SCR Eingang 2	HI T-Échappement SCR Entrée 2	HI-T-Escape SCR Entrada 2	HI T-Scarico SCR Ingresso 2
0012.006200.165.011.2	HIHI T-Exhaust SCR Inlet 2	HIHI T-Abgas SCR Eingang 2	HIHI T-Échappement SCR Entrée2	HIHI T-Escape SCR Entrada 2	HIHI T-Scarico SCR Ingresso 2
0012.024100.105.001.2	LO T-DEF at PDM	LO T-DEF am PDM	LO T-DEF au PDM	LO T-DEF en PDM	LO T-DEF al PDM
0012.024421.105.001.2	LO Cataly Conversion F1	LO Kat. Umsatzrate F1	LO Conversion Catalytique F1	LO Conversión Catalítica F1	LO Tasso convers. catalizz. F1
0012.024422.105.001.2	LO Cataly Conversion F2	LO Kat. Umsatzrate F2	LO Conversion Catalytique F2	LO Conversión Catalítica F2	LO Tasso convers. catalizz. F2
0012.024423.105.001.2	LO Cataly Conversion F3	LO Kat. Umsatzrate F3	LO Conversion Catalytique F3	LO Conversión Catalítica F3	LO Tasso convers. catalizz. F3
0010.056002.205.051.2	AL ETC 5 Cut in Fail	AL ATL 5 Zuschaltfehler	AL ETC 5 Défaut Enclenche	AL ETC5 Fallo de Interrup.	AL ETC5 AnomaliaInclusione
0010.056002.205.011.2	AL ETC 1 Cut in Fail	AL ATL 1 Zuschaltfehler	AL ETC 1 Défaut Enclenche	AL ETC1 Fallo de Interrup.	AL ETC1 AnomaliaInclusione
0010.020103.115.001.2	LOLO P-Fuel Common Rail	LOLO P-Kraftstoff CR	LOLO P-Carburant Common Rail	LOLO P-Comb Common Rail	LOLO P-Carburante Common Rail
0010.020103.115.021.2	LOLO P-Fuel Common Rail B	LOLO P-Kraftstoff CR B	LOLO P-Carburant Common Rail B	LOLO P-Comb Common Rail B	LOLO P-Carbur. Common Rail B

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 64 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.			

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	German	French	Spanish	Italian
0010.059200.155.001.2	HI PCV Defect	HI DRV Defekt	HI VRP Défectueux	HI DRV Defectuoso	HI VCP difettoso
0010.059200.165.001.2	HIHI PCV Defect	HIHI DRV Defekt	HIHI VRP Défectueux	HIHI DRV Defectuoso	HIHI VCP difettoso
0012.024100.215.001.2	SD T-DEF at PDM	SD T-DEF am PDM	SD T-DEF au PDM	SD T-DEF en PDM	SD T-DEF al PDM
0012.024200.215.001.2	SD P-DEF Filter Out at PDM	SD P-DEF Filter Ausgang am PDM	SD P-DEF Filtre Sortie au PDM	SD P-DEF Filtro Salida en PDM	SD P-DEF Filtro Uscita al PDM
0012.024200.105.001.2	LO P-DEF Filter Out at PDM	LO P-DEF Filter Ausgang am PDM	LO P-DEF Filtre Sortie au PDM	LO P-DEF Filtro Salida en PDM	LO P-DEF Filtro Uscita al PDM
0010.002014.205.011.2	AL Perm. Injection Detection	AL Detektion Dauereinspritz.	AL Perm. Détection Injexion	AL Perm. Detección Injexion	AL Perm. Detection Injexion
0012.024400.205.001.2	AL Com. Lost DCM ID2	AL Kom. Verlust DCM ID2	AL Perdu Com. DCM ID2	AL Com. Perdido DCM ID2	AL Com. Perduta DCM ID2
0012.024401.205.001.2	AL Com. Lost DCM ID3	AL Kom. Verlust DCM ID3	AL Perdu Com. DCM ID3	AL Com. Perdido DCM ID3	AL Com. Perduta DCM ID3
0012.024402.205.001.2	AL Com. Lost DCM ID4	AL Kom. Verlust DCM ID4	AL Perdu Com. DCM ID4	AL Com. Perdido DCM ID4	AL Com. Perduta DCM ID4
0012.024403.205.001.2	AL Com. Lost DCM ID5	AL Kom. Verlust DCM ID5	AL Perdu Com. DCM ID5	AL Com. Perdido DCM ID5	AL Com. Perduta DCM ID5
0012.050000.105.001.2	LO PS Voltage DCM PDM	LO Spannungsver. DCM PDM	LO U-DCM PDM	LO U-DCM PDM	LO U-DCM PDM
0012.050001.105.001.2	LO PS Voltage DCM SCR Base 1	LO Spannungsver.DCM SCR Basis1	LO U-DCM SCR Base 1	LO U-DCM SCR Base 1	LO U-DCM SCR Base 1
0012.050001.105.011.2	LO PS Voltage DCM SCR Base 2	LO Spannungsver.DCM SCR Basis2	LO U-DCM SCR Base 2	LO U-DCM SCR Base 2	LO U-DCM SCR Base 2
0012.050002.105.001.2	LO PS Voltage DCM SCR Out	LO Spannungsver. DCM SCR Ausg.	LO U-DCM SCR Sortie	LO U-DCM SCR Salida	LO U-DCM SCR Uscita
0012.006502.215.001.2	SD P-Exhaust SCR Inlet 1	SD P-Abgas SCR Eingang 1	SD P-Échappement SCR Entrée 1	SD P-Scarico SCR Ingresso 1	SD P-Scarico SCR Ingresso 1
0010.020112.205.011.2	AL P-Fuel CR Constant Value	AL P-Kraft. HD konstanterWert	AL P-Carbur. CR Const. Valeur	AL P-Combust CR Valor Const	AL P-Fuel CR Valore Costante
0012.006501.215.001.2	SD P-Exhaust SCR Outlet 1	SD P-Abgas SCR Ausgang 1	SD P-Échappement SCR Sortie 1	SD P-Escape SCR Salida 1	SD P-Scarico SCR Uscita 1
0010.002017.155.001.2	AL Injector Drift Deviation	AL Injektor Drift Abweichung	AL Injecteur Dérive Déviation	AL Deriva Inyector Desviación	AL Scostam. deriva iniettore
0012.024404.215.001.2	SD NOx EGAT Inlet 1	SD NOx EGAT Eingang 1	SD NOx EGAT Entrée 1	SD NOx EGAT Entrada 1	SD NOx EGAT Ingresso 1
0012.024404.205.001.2	AL Com. Lost NOx EGAT Inlet 1	AL Kom. Verlust NOx EGAT Ein.1	AL Com. perdue NOx EGAT Ent.1	AL Pérd. Com. NOx EGAT Entr. 1	AL Com. Perduta NOx EGAT Ing.1
0012.024405.215.001.2	SD NOx EGAT Inlet 2	SD NOx EGAT Eingang 2	SD NOx EGAT Entrée 2	SD NOx EGAT Entrada 2	SD NOx EGAT Ingresso 2
0012.024405.205.001.2	AL Com. Lost NOx EGAT Inlet 2	AL Kom. Verlust NOx EGAT Ein.2	AL Com. perdue NOx EGAT Ent.2	AL Pérd. Com. NOx EGAT Entr.2	AL Com. Perduta NOx EGAT Ing.2
0012.024406.215.001.2	SD NOx EGAT Outlet 1	SD NOx EGAT Ausgang 1	SD NOx EGAT Sortie 1	SD NOx EGAT Salida 1	SD NOx EGAT Uscita 1
0012.024406.205.001.2	AL Com. Lost NOx EGAT Outlet 1	AL Kom. Verlust NOx EGAT Aus.1	AL Com. perdue NOx EGAT Sort.1	AL Pérd. Com. NOx EGAT Sal.1	AL Com. Perduta NOx EGAT Usc.1
0012.024407.205.001.2	AL Com. Lost DEF Doser 1	AL Kom. Verlust DEF Dosierer 1	AL Com. perdue DEF Doseur 1	AL Pérd. Com. Dosif. DEF 1	AL Com. Perduta DEF Dosatore 1
0012.024413.205.001.2	AL DEF Doser 1 defect	AL DEF Dosierer 1 defekt	AL DEF Doseur 1 défectueux	AL Dosificador DEF 1 defect.	AL DEF Dosatore 1difettoso
0012.024408.205.001.2	AL Com. Lost DEF Doser 2	AL Kom. Verlust DEF Dosierer 2	AL Com. perdue DEF Doseur 2	AL Pérd. Com. Dosif. DEF 2	AL Com. Perduta DEF Dosatore 2
0012.024414.205.001.2	AL DEF Doser 2 defect	AL DEF Dosierer 2 defekt	AL DEF Doseur 2 défectueux	AL Dosificador DEF 2 defect.	AL DEF Dosatore 2 difettoso
0012.024409.205.001.2	AL Com. Lost DEF Doser 3	AL Kom. Verlust DEF Dosierer 3	AL Com. perdue DEF Doseur 3	AL Pérd. Com. Dosif. DEF 3	AL Com. Perduta DEF Dosatore 3
0012.024415.205.001.2	AL DEF Doser 3 defect	AL DEF Dosierer 3 defekt	AL DEF Doseur 3 défectueux	AL Dosificador DEF 3 defect.	AL DEF Dosatore 3 difettoso
0012.024410.205.001.2	AL Com. Lost DEF Doser 4	AL Kom. Verlust DEF Dosierer 4	AL Com. perdue DEF Doseur 4	AL Pérd. Com. Dosif. DEF 4	AL Com. Perduta DEF Dosatore 4
0012.024416.205.001.2	AL DEF Doser 4 defect	AL DEF Dosierer 4 defekt	AL DEF Doseur 4 défectueux	AL Dosificador DEF 4 defect.	AL DEF Dosatore 4 difettoso
0012.024411.205.001.2	AL Com. Lost DEF Doser 5	AL Kom. Verlust DEF Dosierer 5	AL Com. perdue DEF Doseur 5	AL Pérd. Com. Dosif. DEF 5	AL Com. Perduta DEF Dosatore 5
0012.024417.205.001.2	AL DEF Doser 5 defect	AL DEF Dosierer 5 defekt	AL DEF Doseur 5 défectueux	AL Dosificador DEF 5 defect.	AL DEF Dosatore 5 difettoso
0012.024412.205.001.2	AL Com. Lost DEF Doser 6	AL Kom. Verlust DEF Dosierer 6	AL Com. perdue DEF Doseur 6	AL Pérd. Com. Dosif. DEF 6	AL Com. Perduta DEF Dosatore 6
0012.024418.205.001.2	AL DEF Doser 6 defect	AL DEF Dosierer 6 defekt	AL DEF Doseur 6 défectueux	AL DEF Dosificador 6 defect.	AL DEF Dosatore 6 difettoso
0012.024100.155.001.2	HI T-DEF at PDM	HI T-DEF am PDM	HI T-DEF au PDM 1	HI T-DEF en PDM	HI T-DEF al PDM
0012.006500.155.001.2	HI P-Exhaust Diff. SCR 1	HI P-Abgas Diff. SCR 1	HI P-Échappement Diff. SCR 1	HI P-Escape Dif. SCR 1	HI P-Scarico Diff. SCR 1
0012.006500.165.001.2	HIHI P-Exhaust Diff. SCR 1	HIHI P-Abgas Diff. SCR 1	HIHI P-Échappement Diff. SCR 1	HIHI P-Escape Dif. SCR 1	HIHI P-Scarico Diff. SCR 1

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 65 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	German	French	Spanish	Italian
0012.024400.155.001.2	HI DEF Dosing	HI DEF Dosierung	HI DEF Dosage	HI DEF Dosificación	HI DEF Dosaggio
0012.024400.105.001.2	LO DEF Dosing	LO DEF Dosierung	LO DEF Dosage	LO DEF Dosificación	LO DEF Dosaggio
0012.024400.115.001.2	LOLO DEF Dosing	LOLO DEF Dosierung	LOLO DEF Dosage	LOLO DEF Dosificación	LOLO DEF Dosaggio
0020.027101.105.001.2	LO P-Gear Control Oil	LO P-Getriebe Steueroel	LO P-Huile Cde Réduct.	LO P-Acei. Cont.Reductor	LO P-Olio Idraulico Riduttore
0020.027101.115.001.2	LOLO P-Gear Control Oil	LOLO P-Getriebe Steueroel	LOLO P-Huile Cde Réduct.	LOLO P-Acei. Cont.Reductor	LOLO P-Olio Idrau. Riduttore
0020.025101.105.001.2	LO P-Gear Lube Oil	LO P-Getriebe Schmieroel	LO P-Huile Lub Réduct	LO P-Aceite Lubric Reductor	LO P-Olio Lub. Riduttore
0020.025101.115.001.2	LOLO P-Gear Lube Oil	LOLO P-Getriebe Schmieroel	LOLO P-Huile Lub Réduct	LOLO P-Aceite Lubric Reductor	LOLO P-Olio Lub. Riduttore
0020.025201.155.001.2	HI T-Gear Oil	HI T-Getriebeoel	HI T-Huile Réducteur	HI T-Aceite Reductor	HI T-Olio Riduttore
0020.025201.165.001.2	HIHI T-Gear Oil	HIHI T-Getriebeoel	HIHI T-Huile Réducteur	HIHI T-Aceite Reductor	HIHI T-Olio Riduttore
0020.025701.205.001.2	AL Gear Oil Filter Clogged	AL Getr. Oel Filt. Verschmutzt	AL Filtre Huile Réduct. Colm.	AL Filtro Acei. Redu.Obstruido	AL Filtro Olio Ridu. Ostruito
0020.025301.105.001.2	LO Gear Oil Level	LO Getriebeoel Niveau	LO Niveau Huile Réduct	LO Nivel Aceite Reductor	LO Livello Olio Riduttore
0020.025202.155.001.2	HI T-Gear Oil after Cooler	HI T-Getriebeoel n. Kuehler	HI T-Huile réd apr radiateur	HI T-Acei.Reductor dsp.Refrig.	HI T-Olio Ridu. dopo Raffr.
0020.025202.165.001.2	HIHI T-Gear Oil after Cooler	HIHI T-Getriebeoel n. Kuehler	HIHI T-Huile réd apr radiateur	HIHI T-Acei. Redu. dsp.Refrig.	HIHI T-Olio Ridu. dopo Raffr.
0020.055301.155.001.2	HI T-Gear Thrust Bearing	HI T-Getriebe Drucklager	HI T-Palier de Butée Rapp Vit	HI T-Cojinete Empuje Reductor	HI T-Riduttore cusc. spinta
0020.055301.165.001.2	HIHI T-Gear Thrust Bearing	HIHI T-Getriebe Drucklager	HIHI T-Palier Butée Rapp Vit	HIHI T-Cojinete Empuje Redu.	HIHI T-Riduttore cusc. spinta
1.0020.059302.205.001.2	AL Trolling System Failure	AL Trolling Einricht. Stoerung	AL Défaut Système Trolling	AL Fallo Sistema Arrastre	AL Errore Sistema Trolling
1.0020.059003.255.001.2	WB Trolling Linear Valve	WB Trolling Linearventil	WB Trolling soupape linéaire	WB Trolling Válvula Lineal	WB Trolling Valvola Lineare
1.0020.059003.265.001.2	SC Trolling Linear Valve	SC Trolling Linearventil	SC Trolling soupape linéaire	SC Trolling Válvula Lineal	SC Trolling Valvola Lineare
1.0020.059002.255.001.2	WB Trolling On Valve	WB Trolling-Ein Ventil	WB Soupape trolling marche	WB Válvula Trolling Conectado	WB Valvola Attiv. Trolling
1.0020.059002.265.001.2	SC Trolling On Valve	SC Trolling-Ein Ventil	SC Soupape trolling marche	SC Válvula Trolling Conectado	SC Valvola Attiv. Trolling
0070.059005.205.001.2	AL Clutch Interlock Active	AL Kupplungsverriegelung	AL Verrouillage Embrayage	AL Bloqueo Embrague	AL Interdipendenza Friz
0080.065004.205.001.2	AL Clutch Interlock Override	AL Kupplungsverrieg. ueberbr.	AL Verrouillage Embrayage Cont	AL Bloqueo Embrague Anulación	AL Interdepend Friz Esclusione
0070.059003.205.001.2	AL Engage Error	AL Einkuppelfehler	AL Défaut Engagement	AL Fallo de Embrague	AL Errore Innesso
0070.059004.205.001.2	AL Disengage Error	AL Auskuppelfehler	AL Défaut Désengagement	AL Fallo de Desembrague	AL Errore Disinnesto
1.0020.059301.205.001.2	AL Trolling On Failure	AL Trolling EIN Stoerung	AL défaut Trolling actif	AL Fallo Arrastre Energizado	AL Errore Trolling
0020.000701.205.001.2	AL Shaft Speed Direction Lost	AL Wellendr. Richtung Verlust	AL Dir Vitesse Arbre Inopér	AL Vel. Eje Sentido Perdido	AL Perdita senso rotaz. albero
0020.000701.205.011.2	AL Shaft Speed Redundancy Lost	AL Wellendr. Redund. Verlust	AL Redondance Vit Arbre Inop	AL Vel. Eje Redund. Perdido	AL Perdita ridond. rot. albero
0020.000701.225.011.2	TD Shaft Speed	TD Wellendrehzahl	TD Vitesse Arbre	TD Árbol Velocidad	TD Velocità Albero
0020.025101.215.001.2	SD P-Gear Control Oil	SD P-Getriebe Steueroel	SD P-Huile Cde Réducteur	SD P-Aceite Control Reductor	SD P-Olio Idraulico Riduttore
0020.027101.215.001.2	SD P-Gear Lube Oil	SD P-Getriebe Schmieroel	SD P-Gear Control Oil	SD P-Aceite Lubric. Reductor	SD P-Olio Lub. Riduttore
0020.025201.215.001.2	SD T-Gear Oil	SD T-Getriebeoel	SD T-Huile Réducteur	SD T-Aceite Reductor	SD T-Olio Riduttore
0020.025701.215.001.2	SD Gear Oil Filter Clogged	SD Getr. Oel Filt. Verschmutzt	SD Filtre Huile Réduct. Colm.	SD Filtro Acei. Redu.Obstruido	SD Filtro Olio Ridu. Ostruito
0020.025301.215.001.2	SD Gear Oil Level	SD Getriebeoel Niveau	SD Niveau Huile Réduct	SD Nivel Aceite Reductor	SD Livello Olio Riduttore
0020.025202.215.001.2	SD T-Gear Oil after Cooler	SD T-Getriebeoel nach Kuehler	SD T-Huile réduct apr radiat	SD T-Acei.Reductor dsp.Refrig.	SD T-Olio Ridu. dopo Raffr.
0020.055301.215.001.2	SD T-Gear Thrust Bearing	SD T-Getriebe Drucklager	SD Palier Butée Rapport Vit T	SD T-Cojinete Empuje Reductor	SD T-Cambio cuscín. spinta
0020.000701.215.011.2	SD Shaft Speed 1	SD Wellendrehzahl 1	SD Vitesse Arbre 1	SD Árbol Velocidad 1	SD Velocità Albero 1
0020.000701.215.021.2	SD Shaft Speed 2	SD Wellendrehzahl 2	SD Vitesse Arbre 2	SD Árbol Velocidad 2	SD Velocità Albero 2
1.0021.027101.105.001.2	LO P-Gear Control Oil SaSy	LO P-Getriebe Steueroel SiSy	LO P-Huile Cde Réduct SaSy	LO P-Aceite Ctrl Reductor SaSy	LO P-Olio Idrau. Ridu. SaSy
1.0021.027101.115.001.2	LOLO P-Gear Control Oil SaSy	LOLO P-Getriebe Steueroel SiSy	LOLO P-Huile Cde Réduct SaSy	LOLO P-Aceite Ctrl Redu. SaSy	LOLO P-Olio Idrau. Ridu. SaSy

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 66 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	German	French	Spanish	Italian
1.0021.025101.105.001.2	LO P-Gear Lube Oil SaSy	LO P-Getriebe Schmieroel SiSy	LO P-Huile Lub Réduct SaSy	LO P-Aceite Lubric. Redu. SaSy	LO P-Olio Lub. Ridu. SaSy
1.0021.025101.115.001.2	LOLO P-Gear Lube Oil SaSy	LOLO P-Getr. Schmieroel SiSy	LOLO P-Huile Lub Réduct SaSy	LOLO P-Aceite Lub. Redu. SaSy	LOLO P-Olio Lub. Ridu. SaSy
1.0021.027101.215.001.2	SD P-Gear Control Oil SaSy	SD P-Getriebe Steueroel SiSy	SD P-Huile Cde Réducteur SaSy	SD P-Aceite Ctrl Reductor SaSy	SD P-Olio Idrau. Ridu. SaSy
1.0021.025101.215.001.2	SD P-Gear Lube Oil SaSy	SD P-Getriebe Schmieroel SiSy	SD P-Huile Lub Réduct SaSy	SD P-Aceite Lubr Reductor SaSy	SD P-Olio Lub. Ridu. SaSy
1.0021.027102.215.001.2	SD P-Gear Control Oil SaSy	SD P-Getr Steueroel SiSy	SD P-Huile Cde Réduct SaSy	SD P-Aceite Ctrl Reductor SaSy	SD P-Olio Idrau. Ridu. SaSy
1.0021.025102.215.001.2	SD P-Gear Lube Oil SaSy	SD P-Getriebe Schmieroel SiSy	SD P-Huile Lub Réduct SaSy	SD P-Aceite Lubr.Reductor SaSy	SD P-Olio Lub. Ridu. SaSy
0080.075003.205.001.2	AL RCS Combined Alarm Yel	AL RCS Sammelalarm Gelb	AL RCS Alarme Combinée Yel	AL RCS Alarma Combinada Yel	AL RCS Allarme Combinato Yel
0080.075001.205.001.2	AL RCS Combined Alarm Red	AL RCS Sammelalarm Rot	AL RCS Alarme Combinée Red	AL RCS Alarma Combinada Red	AL RCS Allarme Combinato Red
1.0080.064005.205.001.2	AL RCS SYNC Failure	AL RCS SYNC Fehler	AL Erreur RCS SYNC	AL RCS SYNC Fallo	AL Errore RCS SYNC
1.0080.064004.205.001.2	AL RCS Aktiver Fahrhebel Lost	AL RCS Aktiver Fahrhebel def.	AL RCS manette act. en défaut	AL RCS Fallo Palanca Activa	AL RCS Perdita leva attiva
1.0080.046112.205.021.2	AL Parallel Transfer Error	AL Parall.Fahrst.Trans.Fehler	AL Erreur transm parallèle	AL Error Transferencia Paral	AL Fallim. Trasfer. Parallelo
1.0080.076008.205.001.2	AL Com. to other Shafts Lost	AL Kom. zu Partnerwelle defekt	AL Com perdu à autres arbres	AL Com Perdida a Otros Árboles	AL Com. ad Altri Alberi Perso
1.0080.049005.205.001.2	AL Disengage Sequence Timeout	AL Auskuppelsequenz Timeout	AL Séquence débrayage timeout	AL Timeout Secuen Desacopl	A Disimpegnarsi Sequ. Timeout
1.0080.049006.205.001.2	AL Engage Sequence Timeout	AL Einkuppelsequenz Timeout	AL Séquence embrayage timeout	AL Timeout Secuen Acoplam	A Impegnarsi Sequ. Timeout
1.0080.064002.205.011.2	AL Lever Poti Red.Lost CS1	AL Fahrh.Poti Red.Lost CS1	AL Fahrh. Perte Pot.Réd. CS1	AL Lev. Perte Pot.Réd. CS1	AL Anom.Leva Poti Red. CS1
1.0080.064001.205.011.2	AL Lever Poti Defect CS1	AL Fahrh.Poti defekt CS1	AL Lev. Perte Pot. CS1	AL Pal. Poti.Lost CS1	AL Anom.Leva Poti CS1
1.0080.064016.205.011.2	AL Lever Com. Lost CS1	AL FH Kom. gestoert CS1	AL Manipulateur cde perdue CS1	AL Com. Palanca Perdida CS1	AL Com. Leva Perso CS1
1.0080.064017.225.011.2	TD Lever Poti CS1	TD Fahrh.Poti CS1	TD Lev. Pot. CS1	TD Pal. Poti. CS1	TD Leva Poti CS1
1.0080.064002.205.021.2	AL Lever Poti Red.Lost CS2	AL Fahrh.Poti Red.Lost CS2	AL Lev. Perte Pot.Réd. CS2	AL Pal. Poti Red..Lost CS2	AL Anom.Leva Poti Red. CS2
1.0080.064001.205.021.2	AL Lever Poti Defect CS2	AL Fahrh.Poti defekt CS2	AL Lev. Perte Pot. CS2	AL Pal. Poti.Lost CS2	AL Anom.Leva Poti CS2
1.0080.064016.205.021.2	AL Lever Com. Lost CS2	AL FH Kom. gestoert CS2	AL Manipulateur cde perdue CS2	AL Com. Palanca Perdida CS2	AL Com. Leva Perso CS2
1.0080.064017.225.021.2	TD Lever Poti CS2	TD Fahrh.Poti CS2	TD Lev. Pot. CS2	TD Pal. Poti. CS2	TD Leva Poti CS2
1.0080.064002.205.031.2	AL Lever Poti Red.Lost CS3	AL Fahrh.Poti Red.Lost CS3	AL Lev. Perte Pot.Réd. CS3	AL Pal. Poti Red..Lost CS3	AL Anom.Leva Poti Red. CS3
1.0080.064001.205.031.2	AL Lever Poti Defect CS3	AL Fahrh.Poti defekt CS3	AL Lev. Perte Pot. CS3	AL Pal. Poti.Lost CS3	AL Anom.Leva Poti CS3
1.0080.064016.205.031.2	AL Lever Com. Lost CS3	AL FH Kom. gestoert CS3	AL Manipulateur cde perdue CS3	AL Com. Palanca Perdida CS3	AL Com. Leva Perso CS3
1.0080.064017.225.031.2	TD Lever Poti CS3	TD Fahrh.Poti CS3	TD Lev. Pot. CS3	TD Pal. Poti. CS3	TD Leva Poti CS3
1.0080.064002.205.041.2	AL Lever Poti Red.Lost CS4	AL Fahrh.Poti Red.Lost CS4	AL Lev. Perte Pot.Réd. CS4	AL Pal. Poti Red..Lost CS4	AL Anom.Leva Poti Red. CS4
1.0080.064001.205.041.2	AL Lever Poti Defect CS4	AL Fahrh.Poti defekt CS4	AL Lev. Perte Pot. CS4	AL Pal. Poti.Lost CS4	AL Anom.Leva Poti CS4
1.0080.064016.205.041.2	AL Lever Com. Lost CS4	AL FH Kom. gestoert CS4	AL Manipulateur cde perdue CS4	AL Com. Palanca Perdida CS4	AL Com. Leva Perso CS4
1.0080.064017.225.041.2	TD Lever Poti CS4	TD Fahrh.Poti CS4	TD Lev. Pot. CS4	TD Pal. Poti. CS4	TD Leva Poti CS4
1.0080.064002.205.051.2	AL Lever Poti Red.Lost CS5	AL Fahrh.Poti Red.Lost CS5	AL Lev. Perte Pot.Réd. CS5	AL Pal. Poti Red..Lost CS5	AL Anom.Leva Poti Red. CS5
1.0080.064001.205.051.2	AL Lever Poti Defect CS5	AL Fahrh.Poti defekt CS5	AL Lev. Perte Pot. CS5	AL Pal. Poti.Lost CS5	AL Anom.Leva Poti CS5
1.0080.064016.205.051.2	AL Lever Com. Lost CS5	AL FH Kom. gestoert CS5	AL Manipulateur cde perdue CS5	AL Com. Palanca Perdida CS5	AL Com. Leva Perso CS5
1.0080.064017.225.051.2	TD Lever Poti CS5	TD Fahrh.Poti CS5	TD Lev. Pot. CS5	TD Pal. Poti. CS5	TD Leva Poti CS5
1.0080.064002.205.061.2	AL Lever Poti Red.Lost CS6	AL Fahrh.Poti Red.Lost CS6	AL Lev. Perte Pot.Réd. CS6	AL Pal. Poti Red..Lost CS6	AL Anom.Leva Poti Red. CS6
1.0080.064001.205.061.2	AL Lever Poti Defect CS6	AL Fahrh.Poti defekt CS6	AL Lev. Perte Pot. CS6	AL Pal. Poti.Lost CS6	AL Anom.Leva Poti CS6
1.0080.064016.205.061.2	AL Lever Com. Lost CS6	AL FH Kom. gestoert CS6	AL Manipulateur cde perdue CS6	AL Com. Palanca Perdida CS6	AL Com. Leva Perso CS6
1.0080.064017.225.061.2	TD Lever Poti CS6	TD Fahrh.Poti CS6	TD Lev. Pot. CS6	TD Pal. Poti. CS6	TD Leva Poti CS6
1.0080.064002.205.071.2	AL Lever Poti Red.Lost PC	AL Fahrh.Poti Red.Lost HSG	AL Lev. Perte Pot.Réd. PC	AL Pal. Poti Red..Lost PC	AL Anom.Leva Poti Red. PC

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 67 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	German	French	Spanish	Italian
1.0080.064001.205.071.2	AL Lever Poti Defect PC	AL Fahrh.Poti defekt HSG	AL Lev. Perte Pot. PC	AL Pal. Poti.Lost PC	AL Anom.Leva Poti PC
1.0080.064016.205.071.2	AL Com. Lost Portable Ctrl.	AL Kom. gestoert HSG	AL Cde perdue cde manuelle	AL Com. Perdida Ctrl. Portátil	AL Com. Leva Perso PC
1.0080.064017.225.071.2	TD Lever Poti PC	TD Fahrh.Poti HSG	TD Lev. Pot. PC	TD Pal. Poti. PC	TD Leva Poti PC
1.0080.075210.205.001.2	AL Com. Lost Port.Ctrl.Interf.	AL Kom.Verlust HSG I/O Modul	AL Com.perdue Port.Ctrl.Int.	AL Com.Perdid.Port.Ctrl.Interf	AL Com. di PC Interf. Perso
1.0080.064003.205.001.2	AL Portable Control lost	AL Handsteuergerät verloren	AL Contrôle Portable Perdu	AL Control Portátil Perdido	AL Controllo Portatile Perso
1.0080.066106.205.001.2	AL Com.Lost Joystick System	AL Kom.Verl Joystick System	AL Com.perdue Joystick Système	AL Com.perdida a sist.Joystick	AL Com. di Joystick Sist.Perso
1.0090.035201.205.001.2	AL No Heading Information	AL Keine Kurs Information	AL Information de cap perdue	AL Sin Información de Rumbo	AL No Rotta Inform. Dispon.
1.0090.035301.205.001.2	AL No Position Information	AL Keine Positions Information	AL Information de pos. perdue	AL Sin Información de Posición	AL No Posiz. Inform. Dispon.
1.0080.066123.205.001.2	AL Com.Lost Joystick 1	AL Kom.Verl Joystick 1	AL Com.perdue Joystick 1	AL Com.perdida a Joystick 1	AL Com. Perso Joystick 1
1.0080.066123.205.011.2	AL Com.Lost Joystick 2	AL Kom.Verl Joystick 2	AL Com.perdue Joystick 2	AL Com.perdida a Joystick 2	AL Com. Perso Joystick 2
1.0080.066123.205.021.2	AL Com.Lost Joystick 3	AL Kom.Verl Joystick 3	AL Com.perdue Joystick 3	AL Com.perdida a Joystick 3	AL Com. Perso Joystick 3
1.0080.066123.205.031.2	AL Com.Lost Joystick 4	AL Kom.Verl Joystick 4	AL Com.perdue Joystick 4	AL Com.perdida a Joystick 4	AL Com. Perso Joystick 4
1.0080.066123.205.041.2	AL Com.Lost Joystick 5	AL Kom.Verl Joystick 5	AL Com.perdue Joystick 5	AL Com.perdida a Joystick 5	AL Com. Perso Joystick 5
1.0080.066123.205.051.2	AL Com.Lost Joystick 6	AL Kom.Verl Joystick 6	AL Com.perdue Joystick 6	AL Com.perdida a Joystick 6	AL Com. Perso Joystick 6
1.0030.073100.205.001.2	AL Bow Thruster not Avail.	AL Bugstrahler nichtverfuegbar	AL Prop. d'étrave pas disp.	AL Hélice de Proa no disp.	AL Elica di Prua non disp.
1.0030.073101.155.001.2	HI T-Bow Thruster	HI T-Bugstrahler	HI T-Prop. d'étrave	HI T-Hélice de Proa	HI T-Elica di Prua
1.0030.073102.205.001.2	AL Bow Thruster derated	AL Bugstrahler Leistung begr.	AL Prop.d'étrave perf.limitées	AL Hélice de Proa derrateada	AL Elica di Prua degradato
1.0030.050000.105.001.2	LO Bow Thruster Power Supply	LO Bugstrahler Versorgung	LO Power Supply Prop.d'étrave	LO Sumin. Energ.Hélice de Proa	LO Approvv.Energ.Elica di Prua
1.0030.028301.105.001.2	LO Bow Thruster Oil Level	LO Bugstrahler Oel Niveau	LO Niveau huile Prop.d'étrave	LO Nivel Aceite Hélice de Proa	LO Livello Olio Elica di Prua
1.0030.073100.205.011.2	AL Stern Thruster not Avail.	AL Heckstrahler nichtverfuegb.	AL Prop. arrière pas disp.	AL Hélice de Popa no disp.	AL Elica di Popa non disp.
1.0030.073101.155.011.2	HI T-Stern Thruster	HI T-Heckstrahler	HI T-Prop. arrière	HI T-Hélice de Popa	HI T-Elica di Popa
1.0030.073102.205.011.2	AL Stern Thruster derated	AL Heckstrahler Leistung begr.	AL Prop.arrière perf.limitées	AL Hélice de Popa derrateada	AL Elica di Popa degradato
1.0030.050000.105.011.2	LO Stern Thruster Power Supply	LO Heckstrahler Versorgung	LO Power Supply Prop.arrière	LO Sumin. Energ.Hélice de Popa	LO Approvv.Energ.Elica di Popa
1.0030.028301.105.011.2	LO Stern Thruster Oil Level	LO Heckstrahler Oel Niveau	LO Niveau huile Prop.arrière	LO Nivel Aceite Hélice de Popa	LO Livello Olio Elica di Popa
1.0080.066121.205.001.2	AL Joystick System in Cmd Lost	AL Joystick Syst.in Cmd verl.	AL Joystick Syst.en Cde perdue	AL Sist.Joyst.en mando perdido	AL Sist.Joyst.al comando persa
1.0080.066120.205.001.2	AL Joystick Emerg.Deactivation	AL Joystick Notaus	AL Joystick Désact. Urgence	AL Joystick Desactiv. Emerg.	AL Joystick Disattiv. Emerg.
1.0080.066130.205.001.2	AL Active Joystick Lost	AL Aktiver Joystick verloren	AL Actif Joystick perdue	AL Joystick activo perdido	AL Joystick attivo persa
1.0080.066128.205.001.2	AL Joystick Combined Alarm Red	AL Joystick Sammelalarm Rot	AL Joystick Alarme Comb. Red	AL Joystick Alarma Comb. Red	AL Joystick Allarme Comb. Red
1.0080.066129.205.001.2	AL Joystick Combined Alarm Yel	AL Joystick Sammelalarm Gelb	AL Joystick Alarme Comb. Yel	AL Joystick Alarma Comb. Yel	AL Joystick Allarme Comb. Yel
1.0080.046503.205.011.2	AL Not Able To Keep Heading	AL Kurs halten nicht moeglich	AL Pas capable maint. le cap	AL Incapaz de mantener rumbo	AL Incapace di Mantenere Rotta
1.0080.046502.205.001.2	AL Not Able To Keep Position	AL Pos. halten nicht moeglich	AL Pas capable maint. la pos.	AL Incapaz de mantener pos.	AL Incapace di Mantenere Pos.
0080.065002.205.001.2	AL Backup RCS Active	AL Backup RCS aktiv	AL Backup RCS Actif	AL Backup RCS activo	AL Backup RCS Attivo
1.0080.046504.205.001.2	AL Adv. Joystick Mode Deact.	AL Erw. Joystick Modus Deakt.	AL Ava.Joystick Mode Désactivé	AL Ava.Joystick Modo Desact.	AL Ava.Joystick Moda.Disattiv.
0080.065003.255.001.2	WB Backup RCS	WB Backup RCS	WB sauvegarde RCS	WB Backup RCS	WB Backup RCS
0080.065003.205.001.2	AL Backup RCS Defect	AL Backup RCS defekt	AL Défaut Backup RCS	AL Backup RCS Defecto	AL Backup RCS Difetto
1.0030.073103.205.001.2	AL BowThruster Internal Fail	AL Bugstrahler interner Fehler	AL Interne Prop.d'étravedéfaut	AL Interno Hélice Proa Fallo	AL InternoElica di Prua Guasto
1.0030.073101.165.001.2	HIHI T-Bow Thruster	HIHI T-Bugstrahler	HIHI T-Prop. d'étrave	HIHI T-Hélice de Proa	HIHI T-Elica di Prua
1.0030.073103.205.011.2	AL SternThruster Internal Fail	AL Heckstrahler internerFehler	AL Interne Prop.arrière défaut	AL Interno Hélice Popa Fallo	AL InternoElicadi Popa Guasto
1.0030.073101.165.011.2	HIHI T-Stern Thruster	HIHI T-Heckstrahler	HIHI T-Prop. arrière	HIHI T-Hélice de Popa	HIHI T-Elica di Popa

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 68 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	German	French	Spanish	Italian
1.0080.046509.205.001.2	AL HeadingOrPosition Lost Soon	AL Kurs-Positionsverlust erw.	AL CapPositionSeraBientôtPerd.	AL RumboPosici.SePerderáPront	AL RottaPosizi.SaràPersoPresto
0070.075201.205.011.2	AL MMS Com. Lost	AL MMS Kom. verloren	AL MMS Com. perdue	AL MMS Com. Perdida	AL MMS Com. Persa
0070.075205.205.011.2	AL MMS SaSy Com. Lost	AL MMS SiSy Kom. verloren	AL MMS SaSy Com. perdue	AL MMS SaSy Com. Perdida	AL MMS SaSy Com. Perso
0070.075203.205.011.2	AL LOS Com. Lost	AL LOS Kom. verloren	AL LOS Com. perdue	AL LOS Com. Perdida	AL LOS Com. Perso
0070.075202.205.011.2	AL MMS Com. Red. Lost	AL MMS Kom. Redundanzverlust	AL MMS Com. redondance perdue	AL MMS Com. Pérdida Red.	AL MMS Com. Ridon. Perso
0070.075004.205.001.2	AL Internal System Failure	AL Interner System Fehler	AL Erreur système interne	AL Error Interno Sistema	AL Errore del Sistema Interno
0070.075899.205.001.2	AL Com. to RCS Lost	AL Kom. zum RCS gestoert	AL Com. au RCS Dérangee	AL Comunicación a RCS Perdida	AL Comunicazione a RCS Perso
0070.075800.205.001.2	AL Com.To Managed Switch1 Lost	AL Kom. zum Switch1 gestoert	AL Com.au Man.Switch1 perdue	AL Com. a Managed Sw.1 Perdida	AL Com. a Managed Sw.1 Perso
0070.075802.205.001.2	AL Systembus Redundancy Lost	AL Systembus Redundanzverlust	AL bus Syst. Redond. Dérangee	AL Syst. Bus Redund. Perdida	AL Syst. Bus Ridondanza Perso
0070.075800.205.011.2	AL Com.To Managed Switch2 Lost	AL Kom. zum Switch2 gestoert	AL Com.au Man.Switch2 perdue	AL Com. a Managed Sw.2 Perdida	AL Com. a Managed Sw.2 Perso
0070.075800.205.021.2	AL Com.To Managed Router1 Lost	AL Kom. zum Router1 gestoert	AL Com.au Man.Router1 perdue	AL Com. a Man.Router1 Perdida	AL Com. a Man.Router1 Perso
0070.075800.205.031.2	AL Com.To Managed Router2 Lost	AL Kom. zum Router2 gestoert	AL Com.au Man.Router2 perdue	AL Com. a Man.Router2 Perdida	AL Com. a Man.Router2 Perso
0070.075803.205.001.2	AL Com.To Ext MCS Lost	AL Kom. zum extMCSgestoert	AL Com.au Ext. MCS perdue	AL Com. a Ext. MCS Perdida	AL Com. a Ext. MCS Perso
0070.075803.205.011.2	AL Red. Com.To Ext MCS Lost	AL RedKom. zum extMCSgestoert	AL Red. Com.au Ext. MCS perdue	AL Com.Red.a Ext. MCS Perdida	AL Com.Ridond.Ext.MCS Perso
1.0080.075201.205.011.2	AL RCS Transfer PAN Lost CS1	AL RCS Transf.PAN gestoert CS1	AL RCS PAN Transm. Dérangé CS1	AL RCS PAN Transf. Perdido CS1	AL RCS PAN Transf. Perso CS1
1.0080.075202.205.011.2	AL RCS Indication PAN Lost CS1	AL RCS Anz. PAN gestoert CS1	AL RCS PAN Indicat.Dérangé CS1	AL RCS PAN Ind. Perdido CS1	AL RCS PAN Ind. Perso CS1
1.0080.075201.205.021.2	AL RCS Transfer PAN Lost CS2	AL RCS Transf.PAN gestoert CS2	AL RCS PAN Transm. Dérangé CS2	AL RCS PAN Transf. Perdido CS2	AL RCS PAN Transf. Perso CS2
1.0080.075202.205.021.2	AL RCS Indication PAN Lost CS2	AL RCS Anz. PAN gestoert CS2	AL RCS PAN Indicat.Dérangé CS2	AL RCS PAN Ind. Perdido CS2	AL RCS PAN Ind. Perso CS2
1.0080.075201.205.031.2	AL RCS Transfer PAN Lost CS3	AL RCS Transf.PAN gestoert CS3	AL RCS PAN Transm. Dérangé CS3	AL RCS PAN Transf. Perdido CS3	AL RCS PAN Transf. Perso CS3
1.0080.075202.205.031.2	AL RCS Indication PAN Lost CS3	AL RCS Anz. PAN gestoert CS3	AL RCS PAN Indicat.Dérangé CS3	AL RCS PAN Ind. Perdido CS3	AL RCS PAN Ind. Perso CS3
1.0080.075201.205.041.2	AL RCS Transfer PAN Lost CS4	AL RCS Transf.PAN gestoert CS4	AL RCS PAN Transm. Dérangé CS4	AL RCS PAN Transf. Perdido CS4	AL RCS PAN Transf. Perso CS4
1.0080.075202.205.041.2	AL RCS Indication PAN Lost CS4	AL RCS Anz. PAN gestoert CS4	AL RCS PAN Indicat.Dérangé CS4	AL RCS PAN Ind. Perdido CS4	AL RCS PAN Ind. Perso CS4
1.0080.075201.205.051.2	AL RCS Transfer PAN Lost CS5	AL RCS Transf.PAN gestoert CS5	AL RCS PAN Transm. Dérangé CS5	AL RCS PAN Transf. Perdido CS5	AL RCS PAN Transf. Perso CS5
1.0080.075202.205.051.2	AL RCS Indication PAN Lost CS5	AL RCS Anz. PAN gestoert CS5	AL RCS PAN Indicat.Dérangé CS5	AL RCS PAN Ind. Perdido CS5	AL RCS PAN Ind. Perso CS5
1.0080.075201.205.061.2	AL RCS Transfer PAN Lost CS6	AL RCS Transf.PAN gestoert CS6	AL RCS PAN Transm. Dérangé CS6	AL RCS PAN Transf. Perdido CS6	AL RCS PAN Transf. Perso CS6
1.0080.075202.205.061.2	AL RCS Indication PAN Lost CS6	AL RCS Anz. PAN gestoert CS6	AL RCS PAN Indicat.Dérangé CS6	AL RCS PAN Ind. Perdido CS6	AL RCS PAN Ind. Perso CS6
0070.075210.205.011.2	AL MCS Display Com. Lost CS1	AL MCS Displ.Kom. gestoert CS1	AL MCS Com. Aff Dérangée CS1	AL Com.a MCS Displ.Perdido CS1	AL Com.a MCS Displ.Perso CS1
0070.075210.205.021.2	AL MCS Display Com. Lost CS2	AL MCS Displ.Kom. gestoert CS2	AL MCS Com. Aff Dérangée CS2	AL Com.a MCS Displ.Perdido CS2	AL Com.a MCS Displ.Perso CS2
0070.075210.205.031.2	AL MCS Display Com. Lost CS3	AL MCS Displ.Kom. gestoert CS3	AL MCS Com. Aff Dérangée CS3	AL Com.a MCS Displ.Perdido CS3	AL Com.a MCS Displ.Perso CS3
0070.075210.205.041.2	AL MCS Display Com. Lost CS4	AL MCS Displ.Kom. gestoert CS4	AL MCS Com. Aff Dérangée CS4	AL Com.a MCS Displ.Perdido CS4	AL Com.a MCS Displ.Perso CS4
0070.075210.205.051.2	AL MCS Display Com. Lost CS5	AL MCS Displ.Kom. gestoert CS5	AL MCS Com. Aff Dérangée CS5	AL Com.a MCS Displ.Perdido CS5	AL Com.a MCS Displ.Perso CS5
0070.075210.205.061.2	AL MCS Display Com. Lost CS6	AL MCS Displ.Kom. gestoert CS6	AL MCS Com. Aff Dérangée CS6	AL Com.a MCS Displ.Perdido CS6	AL Com.a MCS Displ.Perso CS6
0070.075231.205.011.2	AL MCS Start/Stop PAN Lost CS1	AL MCS Start/Stop PAN gest.CS1	AL MCS PAN Marche/Arr Dér.CS1	AL MCS PAN Arr./Apag. Perd.CS1	AL MCS PAN Start/Stop Per. CS1
0070.075231.205.021.2	AL MCS Start/Stop PAN Lost CS2	AL MCS Start/Stop PAN gest.CS2	AL MCS PAN Marche/Arr Dér.CS2	AL MCS PAN Arr./Apag. Perd.CS2	AL MCS PAN Start/Stop Per. CS2
0070.075231.205.031.2	AL MCS Start/Stop PAN Lost CS3	AL MCS Start/Stop PAN gest.CS3	AL MCS PAN Marche/Arr Dér.CS3	AL MCS PAN Arr./Apag. Perd.CS3	AL MCS PAN Start/Stop Per. CS3
0070.075231.205.041.2	AL MCS Start/Stop PAN Lost CS4	AL MCS Start/Stop PAN gest.CS4	AL MCS PAN Marche/Arr Dér.CS4	AL MCS PAN Arr./Apag. Perd.CS4	AL MCS PAN Start/Stop Per. CS4
0070.075231.205.051.2	AL MCS Start/Stop PAN Lost CS5	AL MCS Start/Stop PAN gest.CS5	AL MCS PAN Marche/Arr Dér.CS5	AL MCS PAN Arr./Apag. Perd.CS5	AL MCS PAN Start/Stop Per. CS5
0070.075231.205.061.2	AL MCS Start/Stop PAN Lost CS6	AL MCS Start/Stop PAN gest.CS6	AL MCS PAN Marche/Arr Dér.CS6	AL MCS PAN Arr./Apag. Perd.CS6	AL MCS PAN Start/Stop Per. CS6
1.0080.075222.205.001.2	AL Com.Lost to RCS IO CAN Dev.	AL Kom.RCS IO CAN Geraet gest.	AL Com.au Disp.RCS IO CAN Dér.	AL Com.perd. dispos.CAN RCS IO	AL Com. Perso RCS IO CAN disp.

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 69 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	German	French	Spanish	Italian
0070.075222.205.001.2	AL Com.Lost to MCS IO CAN Dev.	AL Kom.MCS IO CAN Geraet gest.	AL Com. Au Disp MCS IO CAN Dér	AL Com.perd. dispos.CAN MCS IO	AL Com. Perso MCS IO CAN disp.
1.0080.075223.205.001.2	AL RCS-5 Com. Lost	AL Kom. RCS-5 gestoert	AL RCS-5 Com. Dérangée	AL Comunicacón RCS-5 perdida	AL Comunicazione RCS-5 perso
1.0080.075220.205.001.2	AL Com.Lost to RCS CAN Dev.	AL Kom. RCS CAN Geraet gest.	AL Com.au Disp. RCS CAN Dér.	AL Com.perd. dispos.CAN RCS	AL Com. Perso RCS CAN disp.
0070.075220.205.001.2	AL Com.Lost to MCS CAN Dev.	AL Kom. MCS CAN Geraet gest.	AL Com.au Disp MCS CAN Dér.	AL Com.perd. dispos.CAN MCS	AL Com. Perso MCS CAN disp.
0070.075801.205.001.2	AL Com.Lost MCS Syst.Bus Dev.	AL Kom. gest.MCS Syst.Bus Einh	AL Com.au Disp. MCS Sys.Bus Dé	AL Com.perd.dispo.Sist.Bus MCS	AL Com.Pers.Sist.Bus MCS disp.
1.0080.075801.205.001.2	AL Com.Lost RCS Syst.Bus Dev.	AL Kom. gest.RCS Syst.Bus Einh	AL Com.au Disp RCS Sys.Bus Dé	AL Com.perd.dispo.Sist.Bus RCS	AL Com.Pers.Sist.Bus RCS disp.
0070.050021.205.001.2	AL Power Red. Lost Router 1	AL Vers. Red. Verl. Router 1	AL Power Router1 redond.perdue	AL Aliment.Red.perdido Router1	AL Aliment.Ridon.perso Router1
0070.050021.205.011.2	AL Power Red. Lost Router 2	AL Vers. Red. Verl. Router 2	AL Power Router2 redond.perdue	AL Aliment.Red.perdido Router2	AL Aliment.Ridon.perso Router2
0070.050018.205.001.2	AL Power Red. Lost Switch 1	AL Vers. Red. Verl. Switch 1	AL Power Switch1 redond.perdue	AL Aliment.Red.perdido Switch1	AL Aliment.Ridon.perso Switch1
0070.050019.205.001.2	AL Power Supply Red. Lost SCUs	AL Vers. Red. Verl. SCUs	AL Réd. Alim. Perdue SCUs	AL Aliment.Red.perdido SCUs	AL Aliment.Ridon.perso SCUs
0070.050018.205.011.2	AL Power Red. Lost Switch 2	AL Vers. Red. Verl. Switch 2	AL Power Switch2 redond.perdue	AL Aliment.Red.perdido Switch2	AL Aliment.Ridon.perso Switch2
0010.087002.205.001.2	AL Knock Ignition L1 Comb	AL Zuendung Klopfen Sammel L1	---	---	---
0010.025605.155.001.2	HI T-SplashOilCombLifeCycDrift	HI Spritzoelalterungsdrift	---	---	---
0010.025605.165.001.2	HIHI T-SplashOILCombLifeCycDri	HIHI Spritzoelalterungsdrift	---	---	---
0010.015302.105.001.2	LO Coolant Level Intercooler	LO KuehlmittelniveauLadeluftk.	---	---	---
0010.000528.205.001.2	AL Idle Speed not reached	AL Leerlaufdrehz nichterreicht	---	---	---
0010.000529.205.001.2	AL Release Speed not reached	AL Hochlaufdrehz.nicht erreich	---	---	---
0010.015302.215.001.2	SD Coolant Level Intercooler	SD KuehlmittelniveauLadeluftk.	---	---	---
0010.015103.105.001.2	LO P-Coolant Difference	LO P-Kuehlmittel Differenz	---	---	---
0010.015101.155.001.2	HI P-Coolant	HI P-Kuehlmittel	---	---	---
0010.015102.105.001.2	LO P-Coolant before engine	LO P-Kuehlmittel vor Motor	---	---	---
0010.015102.115.001.2	LOLO P-Coolant before engine	LOLO P-Kuehlmittel vor Motor	---	---	---
0010.005201.105.001.2	LO T-Intake Air	LO T-Ansaugluft	---	---	---
0010.005201.115.001.2	LOLO T-Intake Air	LOLO T-Ansaugluft	---	---	---
0010.015102.215.001.2	SD P-Coolant before engine	SD P-Kuehlmittel vor Motor	---	---	---
0010.015103.215.001.2	SD P-Coolant Difference	SD P-Kuehlmitteldifferenz	---	---	---
0010.057011.205.001.2	AL Wiring PWM_CM1	AL Verkabelung PWM_CM1	---	---	---
0010.087012.205.001.2	AL GasControlCheck Fault	AL Gasregelstreckentest Fehler	---	---	---
0010.087013.205.001.2	AL Ignition Fault	AL Fehler Zündung	---	---	---
0010.087014.205.001.2	AL GasValve Fault	AL Fehler Gasventil	---	---	---
0010.057011.205.041.2	AL Wiring PWM_CM4	AL Verkabelung PWM_CM4	---	---	---
0010.057011.205.051.2	AL Wiring PWM_CM5	AL Verkabelung PWM_CM5	---	---	---
0010.061003.205.001.2	AL EIL Protection	AL EIL Protektionmodul	---	---	---
0010.011200.215.001.2	SD P-Ambient Air	SD P-Umgebungsluft	---	---	---
0010.011100.215.001.2	SD T-Ambient Air	SD TO-Umgebungsluft	---	---	---
0010.011300.215.001.2	SD Rel Humidity	SD Rel.LuftfeuchtenachGem.Kueh	---	---	---
0010.006501.215.001.2	SD P-Exhaust near Lambda	SD P-Abgas naehe Lambdasonde	---	---	---
0010.087101.205.001.2	Al Req Angle Throttle A	AL Gef. Winkel Drossel A	---	---	---
0010.087101.205.011.2	Al Req Angle Throttle B	AL Gef. Winkel Drossel B	---	---	---

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 70 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency			
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released	
SysID	English	German	French	Spanish	Italian
0010.087300.205.001.2	AL Com.To Compres.Bypass Lost	AL Kom.zu Verdichterbyp. gest.	---	---	---
0010.006600.205.011.2	AL Com. to NOxA Lost	AL Kom. zu NOxA gestoert	---	---	---
0010.087301.205.001.2	AL Comb.Warning Compres.Bypass	AL SammelWarnungVerdichterbyp.	---	---	---
0010.087301.205.011.2	AL Comb.Failure Compres.Bypass	AL SammelFehlerVerdichterbyp.	---	---	---
0010.012101.105.001.2	LO T-Gas	LO T-Gas	---	---	---
0010.012101.115.001.2	LOLO T-Gas	LOLO T-Gas	---	---	---
0010.012101.155.001.2	HI T-Gas	HI T-Gas	---	---	---
0010.012101.165.001.2	HIHI T-Gas	HIHI T-Gas	---	---	---
0010.056001.215.051.2	SD ETC 5 Speed	SD ATL 5 Drehzahl	---	---	---
0010.006601.205.011.2	AL Emission Warning	AL Emmisionswarnung	---	---	---
0010.011300.155.001.2	HI Rel. Humidity	HI Rel. Luftfeuchte	---	---	---
0010.087007.205.001.2	AL Com. to Sensor HDT2800 Lost	AL Kom.zuSensorHDT2800gestoert	---	---	---
0010.087008.205.001.2	AL Comb.WarningIgnitionControl	AL Sammel Warnung Zuendung	---	---	---
0010.087008.205.011.2	AL Comb.FailureIgnitionControl	AL Sammel Fehler Zuendung	---	---	---
0010.087009.205.001.2	AL Com.to IgnitionControl Lost	AL Kom. zur Zuend anl. gestoert	---	---	---
0010.087010.205.001.2	AL IgnitionControlSignat.Diff.	AL Zuend anl. Signatur Diff.	---	---	---
0010.087011.205.001.2	AL Ign.Ctrl.PR Download act.	AL Zuendung PR Download akt.	---	---	---
0010.040428.205.001.2	AL Engine Cold Active	AL Funkt. Motor Kalt aktiv	---	---	---
0010.057012.265.001.2	SC ECU AO1	SC ECU Analogausgang 1	---	---	---
0010.057012.265.011.2	SC ECU AO2	SC ECU Analogausgang 2	---	---	---
0010.075214.205.001.2	AL EMU CAN_E Lost	AL EMU CAN_E verloren	---	---	---
0010.087400.205.001.2	AL Com. To Wastegate A Lost	AL Kom.zu Wastegate A gest.	---	---	---
0010.087400.205.011.2	AL Com. To Wastegate B Lost	AL Kom.zu Wastegate B gest.	---	---	---
0010.087102.205.001.2	AL Com.ToRestrictorValveA Lost	AL Kom.zu DrosselklappeA gest.	---	---	---
0010.087102.205.011.2	AL Com.ToRestrictorValveB Lost	AL Kom.zu DrosselklappeB gest.	---	---	---
0010.087006.205.001.2	AL Com. Lost GRU	AL Kom. zur GRU gestoert	---	---	---
0010.087208.205.001.2	AL Com. CPM Lost	AL Kom. zum CPM gestoert	---	---	---
0010.011300.155.011.2	HIHI Rel.Humidity	HI HI Rel.LuftfeuchtenachGem.Kueh	---	---	---
0010.012204.155.001.2	HI P-Gas Difference A B	HI P-Gas Differenz A B	---	---	---
0010.012202.105.001.2	LO P-Gas in Rail A	LO P-Gas A	---	---	---
0010.012202.105.011.2	LO P-Gas in Rail B	LO P-Gas B	---	---	---
0010.012202.115.001.2	LOLO P-Gas in Rail A	LOLO P-Gas A	---	---	---
0010.012202.115.011.2	LOLO P-Gas in Rail B	LOLO P-Gas B	---	---	---
0010.012202.155.001.2	HI P-Gas in Rail A	HI P-Gas A	---	---	---
0010.012202.155.011.2	HI P-Gas in Rail B	HI P-Gas B	---	---	---
0010.012202.165.001.2	HIHI P-Gas in Rail A	HI HI P-Gas A	---	---	---
0010.012202.165.011.2	HIHI P-Gas in Rail B	HI HI P-Gas B	---	---	---
0010.087015.205.001.2	AL Act. greater Req. Eng.Power	AL Istleist.groesser Solleist.	---	---	---
0010.087016.205.001.2	AL Combined Warning GRU	AL Sammelalarm Warnung GRU	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 71 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -.8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released	

SysID	English	German	French	Spanish	Italian
0010.087017.205.001.2	AL Combined Failure GRU	AL Sammelalarm Fehler GRU	---	---	---
0010.087500.205.001.2	AL Explosion Relief Valve open	AL Druckentl.klappen offen	---	---	---
0010.087018.205.001.2	AL Ign.Control Testmode Act..	AL Zuendantl. Testmodus aktiv	---	---	---
0010.087003.205.011.2	AL Knock Ignition L2 A1	AL Zuendung Klopfen L2 A1	---	---	---
0010.087003.205.021.2	AL Knock Ignition L2 A2	AL Zuendung Klopfen L2 A2	---	---	---
0010.087003.205.031.2	AL Knock Ignition L2 A3	AL Zuendung Klopfen L2 A3	---	---	---
0010.087003.205.041.2	AL Knock Ignition L2 A4	AL Zuendung Klopfen L2 A4	---	---	---
0010.087003.205.051.2	AL Knock Ignition L2 A5	AL Zuendung Klopfen L2 A5	---	---	---
0010.087003.205.061.2	AL Knock Ignition L2 A6	AL Zuendung Klopfen L2 A6	---	---	---
0010.087003.205.071.2	AL Knock Ignition L2 A7	AL Zuendung Klopfen L2 A7	---	---	---
0010.087003.205.081.2	AL Knock Ignition L2 A8	AL Zuendung Klopfen L2 A8	---	---	---
0010.087003.205.091.2	AL Knock Ignition L2 A9	AL Zuendung Klopfen L2 A9	---	---	---
0010.087003.205.101.2	AL Knock Ignition L2 A10	AL Zuendung Klopfen L2 A10	---	---	---
0010.087003.205.111.2	AL Knock Ignition L2 B1	AL Zuendung Klopfen L2 B1	---	---	---
0010.087003.205.121.2	AL Knock Ignition L2 B2	AL Zuendung Klopfen L2 B2	---	---	---
0010.087003.205.131.2	AL Knock Ignition L2 B3	AL Zuendung Klopfen L2 B3	---	---	---
0010.087003.205.141.2	AL Knock Ignition L2 B4	AL Zuendung Klopfen L2 B4	---	---	---
0010.087003.205.151.2	AL Knock Ignition L2 B5	AL Zuendung Klopfen L2 B5	---	---	---
0010.087003.205.161.2	AL Knock Ignition L2 B6	AL Zuendung Klopfen L2 B6	---	---	---
0010.087003.205.171.2	AL Knock Ignition L2 B7	AL Zuendung Klopfen L2 B7	---	---	---
0010.087003.205.181.2	AL Knock Ignition L2 B8	AL Zuendung Klopfen L2 B8	---	---	---
0010.087003.205.191.2	AL Knock Ignition L2 B9	AL Zuendung Klopfen L2 B9	---	---	---
0010.087003.205.201.2	AL Knock Ignition L2 B10	AL Zuendung Klopfen L2 B10	---	---	---
0010.087004.205.011.2	AL Knock Ignition L3 A1	AL Zuendung Klopfen L3 A1	---	---	---
0010.087004.205.021.2	AL Knock Ignition L3 A2	AL Zuendung Klopfen L3 A2	---	---	---
0010.087004.205.031.2	AL Knock Ignition L3 A3	AL Zuendung Klopfen L3 A3	---	---	---
0010.087004.205.041.2	AL Knock Ignition L3 A4	AL Zuendung Klopfen L3 A4	---	---	---
0010.087004.205.051.2	AL Knock Ignition L3 A5	AL Zuendung Klopfen L3 A5	---	---	---
0010.087004.205.061.2	AL Knock Ignition L3 A6	AL Zuendung Klopfen L3 A6	---	---	---
0010.087004.205.071.2	AL Knock Ignition L3 A7	AL Zuendung Klopfen L3 A7	---	---	---
0010.087004.205.081.2	AL Knock Ignition L3 A8	AL Zuendung Klopfen L3 A8	---	---	---
0010.087004.205.091.2	AL Knock Ignition L3 A9	AL Zuendung Klopfen L3 A9	---	---	---
0010.087004.205.101.2	AL Knock Ignition L3 A10	AL Zuendung Klopfen L3 A10	---	---	---
0010.087004.205.111.2	AL Knock Ignition L3 B1	AL Zuendung Klopfen L3 B1	---	---	---
0010.087004.205.121.2	AL Knock Ignition L3 B2	AL Zuendung Klopfen L3 B2	---	---	---
0010.087004.205.131.2	AL Knock Ignition L3 B3	AL Zuendung Klopfen L3 B3	---	---	---
0010.087004.205.141.2	AL Knock Ignition L3 B4	AL Zuendung Klopfen L3 B4	---	---	---
0010.087004.205.151.2	AL Knock Ignition L3 B5	AL Zuendung Klopfen L3 B5	---	---	---
0010.087004.205.161.2	AL Knock Ignition L3 B6	AL Zuendung Klopfen L3 B6	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 72 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	German	French	Spanish	Italian
0010.087004.205.171.2	AL Knock Ignition L3 B7	AL Zuendung Klopfen L3 B7	---	---	---
0010.087004.205.181.2	AL Knock Ignition L3 B8	AL Zuendung Klopfen L3 B8	---	---	---
0010.087004.205.191.2	AL Knock Ignition L3 B9	AL Zuendung Klopfen L3 B9	---	---	---
0010.087004.205.201.2	AL Knock Ignition L3 B10	AL Zuendung Klopfen L3 B10	---	---	---
0010.005103.215.001.2	SD P-Air before Throttle	SD Luftdrucksen vorDrosselkla.	---	---	---
0010.025605.205.001.2	AL SplashOilCalib.not Possible	AL Spritzoelkalibr.nichtmoegl.	---	---	---
0010.087207.155.001.2	HI T-CPM	HI T-CPM	---	---	---
0010.087206.105.001.2	LO Power Supply CPM	LO Spannungsversorgung EMU	---	---	---
0010.087206.115.001.2	LOLO Power Supply CPM	LOLO Spannungsversorgung EMU	---	---	---
0010.087206.155.001.2	HI Power Supply CPM	LO Spannungsversorgung EMU	---	---	---
0010.087206.165.001.2	HIHI Power Supply CPM	LOLO Spannungsversorgung EMU	---	---	---
0010.087201.155.001.2	HI P-Cylinder Max A1	HI P-Zylinder Max A1	---	---	---
0010.087201.155.011.2	HI P-Cylinder Max A2	HI P-Zylinder Max A2	---	---	---
0010.087201.155.021.2	HI P-Cylinder Max A3	HI P-Zylinder Max A3	---	---	---
0010.087201.155.031.2	HI P-Cylinder Max A4	HI P-Zylinder Max A4	---	---	---
0010.087201.155.041.2	HI P-Cylinder Max A5	HI P-Zylinder Max A5	---	---	---
0010.087201.155.051.2	HI P-Cylinder Max A6	HI P-Zylinder Max A6	---	---	---
0010.087201.155.061.2	HI P-Cylinder Max A7	HI P-Zylinder Max A7	---	---	---
0010.087201.155.071.2	HI P-Cylinder Max A8	HI P-Zylinder Max A8	---	---	---
0010.087201.155.081.2	HI P-Cylinder Max A9	HI P-Zylinder Max A9	---	---	---
0010.087201.155.091.2	HI P-Cylinder Max A10	HI P-Zylinder Max A10	---	---	---
0010.087202.155.001.2	HI P-Cylinder Max B1	HI P-Zylinder Max B1	---	---	---
0010.087202.155.011.2	HI P-Cylinder Max B2	HI P-Zylinder Max B2	---	---	---
0010.087202.155.021.2	HI P-Cylinder Max B3	HI P-Zylinder Max B3	---	---	---
0010.087202.155.031.2	HI P-Cylinder Max B4	HI P-Zylinder Max B4	---	---	---
0010.087202.155.041.2	HI P-Cylinder Max B5	HI P-Zylinder Max B5	---	---	---
0010.087202.155.051.2	HI P-Cylinder Max B6	HI P-Zylinder Max B6	---	---	---
0010.087202.155.061.2	HI P-Cylinder Max B7	HI P-Zylinder Max B7	---	---	---
0010.087202.155.071.2	HI P-Cylinder Max B8	HI P-Zylinder Max B8	---	---	---
0010.087202.155.081.2	HI P-Cylinder Max B9	HI P-Zylinder Max B9	---	---	---
0010.087202.155.091.2	HI P-Cylinder Max B10	HI P-Zylinder Max B10	---	---	---
0010.087201.165.001.2	HIHI P-Cylinder Max A1	HIHI P-Zylinder Max A1	---	---	---
0010.087201.165.011.2	HIHI P-Cylinder Max A2	HIHI P-Zylinder Max A2	---	---	---
0010.087201.165.021.2	HIHI P-Cylinder Max A3	HIHI P-Zylinder Max A3	---	---	---
0010.087201.165.031.2	HIHI P-Cylinder Max A4	HIHI P-Zylinder Max A4	---	---	---
0010.087201.165.041.2	HIHI P-Cylinder Max A5	HIHI P-Zylinder Max A5	---	---	---
0010.087201.165.051.2	HIHI P-Cylinder Max A6	HIHI P-Zylinder Max A6	---	---	---
0010.087201.165.061.2	HIHI P-Cylinder Max A7	HIHI P-Zylinder Max A7	---	---	---
0010.087201.165.071.2	HIHI P-Cylinder Max A8	HIHI P-Zylinder Max A8	---	---	---

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 73 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency			
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released	
SysID	English	German	French	Spanish	Italian
0010.087201.165.081.2	HIHI P-Cylinder Max A9	HIHI P-Zylinder Max A9	---	---	---
0010.087201.165.091.2	HIHI P-Cylinder Max A10	HIHI P-Zylinder Max A10	---	---	---
0010.087202.165.001.2	HIHI P-Cylinder Max B1	HIHI P-Zylinder Max B1	---	---	---
0010.087202.165.011.2	HIHI P-Cylinder Max B2	HIHI P-Zylinder Max B2	---	---	---
0010.087202.165.021.2	HIHI P-Cylinder Max B3	HIHI P-Zylinder Max B3	---	---	---
0010.087202.165.031.2	HIHI P-Cylinder Max B4	HIHI P-Zylinder Max B4	---	---	---
0010.087202.165.041.2	HIHI P-Cylinder Max B5	HIHI P-Zylinder Max B5	---	---	---
0010.087202.165.051.2	HIHI P-Cylinder Max B6	HIHI P-Zylinder Max B6	---	---	---
0010.087202.165.061.2	HIHI P-Cylinder Max B7	HIHI P-Zylinder Max B7	---	---	---
0010.087202.165.071.2	HIHI P-Cylinder Max B8	HIHI P-Zylinder Max B8	---	---	---
0010.087202.165.081.2	HIHI P-Cylinder Max B9	HIHI P-Zylinder Max B9	---	---	---
0010.087202.165.091.2	HIHI P-Cylinder Max B10	HIHI P-Zylinder Max B10	---	---	---
0010.087201.215.001.2	SD P-Cylinder Max A1	SD P-Zylinder Max A1	---	---	---
0010.087201.215.011.2	SD P-Cylinder Max A2	SD P-Zylinder Max A2	---	---	---
0010.087201.215.021.2	SD P-Cylinder Max A3	SD P-Zylinder Max A3	---	---	---
0010.087201.215.031.2	SD P-Cylinder Max A4	SD P-Zylinder Max A4	---	---	---
0010.087201.215.041.2	SD P-Cylinder Max A5	SD P-Zylinder Max A5	---	---	---
0010.087201.215.051.2	SD P-Cylinder Max A6	SD P-Zylinder Max A6	---	---	---
0010.087201.215.061.2	SD P-Cylinder Max A7	SD P-Zylinder Max A7	---	---	---
0010.087201.215.071.2	SD P-Cylinder Max A8	SD P-Zylinder Max A8	---	---	---
0010.087201.215.081.2	SD P-Cylinder Max A9	SD P-Zylinder Max A9	---	---	---
0010.087201.215.091.2	SD P-Cylinder Max A10	SD P-Zylinder Max A10	---	---	---
0010.087202.215.001.2	SD P-Cylinder Max B1	SD P-Zylinder Max B1	---	---	---
0010.087202.215.011.2	SD P-Cylinder Max B2	SD P-Zylinder Max B2	---	---	---
0010.087202.215.021.2	SD P-Cylinder Max B3	SD P-Zylinder Max B3	---	---	---
0010.087202.215.031.2	SD P-Cylinder Max B4	SD P-Zylinder Max B4	---	---	---
0010.087202.215.041.2	SD P-Cylinder Max B5	SD P-Zylinder Max B5	---	---	---
0010.087202.215.051.2	SD P-Cylinder Max B6	SD P-Zylinder Max B6	---	---	---
0010.087202.215.061.2	SD P-Cylinder Max B7	SD P-Zylinder Max B7	---	---	---
0010.087202.215.071.2	SD P-Cylinder Max B8	SD P-Zylinder Max B8	---	---	---
0010.087202.215.081.2	SD P-Cylinder Max B9	SD P-Zylinder Max B9	---	---	---
0010.087202.215.091.2	SD P-Cylinder Max B10	SD P-Zylinder Max B10	---	---	---
0010.087203.205.011.2	AL Glow Ignition A1	AL Gluehzuendung A1	---	---	---
0010.087203.205.021.2	AL Glow Ignition A2	AL Gluehzuendung A2	---	---	---
0010.087203.205.031.2	AL Glow Ignition A3	AL Gluehzuendung A3	---	---	---
0010.087203.205.041.2	AL Glow Ignition A4	AL Gluehzuendung A4	---	---	---
0010.087203.205.051.2	AL Glow Ignition A5	AL Gluehzuendung A5	---	---	---
0010.087203.205.061.2	AL Glow Ignition A6	AL Gluehzuendung A6	---	---	---
0010.087203.205.071.2	AL Glow Ignition A7	AL Gluehzuendung A7	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 74 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	German	French	Spanish	Italian
0010.087203.205.081.2	AL Glow Ignition A8	AL Gluehzuendung A8	---	---	---
0010.087203.205.091.2	AL Glow Ignition A9	AL Gluehzuendung A9	---	---	---
0010.087203.205.101.2	AL Glow Ignition A10	AL Gluehzuendung A10	---	---	---
0010.087203.205.111.2	AL Glow Ignition B1	AL Gluehzuendung B1	---	---	---
0010.087203.205.121.2	AL Glow Ignition B2	AL Gluehzuendung B2	---	---	---
0010.087203.205.131.2	AL Glow Ignition B3	AL Gluehzuendung B3	---	---	---
0010.087203.205.141.2	AL Glow Ignition B4	AL Gluehzuendung B4	---	---	---
0010.087203.205.151.2	AL Glow Ignition B5	AL Gluehzuendung B5	---	---	---
0010.087203.205.161.2	AL Glow Ignition B6	AL Gluehzuendung B6	---	---	---
0010.087203.205.171.2	AL Glow Ignition B7	AL Gluehzuendung B7	---	---	---
0010.087203.205.181.2	AL Glow Ignition B8	AL Gluehzuendung B8	---	---	---
0010.087203.205.191.2	AL Glow Ignition B9	AL Gluehzuendung B9	---	---	---
0010.087203.205.201.2	AL Glow Ignition B10	AL Gluehzuendung B10	---	---	---
0010.087204.155.011.2	HI Misfire A1	HI Fehlzuendung A1	---	---	---
0010.087204.155.021.2	HI Misfire A2	HI Fehlzuendung A2	---	---	---
0010.087204.155.031.2	HI Misfire A3	HI Fehlzuendung A3	---	---	---
0010.087204.155.041.2	HI Misfire A4	HI Fehlzuendung A4	---	---	---
0010.087204.155.051.2	HI Misfire A5	HI Fehlzuendung A5	---	---	---
0010.087204.155.061.2	HI Misfire A6	HI Fehlzuendung A6	---	---	---
0010.087204.155.071.2	HI Misfire A7	HI Fehlzuendung A7	---	---	---
0010.087204.155.081.2	HI Misfire A8	HI Fehlzuendung A8	---	---	---
0010.087204.155.091.2	HI Misfire A9	HI Fehlzuendung A9	---	---	---
0010.087204.155.101.2	HI Misfire A10	HI Fehlzuendung A10	---	---	---
0010.087204.155.111.2	HI Misfire B1	HI Fehlzuendung B1	---	---	---
0010.087204.155.121.2	HI Misfire B2	HI Fehlzuendung B2	---	---	---
0010.087204.155.131.2	HI Misfire B3	HI Fehlzuendung B3	---	---	---
0010.087204.155.141.2	HI Misfire B4	HI Fehlzuendung B4	---	---	---
0010.087204.155.151.2	HI Misfire B5	HI Fehlzuendung B5	---	---	---
0010.087204.155.161.2	HI Misfire B6	HI Fehlzuendung B6	---	---	---
0010.087204.155.171.2	HI Misfire B7	HI Fehlzuendung B7	---	---	---
0010.087204.155.181.2	HI Misfire B8	HI Fehlzuendung B8	---	---	---
0010.087204.155.191.2	HI Misfire B9	HI Fehlzuendung B9	---	---	---
0010.087204.155.201.2	HI Misfire B10	HI Fehlzuendung B10	---	---	---
0010.087204.165.011.2	HIHI Misfire A1	HIHI Fehlzuendung A1	---	---	---
0010.087204.165.021.2	HIHI Misfire A2	HIHI Fehlzuendung A2	---	---	---
0010.087204.165.031.2	HIHI Misfire A3	HIHI Fehlzuendung A3	---	---	---
0010.087204.165.041.2	HIHI Misfire A4	HIHI Fehlzuendung A4	---	---	---
0010.087204.165.051.2	HIHI Misfire A5	HIHI Fehlzuendung A5	---	---	---
0010.087204.165.061.2	HIHI Misfire A6	HIHI Fehlzuendung A6	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 75 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	German	French	Spanish	Italian
0010.087204.165.071.2	HIHI Misfire A7	HIHI Fehlzuendung A7	---	---	---
0010.087204.165.081.2	HIHI Misfire A8	HIHI Fehlzuendung A8	---	---	---
0010.087204.165.091.2	HIHI Misfire A9	HIHI Fehlzuendung A9	---	---	---
0010.087204.165.101.2	HIHI Misfire A10	HIHI Fehlzuendung A10	---	---	---
0010.087204.165.111.2	HIHI Misfire B1	HIHI Fehlzuendung B1	---	---	---
0010.087204.165.121.2	HIHI Misfire B2	HIHI Fehlzuendung B2	---	---	---
0010.087204.165.131.2	HIHI Misfire B3	HIHI Fehlzuendung B3	---	---	---
0010.087204.165.141.2	HIHI Misfire B4	HIHI Fehlzuendung B4	---	---	---
0010.087204.165.151.2	HIHI Misfire B5	HIHI Fehlzuendung B5	---	---	---
0010.087204.165.161.2	HIHI Misfire B6	HIHI Fehlzuendung B6	---	---	---
0010.087204.165.171.2	HIHI Misfire B7	HIHI Fehlzuendung B7	---	---	---
0010.087204.165.181.2	HIHI Misfire B8	HIHI Fehlzuendung B8	---	---	---
0010.087204.165.191.2	HIHI Misfire B9	HIHI Fehlzuendung B9	---	---	---
0010.087204.165.201.2	HIHI Misfire B10	HIHI Fehlzuendung B10	---	---	---
0010.087205.105.011.2	LO P-Cyl. Deviat.to Avg A1	LO P-Zyl. Abw.z.Durchsch.A1	---	---	---
0010.087205.105.021.2	LO P-Cyl. Deviat.to Avg A2	LO P-Zyl. Abw.z.Durchsch.A2	---	---	---
0010.087205.105.031.2	LO P-Cyl. Deviat.to Avg A3	LO P-Zyl. Abw.z.Durchsch.A3	---	---	---
0010.087205.105.041.2	LO P-Cyl. Deviat.to Avg A4	LO P-Zyl. Abw.z.Durchsch.A4	---	---	---
0010.087205.105.051.2	LO P-Cyl. Deviat.to Avg A5	LO P-Zyl. Abw.z.Durchsch.A5	---	---	---
0010.087205.105.061.2	LO P-Cyl. Deviat.to Avg A6	LO P-Zyl. Abw.z.Durchsch.A6	---	---	---
0010.087205.105.071.2	LO P-Cyl. Deviat.to Avg A7	LO P-Zyl. Abw.z.Durchsch.A7	---	---	---
0010.087205.105.081.2	LO P-Cyl. Deviat.to Avg A8	LO P-Zyl. Abw.z.Durchsch.A8	---	---	---
0010.087205.105.091.2	LO P-Cyl. Deviat.to Avg A9	LO P-Zyl. Abw.z.Durchsch.A9	---	---	---
0010.087205.105.101.2	LO P-Cyl. Deviat.to Avg A10	LO P-Zyl. Abw.z.Durchsch.A10	---	---	---
0010.087205.105.111.2	LO P-Cyl. Deviat.to Avg B1	LO P-Zyl. Abw.z.Durchsch.B1	---	---	---
0010.087205.105.121.2	LO P-Cyl. Deviat.to Avg B2	LO P-Zyl. Abw.z.Durchsch.B2	---	---	---
0010.087205.105.131.2	LO P-Cyl. Deviat.to Avg B3	LO P-Zyl. Abw.z.Durchsch.B3	---	---	---
0010.087205.105.141.2	LO P-Cyl. Deviat.to Avg B4	LO P-Zyl. Abw.z.Durchsch.B4	---	---	---
0010.087205.105.151.2	LO P-Cyl. Deviat.to Avg B5	LO P-Zyl. Abw.z.Durchsch.B5	---	---	---
0010.087205.105.161.2	LO P-Cyl. Deviat.to Avg B6	LO P-Zyl. Abw.z.Durchsch.B6	---	---	---
0010.087205.105.171.2	LO P-Cyl. Deviat.to Avg B7	LO P-Zyl. Abw.z.Durchsch.B7	---	---	---
0010.087205.105.181.2	LO P-Cyl. Deviat.to Avg B8	LO P-Zyl. Abw.z.Durchsch.B8	---	---	---
0010.087205.105.191.2	LO P-Cyl. Deviat.to Avg B9	LO P-Zyl. Abw.z.Durchsch.B9	---	---	---
0010.087205.105.201.2	LO P-Cyl. Deviat.to Avg B10	LO P-Zyl. Abw.z.Durchsch.B10	---	---	---
0010.087205.115.011.2	LOLO P-Cyl. Deviat.to Avg A1	LOLO P-Zyl. Abw.z.Durchsch.A1	---	---	---
0010.087205.115.021.2	LOLO P-Cyl. Deviat.to Avg A2	LOLO P-Zyl. Abw.z.Durchsch.A2	---	---	---
0010.087205.115.031.2	LOLO P-Cyl. Deviat.to Avg A3	LOLO P-Zyl. Abw.z.Durchsch.A3	---	---	---
0010.087205.115.041.2	LOLO P-Cyl. Deviat.to Avg A4	LOLO P-Zyl. Abw.z.Durchsch.A4	---	---	---
0010.087205.115.051.2	LOLO P-Cyl. Deviat.to Avg A5	LOLO P-Zyl. Abw.z.Durchsch.A5	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 76 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency			
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released	
SysID	English	German	French	Spanish	Italian
0010.087205.115.061.2	LOLO P-Cyl. Deviat.to Avg A6	LOLO P-Zyl. Abw.z.Durchsch.A6	---	---	---
0010.087205.115.071.2	LOLO P-Cyl. Deviat.to Avg A7	LOLO P-Zyl. Abw.z.Durchsch.A7	---	---	---
0010.087205.115.081.2	LOLO P-Cyl. Deviat.to Avg A8	LOLO P-Zyl. Abw.z.Durchsch.A8	---	---	---
0010.087205.115.091.2	LOLO P-Cyl. Deviat.to Avg A9	LOLO P-Zyl. Abw.z.Durchsch.A9	---	---	---
0010.087205.115.101.2	LOLO P-Cyl. Deviat.to Avg A10	LOLO P-Zyl. Abw.z.Durchsch.A10	---	---	---
0010.087205.115.111.2	LOLO P-Cyl. Deviat.to Avg B1	LOLO P-Zyl. Abw.z.Durchsch.B1	---	---	---
0010.087205.115.121.2	LOLO P-Cyl. Deviat.to Avg B2	LOLO P-Zyl. Abw.z.Durchsch.B2	---	---	---
0010.087205.115.131.2	LOLO P-Cyl. Deviat.to Avg B3	LOLO P-Zyl. Abw.z.Durchsch.B3	---	---	---
0010.087205.115.141.2	LOLO P-Cyl. Deviat.to Avg B4	LOLO P-Zyl. Abw.z.Durchsch.B4	---	---	---
0010.087205.115.151.2	LOLO P-Cyl. Deviat.to Avg B5	LOLO P-Zyl. Abw.z.Durchsch.B5	---	---	---
0010.087205.115.161.2	LOLO P-Cyl. Deviat.to Avg B6	LOLO P-Zyl. Abw.z.Durchsch.B6	---	---	---
0010.087205.115.171.2	LOLO P-Cyl. Deviat.to Avg B7	LOLO P-Zyl. Abw.z.Durchsch.B7	---	---	---
0010.087205.115.181.2	LOLO P-Cyl. Deviat.to Avg B8	LOLO P-Zyl. Abw.z.Durchsch.B8	---	---	---
0010.087205.115.191.2	LOLO P-Cyl. Deviat.to Avg B9	LOLO P-Zyl. Abw.z.Durchsch.B9	---	---	---
0010.087205.115.201.2	LOLO P-Cyl. Deviat.to Avg B10	LOLO P-Zyl. Abw.z.Durchsch.B10	---	---	---
0010.087205.155.011.2	HI P-Cyl. Deviat.to Avg A1	HI P-Zyl. Abw.z.Durchsch.A1	---	---	---
0010.087205.155.021.2	HI P-Cyl. Deviat.to Avg A2	HI P-Zyl. Abw.z.Durchsch.A2	---	---	---
0010.087205.155.031.2	HI P-Cyl. Deviat.to Avg A3	HI P-Zyl. Abw.z.Durchsch.A3	---	---	---
0010.087205.155.041.2	HI P-Cyl. Deviat.to Avg A4	HI P-Zyl. Abw.z.Durchsch.A4	---	---	---
0010.087205.155.051.2	HI P-Cyl. Deviat.to Avg A5	HI P-Zyl. Abw.z.Durchsch.A5	---	---	---
0010.087205.155.061.2	HI P-Cyl. Deviat.to Avg A6	HI P-Zyl. Abw.z.Durchsch.A6	---	---	---
0010.087205.155.071.2	HI P-Cyl. Deviat.to Avg A7	HI P-Zyl. Abw.z.Durchsch.A7	---	---	---
0010.087205.155.081.2	HI P-Cyl. Deviat.to Avg A8	HI P-Zyl. Abw.z.Durchsch.A8	---	---	---
0010.087205.155.091.2	HI P-Cyl. Deviat.to Avg A9	HI P-Zyl. Abw.z.Durchsch.A9	---	---	---
0010.087205.155.101.2	HI P-Cyl. Deviat.to Avg A10	HI P-Zyl. Abw.z.Durchsch.A10	---	---	---
0010.087205.155.111.2	HI P-Cyl. Deviat.to Avg B1	HI P-Zyl. Abw.z.Durchsch.B1	---	---	---
0010.087205.155.121.2	HI P-Cyl. Deviat.to Avg B2	HI P-Zyl. Abw.z.Durchsch.B2	---	---	---
0010.087205.155.131.2	HI P-Cyl. Deviat.to Avg B3	HI P-Zyl. Abw.z.Durchsch.B3	---	---	---
0010.087205.155.141.2	HI P-Cyl. Deviat.to Avg B4	HI P-Zyl. Abw.z.Durchsch.B4	---	---	---
0010.087205.155.151.2	HI P-Cyl. Deviat.to Avg B5	HI P-Zyl. Abw.z.Durchsch.B5	---	---	---
0010.087205.155.161.2	HI P-Cyl. Deviat.to Avg B6	HI P-Zyl. Abw.z.Durchsch.B6	---	---	---
0010.087205.155.171.2	HI P-Cyl. Deviat.to Avg B7	HI P-Zyl. Abw.z.Durchsch.B7	---	---	---
0010.087205.155.181.2	HI P-Cyl. Deviat.to Avg B8	HI P-Zyl. Abw.z.Durchsch.B8	---	---	---
0010.087205.155.191.2	HI P-Cyl. Deviat.to Avg B9	HI P-Zyl. Abw.z.Durchsch.B9	---	---	---
0010.087205.155.201.2	HI P-Cyl. Deviat.to Avg B10	HI P-Zyl. Abw.z.Durchsch.B10	---	---	---
0010.087205.165.011.2	HIHI P-Cyl. Deviat.to Avg A1	HIHI P-Zyl. Abw.z.Durchsch.A1	---	---	---
0010.087205.165.021.2	HIHI P-Cyl. Deviat.to Avg A2	HIHI P-Zyl. Abw.z.Durchsch.A2	---	---	---
0010.087205.165.031.2	HIHI P-Cyl. Deviat.to Avg A3	HIHI P-Zyl. Abw.z.Durchsch.A3	---	---	---
0010.087205.165.041.2	HIHI P-Cyl. Deviat.to Avg A4	HIHI P-Zyl. Abw.z.Durchsch.A4	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 77 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	German	French	Spanish	Italian
0010.087205.165.051.2	HIHI P-Cyl. Deviat.to Avg A5	HIHI P-Zyl. Abw.z.Durchsch.A5	---	---	---
0010.087205.165.061.2	HIHI P-Cyl. Deviat.to Avg A6	HIHI P-Zyl. Abw.z.Durchsch.A6	---	---	---
0010.087205.165.071.2	HIHI P-Cyl. Deviat.to Avg A7	HIHI P-Zyl. Abw.z.Durchsch.A7	---	---	---
0010.087205.165.081.2	HIHI P-Cyl. Deviat.to Avg A8	HIHI P-Zyl. Abw.z.Durchsch.A8	---	---	---
0010.087205.165.091.2	HIHI P-Cyl. Deviat.to Avg A9	HIHI P-Zyl. Abw.z.Durchsch.A9	---	---	---
0010.087205.165.101.2	HIHI P-Cyl. Deviat.to Avg A10	HIHI P-Zyl. Abw.z.Durchsch.A10	---	---	---
0010.087205.165.111.2	HIHI P-Cyl. Deviat.to Avg B1	HIHI P-Zyl. Abw.z.Durchsch.B1	---	---	---
0010.087205.165.121.2	HIHI P-Cyl. Deviat.to Avg B2	HIHI P-Zyl. Abw.z.Durchsch.B2	---	---	---
0010.087205.165.131.2	HIHI P-Cyl. Deviat.to Avg B3	HIHI P-Zyl. Abw.z.Durchsch.B3	---	---	---
0010.087205.165.141.2	HIHI P-Cyl. Deviat.to Avg B4	HIHI P-Zyl. Abw.z.Durchsch.B4	---	---	---
0010.087205.165.151.2	HIHI P-Cyl. Deviat.to Avg B5	HIHI P-Zyl. Abw.z.Durchsch.B5	---	---	---
0010.087205.165.161.2	HIHI P-Cyl. Deviat.to Avg B6	HIHI P-Zyl. Abw.z.Durchsch.B6	---	---	---
0010.087205.165.171.2	HIHI P-Cyl. Deviat.to Avg B7	HIHI P-Zyl. Abw.z.Durchsch.B7	---	---	---
0010.087205.165.181.2	HIHI P-Cyl. Deviat.to Avg B8	HIHI P-Zyl. Abw.z.Durchsch.B8	---	---	---
0010.087205.165.191.2	HIHI P-Cyl. Deviat.to Avg B9	HIHI P-Zyl. Abw.z.Durchsch.B9	---	---	---
0010.087205.165.201.2	HIHI P-Cyl. Deviat.to Avg B10	HIHI P-Zyl. Abw.z.Durchsch.B10	---	---	---
0070.075232.205.011.2	AL MCS Dim. PAN Lost CS1	AL MCS Dim. PAN gestoert CS1	---	---	---
0070.075232.205.021.2	AL MCS Dim. PAN Lost CS2	AL MCS Dim. PAN gestoert CS2	---	---	---
0070.075232.205.031.2	AL MCS Dim. PAN Lost CS3	AL MCS Dim. PAN gestoert CS3	---	---	---
0070.075232.205.041.2	AL MCS Dim. PAN Lost CS4	AL MCS Dim. PAN gestoert CS4	---	---	---
0070.075232.205.051.2	AL MCS Dim. PAN Lost CS5	AL MCS Dim. PAN gestoert CS5	---	---	---
0070.075232.205.061.2	AL MCS Dim. PAN Lost CS6	AL MCS Dim. PAN gestoert CS6	---	---	---
0010.002020.205.001.2	AL Perm. Injection Detection 2	AL Detektion Dauereinspritz.2	AL Perm. Détection Injecion 2	AL Perm. Detección Injecion 2	AL Perm. Detection Injecion 2
0100.078002.205.001.2	AL MMS Combined Red	AL MMS Sammelalarm Rot	AL MMS Alarma Combinée Rouge	AL MMS Alarma Combinada Rojo	AL MMS Allarme Combinato rosso
0100.078003.205.001.2	AL MMS Combined Yel	AL MMS Sammelalarm Gelb	AL MMS Alarma Combinée Jaune	AL MMS Alarma Combinada Amarillo	AL MMS Allarme Combinato Giall
0050.024300.205.011.2	AL DEF Tank Level Empty	AL DEF Tank Niveau Leer	AL DEF Niveau Réservoir Vide	AL DEF Nivel Tanque Vacío	AL DEF Livello Serbatoio Vuoto
0010.025305.105.001.2	SD Lube Oil Level Switch	SD Schmieroellniveau Schalter	SD Contact.NiveauHuileLubrifi	SD Interr. Nivel AceiteLubric.	SD Interrutt.LivelloOlioLubrifi
0010.016101.115.001.2	LOLO P-Raw Water	LOLO P-Rohwasser	LOLO P-Eau Brute	LOLO P-Agua de Mar	LOLO P-Acqua Raffredd Esterna
0010.056007.205.001.2	AL Gas Inclusion	AL Gaseinschluss	AL Inclusion de gaz	AL Inclusión de gas	AL Inclusionione gas
0010.015104.215.001.2	SD P-Coolant Intercooler	SD P-KuehlmittelLadeluftkuehl.	SD P-Liquide Refroid.Interc.	SD P-Refrigerante Intercool.	SD P-Refrigerante Intercool,
0010.015104.105.001.2	LO P-Coolant Intercooler	LO P-KuehlmittelLadeluftkuehl.	LO P-Liquide Refroid.Interc.	LO P-Refrigerante Intercool.	LO P-Refrigerante Intercool,
0010.015104.115.001.2	LOLO P-Coolant Intercooler	LOLO P-Kuehlmit.Ladeluftkuehl.	LOLO P-Liquide Refroid.Interc.	LOLO P-Refrigerante Intercool.	LOLO P-Refrigerante Intercool,
0010.005102.215.001.2	SD P-Intake Air After FilterA	SD P-Ansaugluft Nach Filter A	SD P-Air Admission A	SD T-Aire Aspiración A	SD P-Aria Aspirata A
0010.005102.105.001.2	LO P-Intake Air After FilterA	LO P-Ansaugluft Nach Filter A	LO P-Air Admission A	LO T-Aire Aspiración A	LO P-Aria Aspirata A
0010.005102.115.001.2	LOLO P-Intake AirAfterFilterA	LOLO P-Ansaugluft Nach FilterA	LOLO P-Air Admission A	LOLO T-Aire Aspiración A	LOLO P-Aria Aspirata A
0010.005102.115.011.2	LOLO P-Intake AirAfterFilterB	LOLO P-Ansaugluft Nach FilterB	LOLO P-Air Admission B	LOLO T-Aire Aspiración B	LOLO P-Aria Aspirata B
0010.015202.215.001.2	SD T-Coolant Intercooler	SD T-KuehlmittelLadeluftkuehl.	SD T-Liquide Refroid.Interc.	SD T-Refrigerante Intercool.	SD T-Refrigerante Intercool,
0010.015202.155.001.2	HI T-Coolant Intercooler	HI T-KuehlmittelLadeluftkuehl.	HI T-Liquide Refroid.Interc.	HI T-Refrigerante Intercool.	HI T-Refrigerante Intercool,
0010.015202.165.001.2	HIHI T-Coolant Intercooler	HIHI T-Kuehlmit.Ladeluftkuehl.	HIHI T-Liquide Refroid.Interc.	HIHI T-Refrigerante Intercool.	HIHI T-Refrigerante Intercool,

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 78 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	German	French	Spanish	Italian
0010.002018.205.001.2	AL Inj. Drift Limit 1 Cyl.A1	AL Inj. Drift Limit 1 Zyl. A1	AL Inj. Dérive limite 1 Cyl.A1	AL Iny. Drift Limit 1 Cil.A1	AL Lim.deriva in. 1 cil.A1
0010.002018.205.011.2	AL Inj. Drift Limit 1 Cyl.A2	AL Inj. Drift Limit 1 Zyl. A2	AL Inj. Dérive limite 1 Cyl.A2	AL Iny. Drift Limit 1 Cil.A2	AL Lim.deriva in. 1 cil.A2
0010.002018.205.021.2	AL Inj. Drift Limit 1 Cyl.A3	AL Inj. Drift Limit 1 Zyl. A3	AL Inj. Dérive limite 1 Cyl.A3	AL Iny. Drift Limit 1 Cil.A3	AL Lim.deriva in. 1 cil.A3
0010.002018.205.031.2	AL Inj. Drift Limit 1 Cyl.A4	AL Inj. Drift Limit 1 Zyl. A4	AL Inj. Dérive limite 1 Cyl.A4	AL Iny. Drift Limit 1 Cil.A4	AL Lim.deriva in. 1 cil.A4
0010.002018.205.041.2	AL Inj. Drift Limit 1 Cyl.A5	AL Inj. Drift Limit 1 Zyl. A5	AL Inj. Dérive limite 1 Cyl.A5	AL Iny. Drift Limit 1 Cil.A5	AL Lim.deriva in. 1 cil.A5
0010.002018.205.051.2	AL Inj. Drift Limit 1 Cyl.A6	AL Inj. Drift Limit 1 Zyl. A6	AL Inj. Dérive limite 1 Cyl.A6	AL Iny. Drift Limit 1 Cil.A6	AL Lim.deriva in. 1 cil.A6
0010.002018.205.061.2	AL Inj. Drift Limit 1 Cyl.A7	AL Inj. Drift Limit 1 Zyl. A7	AL Inj. Dérive limite 1 Cyl.A7	AL Iny. Drift Limit 1 Cil.A7	AL Lim.deriva in. 1 cil.A7
0010.002018.205.071.2	AL Inj. Drift Limit 1 Cyl.A8	AL Inj. Drift Limit 1 Zyl. A8	AL Inj. Dérive limite 1 Cyl.A8	AL Iny. Drift Limit 1 Cil.A8	AL Lim.deriva in. 1 cil.A8
0010.002018.205.081.2	AL Inj. Drift Limit 1 Cyl.A9	AL Inj. Drift Limit 1 Zyl. A9	AL Inj. Dérive limite 1 Cyl.A9	AL Iny. Drift Limit 1 Cil.A9	AL Lim.deriva in. 1 cil.A9
0010.002018.205.091.2	AL Inj. Drift Limit 1 Cyl.A10	AL Inj. Drift Limit 1 Zyl. A10	AL Inj. Dérive limite 1 Cyl.A10	AL Iny. Drift Limit 1 Cil.A10	AL Lim.deriva in. 1 cil.A10
0010.002019.205.001.2	AL Inj. Drift Limit 2 Cyl.A1	AL Inj. Drift Limit 2 Zyl. A1	AL Inj. Dérive limite 2 Cyl.A1	AL Iny. Drift Limit 2 Cils.A1	AL Lim.deriva in. 2 cil.A1
0010.002019.205.011.2	AL Inj. Drift Limit 2 Cyl.A2	AL Inj. Drift Limit 2 Zyl. A2	AL Inj. Dérive limite 2 Cyl.A2	AL Iny. Drift Limit 2 Cils.A2	AL Lim.deriva in. 2 cil.A2
0010.002019.205.021.2	AL Inj. Drift Limit 2 Cyl.A3	AL Inj. Drift Limit 2 Zyl. A3	AL Inj. Dérive limite 2 Cyl.A3	AL Iny. Drift Limit 2 Cils.A3	AL Lim.deriva in. 2 cil.A3
0010.002019.205.031.2	AL Inj. Drift Limit 2 Cyl.A4	AL Inj. Drift Limit 2 Zyl. A4	AL Inj. Dérive limite 2 Cyl.A4	AL Iny. Drift Limit 2 Cils.A4	AL Lim.deriva in. 2 cil.A4
0010.002019.205.041.2	AL Inj. Drift Limit 2 Cyl.A5	AL Inj. Drift Limit 2 Zyl. A5	AL Inj. Dérive limite 2 Cyl.A5	AL Iny. Drift Limit 2 Cils.A5	AL Lim.deriva in. 2 cil.A5
0010.002019.205.051.2	AL Inj. Drift Limit 2 Cyl.A6	AL Inj. Drift Limit 2 Zyl. A6	AL Inj. Dérive limite 2 Cyl.A6	AL Iny. Drift Limit 2 Cils.A6	AL Lim.deriva in. 2 cil.A6
0010.002019.205.061.2	AL Inj. Drift Limit 2 Cyl.A7	AL Inj. Drift Limit 2 Zyl. A7	AL Inj. Dérive limite 2 Cyl.A7	AL Iny. Drift Limit 2 Cils.A7	AL Lim.deriva in. 2 cil.A7
0010.002019.205.071.2	AL Inj. Drift Limit 2 Cyl.A8	AL Inj. Drift Limit 2 Zyl. A8	AL Inj. Dérive limite 2 Cyl.A8	AL Iny. Drift Limit 2 Cils.A8	AL Lim.deriva in. 2 cil.A8
0010.002019.205.081.2	AL Inj. Drift Limit 2 Cyl.A9	AL Inj. Drift Limit 2 Zyl. A9	AL Inj. Dérive limite 2 Cyl.A9	AL Iny. Drift Limit 2 Cils.A9	AL Lim.deriva in. 2 cil.A9
0010.002019.205.091.2	AL Inj. Drift Limit 2 Cyl.A10	AL Inj. Drift Limit 2 Zyl. A10	AL Inj. Dérive limite 2 Cyl.A10	AL Iny. Drift Limit 2 Cils.A10	AL Lim.deriva in. 2 cil.A10
0010.002018.205.101.2	AL Inj. Drift Limit 1 Cyl.B1	AL Inj. Drift Limit 1 Zyl. B1	AL Inj. Dérive limite 1 Cyl.B1	AL Iny. Drift Limit 1 Cil.B1	AL Lim.deriva in. 1 cil.B1
0010.002018.205.111.2	AL Inj. Drift Limit 1 Cyl.B2	AL Inj. Drift Limit 1 Zyl. B2	AL Inj. Dérive limite 1 Cyl.B2	AL Iny. Drift Limit 1 Cil.B2	AL Lim.deriva in. 1 cil.B2
0010.002018.205.121.2	AL Inj. Drift Limit 1 Cyl.B3	AL Inj. Drift Limit 1 Zyl. B3	AL Inj. Dérive limite 1 Cyl.B3	AL Iny. Drift Limit 1 Cil.B3	AL Lim.deriva in. 1 cil.B3
0010.002018.205.131.2	AL Inj. Drift Limit 1 Cyl.B4	AL Inj. Drift Limit 1 Zyl. B4	AL Inj. Dérive limite 1 Cyl.B4	AL Iny. Drift Limit 1 Cil.B4	AL Lim.deriva in. 1 cil.B4
0010.002018.205.141.2	AL Inj. Drift Limit 1 Cyl.B5	AL Inj. Drift Limit 1 Zyl. B5	AL Inj. Dérive limite 1 Cyl.B5	AL Iny. Drift Limit 1 Cil.B5	AL Lim.deriva in. 1 cil.B5
0010.002018.205.151.2	AL Inj. Drift Limit 1 Cyl.B6	AL Inj. Drift Limit 1 Zyl. B6	AL Inj. Dérive limite 1 Cyl.B6	AL Iny. Drift Limit 1 Cil.B6	AL Lim.deriva in. 1 cil.B6
0010.002018.205.161.2	AL Inj. Drift Limit 1 Cyl.B7	AL Inj. Drift Limit 1 Zyl. B7	AL Inj. Dérive limite 1 Cyl.B7	AL Iny. Drift Limit 1 Cil.B7	AL Lim.deriva in. 1 cil.B7
0010.002018.205.171.2	AL Inj. Drift Limit 1 Cyl.B8	AL Inj. Drift Limit 1 Zyl. B8	AL Inj. Dérive limite 1 Cyl.B8	AL Iny. Drift Limit 1 Cil.B8	AL Lim.deriva in. 1 cil.B8
0010.002018.205.181.2	AL Inj. Drift Limit 1 Cyl.B9	AL Inj. Drift Limit 1 Zyl. B9	AL Inj. Dérive limite 1 Cyl.B9	AL Iny. Drift Limit 1 Cil.B9	AL Lim.deriva in. 1 cil.B9
0010.002018.205.191.2	AL Inj. Drift Limit 1 Cyl.B10	AL Inj. Drift Limit 1 Zyl. B10	AL Inj. Dérive limite 1 Cyl.B10	AL Iny. Drift Limit 1 Cil.B10	AL Lim.deriva in. 1 cil.B10
0010.002019.205.101.2	AL Inj. Drift Limit 2 Cyl.B1	AL Inj. Drift Limit 2 Zyl. B1	AL Inj. Dérive limite 2 Cyl.B1	AL Iny. Drift Limit 2 Cils.B1	AL Lim.deriva in. 2 cil.B1
0010.002019.205.111.2	AL Inj. Drift Limit 2 Cyl.B2	AL Inj. Drift Limit 2 Zyl. B2	AL Inj. Dérive limite 2 Cyl.B2	AL Iny. Drift Limit 2 Cils.B2	AL Lim.deriva in. 2 cil.B2
0010.002019.205.121.2	AL Inj. Drift Limit 2 Cyl.B3	AL Inj. Drift Limit 2 Zyl. B3	AL Inj. Dérive limite 2 Cyl.B3	AL Iny. Drift Limit 2 Cils.B3	AL Lim.deriva in. 2 cil.B3
0010.002019.205.131.2	AL Inj. Drift Limit 2 Cyl.B4	AL Inj. Drift Limit 2 Zyl. B4	AL Inj. Dérive limite 2 Cyl.B4	AL Iny. Drift Limit 2 Cils.B4	AL Lim.deriva in. 2 cil.B4
0010.002019.205.141.2	AL Inj. Drift Limit 2 Cyl.B5	AL Inj. Drift Limit 2 Zyl. B5	AL Inj. Dérive limite 2 Cyl.B5	AL Iny. Drift Limit 2 Cils.B5	AL Lim.deriva in. 2 cil.B5
0010.002019.205.151.2	AL Inj. Drift Limit 2 Cyl.B6	AL Inj. Drift Limit 2 Zyl. B6	AL Inj. Dérive limite 2 Cyl.B6	AL Iny. Drift Limit 2 Cils.B6	AL Lim.deriva in. 2 cil.B6
0010.002019.205.161.2	AL Inj. Drift Limit 2 Cyl.B7	AL Inj. Drift Limit 2 Zyl. B7	AL Inj. Dérive limite 2 Cyl.B7	AL Iny. Drift Limit 2 Cils.B7	AL Lim.deriva in. 2 cil.B7
0010.002019.205.171.2	AL Inj. Drift Limit 2 Cyl.B8	AL Inj. Drift Limit 2 Zyl. B8	AL Inj. Dérive limite 2 Cyl.B8	AL Iny. Drift Limit 2 Cils.B8	AL Lim.deriva in. 2 cil.B8
0010.002019.205.181.2	AL Inj. Drift Limit 2 Cyl.B9	AL Inj. Drift Limit 2 Zyl. B9	AL Inj. Dérive limite 2 Cyl.B9	AL Iny. Drift Limit 2 Cils.B9	AL Lim.deriva in. 2 cil.B9

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 79 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency			
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released	
SysID	English	German	French	Spanish	Italian
0010.002019.205.191.2	AL Inj. Drift Limit 2 Cyl.B10	AL Inj. Drift Limit 2 Zyl. B10	AL Inj.Dérive limite 2 Cyl.B10	AL Iny. Drift Limit 2 Cils.B10	AL Lim.deriva in. 2 cil.B10
0010.056006.155.011.2	HI ETC Idle Speed	HI ATL Leerlaufdrehzahl	HI Turbo Vitesse RégimeRalenti	HI ETC Velocidad en Ralenti	HI ETC Velocità del Minimo
0012.024424.105.001.2	LO RA Concentration	LO RM Konzentration	LO RA Concentration	LO RA Concentración	LO RA Concentrazione
0012.024424.115.001.2	LOLO RA Concentration	LOLO RM Konzentration	LOLO RA Concentration	LOLO RA Concentración	LOLO RA Concentrazione
0012.024424.215.001.2	SD RA Concentration	SD RM Konzentration	SD RA Concentration	SD RA Concentración	SD RA Concentrazione
0012.024424.155.001.2	HI RA Concentration	HI RM Konzentration	HI RA Concentration	HI RA Concentración	HI RA Concentrazione
0012.024424.165.001.2	HIHI RA Concentration	HIHI RM Konzentration	HIHI RA Concentration	HIHI RA Concentración	HIHI RA Concentrazione
0012.024425.105.001.2	LO RA Quality	LO RM Qualitaet	LO RA Qualité	LO RA Calidad	LO RA Qualità
0012.006500.155.011.2	HI P-Exhaust Diff. SCR 2	HI P-Abgas Diff. SCR 2	HI P-Échappement Diff. SCR 2	HI P-Escape Dif. SCR 2	HI P-Scarico Diff. SCR 2
0012.006500.165.011.2	HIHI P-Exhaust Diff. SCR 2	HIHI P-Abgas Diff. SCR 2	HIHI P-Échappement Diff. SCR 2	HIHI P-Escape Dif. SCR 2	HIHI P-Scarico Diff. SCR 2
0012.006201.215.011.2	SD T-Exhaust SCR Outlet 2	SD T-Abgas SCR Ausgang 2	SD T-Échappement SCR Sortie 2	SD T-Escape SCR Salida 2	SD T-Scarico SCR Uscita 2
0012.006201.155.011.2	HI T-Exhaust SCR Outlet 2	HI T-Abgas SCR Ausgang 2	HI T-Échappement SCR Sortie2	HI T-Escape SCR Salida 2	HI T-Scarico SCR Uscita 2
0012.006201.165.011.2	HIHI T-Exhaust SCR Outlet 2	HIHI T-Abgas SCR Ausgang 2	HIHI T-Échappement SCR Sortie2	HIHI T-Escape SCR Salida 2	HIHI T-Scarico SCR Uscita 2
0012.024426.205.001.2	AL PDM Leak Check Failed	AL PDM Leckkontrolle Fehlgesch	AL Échec ctrl fuite PDM	AL PDM Fallo Contr. de Fuga	AL PDM Contr. perđ.fallito
0012.024101.155.001.2	HI T-Reducing Agent SUDU F1	HI T-Reduktionsmittel SUDUF1	HI T-prod réduct SUDUF1	HI T-Agente Reductor SUDUF1	HI T- Agente riduc. SUDU F1
0012.024101.155.011.2	HI T-Reducing Agent SUDU F2	HI T-Reduktionsmittel SUDU F2	HI T-prod réduct SUDU F2	HI T-Agente Reductor SUDUF2	HI T-Agente riduc. SUDU F2
0012.024425.205.001.2	AL Hydraulics Fault SUDU 1	AL Hydraulikfehler SUDU 1	AL Déf hydraulique SUDU 1	AL Fallo Hidráulico SUDU 1	AL Errore sist.idraul. SUDU 1
0012.024425.205.011.2	AL Hydraulics Fault SUDU 2	AL Hydraulikfehler SUDU 2	AL Déf hydraulique SUDU 2	AL Fallo Hidráulico SUDU 2	AL Errore sist.idraul. SUDU 2
0012.024425.205.021.2	AL Hydraulics Fault SUDU 3	AL Hydraulikfehler SUDU 3	AL Déf hydraulique SUDU 3	AL Fallo Hidráulico SUDU 3	AL Errore sist.idraul. SUDU 3
0012.024425.205.031.2	AL Hydraulics Fault SUDU 4	AL Hydraulikfehler SUDU 4	AL Déf hydraulique SUDU 4	AL Fallo Hidráulico SUDU 4	AL Errore sist.idraul. SUDU 4
0012.024425.205.041.2	AL Hydraulics Fault SUDU 5	AL Hydraulikfehler SUDU 5	AL Déf hydraulique SUDU 5	AL Fallo Hidráulico SUDU 5	AL Errore sist.idraul. SUDU 5
0012.024425.205.051.2	AL Hydraulics Fault SUDU 6	AL Hydraulikfehler SUDU 6	AL Déf hydraulique SUDU 6	AL Fallo Hidráulico SUDU 6	AL Errore sist.idraul. SUDU 6
0910.062017.205.001.2	AL SD-Card Unaccessible	AL SD-Karte Nicht Zugreifbar	AL Carte SD inaccessible	AL Tarjeta SD inaccesible	AL Scheda SD non accessibile
0050.072002.205.001.2	AL Capsize Timeout	AL Durchkernern Timeout	AL Chavirage timeout	AL Zozobrado Tiempo Muerto	AL Capovolgim. Tempo Scaduto
0011.043513.215.001.2	SD Eng.Speed Crankshaft SaSy	SD Motordrehz.Kurbelwelle SiSy	SD Rég.moteur vilebrequin SaSy	SD Veloc.Motor Cigüeñal SaSy	SD Giri asse a manovella SaSy
0011.043513.225.001.2	TD Engine Speed Crankshaft	TD Motordrehzahl Kurbelwelle	TD Régime moteur vilebrequin	TD Velocidad Motor Cigüeñal	TD Giri asse a manovella

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 80 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

Alarm Language Mapping

English, Dutch, Chinese, Portuguese, Russian

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.057303.205.001.2	AL ECU Defect	AL ECU defect	ECU 故障报警	AL ECU Defeito	АС неисправность ECU
0010.075101.245.001.2	SE Lifedata Not Available	SE Lifedata Niet beschikbaar	SE寿命数据不可用	SE Lifedata Não Disponível	ОС нет текущих данных
0010.075102.245.001.2	SE Lifedata Restore Incomp	SE Lifedata Restore Incomp	SE寿命数据恢复Incomp	SE Lifedata Restaurar Incomp	ОС неполное восстан.тек.данных
0010.075103.245.001.2	SE CAN 1 Node Lost	SE CAN 1 Knooppunt Kwijt	SE能1节点失落	SE CAN 1 Nó Perdido	ОС отказ узла шины CAN 1
0010.075104.245.001.2	SE CAN 2 Node Lost	SE CAN 2 Knooppunt Kwijt	SE能2节点失落	SE CAN 2 Nó Perdido	ОС отказ узла шины CAN 2
0010.075105.245.001.2	SE CAN Wrong Parameters	SE CAN Verkeerde Parameters	SE能错误的参数	SE pode Parâmetros errados	ОС неправ. параметры шины CAN
0010.075106.245.001.2	SE CAN No PU Data	SE CAN Geen PU gegevens	SE不能PU数据	SE CAN No Data PU	ОС нет данных проекта на CAN
0010.075107.245.001.2	SE CAN PU Data Flash Error	SE CAN PU gegevens Flash Error	SE能PU数据闪存错误	SE CAN PU Data Flash Erro	ОС ош. флэш проект-данных CAN
0010.075108.245.001.2	SE CAN 1 Bus off	SE CAN 1 Bus off	SE能1总线关闭	SE CAN 1 Bus off	ОС шина CAN 1 отключена
0010.075109.245.001.2	SE CAN 1 Error Passive	SE CAN 1 Fout Passief	SE能2错误被动	SE CAN 1 Error Passive	ОС шина CAN 1 ошибка пассив
0010.075110.245.001.2	SE CAN 2 Bus off	SE CAN 2 Bus off	SE能2总线关闭	SE CAN 2 Bus off	ОС шина CAN 2 отключена
0010.075111.245.001.2	SE CAN 2 Error Passive	SE CAN 2 Fout Passief	SE能2错误被动	SE CAN 2 Error Passive	ОС шина CAN 2 ошибка пассив
0010.075112.245.001.2	SE EMU PR Not Supported	SE EMU PR Niet ondersteund	SE动车组PR不支持	SE EMU PR não Suportada	ОС EMU парам. нет поддержки
0010.056001.215.051.2	SD ETC 5 Speed	SD ETC 5 toerental	SD 增压器 5 转速	SD ETC 5 Velocidade	ДД ТКОО 5 обороты
0011.000501.165.001.2	HIHI Engine Overspeed SaSy	HIHI Te Hoog Toerental SaSy	HIHI 发动机超速 SaSy	HIHI Sobre Veloc. Motor SaSy	ВЫВЫ обороты двиг. сист.защиты
0011.025101.105.001.2	LO P-Lube Oil SaSy	LO P-Smeerolie SaSy	LO 滑油压力 SaSy	LO P-Oleo Lubrificante SaSy	НИИ Д-смаз. масло сист. защиты
0011.025101.115.001.2	LOLO P-Lube Oil SaSy	LOLO P-Smeerolie SaSy	LOLO 滑油压力 SaSy	LOLO P-Oleo Lubrificante SaSy	НИИИ Д-смаз. масло сист. защ.
0011.015201.155.001.2	HI T-Coolant SaSy	HI T-Koelmiddel SaSy	HI 冷却水温度 SaSy	HI T-Refrigerante SaSy	ВЫ Т-хладагент система защиты
0011.015201.165.001.2	HIHI T-Coolant SaSy	HIHI T-koelmiddel SaSy	HIHI 冷却水温度 SaSy	HIHI T-Refrigerante SaSy	ВЫВЫ Т-хладагент сист. защиты
0011.043301.255.001.2	WB SaSy Emergency Stop Output	WB SaSy noodstop uitgang	WB SaSy 紧急停止输出	WB SaSy Saída Paragem Emerg.	РК выход авар. выкл. сист.защ.
0011.043302.265.001.2	SC SaSy Emergency Stop Output	SC SaSy noodstop uitgang	SC SaSy 紧急停止输出	SC SaSy Saída Paragem Emerg.	КЗ выход авар. выкл. сист.защ.
0010.055202.155.001.2	HI T-Bearing Mean	HI T-Lager gemiddeld	HI 平均轴承温度	HI T--Rolamento Media	ВЫ Т-подшипник средняя
0010.006201.155.011.2	HI T-Exhaust A1	HI T-Uitlaat A1	HI 排气温度A1	HI T-Exaustao A1	ВЫ Т-ОГ A1
0010.006201.155.021.2	HI T-Exhaust A2	HI T-Uitlaat A2	HI 排气温度A2	HI T-Exaustao A2	ВЫ Т-ОГ A2
0010.006201.155.031.2	HI T-Exhaust A3	HI T-Uitlaat A3	HI 排气温度A3	HI T-Exaustao A3	ВЫ Т-ОГ A3
0010.006201.155.041.2	HI T-Exhaust A4	HI T-Uitlaat A4	HI 排气温度A4	HI T-Exaustao A4	ВЫ Т-ОГ A4
0010.006201.155.051.2	HI T-Exhaust A5	HI T-Uitlaat A5	HI 排气温度A5	HI T-Exaustao A5	ВЫ Т-ОГ A5
0010.006201.155.061.2	HI T-Exhaust A6	HI T-Uitlaat A6	HI 排气温度A6	HI T-Exaustao A6	ВЫ Т-ОГ A6
0010.006201.155.071.2	HI T-Exhaust A7	HI T-Uitlaat A7	HI 排气温度A7	HI T-Exaustao A7	ВЫ Т-ОГ A7
0010.006201.155.081.2	HI T-Exhaust A8	HI T-Uitlaat A8	HI 排气温度A8	HI T-Exaustao A8	ВЫ Т-ОГ A8
0010.006201.155.091.2	HI T-Exhaust A9	HI T-Uitlaat A9	HI 排气温度A9	HI T-Exaustao A9	ВЫ Т-ОГ A9
0010.006201.155.101.2	HI T-Exhaust A10	HI T-Uitlaat A10	HI 排气温度A10	HI T-Exaustao A10	ВЫ Т-ОГ A10
0010.006202.155.011.2	HI T-Exhaust B1	HI T-Uitlaat B1	HI 排气温度B1	HI T-Exaustao B1	ВЫ Т-ОГ B1



MTU Friedrichshafen GmbH

Zeichnungs-Nr./Drawing No.

ZNG00013183

Blatt/ Sheet

81

von/of

137

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.006202.155.021.2	HI T-Exhaust B2	HI T-Uitlaat B2	HI 排气温度B2	HI T-Exaustao B2	ВЫ Т-ОГ B2
0010.006202.155.031.2	HI T-Exhaust B3	HI T-Uitlaat B3	HI 排气温度B3	HI T-Exaustao B3	ВЫ Т-ОГ B3
0010.006202.155.041.2	HI T-Exhaust B4	HI T-Uitlaat B4	HI 排气温度B4	HI T-Exaustao B4	ВЫ Т-ОГ B4
0010.006202.155.051.2	HI T-Exhaust B5	HI T-Uitlaat B5	HI 排气温度B5	HI T-Exaustao B5	ВЫ Т-ОГ B5
0010.006202.155.061.2	HI T-Exhaust B6	HI T-Uitlaat B6	HI 排气温度B6	HI T-Exaustao B6	ВЫ Т-ОГ B6
0010.006202.155.071.2	HI T-Exhaust B7	HI T-Uitlaat B7	HI 排气温度B7	HI T-Exaustao B7	ВЫ Т-ОГ B7
0010.006202.155.081.2	HI T-Exhaust B8	HI T-Uitlaat B8	HI 排气温度B8	HI T-Exaustao B8	ВЫ Т-ОГ B8
0010.006202.155.091.2	HI T-Exhaust B9	HI T-Uitlaat B9	HI 排气温度B9	HI T-Exaustao B9	ВЫ Т-ОГ B9
0010.006202.155.101.2	HI T-Exhaust B10	HI T-Uitlaat B10	HI 排气温度B10	HI T-Exaustao B10	ВЫ Т-ОГ B10
0010.055201.155.011.2	HI T-Bearing 1	HI T-Lager 1	HI 轴承1温度	HI T-Rolamento 1	ВЫ Т-подшипник 1
0010.055201.155.021.2	HI T-Bearing 2	HI T-Lager 2	HI 轴承2温度	HI T-Rolamento 2	ВЫ Т-подшипник 2
0010.055201.155.031.2	HI T-Bearing 3	HI T-Lager 3	HI 轴承3温度	HI T-Rolamento 3	ВЫ Т-подшипник 3
0010.055201.155.041.2	HI T-Bearing 4	HI T-Lager 4	HI 轴承4温度	HI T-Rolamento 4	ВЫ Т-подшипник 4
0010.055201.155.051.2	HI T-Bearing 5	HI T-Lager 5	HI 轴承5温度	HI T-Rolamento 5	ВЫ Т-подшипник 5
0010.055201.155.061.2	HI T-Bearing 6	HI T-Lager 6	HI 轴承6温度	HI T-Rolamento 6	ВЫ Т-подшипник 6
0010.055201.155.071.2	HI T-Bearing 7	HI T-Lager 7	HI 轴承7温度	HI T-Rolamento 7	ВЫ Т-подшипник 7
0010.055201.155.081.2	HI T-Bearing 8	HI T-Lager 8	HI 轴承8温度	HI T-Rolamento 8	ВЫ Т-подшипник 8
0010.055201.155.091.2	HI T-Bearing 9	HI T-Lager 9	HI 轴承9温度	HI T-Rolamento 9	ВЫ Т-подшипник 9
0010.055201.155.101.2	HI T-Bearing 10	HI T-Lager 10	HI 轴承10温度	HI T-Rolamento 10	ВЫ Т-подшипник 10
0010.055201.155.111.2	HI T-Bearing 11	HI T-Lager 11	HI 轴承11温度	HI T-Rolamento 11	ВЫ Т-подшипник 11
0010.055201.165.011.2	HIHI T-Bearing 1	HIHI T-Lager 1	HIHI 轴承1温度	HIHI T-Rolamento 1	ВЫВЫ Т-подшипник 1
0010.055201.165.021.2	HIHI T-Bearing 2	HIHI T-Lager 2	HIHI 轴承2温度	HIHI T-Rolamento 2	ВЫВЫ Т-подшипник 2
0010.055201.165.031.2	HIHI T-Bearing 3	HIHI T-Lager 3	HIHI 轴承3温度	HIHI T-Rolamento 3	ВЫВЫ Т-подшипник 3
0010.055201.165.041.2	HIHI T-Bearing 4	HIHI T-Lager 4	HIHI 轴承4温度	HIHI T-Rolamento 4	ВЫВЫ Т-подшипник 4
0010.055201.165.051.2	HIHI T-Bearing 5	HIHI T-Lager 5	HIHI 轴承5温度	HIHI T-Rolamento 5	ВЫВЫ Т-подшипник 5
0010.055201.165.061.2	HIHI T-Bearing 6	HIHI T-Lager 6	HIHI 轴承6温度	HIHI T-Rolamento 6	ВЫВЫ Т-подшипник 6
0010.055201.165.071.2	HIHI T-Bearing 7	HIHI T-Lager 7	HIHI 轴承7温度	HIHI T-Rolamento 7	ВЫВЫ Т-подшипник 7
0010.055201.165.081.2	HIHI T-Bearing 8	HIHI T-Lager 8	HIHI 轴承8温度	HIHI T-Rolamento 8	ВЫВЫ Т-подшипник 8
0010.055201.165.091.2	HIHI T-Bearing 9	HIHI T-Lager 9	HIHI 轴承9温度	HIHI T-Rolamento 9	ВЫВЫ Т-подшипник 9
0010.055201.165.101.2	HIHI T-Bearing 10	HIHI T-Lager 10	HIHI 轴承10温度	HIHI T-Rolamento 10	ВЫВЫ Т-подшипник 10
0010.055201.165.111.2	HIHI T-Bearing 11	HIHI T-Lager 11	HIHI 轴承11温度	HIHI T-Rolamento 11	ВЫВЫ Т-подшипник 11
0010.006201.105.011.2	LO T-Exhaust A1	LO T-Uitlaat A1	LO 排气温度A1	LO T-Exaustao A1	НИ Т-ОГ A1
0010.006201.105.021.2	LO T-Exhaust A2	LO T-Uitlaat A2	LO 排气温度A2	LO T-Exaustao A2	НИ Т-ОГ A2
0010.006201.105.031.2	LO T-Exhaust A3	LO T-Uitlaat A3	LO 排气温度A3	LO T-Exaustao A3	НИ Т-ОГ A3
0010.006201.105.041.2	LO T-Exhaust A4	LO T-Uitlaat A4	LO 排气温度A4	LO T-Exaustao A4	НИ Т-ОГ A4
0010.006201.105.051.2	LO T-Exhaust A5	LO T-Uitlaat A5	LO 排气温度A5	LO T-Exaustao A5	НИ Т-ОГ A5
0010.006201.105.061.2	LO T-Exhaust A6	LO T-Uitlaat A6	LO 排气温度A6	LO T-Exaustao A6	НИ Т-ОГ A6
0010.006201.105.071.2	LO T-Exhaust A7	LO T-Uitlaat A7	LO 排气温度A7	LO T-Exaustao A7	НИ Т-ОГ A7
0010.006201.105.081.2	LO T-Exhaust A8	LO T-Uitlaat A8	LO 排气温度A8	LO T-Exaustao A8	НИ Т-ОГ A8

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 82 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.006201.105.091.2	LO T-Exhaust A9	LO T-Uitlaat A9	LO 排气温度A9	LO T-Exhaustao A9	НИ Т-ОГ A9
0010.006201.105.101.2	LO T-Exhaust A10	LO T-Uitlaat A10	LO 排气温度A10	LO T-Exhaustao A10	НИ Т-ОГ A10
0010.006202.105.011.2	LO T-Exhaust B1	LO T-Uitlaat B1	LO 排气温度B1	LO T-Exhaustao B1	НИ Т-ОГ B1
0010.006202.105.021.2	LO T-Exhaust B2	LO T-Uitlaat B2	LO 排气温度B2	LO T-Exhaustao B2	НИ Т-ОГ B2
0010.006202.105.031.2	LO T-Exhaust B3	LO T-Uitlaat B3	LO 排气温度B3	LO T-Exhaustao B3	НИ Т-ОГ B3
0010.006202.105.041.2	LO T-Exhaust B4	LO T-Uitlaat B4	LO 排气温度B4	LO T-Exhaustao B4	НИ Т-ОГ B4
0010.006202.105.051.2	LO T-Exhaust B5	LO T-Uitlaat B5	LO 排气温度B5	LO T-Exhaustao B5	НИ Т-ОГ B5
0010.006202.105.061.2	LO T-Exhaust B6	LO T-Uitlaat B6	LO 排气温度B6	LO T-Exhaustao B6	НИ Т-ОГ B6
0010.006202.105.071.2	LO T-Exhaust B7	LO T-Uitlaat B7	LO 排气温度B7	LO T-Exhaustao B7	НИ Т-ОГ B7
0010.006202.105.081.2	LO T-Exhaust B8	LO T-Uitlaat B8	LO 排气温度B8	LO T-Exhaustao B8	НИ Т-ОГ B8
0010.006202.105.091.2	LO T-Exhaust B9	LO T-Uitlaat B9	LO 排气温度B9	LO T-Exhaustao B9	НИ Т-ОГ B9
0010.006202.105.101.2	LO T-Exhaust B10	LO T-Uitlaat B10	LO 排气温度B10	LO T-Exhaustao B10	НИ Т-ОГ B10
0010.016101.105.001.2	LO P-Raw Water	LO P-Buitenboord Water	LO 海水压力	LO P-Coluna de Agua	НИ Д-заборная вода
0010.006207.205.001.2	AL Exhaust Monitoring Fail	AL Uitlaatbewaking Storing	AL 排气监视故障	AL Falha no Monitoram Pressao	АС ошибка контроля ОГ
0011.043501.205.001.2	AL Security Channel def. SaSy	AL Beveilig Kanaal Def SaSy	AL 安全通路故障 SaSy	AL Canal de Seguranca Def SaSy	АС неиспр. защитного канала С3
0011.015201.225.001.2	TD T-Coolant	TD T-Koelmiddel	TD 冷却水温	TD T-Refrigerante	ОД Т-хладагент
0011.025101.225.001.2	TD P-Lube Oil	TD P-Smeerolie	TD 滑油压力	TD P-Oleo Lubrificante	ОД Д-смазочное масло
0011.043502.205.001.2	AL EMU 11V	AL EMU 11V	AL EMU 11V	AL EMU 11V	АС EMU 11В
0011.043503.205.001.2	AL EMU 7V	AL EMU 7V	AL EMU 7V	AL EMU 7V	АС EMU 7В
0010.006206.205.001.2	AL T-Exhaust L2 above/below	AL T-Uitl buiten bereik	AL L2排气温度 高于/低于	AL T-Exhaustao L2 acima/abaixo	АС Т-ОГ выше/ниже ПР2
0010.025601.155.011.2	HI T-Splash Oil B1	HI T-Spatolie B1	HI 飞溅油B1温度	HI T-Oleo de Chapinhag B1	ВЫ Т-разбрызгиваемое масло B1
0010.025601.155.021.2	HI T-Splash Oil B2	HI T-Spatolie B2	HI 飞溅油B2温度	HI T-Oleo de Chapinhag B2	ВЫ Т-разбрызгиваемое масло B2
0010.025601.155.031.2	HI T-Splash Oil B3	HI T-Spatolie B3	HI 飞溅油B3温度	HI T-Oleo de Chapinhag B3	ВЫ Т-разбрызгиваемое масло B3
0010.025601.155.041.2	HI T-Splash Oil B4	HI T-Spatolie B4	HI 飞溅油B4温度	HI T-Oleo de Chapinhag B4	ВЫ Т-разбрызгиваемое масло B4
0010.025601.155.051.2	HI T-Splash Oil B5	HI T-Spatolie B5	HI 飞溅油B5温度	HI T-Oleo de Chapinhag B5	ВЫ Т-разбрызгиваемое масло B5
0010.025601.155.061.2	HI T-Splash Oil B6	HI T-Spatolie B6	HI 飞溅油B6温度	HI T-Oleo de Chapinhag B6	ВЫ Т-разбрызгиваемое масло B6
0010.025601.155.071.2	HI T-Splash Oil B7	HI T-Spatolie B7	HI 飞溅油B7温度	HI T-Oleo de Chapinhag B7	ВЫ Т-разбрызгиваемое масло B7
0010.025601.155.081.2	HI T-Splash Oil B8	HI T-Spatolie B8	HI 飞溅油B8温度	HI T-Oleo de Chapinhag B8	ВЫ Т-разбрызгиваемое масло B8
0010.025601.155.091.2	HI T-Splash Oil B9	HI T-Spatolie B9	HI 飞溅油B9温度	HI T-Oleo de Chapinhag B9	ВЫ Т-разбрызгиваемое масло B9
0010.025601.155.101.2	HI T-Splash Oil B10	HI T-Spatolie B10	HI 飞溅油B10温度	HI T-Oleo de Chapinhag B10	ВЫ Т-разбрызгиваемое масло B10
0010.025601.165.011.2	HIHI T-Splash Oil B1	HIHI T-Spatolie B1	HIHI 飞溅油B1温度	HIHI T-Oleo de Chapinhag B1	ВЫВЫ Т-разбрызг. масло B1
0010.025601.165.021.2	HIHI T-Splash Oil B2	HIHI T-Spatolie B2	HIHI 飞溅油B2温度	HIHI T-Oleo de Chapinhag B2	ВЫВЫ Т-разбрызг. масло B2
0010.025601.165.031.2	HIHI T-Splash Oil B3	HIHI T-Spatolie B3	HIHI 飞溅油B3温度	HIHI T-Oleo de Chapinhag B3	ВЫВЫ Т-разбрызг. масло B3
0010.025601.165.041.2	HIHI T-Splash Oil B4	HIHI T-Spatolie B4	HIHI 飞溅油B4温度	HIHI T-Oleo de Chapinhag B4	ВЫВЫ Т-разбрызг. масло B4
0010.025601.165.051.2	HIHI T-Splash Oil B5	HIHI T-Spatolie B5	HIHI 飞溅油B5温度	HIHI T-Oleo de Chapinhag B5	ВЫВЫ Т-разбрызг. масло B5
0010.025601.165.061.2	HIHI T-Splash Oil B6	HIHI T-Spatolie B6	HIHI 飞溅油B6温度	HIHI T-Oleo de Chapinhag B6	ВЫВЫ Т-разбрызг. масло B6
0010.025601.165.071.2	HIHI T-Splash Oil B7	HIHI T-Spatolie B7	HIHI 飞溅油B7温度	HIHI T-Oleo de Chapinhag B7	ВЫВЫ Т-разбрызг. масло B7
0010.025601.165.081.2	HIHI T-Splash Oil B8	HIHI T-Spatolie B8	HIHI 飞溅油B8温度	HIHI T-Oleo de Chapinhag B8	ВЫВЫ Т-разбрызг. масло B8
0010.025601.165.091.2	HIHI T-Splash Oil B9	HIHI T-Spatolie B9	HIHI 飞溅油B9温度	HIHI T-Oleo de Chapinhag B9	ВЫВЫ Т-разбрызг. масло B9

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 83 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.025601.165.101.2	HIHI T-Splash Oil B10	HIHI T-Spatolie B10	HIHI 飞溅油B10温度	HIHI T-Oleo de Chapinhag B10	ВЫВЫ Т-разбрызг. масло B10
0010.025604.205.011.2	AL Splash Oil Cal not Poss	AL Spatolie kalib niet mog	AL 飞溅油不能校准	AL Cal Ol de Chapinhag Imposs	АС калибр.разбр.масла не возм.
0010.055201.215.011.2	SD T-Bearing 1	SD T-Lager 1	SD 轴承1温度	SD T-Rolamento 1	ДД Т-подшипник 1
0010.055201.215.021.2	SD T-Bearing 2	SD T-Lager 2	SD 轴承2温度	SD T-Rolamento 2	ДД Т-подшипник 2
0010.055201.215.031.2	SD T-Bearing 3	SD T-Lager 3	SD 轴承3温度	SD T-Rolamento 3	ДД Т-подшипник 3
0010.055201.215.041.2	SD T-Bearing 4	SD T-Lager 4	SD 轴承4温度	SD T-Rolamento 4	ДД Т-подшипник 4
0010.055201.215.051.2	SD T-Bearing 5	SD T-Lager 5	SD 轴承5温度	SD T-Rolamento 5	ДД Т-подшипник 5
0010.055201.215.061.2	SD T-Bearing 6	SD T-Lager 6	SD 轴承6温度	SD T-Rolamento 6	ДД Т-подшипник 6
0010.055201.215.071.2	SD T-Bearing 7	SD T-Lager 7	SD 轴承7温度	SD T-Rolamento 7	ДД Т-подшипник 7
0010.055201.215.081.2	SD T-Bearing 8	SD T-Lager 8	SD 轴承8温度	SD T-Rolamento 8	ДД Т-подшипник 8
0010.055201.215.091.2	SD T-Bearing 9	SD T-Lager 9	SD 轴承9温度	SD T-Rolamento 9	ДД Т-подшипник 9
0010.055201.215.101.2	SD T-Bearing 10	SD T-Lager 10	SD 轴承10温度	SD T-Rolamento 10	ДД Т-подшипник 10
0010.055201.215.111.2	SD T-Bearing 11	SD T-Lager 11	SD 轴承11温度	SD T-Rolamento 11	ДД Т-подшипник 11
0010.016102.215.001.2	SD P-Raw Water before Pump	SD ongefilterd water voor pomp	SD 海水压力,泵前	SD Água salgada antes bomba	ДД Д-збб. вода перед насосом
0010.025106.215.001.2	SD P-Lube Oil Last Bearing	SD P-smeerolie laatste lager	SD 滑油压力,最后端轴承	SD P-Óleo lubr. último rolam.	ДД Д-масло последний подшипник
0010.025108.215.001.2	SD P-Piston Cooling Oil	SD P-smeerolie zuigerkoeling	SD 活塞冷却油压力	SD P-Óleo lubr.refrig.êmbolos	ДД Д-масло охлаждения поршней
0010.010101.215.001.2	SD P-Control Air	SD P-stuurlucht	SD 控制空气压力	SD P-Ar de controlo	ДД Д-воздух управления
0010.006101.215.001.2	SD P-Exhaust back	SD uitlaatgastegendruk	SD 排气背压力	SD P-Contrapressão de escape	ДД Д-ОГ противодавление
0011.020101.215.011.2	SD P-Fuel Common Rail A SaSy	SD P-HD brandstof A-zijde	SD 燃油压力,共轨A SaSy	SD P-Combust. Rail lado A SaSy	ДД Д-топливо в аккумуля-ре А С3
0011.020101.215.021.2	SD P-Fuel Common Rail B SaSy	SD P-HD brandstof B-zijde	SD 燃油压力,共轨B SaSy	SD P-Combust. Rail lado B SaSy	ДД Д-топливо в аккумуля-ре В С3
0010.025109.215.001.2	SD P-Piston Cool.Oil Filt.Diff	SD P-verschil zuigerkoelfilter	SD 活塞冷却油过滤器压差	SD P-Dif.filtro óleo refr.êmb.	ДД Д-дифф.фильт.масла охл. пор
0010.016101.215.001.2	SD P-Raw Water	SD P-Buitenboord Water	SD 海水压力	SD P-Coluna de Agua	ДД Д-заборная вода
0010.025601.215.011.2	SD T-Splash Oil B1	SD T-Spatolie B1	SD 飞溅油B1温度	SD T-Oleo de Chapinhag B1	ДД Т-разбрызгиваемое масло B1
0010.025601.215.021.2	SD T-Splash Oil B2	SD T-Spatolie B2	SD 飞溅油B2温度	SD T-Oleo de Chapinhag B2	ДД Т-разбрызгиваемое масло B2
0010.025601.215.031.2	SD T-Splash Oil B3	SD T-Spatolie B3	SD 飞溅油B3温度	SD T-Oleo de Chapinhag B3	ДД Т-разбрызгиваемое масло B3
0010.025601.215.041.2	SD T-Splash Oil B4	SD T-Spatolie B4	SD 飞溅油B4温度	SD T-Oleo de Chapinhag B4	ДД Т-разбрызгиваемое масло B4
0010.025601.215.051.2	SD T-Splash Oil B5	SD T-Spatolie B5	SD 飞溅油B5温度	SD T-Oleo de Chapinhag B5	ДД Т-разбрызгиваемое масло B5
0010.025601.215.061.2	SD T-Splash Oil B6	SD T-Spatolie B6	SD 飞溅油B6温度	SD T-Oleo de Chapinhag B6	ДД Т-разбрызгиваемое масло B6
0010.025601.215.071.2	SD T-Splash Oil B7	SD T-Spatolie B7	SD 飞溅油B7温度	SD T-Oleo de Chapinhag B7	ДД Т-разбрызгиваемое масло B7
0010.025601.215.081.2	SD T-Splash Oil B8	SD T-Spatolie B8	SD 飞溅油B8温度	SD T-Oleo de Chapinhag B8	ДД Т-разбрызгиваемое масло B8
0010.025601.215.091.2	SD T-Splash Oil B9	SD T-Spatolie B9	SD 飞溅油B9温度	SD T-Oleo de Chapinhag B9	ДД Т-разбрызгиваемое масло B9
0010.025601.215.101.2	SD T-Splash Oil B10	SD T-Spatolie B10	SD 飞溅油B10温度	SD T-Oleo de Chapinhag B10	ДД Т-разбрызгиваемое масло B10
0010.050201.205.001.2	AL Battery Charger Failure	AL batterij laadfout	AL 电瓶充电器故障	AL falha carregamento bateria	АС отказ зарядн. устр-ва АКБ
0010.050001.205.011.2	AL MMS Internal Power Fail	AL MMS interne voedingsfout	AL MMS 内部电源故障	AL MMS falha interna tensão	АС MMS отказ внутр. питания
0010.050002.205.011.2	AL MMS Main Power Fail	AL MMS hoofdstroomvoorz.	AL MMS 主电源故障	AL MMS falha alim.eléc.princ.	АС MMS отказ главного питания
0010.050002.205.021.2	AL MMS Emerg Power Fail	AL MMS noodstroomvoorz.	AL MMS 应急电源故障	AL MMS falha aliment. emerg.	АС MMS отказ аварийн. питания
0010.050003.105.011.2	LO Starter Supply Voltage	LO starterbatterij	LO 起动机供电电压	LO tensão aliment. motor arr.	НИ напряжение питания стартера
0010.043602.205.001.2	AL Shut Down Air Flaps Fail	AL SSK	AL 紧急停机风门失败	AL falha flaps ar paragem	АС отказ быстродейст. заслонок
0010.043601.205.001.2	AL Shut Down Air Flaps closed	AS SSK gesloten	AL 紧急停机风门关闭	AL flaps ar paragem fechados	АС быстродр. заслонки закрыты

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 84 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.			

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.043305.205.001.2	AL Emerg. Stop Circuit Fail	Alarm fout noodstopkring	AL 紧急停机电路故障	AL falha circ. Paragem emerg.	АС отказ схемы авар. выключ.
0010.043307.205.001.2	AL Emergency Stop	AL noodstop	AL 紧急停车	AL paragem de emergência	АС аварийное выключение
0010.040105.205.001.2	AL Priming Pump Fail	AL voorsmeerpompfout	AL 预润滑油泵故障	AL falha bomba pré-lubrific.	АС отказ насоса предв. смазки
0010.040702.205.001.2 0010.040701.205.001.2	AL Air Starter Fail	AL pneumatische starterfout	AL 空气起动机故障	AL falha motor arranque ar	АС отказ стартера
0010.040705.205.001.2	AL Start terminated	AL start afgebroken	AL 启动终止	AL arranque abortado	АС прекращение пуска
0010.040706.235.001.2	MG Cold Start required	MG koude start noodzakelijk	MG 需要冷启动	MG arranque a frio necessário	СО требуется холодный пуск
0010.025110.105.001.2	LO P-Priming	LO noodzakelijke oliedruk	LO 预润滑油压力	LO pressão de óleo necessária	НИ Д-предпусковая смазка
0010.040801.205.001.2	AL Barring Gear Engaged	AL tornunit ingeschakeld	AL 盘车齿轮啮合	AL guiador engatado	АС присп. для прокр-ния вкл.
0010.060301.205.001.2	AL EIM defect	AL EIM defect	AL EIM 缺陷	AL EIM defeituoso	АС дефект EIM
0010.025401.105.001.2	LO P-Oil Refill Pump	LO P-Olienavulpomp	LO 润滑油补充油泵压力	LO P-Bomba reabastec. óleo	НИ Д-насос доливки масла
0010.007101.105.001.2	LO P-Start Air	LO P-startlucht	LO 启动空气压力	LO P-Ar arranque	НИ Д-пусковой воздух
0010.007101.115.001.2	LOLO P-Start Air	LOLO P-startlucht	LOLO 启动空气压力低	LOLO P-Ar arranque	НИНИ Д-пусковой воздух
0010.025401.215.001.2	SD P-Oil Refill Pump	P-Olienavulpomp	SD 润滑油补充油泵压力	SD P-Bomba reabast. óleo	ДД Д-насос доливки масла
0010.007101.215.001.2	SD P-Start Air	P-startlucht	SD 启动空气压力	SD P-Ar de arranque	ДД Д-пусковой воздух
0010.000501.165.003.2	HIHI Engine Overspeed (EIM)	HIHI te hoog toerental (EIM)	HIHI 发动机超速(EIM)	HIHI Sobre Velocidade (EIM)	ВЫВЫ угонная скорость (EIM)
0075.043002.205.001.2	AL Shutdown Expected	AL veiligheidsstop verwacht	AL 发动机已按预期停机	AL paragem segur. esperada	АС ожидается останов
0075.043001.205.001.2	AL Power Limitation Expected	AL vermogensbegrenzing verw.	AL 发动机已按预期限制功率	AL limitação potência esperada	АС ожидается огранич. мощности
0011.050001.205.001.2	AL SaSy Int.Power Supply Fail	AL SaSy int. spngvoorz. fout	AL SaSy 内部电源故障	AL SaSy falha aliment.int.	АС СЗ отказ внутр. питания
0070.050017.205.001.2	AL SPU Int. Power Supply Fail	AL SPU int. spngvoorz. fout	AL SPU 内部电源故障	AL SPU falha aliment.int.	АС SPU отказ внутр. питания
0010.043102.205.001.2	AL Security Shutdown	AL Veiligheidsuitschakeling	AL 安全保护停机	AL paragem de emergência	АС защитный останов
0010.043101.205.001.2	AL Power Limitation Active	AL Stroombegrenzer Actief	AL 发动机功率限制生效	AL limitação potência activa	АС огранич. мощности активно
0010.043201.205.001.2	AL Override Activated	AL overbrugging geactiveerd	AL 越控已经生效	AL anulação activada	АС выкл. защ. системы активно
0010.040422.205.001.2	AL Safety Start Interlock	AL Veiligheid Start vergrend.	AL 安全启动联锁	AL bloqueio arranque de segur.	АС защитная блокировка пуска
0020.043109.205.001.2	AL Safety Engage Interlock	AL Veiligheid inkoppel vergr.	AL 安全接排联锁	AL bloqueio engate de segur.	АС защ-ная блокир-ка вкл.муфты
0050.072001.205.001.2	AL Capsize Function Active	AL kaps. schak. geactiveerd	AL 翻船功能被激活	AL interr. virar quilha activ.	АС выкл. переворота активный
0050.072001.215.001.2	SD Capsize Switch	SD kaps. schak. geactiveerd	SD 翻船开关	SD interr. virar quilha activ.	ДД выкл. переворота активный
0075.043501.205.001.2	AL Safety System defect	AL Safety System defect	AL 安全系统出现故障	AL sistema segur. defeituoso	АС дефект системы защиты
0010.009001.265.001.2	SC Crankcase Vent. Valve	SC Carter Vent. ventiel	SC 曲轴箱通风气门	SC Cáter ventilação válvula	КЗ клапан сист-ы вент. картера
0010.009001.255.001.2	WB Crankcase Vent. Valve	WB Carter Vent. ventiel	WB 曲轴箱通风气门	WB Cáter ventilação válvula	РК клапан сист-ы вент. картера
1.0910.062011.205.011.2	AL CPU Overload RCS	AL CPU overbelasting RCS	AL CPU过载报警RCS	AL CPU Sobrecarga RCS	АС перегрузка CPU RCS
0910.062011.205.001.2	AL CPU Overload MCS	AL CPU overbelasting MCS	AL CPU过载报警MCS	AL CPU Sobrecarga MCS	АС перегрузка CPU MCS
0910.062400.255.011.2	WB Binary Input DI1 (SPU)	WB Binaire Ingang DI1 (SPU)	WB 二进制输入DI1SPU	WB Entrada Binária DI1 (SPU)	РК двоичный вход DI1 (SPU)
0910.062400.255.021.2	WB Binary Input DI2 (SPU)	WB Binaire Ingang DI2 (SPU)	WB 二进制输入DI2SPU	WB Entrada Binária DI2 (SPU)	РК двоичный вход DI2 (SPU)
0910.062400.255.031.2	WB Binary Input DI3 (SPU)	WB Binaire Ingang DI3 (SPU)	WB 二进制输入DI3SPU	WB Entrada Binária DI3 (SPU)	РК двоичный вход DI3 (SPU)
0910.062400.255.041.2	WB Binary Input DI4 (SPU)	WB Binaire Ingang DI4 (SPU)	WB 二进制输入DI4SPU	WB Entrada Binária DI4 (SPU)	РК двоичный вход DI4 (SPU)
0910.062400.255.051.2	WB Binary Input DI5 (SPU)	WB Binaire Ingang DI5 (SPU)	WB 二进制输入DI5SPU	WB Entrada Binária DI5 (SPU)	РК двоичный вход DI5 (SPU)
0910.062400.255.061.2	WB Binary Input DI6 (SPU)	WB Binaire Ingang DI6 (SPU)	WB 二进制输入DI6SPU	WB Entrada Binária DI6 (SPU)	РК двоичный вход DI6 (SPU)
0910.062400.255.071.2	WB Binary Input DI7 (SPU)	WB Binaire Ingang DI7 (SPU)	WB 二进制输入DI7SPU	WB Entrada Binária DI7 (SPU)	РК двоичный вход DI7 (SPU)

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 85 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. - .8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released	

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0910.062400.255.081.2	WB Binary Input DI8 (SPU)	WB Binaire Ingang DI8 (SPU)	WB 二进制输入DI8SPU	WB Entrada Binária DI8 (SPU)	РК двоичный вход DI8 (SPU)
0070.059002.205.001.2	AL Emergency Disengage	AL. Nood-uitkoppelen	AL 紧急脱排	AL Desacoplam. Emergencia	АС авар. выключение муфты
0070.050001.215.001.2	SD U-SPU Main Power Supply	SD U-SPU hoofdstroomvoorzien.	SD SPU 主电源电压	SD U-SPU aliment.correnteprinc	ДД U-SPU главного питания
0070.050001.205.001.2	AL U-SPU Main Power SupplyFail	AL U-SPU Hoofd Voeding misl.	AL U-SPU 主电源故障	AL U-SPU Poder principal Fail	АС U-SPU отказ главн. питания
0070.050002.215.001.2	SD U-SPU Emerg. Power Supply	SD U-SPU noodstroomvoorzien.	SD SPU 应急电源电压	SD U-SPU aliment. emergência	ДД U-SPU аварийного питания
0070.050002.205.001.2	AL U-SPU Emerg. Pow Sup Fail	AL U-SPU Nood.HoofdVoedingmisl	AL U-SPU 应急电源失效	AL U-SPU Emerg. Pow Sup falha	АС U-SPU отказ авар. питания
0050.020002.205.011.2	AL Water in Fuel Prefilter 1	AL water in brandstofvoor. 1	AL 燃油粗滤器含水报警1	AL água no comb. Pré-filtro 1	АС вода топл. ф-тр груб.оч-ки1
0050.020002.205.021.2	AL Water in Fuel Prefilter 2	AL water in brandstofvoor. 2	AL 燃油粗滤器含水报警2	AL água no comb. Pré-filtro 2	АС вода топл. ф-тр груб.оч-ки2
0070.049004.205.001.2	AL FRCS Ctrl Fail	AL FRCS stuurfout	AL FRCS 控制失效	AL FRCS falha controle	АС FRCS ошибка управления
0050.058103.155.001.2	HI T-Riser	HI T-sproeikrans	HI 喷雾器温度	HI T-Elevacao	ВЫ Т-распылительный венец
0070.050001.105.001.2	LO U-SPU Main Power Supply	LO U-SPU hoofdstroomvoorz.	LO SPU 主电源电压	LO U-SPU aliment. principal	НИ U-SPU главного питания
0070.050001.155.001.2	HI U-SPU Main Power Supply	HI U-SPU hoofdstroomvoorz.	HI SPU 主电源电压	HI U-SPU aliment. principal	ВЫ U-SPU главного питания
0070.050002.105.001.2	LO U-SPU Emerg.Power Supply	LO U-SPU noodstroomvoorzien	LO SPU 应急电源电压	LO U-SPU aliment. emergência	НИ U-SPU аварийного питания
0070.050002.155.001.2	HI U-SPU Emerg.Power Supply	HU U-SPU noodstroomvoorzien	HU SPU 应急电源电压	HI U-SPU aliment. emergência	ВЫ U-SPU аварийного питания
0070.050020.105.001.2	LO U-SPU Real Time Clock	LO U-SPU Gewone snelheid Klok	LO U-SPU 实时时钟	LO Relógio U-SPU Tempo real	НИ U-SPU часы реальн. времени
0050.020301.105.011.2	LO Fuel Level 1	LO brandstofpeil 1	LO 油箱液位1	LO Nível combustível 1	НИ уровень топлива 1
0050.020301.115.011.2	LOLO Fuel Level 1	LOLO brandstofpeil 1	LOLO 油箱液位1	LOLO Nível combustível 1	НИНИ уровень топлива 1
0050.020301.155.011.2	HI Fuel Level 1	HI brandstofpeil 1	HI 油箱液位1	HI Nível combustível 1	ВЫ уровень топлива 1
0050.020301.165.011.2	HIHI Fuel Level 1	HIHI brandstofpeil 1	HIHI 油箱液位1	HIHI Nível combustível 1	ВЫВЫ уровень топлива 1
0050.020302.105.011.2	LO Fuel Level 2	LO brandstofpeil 2	LO 油箱液位2	LO Nível combustível 2	НИ уровень топлива 2
0050.020302.115.011.2	LOLO Fuel Level 2	LOLO brandstofpeil 2	LOLO 油箱液位2	LOLO Nível combustível 2	НИНИ уровень топлива 2
0050.020302.155.011.2	HI Fuel Level 2	HI brandstofpeil 2	HI 油箱液位2	HI Nível combustível 2	ВЫ уровень топлива 2
0050.020302.165.011.2	HIHI Fuel Level 2	HIHI brandstofpeil 2	HIHI 油箱液位2	HIHI Nível combustível 2	ВЫВЫ уровень топлива 2
0050.020301.205.011.2	AL Config.Failure Fuel Level 1	AL conf. brandstofpeil 1	AL 配置发生故障油箱液位1	AL Falha config.nível comb. 1	АС ош. конф. уровня топлива 1
0050.020302.205.021.2	AL Config.Failure Fuel Level 2	AL conf. brandstofpeil 2	AL 配置发生故障油箱液位2	AL Falha config.nível comb. 2	АС ош. конф. уровня топлива 2
0050.024300.105.011.2	LO DEF Tank Level	LO DEF Tank Level	LO DEF 油罐液位	LO DEF Nível de Tanque	НИ уровень цист.восстановителя
0050.024300.115.011.2	LOLO DEF Tank Level	LOLO DEF Tank Level	LOLO DEF 油罐液位	LOLO DEF Nível de Tanque	НИНИ уровень цист.восстанов-ля
0050.020100.105.001.2	LO P-Fuel Prefilter	LO P-Brandstof Voorfilter	LO 燃油预滤器压力	LO P-Combustível Pré Filtro	НИ Д-топл. фильтр грубой оч-ки
0050.020100.115.001.2	LOLO P-Fuel Prefilter	LOLO P-Brandstof Voorfilter	LOLO 燃油预滤器压力	LOLO P-Combustível Pré Filtro	НИНИ Д-топл.фильтр груб. оч-ки
0050.020002.215.011.2	SD Fuel Prefilter 1	SD brandstofvoorfilter 1	SD 燃油预滤器1	SD Pré-filtro combustível 1	ДД топл. фильтр грубой оч-ки 1
0050.020002.215.021.2	SD Fuel Prefilter 2	SD brandstofvoorfilter 2	SD 燃油预滤器2	SD Pré-filtro combustível 2	ДД топл. фильтр грубой оч-ки 2
0050.058102.215.001.2	SD T-Riser	SD T-sproeikrans	SD 喷雾器温度	SD T-Elevacao	ДД Т-распылительный венец
0050.058101.215.001.2	SD T-Riser	SD T-sproeikrans	SD 喷雾器温度	SD T-Elevacao	ДД Т-распылительный венец
0050.020301.215.011.2	SD Fuel Level 1	SD brandstofpeil 1	SD 油箱液位1	SD Nível de combustível 1	ДД уровень топлива 1
0050.020302.215.011.2	SD Fuel Level 2	SD brandstofpeil 2	SD 油箱液位2	SD Nível de combustível 2	ДД уровень топлива 2
0050.024300.215.011.2	SD DEF Tank Level	SD DEF Tank Level	SD DEF 油罐液位	SD DEF Nível de Tanque	SD уровень цист. восстанов-ля
0050.020100.215.001.2	SD P-Fuel Prefilter	SD P-Brandstof Voorfilter	SD P-燃油预滤器压力	SD P-Combustível Pré Filtro	SD Д-топл. фильтр грубой оч-ки
0010.020201.155.001.2	HI T-Fuel	HI T-brandstof	HI 燃油温度	HI T-Combustível	ВЫ Т-топливо
0010.020201.165.001.2	HIHI T-Fuel	HIHI T-Brandstof	HIHI 燃油温度	HIHI T-Combustível	ВЫВЫ Т-топливо

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 86 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.008201.155.001.2	HI T-Charge Air	HI T-vuldruklucht	HI 增压空气温度	HI T-Carga Ar	Вы Т-наддувный воздух
0010.008201.165.001.2	HIHI T-Charge Air	HIHI T-vuldruklucht	HIHI 增压空气温度	HIHI T-Carga de Ar	ВыВы Т-наддувный воздух
0010.025101.105.001.2	LO P-Lube Oil	LO P-smeerolie	LO 滑油压力	LO P-Oleo Lubrificante	НИ Д-масло
0010.025101.115.001.2	LOLO P-Lube Oil	LOLO P-smeerolie	LOLO 滑油压力	LOLO P-Oleo Lubrificante	НИНИ Д-масло
0010.006401.155.011.2	HI T-Exhaust Combined A	HI T-uitlaat A	HI 排气集管A温度	HI T-Evacuacao Combinada A	Вы Т-ОГ коллектор А
0010.006401.165.011.2	HIHI T-Exhaust Combined A	HIHI T-uitlaat A	HIHI 排气集管A温度	HIHI T-Exaustao Combinada A	ВыВы Т-ОГ коллектор А
0010.006401.155.021.2	HI T-Exhaust Combined B	HI T-uitlaat B	HI 排气集管B温度	HI T-Evacuacao Combinada B	Вы Т-ОГ коллектор В
0010.006401.165.021.2	HIHI T-Exhaust Combined B	HIHI T-uitlaat B	HIHI 排气集管B温度	HIHI T-Exaustao Combinada B	ВыВы Т-ОГ коллектор В
0010.015301.105.001.2	LO Coolant Level	LO koelmiddelpil	LO 冷却水位	LO Nivel Refrigerante	НИ уровень хладагента
0010.025103.155.001.2	HI P-Oil Filter Difference	HI P-oliefilterverschil	HI 机油滤清器的压差	HI P-Diferenca Filtro Oleo	Вы Д-дифф.давл.на масл.филт্রে
0010.025103.165.001.2	HIHI P-Oil Filter Difference	HIHI P-oliefilterverschil	HIHI 机油滤清器的压差	HIHI P-Diferenca Filtro Oleo	ВыВы Д-дифф.давл. масл.филтър
0010.020301.155.001.2	HI Fuel Leakage	HI brandstoflekkage	HI 燃油泄漏	HI Perda de Combustivel	Вы уровень утечки топлива
0010.000501.165.001.2	HIHI Engine Overspeed (ECU)	HIHI te hoog toerental (ECU)	HIHI 发动机超速 (ECU)	HIHI Sobre Velocidade (ECU)	ВыВы угонная скорость (ECU)
0010.056001.155.011.2	HI ETC 1 Speed	HI ETC 1 toerental	HI 增压器1转速	HI ETC 1 Velocidade	Вы ТКОГ 1 обороты
0010.056001.165.011.2	HIHI ETC 1 Overspeed	HIHI ETC 1 te hoog toerental	HIHI 增压器1转速	HIHI ETC1 Sobrevelocidade	ВыВы ТКОГ 1 угонная скорость
0010.020105.155.001.2	HI P-Fuel Filter Difference	HI P-Brandstofffilterverschil	HI 燃油滤清器的压差	HI P-Diferença filtro combust.	Вы Д-дифф.давл. топл. филтѳра
0010.056001.155.021.2	HI ETC 2 Speed	HI ETC 2 toerental	HI 增压器2转速	HI ETC 2 Velocidade	Вы ТКОГ 2 обороты
0010.056001.165.021.2	HIHI ETC 2 Overspeed	HIHI ETC 2 te hoog toerental	HIHI 增压器2转速	HIHI ETC2 Sobrevelocidade	ВыВы ТКОГ 2 обороты
0010.056001.155.001.2	HI ETC Speed Difference	HI ETC Toerentalverschil	HI 废气涡轮增压器转速差	HI ETC Difer Velocidade	Вы разность оборотов ТКОГ
0010.056002.205.021.2	AL ETC 2 Cut in Fail	AL ETC 2 Inschakelfout	AL 增压器 2 并入失败	AL ETC 2 Cortar em Falha	АС ТКОГ2 не подключен
0010.025201.155.001.2	HI T-Lube Oil	HI T-smeerolie	HI 润滑油温度	HI T-Oleo Lubrificante	Вы Т-смазочное масло
0010.025201.165.001.2	HIHI T-Lube Oil	HIHI T-smeerolie	HIHI 润滑油温度	HIHI T-Oleo Lubrificante	ВыВы Т-смазочное масло
0010.005201.155.001.2	HI T-Intake Air	HI T-inlaatlucht	HI 进气温度	HI T-Ar de admissão	Вы Т-всасываемый воздух
0010.005201.165.001.2	HIHI T-Intake Air	HIHI T-inlaatlucht	HIHI 进气温度	HIHI T-Ar de admissão	ВыВы Т-всасываемый воздух
0010.015101.105.001.2	LO P-Coolant	LO P-koelmiddel	LO 冷却水压力	LO P-Refrigerante	НИ Д-хладагент
0010.015101.115.001.2	LOLO P-Coolant	LOLO P-koelmiddel	LOLO 冷却水压力	LOLO P-Refrigerante	НИНИ Д-хладагент
0010.009101.155.001.2	HI P-Crankcase	HI P-Krukashuis	HI 曲轴箱压力	HI P-Bloco do Motor	Вы Д в картере двигателя
0010.009101.165.001.2	HIHI P-Crankcase	HIHI P-Krukashuis	HIHI 曲轴箱压力	HIHI P-Bloco do Motor	ВыВы Д в картере двигателя
0010.020101.105.001.2	LO P-Fuel	LO P-brandstof	LO 燃油压力	LO P-Combustivel	НИ Д-топливо
0010.020101.115.001.2	LOLO P-Fuel	LOLO P-brandstof	LOLO 燃油压力	LOLO P-Combustivel	НИНИ Д-топливо
0010.015201.155.001.2	HI T-Coolant	HI T-koelmiddel	HI 冷却水温度	HI T-Refrigerante	Вы Т-хладагент
0010.015201.165.001.2	HIHI T-Coolant	HIHI T-koelmiddel	HIHI 冷却水温度	HIHI T-Refrigerante	ВыВы Т-хладагент
0010.020104.205.001.2	AL Common Rail Leakage	AL Lekkage Hogedrukleiding	AL 共轨漏油	AL Vazamento Common Rail	АС утечка топл. аккумулятора
0010.020103.155.001.2	HI P-Fuel Common Rail	HI P-Brandstof Common Rail	HI 燃油压力,共轨	HI P-Combust. Common Rail	Вы Д-топливный аккумулятор
0010.020103.105.001.2	LO P-Fuel Common Rail	LO P-Brandstof Common Rail	LO 燃油压力,共轨	LO P-Combust. Common Rail	НИ Д-топливный аккумулятор
0010.008202.155.001.2	HI T-Charge Air Seq Ctrl Valve	HI T-Opgel Lucht V Luchtstkl	HI 顺序增压器控制阀温度	HI T-Valv Ctrl.Seq Carga Ar	Вы Т-наддувный воздух
0010.008202.165.001.2	HIHI T-Charge Air Seq Ctrl Val	HIHI T-Opgel Lucht V Luchtstkl	HIHI 顺序增压器控制阀温度	HIHI T-Valv Ctrl Seq Carga Ar	ВыВы Т-наддувный воздух
0010.000501.115.001.2	LOLO Engine Speed	LOLO Motortoerental	LOLO 发动机转速	LOLO Velocid.Motor	НИНИ обороты двигателя
0010.050101.105.001.2	LO ECU Power Supply Voltage	LO ECU spanningsverzorging	LO ECU电源电压	LO ECU Voltagem Fornec. Pot.	НИ напряжение питания ECU

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 87 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.			

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency	
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released	

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.050101.115.001.2	LOLO ECU Power Supply Voltage	LOLO ECU spanningsvoorzorging	LOLO ECU电源电压	LOLO ECU Voltagem Fornec. Pot.	НИНИ напряжение питания ECU
0010.050101.155.001.2	HI ECU Power Supply Voltage	HI ECU spanningsvoorzorging	HI ECU电源电压	HI ECU Voltagem Fornec. Pot.	ВЫИ напряжение питания ECU
0010.050101.165.001.2	HIHI ECU Power Supply Voltage	HIHI ECU spanningsvoorzorging	HIHI ECU电源电压	HIHI ECU Voltagem Fornec. Pot.	ВЫВЫ напряжение питания ECU
0010.057304.155.001.2	HI T-ECU	HI T-ECU	HI ECU温度	HI T-ECU	ВЫ Т-ECU
0010.015201.215.001.2	SD T-Coolant	SD T-koelmiddel	SD 冷却水温度	SD T-Refrigerante	ДД Т-хладагент
0010.020201.215.001.2	SD T-Fuel	SD T-brandstof	SD 燃油温度	SD T-Combustível	ДД Т-топливо
0010.008201.215.001.2	SD T-Charge Air	SD T-vuldrukluft	SD 增压空气温度	SD T-Ar de sobrealimentação	ДД Т-наддувный воздух
0010.025301.215.001.2	SD Lube Oil Level	SD olie niveauschakelaar	SD 润滑油位	SD Nível do óleo lubrificante	ДД уровень смазочн. масла
0010.006401.215.011.2	SD T-Exhaust Combined A	SD T-uitlaatgasverzamel A	SD 排气收集管A温度	SD T-Escape combinando A	ДД Т-коллектор ОГ А
0010.006401.215.021.2	SD T-Exhaust Combined B	SD T-uitlaatgasverzamel B	SD 排气收集管B温度	SD T-Escape combinado B	ДД Т-коллектор ОГ В
0010.008101.215.001.2	SD P-Charge Air A	SD P-vuldrukluft (a)	SD 增压空气压力 A	SD P-Ar de sobrealimentação (a)	ДД Д-наддувный воздух
0010.025101.215.001.2	SD P-Lube Oil	SD P-smeerolie	SD 滑油压力	SD P-Óleo lubrificante	ДД Д-смазочное масло
0010.015101.215.001.2	SD P-Coolant	SD P-koelmiddel	SD 冷却水压力	SD P-Refrigerante	ДД Д-хладагент
0010.009101.215.001.2	SD P-Crankcase	SD P-krukas	SD 曲轴箱压力	SD P-Cárter	ДД Д в картере двигателя
0010.020103.215.001.2	SD P-Fuel Common Rail	SD P-brandstof (Common Rail)	SD 燃油压力,共轨	SD P-Combustível (Common Rail)	ДД Д-аккумулятор топлива
0010.025201.215.001.2	SD T-Lube Oil	SD T-smeerolie	SD 滑油温度	SD T-Óleo lubrificante	ДД Т-смазочное масло
0010.005201.215.001.2	SD T-Intake Air	SD T-inlaatluft	SD 进气温度	SD T-Ar de admisão	ДД Т-всасываемый воздух
0010.015301.215.001.2	SD Coolant Level	SD koelmiddelpeil	SD 冷却液液位	SD Nível de refrigerante	ДД уровень хладагента
0010.025103.215.001.2	SD P-Oil Filter Difference	SD P-oliefilterverschil	SD 机油滤清器的差压	SD P-Diferença filtro do óleo	ДД Д-дифф.давл. масл. фильтра
0010.020301.215.001.2	SD Fuel Leakage	SD brandstofflek	SD 燃油泄漏	SD Fuga de combustível	ДД утечка топлива
0010.025102.215.001.2	SD P-Lube Oil before Filter	SD P-smeerolie voor filter	SD 润滑油过滤器前压力	SD P-Óleo lubrif. antes filtro	ДД Д-смаз.масло перед фильтром
0010.020102.215.001.2	SD P-Fuel before Filter	SD P-brandstof voor filter	SD 燃油滤清器前压力	SD P-Combustível antes filtro	ДД Д-топливо перед фильтром
0010.000507.215.001.2	SD Engine Speed Crankshaft	SD motortoerental krukas	SD 发动机曲轴转速	SD Veloc.rotação motor cambota	ДД обороты коленчатого вала
0010.000506.215.001.2	SD Engine Speed Camshaft	SD motortoerental nokas	SD 发动机凸轮轴转速	SD Vel.rot.motor árvore cames	ДД обороты распределит. вала
0010.056001.215.011.2	SD ETC 1 Speed	SD ETC 1 toerental	SD 增压器 1 转速	SD ETC 1 Velocidade	ДД ТКОГ 1 обороты
0010.056001.215.021.2	SD ETC 2 Speed	SD ETC 2 toerental	SD 增压器 2 转速	SD ETC 2 Velocidade	ДД ТКОГ 2 обороты
0010.020105.215.001.2	SD P-Fuel Filter Difference	SD P-brandstofffilterverschil	SD 燃油滤清器的差压	SD P-Diferença filtro combust.	ДД Д-дифф. давл. топл. фильтра
0010.020101.215.001.2	SD P-Fuel after Filter	SD P-brandstof na filter	SD 燃油滤清器后压力	SD P-Combustível após filtro	ДД Д-топливо после фильтра
0010.008202.215.001.2	SD T-Charge Air Seq Ctrl Valve	SD T-vuldrukluft blaasklep	SD 顺序增压控制阀温度	SD T-Ar sobreal.Seq Válv.Cont.	ДД Т-надд. возд. переп. клап.
0010.050101.215.001.2	SD ECU Power Supply Voltage	SD ECU spanningsvoorzien	SD ECU电源电压	SD ECU Tensão alimentação	ДД напряжение питания ECU
0010.000609.205.001.2	AL RCS Speed Demand Defect	AL RCS toerentalspec. defect	AL RCS转速需求故障	AL RCS Defeito na Deman. Vel.	AC RCS отказ задания оборотов
0010.057101.265.011.2	SC Injector A1	SC injector A1	SC 喷油器 A1	SC Injector A1	КЗ форсунка A1
0010.057101.265.021.2	SC Injector A2	SC injector A2	SC 喷油器 A2	SC Injector A2	КЗ форсунка A2
0010.057101.265.031.2	SC Injector A3	SC injector A3	SC 喷油器 A3	SC Injector A3	КЗ форсунка A3
0010.057101.265.041.2	SC Injector A4	SC injector A4	SC 喷油器 A4	SC Injector A4	КЗ форсунка A4
0010.057101.265.051.2	SC Injector A5	SC injector A5	SC 喷油器 A5	SC Injector A5	КЗ форсунка A5
0010.057101.265.061.2	SC Injector A6	SC injector A6	SC 喷油器 A6	SC Injector A6	КЗ форсунка A6
0010.057101.265.071.2	SC Injector A7	SC injector A7	SC 喷油器 A7	SC Injector A7	КЗ форсунка A7
0010.057101.265.081.2	SC Injector A8	SC injector A8	SC 喷油器 A8	SC Injector A8	КЗ форсунка A8

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 88 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.057101.265.091.2	SC Injector A9	SC injector A9	SC 喷油器 A9	SC Injector A9	КЗ форсунка A9
0010.057101.265.101.2	SC Injector A10	SC injector A10	SC 喷油器 A10	SC Injector A10	КЗ форсунка A10
0010.057102.265.011.2	SC Injector B1	SC injector B1	SC 喷油器 B1	SC Injector B1	КЗ форсунка B1
0010.057102.265.021.2	SC Injector B2	SC injector B2	SC 喷油器 B2	SC Injector B2	КЗ форсунка B2
0010.057102.265.031.2	SC Injector B3	SC injector B3	SC 喷油器 B3	SC Injector B3	КЗ форсунка B3
0010.057102.265.041.2	SC Injector B4	SC injector B4	SC 喷油器 B4	SC Injector B4	КЗ форсунка B4
0010.057102.265.051.2	SC Injector B5	SC injector B5	SC 喷油器 B5	SC Injector B5	КЗ форсунка B5
0010.057102.265.061.2	SC Injector B6	SC injector B6	SC 喷油器 B6	SC Injector B6	КЗ форсунка B6
0010.057102.265.071.2	SC Injector B7	SC injector B7	SC 喷油器 B7	SC Injector B7	КЗ форсунка B7
0010.057102.265.081.2	SC Injector B8	SC injector B8	SC 喷油器 B8	SC Injector B8	КЗ форсунка B8
0010.057102.265.091.2	SC Injector B9	SC injector B9	SC 喷油器 B9	SC Injector B9	КЗ форсунка B9
0010.057102.265.101.2	SC Injector B10	SC injector B10	SC 喷油器 B10	SC Injector B10	КЗ форсунка B10
0010.057103.255.011.2	WB Injector A1	WB injector A1	WB 喷油器 A1	WB Injector A1	PK форсунка A1
0010.057103.255.021.2	WB Injector A2	WB injector A2	WB 喷油器 A2	WB Injector A2	PK форсунка A2
0010.057103.255.031.2	WB Injector A3	WB injector A3	WB 喷油器 A3	WB Injector A3	PK форсунка A3
0010.057103.255.041.2	WB Injector A4	WB injector A4	WB 喷油器 A4	WB Injector A4	PK форсунка A4
0010.057103.255.051.2	WB Injector A5	WB injector A5	WB 喷油器 A5	WB Injector A5	PK форсунка A5
0010.057103.255.061.2	WB Injector A6	WB injector A6	WB 喷油器 A6	WB Injector A6	PK форсунка A6
0010.057103.255.071.2	WB Injector A7	WB injector A7	WB 喷油器 A7	WB Injector A7	PK форсунка A7
0010.057103.255.081.2	WB Injector A8	WB injector A8	WB 喷油器 A8	WB Injector A8	PK форсунка A8
0010.057103.255.091.2	WB Injector A9	WB injector A9	WB 喷油器 A9	WB Injector A9	PK форсунка A9
0010.057103.255.101.2	WB Injector A10	WB injector A10	WB 喷油器 A10	WB Injector A10	PK форсунка A10
0010.057104.255.011.2	WB Injector B1	WB injector B1	WB 喷油器 B1	WB Injector B1	PK форсунка B1
0010.057104.255.021.2	WB Injector B2	WB injector B2	WB 喷油器 B2	WB Injector B2	PK форсунка B2
0010.057104.255.031.2	WB Injector B3	WB injector B3	WB 喷油器 B3	WB Injector B3	PK форсунка B3
0010.057104.255.041.2	WB Injector B4	WB injector B4	WB 喷油器 B4	WB Injector B4	PK форсунка B4
0010.057104.255.051.2	WB Injector B5	WB injector B5	WB 喷油器 B5	WB Injector B5	PK форсунка B5
0010.057104.255.061.2	WB Injector B6	WB injector B6	WB 喷油器 B6	WB Injector B6	PK форсунка B6
0010.057104.255.071.2	WB Injector B7	WB injector B7	WB 喷油器 B7	WB Injector B7	PK форсунка B7
0010.057104.255.081.2	WB Injector B8	WB injector B8	WB 喷油器 B8	WB Injector B8	PK форсунка B8
0010.057104.255.091.2	WB Injector B9	WB injector B9	WB 喷油器 B9	WB Injector B9	PK форсунка B9
0010.057104.255.101.2	WB Injector B10	WB injector B10	WB 喷油器 B10	WB Injector B10	PK форсунка B10
0010.057201.205.001.2	AL Power Driver Unit Low	AL eindtrap Low	AL 功率放大器太低	AL Unid.aliment.potê. baixo	АС оконечн. каскад Low
0010.057202.205.001.2	AL Power Driver Unit High	AL eindtrap High	AL 功率放大器太高	AL Unid.aliment.potê. alto	АС оконечн. каскад High
0010.057203.205.001.2	AL Power Driver Unit Fail	AL eindtrapfout	AL 功率放大器的故障	AL Unid.aliment.potê. erro	АС отказ оконечного каскада
0010.057105.265.001.2	SC Injector Line / Eng. Stop	SC injector kabel / motor stop	SC喷油线/工程. 停止	SC Linha injector /Parag.motor	КЗ провод форс-кн/остаов двиг.
0010.075301.205.011.2	AL SC/WB Trans.Outp.TO1 (ECU)	AL SC/WB Trans.Outp.TO1 (ECU)	AL SC/ WB晶体管输出TO1 (ECU)	AL SC/WB Trans.Outp.TO1 (ECU)	АС КЗ/ПК вых.транз-ра TO1(ECU)
0010.075301.205.021.2	AL SC/WB Trans.Outp.TO2 (ECU)	AL SC/WB Trans.Outp.TO2 (ECU)	AL SC/ WB晶体管输出TO2 (ECU)	AL SC/WB Trans.Outp.TO2 (ECU)	АС КЗ/ПК вых.транз-ра TO2(ECU)
0010.075301.205.031.2	AL SC/WB Trans.Outp.TO3 (ECU)	AL SC/WB Trans.Outp.TO3 (ECU)	AL SC/ WB晶体管输出TO3 (ECU)	AL SC/WB Trans.Outp.TO3 (ECU)	АС КЗ/ПК вых.транз-ра TO3(ECU)

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 89 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision			Kommt vor/Frequency		
war kZ					
Buchst./Rev.Ltr. - .8			Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released
SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.075301.205.041.2	AL SC/WB Trans.Outp.TO4 (ECU)	AL SC/WB Trans.Outp.TO4 (ECU)	AL SC/ WB晶体管输出TO4 (ECU)	AL SC/WB Trans.Outp.TO4 (ECU)	AC K3/PK вых.транз-ра TO4(ECU)
0010.075302.205.011.2	AL SC/WB Trans.Outp.TOP1 (ECU)	AL SC/WB Trans.Outp.TOP1 (ECU)	AL SC/ WB晶体管输出TOP1 (ECU)	AL SC/WB Trans.Outp.TOP1 (ECU)	AC K3/PK вых.транз-а TOP1(ECU)
0010.075302.205.021.2	AL SC/WB Trans.Outp.TOP2 (ECU)	AL SC/WB Trans.Outp.TOP2 (ECU)	AL SC/ WB晶体管输出TOP2 (ECU)	AL SC/WB Trans.Outp.TOP2 (ECU)	AC K3/PK вых.транз-а TOP2(ECU)
0010.075302.205.031.2	AL SC/WB Trans.Outp.TOP3 (ECU)	AL SC/WB Trans.Outp.TOP3 (ECU)	AL SC/ WB晶体管输出TOP3 (ECU)	AL SC/WB Trans.Outp.TOP3 (ECU)	AC K3/PK вых.транз-а TOP3(ECU)
0010.075302.205.041.2	AL SC/WB Trans.Outp.TOP4 (ECU)	AL SC/WB Trans.Outp.TOP4 (ECU)	AL SC/ WB晶体管输出TOP4 (ECU)	AL SC/WB Trans.Outp.TOP4 (ECU)	AC K3/PK вых.транз-а TOP4(ECU)
0010.002501.205.001.2	AL MCR Overload	AL MCR overbelasting	AL MCR过载报警	AL MCR Sobrecarga	AC перегрузка MCR
0010.075401.255.011.2	WB Binary Input DI1 (ECU)	WB Binaire Ingang DI1 (ECU)	WB 二进制输入DI1ECU	WB Entrada Binária DI1 (ECU)	PK двоичный вход DI1 (ECU)
0010.075401.255.021.2	WB Binary Input DI2 (ECU)	WB Binaire Ingang DI2 (ECU)	WB 二进制输入DI2ECU	WB Entrada Binária DI2 (ECU)	PK двоичный вход DI2 (ECU)
0010.075401.255.031.2	WB Binary Input DI3 (ECU)	WB Binaire Ingang DI3 (ECU)	WB 二进制输入DI3ECU	WB Entrada Binária DI3 (ECU)	PK двоичный вход DI3 (ECU)
0010.075401.255.041.2	WB Binary Input DI4 (ECU)	WB Binaire Ingang DI4 (ECU)	WB 二进制输入DI4ECU	WB Entrada Binária DI4 (ECU)	PK двоичный вход DI4 (ECU)
0010.075401.255.051.2	WB Binary Input DI5 (ECU)	WB Binaire Ingang DI5 (ECU)	WB 二进制输入DI5ECU	WB Entrada Binária DI5 (ECU)	PK двоичный вход DI5 (ECU)
0010.075401.255.061.2	WB Binary Input DI6 (ECU)	WB Binaire Ingang DI6 (ECU)	WB 二进制输入DI6ECU	WB Entrada Binária DI6 (ECU)	PK двоичный вход DI6 (ECU)
0010.075401.255.071.2	WB Binary Input DI7 (ECU)	WB Binaire Ingang DI7 (ECU)	WB 二进制输入DI7ECU	WB Entrada Binária DI7 (ECU)	PK двоичный вход DI7 (ECU)
0010.075401.255.081.2	WB Binary Input DI8 (ECU)	WB Binaire Ingang DI8 (ECU)	WB 二进制输入DI8ECU	WB Entrada Binária DI8 (ECU)	PK двоичный вход DI8 (ECU)
0010.043306.255.001.2	WB ECU Emerg.Stop Input (ESI)	WB ECU Noodstop Input (ESI)	WB ECU 紧急停止输入 (ESI)	WB ECU Emerg.Stop entrada(ESI)	PK вход авар.останов ECU (ESI)
0010.057204.105.001.2	LO U-Power Driver Unit	LO U-eindtrap	LO 功率放大器的电源电压	LO U-Unid.aliment.potência	НИ напряж. оконечного каскада
0010.057204.115.001.2	LOLO U-Power Driver Unit	LOLO U-eindtrap	LOLO 功率放大器的电源电压	LOLO U-Unid.aliment.potência	НИНИ напряж. оконечн. каскада
0010.057204.155.001.2	HI U-Power Driver Unit	HI U-eindtrap	HI 功率放大器的电源电压	HI U-Unid. aliment. potência	ВЫ напряж. оконечного каскада
0010.057204.165.001.2	HIHI U-Power Driver Unit	HIHI U-eindtrap	HIHI 功率放大器的电源电压	HIHI U-Unid. aliment. potência	ВЫВЫ напряж. оконечн. каскада
0010.008201.215.021.2	SD T-Charge Air B	SD T-vuldruklucht B	SD 增压空气温度 B	SD T-Ar sobrealimentação B	ДД Т-наддувочный воздух В
0010.020103.105.021.2	LO P-Fuel Common Rail B	LO P-brandstof (Common Rail)B	LO 燃油压力,共轨B	LO P-Combust. (Common Rail) B	НИ Д-топливо в аккумуляторе В
0010.020103.155.021.2	HI P-Fuel Common Rail B	HI P-brandstof (Common Rail)B	HI 燃油压力,共轨B	HI P-Combust. (Common Rail) B	ВЫ Д-топливо в аккумуляторе В
0010.057204.215.001.2	SD U-Power Driver Unit	SD U-eindtrap	SD 功率放大器的电源电压	SD U-Unid. aliment. potência	ДД напряж. оконечного каскада
0010.020103.215.021.2	SD P-Fuel Common Rail B	SD P-brandstof (Common Rail)B	SD 共轨B燃油压力	SD P-Combust. (Common Rail) B	ДД Д-топливо в аккумуляторе В
0010.008101.155.001.2	HI P-Charge Air A	HI P-vuldruklucht (a)	HI 增压空气压力 A	HI P-Carga Ar (a)	ВЫ Д-наддувочный воздух
0010.008101.165.001.2	HIHI P-Charge Air A	HIHI P-vuldruklucht (a)	HIHI 增压空气压力 A	HIHI P-Carga Ar (a)	ВЫВЫ Д-наддувочный воздух
0010.057304.215.001.2	SD T-ECU	SD T-ECU	SD ECU温度	SD T-ECU	ДД Т- ECU
0010.006401.215.031.2	SD T-Exhaust Combined C	SD T-uitlaat gecombineerd C	SD 排气收集管C温度	SD T-Evacuacao Combinada C	ДД Т-коллектор ОГ C
0010.006401.215.041.2	SD T-Exhaust Combined D	SD T-uitlaat gecombineerd D	SD 排气收集管D温度	SD T-Evacuacao Combinada D	ДД Т-коллектор ОГ D
0010.006401.155.031.2	HI T-Exhaust Combined C	HI T-uitlaat gecombineerd C	HI 排气收集管C温度	HI T-Evacuacao Combinada C	ВЫ Т-коллектор ОГ C
0010.006401.165.031.2	HIHI T-Exhaust Combined C	HIHI T-uitlaat gecombineerd C	HIHI 排气收集管C温度	HIHI T-Exaustao Combinada C	ВЫВЫ Т-коллектор ОГ C
0010.006401.155.041.2	HI T-Exhaust Combined D	HI T-uitlaat gecombineerd D	HI 排气收集管D温度	HI T-Evacuacao Combinada D	ВЫ Т-коллектор ОГ D
0010.006401.165.041.2	HIHI T-Exhaust Combined D	HIHI T-uitlaat gecombineerd D	HIHI 排气收集管D温度	HIHI T-Exaustao Combinada D	ВЫВЫ Т-коллектор ОГ D
0010.056001.155.031.2	HI ETC 3 Speed	HI ETC 3 toerental	HI 增压器3转速	HI ETC 3 Velocidade	ВЫ ТКОГ 3 обороты
0010.056001.165.031.2	HIHI ETC 3 Overspeed	HIHI ETC 3 overtoeren	HIHI 增压器3超速	HIHI ETC3 Sobrevelocidade	ВЫВЫ ТКОГ 3 угонная скор.
0010.056001.155.041.2	HI ETC 4 Speed	HI ETC 4 toerental	HI 增压器4转速	HI ETC 4 Velocidade	ВЫ ТКОГ 4 обороты
0010.056001.165.041.2	HIHI ETC 4 Overspeed	HIHI ETC 4 overtoeren	HIHI 增压器4超速	HIHI ETC4 Sobrevelocidade	ВЫВЫ ТКОГ 4 угонная скор.
0010.056002.205.041.2	AL ETC 4 Cut in Fail	AL ETC 4 Inschakelfout	AL 增压器 4 并入失败	AL ETC 4 Cortar em Falha	AC ТКОГ 4 не подключен
0010.056002.205.031.2	AL ETC 3 Cut in Fail	AL ETC 3 Inschakelfout	AL 增压器 3 并入失败	AL ETC 3 Cortar em Falha	AC ТКОГ 3 не подключен
 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183		Blatt/ Sheet 90 von/of 137	
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.					

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.005101.215.021.2	SD P-Intake Air After FilterB	SD T-inlaatlucht B	SD 进气压力B	SD T-Ar de admissão B	ДД Д-всасываемый воздух В
0010.020109.255.011.2	WB HighPres Fuel Pump	WB Hoge Druk Brandstofpomp	WB 高压燃油泵	WB HighPres Bomba Combustível	РК ТНВД
0010.085003.205.001.2	AL Multiple FDH Slaves	AL meer dan een FDH slave	AL 多从属 FDH	AL Slaves FDH múltiplos	АС несколько вспом. FDH
0010.085002.205.001.2	AL Configuration Changed	AL configuratie gewijzigd	AL 设定已更改	AL Configuração Alterada	АС конфигурация изменена
0010.057301.205.001.2	AL ECU Reset while Eng.Run.	AL ECU reset bij lopende motor	AL 当发动机运行时ECU被重设	AL ECU Reset c/ motor ligado	АС сброс ECU в работе двиг-я
0010.000506.165.001.2	HIHI Overspeed Camshaft	HIHI te hoog toerental nokas	HIHI超速凸轮轴	HIHI Sobre Velocidade árv came	ВЫВЫ угонная скор. распредела
0010.085001.205.001.2	AL Call MTU Field Service	AL MTU klantenservice roepen	AL 请致电MTU外勤维修服务	AL Chamar Serviço Clientes MTU	АС вызвать службу сервиса MTU
0010.005101.105.021.2	LO P-Intake Air After FilterB	LO T-inlaatlucht B	LO 进气压力B	LO T-Ar de admissão B	НИ Д-всасываемый воздух В
0010.025202.215.001.2	SD T-Lube Oil (Oil PAN)	SD T-smeerolie oliecarter	SD 润滑油温度(油底壳)	SD T-Óleo lub.(cárter infer.)	ДД Т-смазочное масло в поддоне
0010.020110.255.011.2	WB HighPres Fuel Ctrl Valve	WB Hogedruk brandst. regelklep	WB 高压燃料控制阀	WB HP Válvula Ctrl Combustível	РК регул. клапан топлива ВД
0010.025202.105.001.2	LO T-Lube Oil (Oil PAN)	LO T-smeerolie oliecarter	LO 润滑油温度(油底壳)	LO T-Óleo lub.(cárter infer.)	НИ Т-смазочное масло в поддоне
0010.057405.205.001.2	AL Develop PR Set	AL testparameterset	AL PR 发展预置	AL Conj. parâm. tentativas	АС параметры испытаний
0010.016001.255.011.2	WB Raw Water Ctrl Valve	WB regelklep zeewater	WB 原水控制阀	WB Válvula de Cont.água do mar	РК рег. клапан заборной воды
0010.008001.255.011.2	WB Blow Over Ctrl Valve	WB regelkl overvaaien	WB 吹向器控制阀	WB Válvula de Cont. sop. sobre	РК регул. клапан перепуска
0010.020106.155.001.2	HI P-Fuel Int. Filter Diff.	HI P-brandstofstussefiltervers.	HI P-中级燃油过滤器	HI P-Difer.entre-filtrocombust	ВЫ П-промежуточный продукт топ
0010.061001.205.001.2	AL EIL Error	AL EIL Error	AL EIL的错误	AL EIL Error	АС ошибка EIL
0010.008002.255.011.2	WB Charge Air Ctrl Valve	WB Vuldrukluht Ctrl Klep	WB 增压器管控制阀的	WB ar cont.de carga de válvula	РК регул. клапан наад. возд.
0010.056004.255.011.2	WB Flap ETC A	WB Flap Turbolader A	WB 皮瓣ETC A	WB turbocompressor retallo A	РК заплонка ТКОВ А
0010.056004.255.021.2	WB Flap ETC B	WB Flap Turbolader B	WB 皮瓣ETC B	WB turbocompressor retallo B	РК заплонка ТКОВ В
0010.008101.215.021.2	SD P-Charge Air B	SD P-Vuldrukluht B	SD 增压空气压力 B	SD P-Carga Ar B	ДД Д-наддувный воздух В
0010.025301.105.001.2	LO Lube Oil Level	LO smeerolieniveau	LO 润滑油位	LO Nível óleo lubrificante	НИ уровень смазочного масла
0012.006200.215.001.2	SD T-Exhaust SCR Inlet 1	SD T-Uitlaat SCR Ingang 1	SD SCR 入口 1 排气温度	SD T-Exhaustao SCR Entrada 1	SD Т-ОГ на входе SCR 1
0012.006200.215.011.2	SD T-Exhaust SCR Inlet 2	SD T-Uitlaat SCR Ingang 2	SD SCR 入口 2 排气温度	SD T-Exhaustao SCR Entrada 1	SD Т-ОГ на входе SCR 2
0012.006201.215.001.2	SD T-Exhaust SCR Outlet 1	SD T-Uitlaat SCR Uitgang 1	SD SCR 出口 1 排气温度	SD T-Exhaustao SCR Saída 1	SD Т-ОГ на выходе SCR 1
0010.020202.155.001.2	HI T-Fuel before LP Pump	HI T-Brandstof voor LP Pump	HI 燃油温度,低压燃油泵前	HI T-Combustível Bomba BP	ВЫ Т-топливо перед насосом НД
0010.020202.165.001.2	HIHI T-Fuel before LP Pump	HIHI T-Brandstof voor LP Pump	HIHI 燃油温度,低压燃油泵前	HIHI T-Combustível Bomba BP	ВЫВЫ Т-топливо перед нас-ом НД
0010.020202.215.001.2	SD T-Fuel bef.Low Press.Pump	SD T-Brandstof voor LP Pump	SD 燃油温度,低压燃油泵前	SD T-Combustível Bomba BP	ДД Т-топливо перед насосом НД
0010.006402.215.011.2	SD T-Exhaust after Engine	SD T-uitlaat na motor	SD 发动机后排气温度	SD T-Escape após motor	ДД Т-ОГ после двигателя
0010.016201.215.001.2	SD T-Raw Water after Pump	SD T-ongefilterd water na pomp	SD 泵后海水温度	SD T-Água mar após bomba	ДД Т-заборная вода после нас.
0010.020201.215.021.2	SD T-Fuel Common Rail B	SD T-brandstof B	SD 燃油温度,共轨B	SD T-Combustível B	ДД Т-топливо в аккумуляторе В
0010.025304.215.001.2	SD Oil Refill Tank Level	SD niveau olie bijvultank	SD 补充(润滑)油罐油位	SD Nível óleo depós.reabast.	ДД уровень масла в заправ.баке
0010.020107.215.001.2	SD P-Fuel Return Path	SD P-brandstofretour	SD 在回流管路的燃料压力	SD P-Retorno de combustível	ДД Д-возвратное топливо
0010.020108.215.001.2	SD P-Fuel bef. Low Press. Pump	SD P-brandstof voor LD-pomp	SD 低压燃油泵前的压力	SD P-Combust. antes bomba BP	ДД Д-топливо перед насосом НД
0010.025105.215.001.2	SD P-Oil after Level Pump	SD P-smeerolie na niveaupomp	SD 润滑油压力, 油位泵后	SD P-Óleo lub.após bomba nível	ДД Д-масло после нас. дозаяр.
0010.025107.215.011.2	SD P-Oil bef.High Press.Pump A	SD P-smeerolie HD pomp A	SD 高压燃油泵A前的润滑油压力	SD P-Óleo lubr. bomba AP A	ДД Д-масло перед ТНВД А
0010.025107.215.021.2	SD P-Oil bef.High Press.Pump B	SD P-smeerolie HD pomp B	SD 高压燃油泵B前的润滑油压力	SD P-Óleo lubr. bomba AP B	ДД Д-масло перед ТНВД В
0010.025104.215.011.2	SD P-Lube Oil A-Side ETCs	SD P-smeerolie A-zijde ETC's	SD 润滑油压,A侧ETCs(增压器)	SD P-Óleo lubr. lado A ETCs	ДД Д-масло ТКОВ сторона А
0010.025107.105.011.2	LO P-Oil bef.High Press.Pump A	LO P-smeerolie HD pomp A	LO 高压燃油泵A前的润滑油压力	LO P-Óleo lubr. bomba AP A	НИ Д-масло перед ТНВД А
0010.025107.105.021.2	LO P-Oil bef.High Press.Pump B	LO P-smeerolie HD pomp B	LO 高压燃油泵B前的润滑油压力	LO P-Óleo lubr. bomba AP B	НИ Д-масло перед ТНВД В

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 91 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.025105.105.001.2	LO P-Oil after Level Pump	LO P-smeerolie na niveau pomp	LO 润滑油补充油泵后的压力	LO P-Óleo lub.após bomba nível	НИ Д-масло после нас. дозапр.
0010.008101.155.021.2	HI P-Charge Air B	HI P-Vuldruk lucht B	HI 增压空气压力 B	HI P-Carga Ar B	ВЫ Д-наддувочный воздух В
0010.008101.165.021.2	HIHI P-Charge Air B	HIHI P-Vuldruk lucht B	HIHI 增压空气压力 B	HIHI P-Carga Ar B	ВЫВЫ Д-наддувочный воздух В
0010.020108.105.001.2	LO P-Fuel bef. Low Press. Pump	LO P-brandstof voor LD-pomp	LO 低压燃油泵前的压力	LO P-Combust. antes bomba BP	НИ Д-топливо перед насосом НД
0010.020107.155.001.2	HI P-Fuel Return Path	HI P-brandstof retour	HI 在回流管路的燃料压力	HI P-Retorno combustivel	ВЫ Д-возвратное топливо
0010.008201.155.021.2	HI T-Charge Air B	HI T-vuldruk lucht B	HI 增压空气温度 B	HI T-Carga Ar B	ВЫ Т-наддувочный воздух В
0010.008201.165.021.2	HIHI T-Charge Air B	HIHI T-vuldruk lucht B	HIHI 增压空气温度 B	HIHI T-Carga de Ar B	ВЫВЫ Т-наддувочный воздух В
0010.006402.155.011.2	HI T-Exhaust after Engine	HI T-uitlaat na motor	HI 发动机后的排气温度	HI T-Escape após motor	ВЫ Т-ОГ после двигателя
0010.016201.155.001.2	HI T-Raw Water after Pump	HI T-ongefilterd water na pomp	HI 泵后海水温度	HI T-Água do mar após bomba	ВЫ Т-заборная вода после нас.
0010.020201.155.021.2	HI T-Fuel Common Rail B	HI T-Brandstof Common Rail B	HI 燃油温度, 共轨B	HI T-Combust. Common Rail B	ВЫ Т-топливо в аккумуляторе В
0010.020201.165.021.2	HIHI T-Fuel Common Rail B	HIHI T-Brandstof Common Rail B	HIHI 燃油温度, 共轨B	HIHI T-Combust. Common Rail B	ВЫВЫ Т-топливо в аккумуля-ре В
0010.025304.105.001.2	LO Oil Refill Tank Level	LO niveau olie bijvultank	LO 补充(润滑)油罐油位	LO Nível depósito reabast.óleo	НИ уровень масла в запр. баке
0010.056001.215.031.2	SD ETC 3 Speed	SD ETC 3 toerental	SD 增压器 3 转速	SD ETC 3 Velocidade	ДД ТКОВ 3 обороты
0010.056001.215.041.2	SD ETC 4 Speed	SD ETC 4 toerental	SD 增压器 4 转速	SD ETC 4 Velocidad	ДД ТКОВ 4 обороты
0010.061002.205.001.2	AL EIL Different Engine Number	AL EIL Anders Motor Aantal	AL EIL不同的发动机号码	AL EIL. Diferente número motor	АС разлчный номер двиг. в EIL
0010.020111.205.011.2	AL StartwithP-Fuel CR too high	AL StartwithP-Fuel CR te hoog	AL開始使用P-燃料CR過高	AL arran. P-combus.CRmuitoalto	АС ВД топл-а при пуске высоко
0010.002015.205.011.2	AL Max.Blank Shot Time expired	AL Max.BlankShot Tijd verlopen	AL最大近程射擊時間過期	AL Max.Blank Shot Time expirou	АС Макс.Холостой выстрел Время
0010.025104.215.021.2	SD P-Lube Oil B-Side ETCs	SD P-smeerolie B-zijde ETC's	SD 润滑油压力, B侧增压器	SD P-Óleo lubr. lado B ETCs	ДД Д-масло ТКОВ сторона В
0010.025104.105.021.2	LO P-Lube Oil B-Side ETCs	LO P-smeerolie B-zijde ETC's	LO B侧增压器润滑油压力	LO P-Óleo lubr. lado B ETCs	НИ Д-масло ТКОВ сторона В
0010.025104.105.011.2	LO P-Lube Oil A-Side ETCs	LO P-smeerolie A-zijde ETC's	LO A侧增压器润滑油压力	LO P-Óleo lubr. lado A ETCs	НИ Д-масло ТКОВ сторона А
0010.025104.115.011.2	LOLO P-Lube Oil A-Side ETCs	LOLO P-smeerolie A-zijde ETC's	LOLO A侧增压器润滑油压力	LOLO P-Óleo lubr.lado A ETCs	НИНИ Д-масло ТКОВ сторона А
0010.025104.115.021.2	LOLO P-Lube Oil B-Side ETCs	LOLO P-smeerolie B-zijde ETC's	LOLO B侧增压器润滑油压力	LOLO P-Óleo lubr.lado B ETCs	НИНИ Д-масло ТКОВ сторона В
0012.024419.205.001.2	AL SCR F1 SU DEF Quantity	AL SCR F1 SU DEF doseerhoev.	AL SCR F1 SU DEF 数量	AL SCR F1 SU Quantidade DEF	АС SCR F1 кол-во дозир. восст.
0012.024420.205.001.2	AL SCR F2 SU DEF Quantity	AL SCR F2 SU DEF doseerhoev.	AL SCR F2 SU DEF 数量	AL SCR F2 SU Quantidade DEF	АС SCR F2 кол-во дозир. восст.
0010.025203.215.001.2	SD T-Lube Oil ETCs	SD T-smeerolie ETC	SD 滑油温度 ETC	SD T-Óleo lubr. ETC	ДД Т-смазочное масло ТКОВ
0010.025203.165.001.2	HIHI T-Lube Oil ETCs	HIHI T-smeerolie ETC	HIHI 增压器滑油温度	HIHI T-Óleo lubr. ETC	ВЫВЫ Т-смазочное масло ТКОВ
0010.025203.155.001.2	HI T-Lube Oil ETCs	HI T-smeerolie ETC	HI 增压器滑油温度	HI T-Óleo lubr. ETC	ВЫ Т-смазочное масло ТКОВ
0012.006200.155.001.2	HI T-Exhaust SCR Inlet 1	HI T-Uitlaat SCR Ingang 1	HI SCR 入口 1 排气温度	HI T-Exaustão SCR Entrada 1	ВЫ Т-ОГ вход SCR 1
0012.006200.165.001.2	HIHI T-Exhaust SCR Inlet 1	HIHI T-Uitlaat SCR Ingang 1	HIHI SCR 入口 1 排气温度	HIHI T-Exaustão SCR Entrada 1	ВЫВЫ Т-ОГ вход SCR 1
0012.006201.155.001.2	HI T-Exhaust SCR Outlet 1	HI T-Uitlaat SCR Uitgang 1	HI SCR 出口 1 排气温度	HI T-Exaustão SCR Saída 1	ВЫ Т-ОГ выход SCR 1
0012.006201.165.001.2	HIHI T-Exhaust SCR Outlet 1	HIHI T-Uitlaat SCR Uitgang 1	HIHI SCR 出口 1 排气温度	HIHI T-Exaustão SCR Saída 1	ВЫВЫ Т-ОГ выход SCR 1
0012.006200.155.011.2	HI T-Exhaust SCR Inlet 2	HI T-Uitlaat SCR Ingang 2	HI SCR 入口 2 排气温度	HI T-Exaustão SCR Entrada 2	ВЫ Т-ОГ вход SCR 2
0012.006200.165.011.2	HIHI T-Exhaust SCR Inlet 2	HIHI T-Uitlaat SCR Ingang 2	HIHI SCR 入口 2 排气温度	HIHI T-Exaustão SCR Entrada 2	ВЫВЫ Т-ОГ вход SCR 2
0012.024100.105.001.2	LO T-DEF at PDM	LO T-DEF aan PDM	LO T-DEF PDM	LO T-DEF no PDM	НИ Т-восстановителя на PDM
0012.024421.105.001.2	LO Cataly Conversion F1	LO Katalysator omzetting F1	LO 催化转换 F1	LO Conversão Catal. F1	НИ преобраз. катализатора F1
0012.024422.105.001.2	LO Cataly Conversion F2	LO Katalysator omzetting F2	LO 催化转换 F2	LO Conversão Catal. F2	НИ преобраз. катализатора F2
0012.024423.105.001.2	LO Cataly Conversion F3	LO Katalysator omzetting F3	LO 催化转换 F3	LO Conversão Catal. F3	НИ преобраз. катализатора F3
0010.056002.205.051.2	AL ETC 5 Cut in Fail	AL ETC 5 Inschakelfout	AL 增压器 5 并入失败	AL ETC 5 Cortar em Falha	АС ТКОВ5 не подключен
0010.056002.205.011.2	AL ETC 1 Cut in Fail	AL ETC 1 Inschakelfout	AL 增压器 1 并入失败	AL ETC 1 Cortar em Falha	АС ТКОВ1 не подключен



MTU Friedrichshafen GmbH

Zeichnungs-Nr./Drawing No.

ZNG00013183

Blatt/ Sheet

92

von/of

137

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.020103.115.001.2	LOLO P-Fuel Common Rail	LOLO P-brandstof Common Rail	LOLO 燃油压力,共轨	LOLO P-Combust. Common Rail	НИНИ Д-топливо в аккумуляторе
0010.020103.115.021.2	LOLO P-Fuel Common Rail B	LOLO P-brandstof Common Rail B	LOLO 燃油压力,共轨 B	LOLO P-Combust. Common Rail B	НИНИ Д-топливо в аккумуля-ре B
0010.059200.155.001.2	HI PCV Defect	HI PCV Defect	HI PCV 故障	HI PCV Defeito	Вы дефект клапана регул. давл.
0010.059200.165.001.2	HIHI PCV Defect	HIHI PCV Defect	HIHI PCV 故障	HIHI PCV Defeito	ВыВы дефект клапана рег. давл.
0012.024100.215.001.2	SD T-DEF at PDM	SD T-DEF aan PDM	SD T-DEF PDM	SD T-DEF no PDM	SD T-восстановителя на PDM
0012.024200.215.001.2	SD P-DEF Filter Out at PDM	SD P-DEF Filter Uitgang aanPDM	SD P-DEF в PDM时过滤	SD P-DEF Filtro Fora no PDM	SD Д-восст. вых.ф-тра на PDM
0012.024200.105.001.2	LO P-DEF Filter Out at PDM	LO P-DEF Filter Uitgang aanPDM	LO P-DEF в PDM时过滤	LO P-DEF Filtro Fora no PDM	НИ Д-восст. вых.ф-тра на PDM
0010.002014.205.011.2	AL Perm. Injection Detection	AL Perm. Injecion Detection	AL永久注射检测	AL Perm. Detecção Injecion	АС обнаруж. постоянный впрыск
0012.024400.205.001.2	AL Com. Lost DCM ID2	AL Com. Verloren DCM ID2	AL 通讯丢失 DCM ID2	AL Com. Perda DCM ID2	АС сбой связи DCM ID2
0012.024401.205.001.2	AL Com. Lost DCM ID3	AL Com. Verloren DCM ID3	AL 通讯丢失 DCM ID3	AL Com. Perda DCM ID3	АС сбой связи DCM ID3
0012.024402.205.001.2	AL Com. Lost DCM ID4	AL Com. Verloren DCM ID4	AL 通讯丢失 DCM ID4	AL Com. Perda DCM ID4	АС сбой связи DCM ID4
0012.024403.205.001.2	AL Com. Lost DCM ID5	AL Com. Verloren DCM ID5	AL 通讯丢失 DCM ID5	AL Com. Perda DCM ID5	АС сбой связи DCM ID5
0012.050000.105.001.2	LO PS Voltage DCM PDM	LO U-DCM PDM	LO U-DCM PDM	LO U-DCM PDM	НИ U-DCM PDM
0012.050001.105.001.2	LO PS Voltage DCM SCR Base 1	LO U-DCM SCR Base 1	LO U-DCM SCR 基础 1	LO U-DCM SCR Base 1	НИ U-DCM SCR Основа 1
0012.050001.105.011.2	LO PS Voltage DCM SCR Base 2	LO U-DCM SCR Base 2	LO U-DCM SCR 基础 2	LO U-DCM SCR Base 2	НИ U-DCM SCR Основа 2
0012.050002.105.001.2	LO PS Voltage DCM SCR Out	LO U-DCM SCR Uitgang	LO U-DCM SCR 输出	LO U-DCM SCR Saída	НИ U-DCM SCR вых
0012.006502.215.001.2	SD P-Exhaust SCR Inlet 1	SD P-Uitlaat SCR Ingang 1	SD SCR 入口 1 排气压力	SD P-Escape SCR Entrada 1	SD Д-ОГ вход SCR 1
0010.020112.205.011.2	AL P-Fuel CR Constant Value	AL P-Fuel CR constante waarde	AL高压燃油共轨常数	AL P-Combust. CR Valor Const.	АС Д-топл. в аккумуля. пост.знач
0012.006501.215.001.2	SD P-Exhaust SCR Outlet 1	SD P-Uitlaat SCR Uitgang 1	SD SCR 出口 1 排气压力	SD P-Escape SCR Saída 1	SD Д-ОГ выход SCR 1
0010.002017.155.001.2	AL Injector Drift Deviation	AL Injector Drift Afwijking	AL 喷油器漂移偏差	AL Injetor Desvio Movimento	АС откл-ие дейфа топл.форсунки
0012.024404.215.001.2	SD NOx EGAT Inlet 1	SD NOx EGAT Ingang 1	SD NOx EGAT 入口 1	SD NOx EGAT Entrada 1	SD NOx сист.обработки ОГ вход1
0012.024404.205.001.2	AL Com. Lost NOx EGAT Inlet 1	AL Com. Verl. NOx EGAT Ing. 1	AL 通讯丢失 NOx EGAT 入口 1	AL Com.Perda NOx EGAT Entr. 1	АС нет связи обраб.ОГ Nox вход1
0012.024405.215.001.2	SD NOx EGAT Inlet 2	SD NOx EGAT Ingang 2	SD NOx EGAT 入口 2	SD NOx EGAT Entrada 2	SD NOx сист.обработки ОГ вход2
0012.024405.205.001.2	AL Com. Lost NOx EGAT Inlet 2	AL Com. Verl. NOx EGAT Ing. 2	AL 通讯丢失 NOx EGAT 入口 2	AL Com. Perda NOx EGAT Entr. 2	АС нет связи обраб.ОГ Nox вход2
0012.024406.215.001.2	SD NOx EGAT Outlet 1	SD NOx EGAT Uitgang 1	SD NOx EGAT 出口 1	SD NOx EGAT Saída 1	SD NOx сист.обраб-ки ОГ выход1
0012.024406.205.001.2	AL Com. Lost NOx EGAT Outlet 1	AL Com. Verl. NOx EGAT Uitg. 1	AL 通讯丢失 NOx EGAT 出口 1	AL Com. Perda NOx EGAT Saída 1	АС нет связи обраб.ОГ Nox выхд1
0012.024407.205.001.2	AL Com. Lost DEF Doser 1	AL Com. Verl. DEF Doseerder 1	AL 通讯丢失 DEF 加料器 1	AL Com. Perda DEF Doseador 1	АС нет связи дозер восстанов 1
0012.024413.205.001.2	AL DEF Doser 1 defect	AL DEF Doseerder 1 defect	AL DEF 加料器 1 故障	AL Defeituoso DEF Doseador 1	АС дефект дозера восстанов. 1
0012.024408.205.001.2	AL Com. Lost DEF Doser 2	AL Com. Verl. DEF Doseerder 2	AL 通讯丢失 DEF 加料器 2	AL Com. Perda DEF Doseador 2	АС нет связи дозер восстанов 2
0012.024414.205.001.2	AL DEF Doser 2 defect	AL DEF Doseerder 2 defect	AL DEF 加料器 2 故障	AL Defeituoso DEF Doseador 2	АС дефект дозера восстанов. 2
0012.024409.205.001.2	AL Com. Lost DEF Doser 3	AL Com. Verl. DEF Doseerder 3	AL 通讯丢失 DEF 加料器 3	AL Com. Perda DEF Doseador 3	АС нет связи дозер восстанов 3
0012.024415.205.001.2	AL DEF Doser 3 defect	AL DEF Doseerder 3 defect	AL DEF 加料器 3 故障	AL Defeituoso DEF Doseador 3	АС дефект дозера восстанов. 3
0012.024410.205.001.2	AL Com. Lost DEF Doser 4	AL Com. Verl. DEF Doseerder 4	AL 通讯丢失 DEF 加料器 4	AL Com. Perda DEF Doseador 4	АС нет связи дозер восстанов 4
0012.024416.205.001.2	AL DEF Doser 4 defect	AL DEF Doseerder 4 defect	AL DEF 加料器 4 故障	AL Defeituoso DEF Doseador 4	АС дефект дозера восстанов. 4
0012.024411.205.001.2	AL Com. Lost DEF Doser 5	AL Com. Verl. DEF Doseerder 5	AL 通讯丢失 DEF 加料器 5	AL Com. Perda DEF Doseador 5	АС нет связи дозер восстанов 5
0012.024417.205.001.2	AL DEF Doser 5 defect	AL DEF Doseerder 5 defect	AL DEF 加料器 5 故障	AL Defeituoso DEF Doseador 5	АС дефект дозера восстанов. 5
0012.024412.205.001.2	AL Com. Lost DEF Doser 6	AL Com. Verl. DEF Doseerder 6	AL 通讯丢失 DEF 加料器 6	AL Com. Perda DEF Doseador 6	АС нет связи дозер восстанов 6
0012.024418.205.001.2	AL DEF Doser 6 defect	AL DEF Doseerder 6 defect	AL DEF 加料器 6 故障	AL Defeituoso DEF Doseador 6	АС дефект дозера восстанов. 6
0012.024100.155.001.2	HI T-DEF at PDM	HI T-DEF aan PDM	HI T-DEF PDM	HI T-DEF no PDM	Вы Т-восстановителя на PDM

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 93 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -.8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0012.006500.155.001.2	HI P-Exhaust Diff. SCR 1	HI P-Uitlaat tussen SCR 1	HI P排气差异SCR 1	HI P-Escape Dif. SCR 1	ВЫ P-Выхлопная Разница SCR 1
0012.006500.165.001.2	HIHI P-Exhaust Diff. SCR 1	HIHI P-Uitlaat tussen SCR 1	HIHI P排气差异SCR 1	HIHI P-Escape Dif. SCR 1	ВЫВЫ P-Выхлопная Разница SCR 1
0012.024400.155.001.2	HI DEF Dosing	HI DEF Dosering	HI DEF 加料	HI DEF Doseamento	ВЫ дозировка восстановителя
0012.024400.105.001.2	LO DEF Dosing	LO DEF Dosering	LO DEF 加料	LO DEF Doseamento	НИ дозировка восстановителя
0012.024400.115.001.2	LOLO DEF Dosing	LOLO DEF Dosering	LOLO DEF 加料	LOLO DEF Doseamento	НИНИ дозировка восстановителя
0020.027101.105.001.2	LO P-Gear Control Oil	LO P-transm.stuuroolie	LO 变速箱控油压力	LO P-Oleo Controle Cambio	НИ Д-масло управл. редуктора
0020.027101.115.001.2	LOLO P-Gear Control Oil	LOLO P-transm.stuuroolie	LOLO 变速箱控油压力	LOLO P-Oleo Controle Cambio	НИНИ Д-масло упр. редуктора
0020.025101.105.001.2	LO P-Gear Lube Oil	LO P-Transm Smeerolie	LO 变速箱滑油压力	LO P-Oleo Lubric. Cambio	НИ Д-смаз. масло редуктора
0020.025101.115.001.2	LOLO P-Gear Lube Oil	LOLO P-Transm Smeerolie	LOLO 变速箱滑油压力	LOLO P-Oleo Lubric. Cambio	НИНИ Д-смаз. масло редуктора
0020.025201.155.001.2	HI T-Gear Oil	HI T-transmissieolie	HI 变速箱油温	HI T-Oleo Cambio	ВЫ Т-трансмиссионное масло
0020.025201.165.001.2	HIHI T-Gear Oil	HIHI T-transmissieolie	HIHI 变速箱油温	HIHI T-Oleo Cambio	ВЫВЫ Т-трансмиссионное масло
0020.025701.205.001.2	AL Gear Oil Filter Clogged	AL transm.oliefilter verstopt	AL 变速箱油滤器堵塞	AL Filtro Oleo Cambio Obstr.	АС загрязн.фильтр транс.масла
0020.025301.105.001.2	LO Gear Oil Level	LO Transmissie Oliepeil	LO 变速箱油位	LO Nivel de Oleo Cambio	НИ уровень транс. масла
0020.025202.155.001.2	HI T-Gear Oil after Cooler	HI T-transmissieolie na koeler	HI 冷却器后的变速箱滑油温度	HI T-Oleo engr. após refrig.	ВЫ Т-транс. масло после охл.
0020.025202.165.001.2	HIHI T-Gear Oil after Cooler	HIHI T-transmissieolie na koel	HIHI 冷却器后的变速箱滑油温度	HIHI T-Óleo engr. após refrig.	ВЫВЫ Т-транс. масло после охл.
0020.055301.155.001.2	HI T-Gear Thrust Bearing	HI T-Transmissie druklager	HI 变速箱止推轴承温度	HI T-Rolamen Encosto Cambio	ВЫ Т-упорный подш. редуктора
0020.055301.165.001.2	HIHI T-Gear Thrust Bearing	HIHI T-Transmissie druklager	HIHI 变速箱止推轴承温度	HIHI T-Rolamen Encosto Cambio	ВЫВЫ Т-упорный подш. ред-ра
1.0020.059302.205.001.2	AL Trolling System Failure	AL trolling-systeem storing	AL 曳系统故障	AL Falha no Sistema Trolling	АС неиспр. системы троллинга
1.0020.059003.255.001.2	WB Trolling Linear Valve	WB trolling lineaire klep	WB 曳线性阀	WB válvula trolling linear	РК троллинг линейный клапан
1.0020.059003.265.001.2	SC Trolling Linear Valve	SC trolling lineaire klep	SC 曳线性阀	SC válvula trolling linear	КЗ троллинг линейный клапан
1.0020.059002.255.001.2	WB Trolling On Valve	WB trolling Aan klep	WB 曳激活阀	WB válvula trolling ligada	РК клапан троллинг вкл.
1.0020.059002.265.001.2	SC Trolling On Valve	SC trolling Aan klep	SC 曳激活阀	SC válvula trolling ligada	КЗ клапан троллинг вкл.
0070.059005.205.001.2	AL Clutch Interlock Active	AL Koppelingsvergrendeling	AL 离合器锁止	AL Intertravam. Embreagem	АС муфта заблокирована
0080.065004.205.001.2	AL Clutch Interlock Override	AL Koppelingsvergrend overbrug	AL 离合器锁止游视	AL Intertr. Embreagem anulação	АС муфта заблокирована защиты
0070.059003.205.001.2	AL Engage Error	AL inkoppelstoring	AL 啮合错误	AL Erro de Acoplamento	АС ошибка включ. муфты
0070.059004.205.001.2	AL Disengage Error	AL uitkoppelstoring	AL 脱排错误	AL Erro de Desacoplamento	АС ошибка выключ. муфты
1.0020.059301.205.001.2	AL Trolling On Failure	AL Trolling Aan Storing	AL 滑差启动失败报警	AL Trolling Ativado Falha	АС неиспр. включения троллинга
0020.000701.205.001.2	AL Shaft Speed Direction Lost	AL Astoerental richting uitval	AL 失去轴速的方向信号	AL Perda Dir Veloc Rot Eixo	АС обороты вала нет направл-я
0020.000701.205.011.2	AL Shaft Speed Redundancy Lost	AL Astoerental redund uitval	AL 失去轴速备用信号	AL Perda Red Dir Veloc Rot Eix	АС обороты вала нет рез. сигн.
0020.000701.225.011.2	TD Shaft Speed	TD Astoerental	TD 轴速	TD Veloc. Rotacao Eixo	ОД обороты вала
0020.025101.215.001.2	SD P-Gear Control Oil	SD P-transmissie stuuroolie	SD 变速箱控油压力	SD P-Oleo Controle Cambio	ДД Д-масло управл. редуктора
0020.027101.215.001.2	SD P-Gear Lube Oil	SD P-Transm Smeerolie	SD 变速箱滑油压力	SD P-Oleo Lubric. Cambio	ДД Д-смазочное масло редуктора
0020.025201.215.001.2	SD T-Gear Oil	SD T-transmissieolie	SD 变速箱油温	SD T-Oleo Cambio	ДД Т-трансмиссионное масло
0020.025701.215.001.2	SD Gear Oil Filter Clogged	SD Transm Oliefilter Verstopt	SD 变速箱油滤器堵塞	SD Filtro Ol Cambio Obstruido	ДД фильтр транс.масла засорен
0020.025301.215.001.2	SD Gear Oil Level	SD Transmissie Oliepeil	SD 变速箱油位	SD Nivel de Oleo Cambio	ДД уровень трансмисс. масла
0020.025202.215.001.2	SD T-Gear Oil after Cooler	SD T-transmissieolie na koeler	SD 冷却器后的变速箱滑油温度	SD T-Óleo engr.após refrig.	ДД Т-транс. масло после охлад.
0020.055301.215.001.2	SD T-Gear Thrust Bearing	SD T-Transmissie druklager	SD 变速箱止推轴承温度	SD T-Rolam Encosto Cambio	ДД Т-упорный подшипник ред-ра
0020.000701.215.011.2	SD Shaft Speed 1	SD Astoerental 1	SD 轴速1	SD Veloc. Rotacao Eixo 1	ДД обороты вала 1
0020.000701.215.021.2	SD Shaft Speed 2	SD Astoerental 2	SD 轴速2	SD Veloc. Rotacao Eixo 2	ДД обороты вала 2

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 94 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.			

Aenderungsbeschreibung/Description of Revision			Kommt vor/Frequency		
war kZ					
Buchst./Rev.Ltr. -8			Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released
SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
1.0021.027101.105.001.2	LO P-Gear Control Oil SaSy	LO P-Transm Stuuroolie SaSy	LO 变速箱控油压力 (SaSy)	LO P-Oleo Contr. Cambio SaSy	НИ Д-масло управ. редук-ра СЗ
1.0021.027101.115.001.2	LOLO P-Gear Control Oil SaSy	LOLO P-Transm Stuuroolie SaSy	LOLO 变速箱控油压力 (SaSy)	LOLO P-Oleo Contr. Cambio SaSy	НИНИ Д-масло упр. редук-ра СЗ
1.0021.025101.105.001.2	LO P-Gear Lube Oil SaSy	LO P-Transm Smeerolie SaSy	LO 变速箱滑油压力 (SaSy)	LO P-Oleo Lubr. Cambio SaSy	НИ Д-трансмисс-ное масло СЗ
1.0021.025101.115.001.2	LOLO P-Gear Lube Oil SaSy	LOLO P-Transm Smeerolie SaSy	LOLO 变速箱滑油压力 (SaSy)	LOLO P-Oleo Lubr. Cambio SaSy	НИНИ Д-трансмисс-ное масло СЗ
1.0021.027101.215.001.2	SD P-Gear Control Oil SaSy	SD P-Transmis Stuuroolie SaSy	SD 变速箱控油压力 (SaSy)	SD P-Controle Oleo Cambio SaSy	ДД Д-масло управ. редук-ра СЗ
1.0021.025101.215.001.2	SD P-Gear Lube Oil SaSy	SD P-Transm Smeerolie SaSy	SD 变速箱滑油压力 (SaSy)	SD P-Oleo Lubrif. Cambio SaSy	ДД Д-смаз. масло редуктора СЗ
1.0021.027102.215.001.2	SD P-Gear Control Oil SaSy	SD P-Transm Stuuroolie SaSy	SD 变速箱控油压力 (SaSy)	SD P-Oleo Ctrl.Cambio SaSy	ДД Д-масло управ. редук-ра СЗ
1.0021.025102.215.001.2	SD P-Gear Lube Oil SaSy	SD P-Transm Smeerolie SaSy	SD 变速箱滑油压力 (SaSy)	SD P-Oleo Lubrif. Cambio SaSy	ДД Д-смаз. масло редуктора СЗ
0080.075003.205.001.2	AL RCS Combined Alarm Yel	AL RCS gecomb. alarm Yel	AL RCS 综合报警 Yel	AL RCS Alarme Combinado Yel	АС RCS обобщ. тревога желтая
0080.075001.205.001.2	AL RCS Combined Alarm Red	AL RCS gecomb. alarm Red	AL RCS 综合报警 Red	AL RCS Alarme Combinado Red	АС RCS обобщ. тревога красная
1.0080.064005.205.001.2	AL RCS SYNC Failure	AL RCS SYNC storing	AL RCS SYNC 故障报警	AL RCS SYNC Falha	АС RCS отказ SYNC
1.0080.064004.205.001.2	AL RCS Active Lever Lost	AL RCS aktief hendel storing	AL RCS 控制杆生效丢失报警	AL RCS Marcha Ativa Perd.	АС SCL нет аткт.рычага управл.
1.0080.046112.205.021.2	AL Parallel Transfer Error	AL parall. hendel transferfout	AL 并行命令传输失败	AL Erro de transfer. paralela	АС ош-ка пер-д команды пар.МПУ
1.0080.076008.205.001.2	AL Com. to other Shafts Lost	AL com. met partneras defect	AL 通信与其他轴丢失	AL Com.c/ outros veios perdida	АС нет куммун. с другим валом
1.0080.049005.205.001.2	AL Disengage Sequence Timeout	AL uitkoppelsequentie timeout	AL 脱离序列超时	AL Timeout sequência desengate	АС таймаут выключения муфты
1.0080.049006.205.001.2	AL Engage Sequence Timeout	AL inkoppelsequentie timeout	AL 摘序列超时	AL Timeout sequência engate	АС таймаут включения муфты
1.0080.064002.205.011.2	AL Lever Poti Red.Lost CS1	AL Hend.Poti.red.uitgev CS1	AL 控制杆电位器冗余丢失报警 CS1	AL falha da red. pot. alav.CS1	АС нет рез.пот.рыч.управл. ПУ1
1.0080.064001.205.011.2	AL Lever Poti Defect CS1	AL Hend.Poti.uitgev CS1	AL 控制杆电位器丢失报警 CS1	AL pot. da alav. defeito CS1	АС деф.потенц-ра рыч.упр.ПУ1
1.0080.064016.205.011.2	AL Lever Com. Lost CS1	AL hendel com. gestoord CS1	AL 通信控制杆丢失报警 CS1	AL falta da com. da alav. CS1	АС сбой комм-ии рыч. упр. ПУ1
1.0080.064017.225.011.2	TD Lever Poti CS1	TD Hend.Poti CS1	TD 控制杆电位器 CS1	TD pot. da alavanca CS1	ОД рычаг управления ПУ1
1.0080.064002.205.021.2	AL Lever Poti Red.Lost CS2	AL Hend.Poti.red.uitgev CS2	AL 控制杆电位器冗余丢失报警 CS2	AL falha da red. pot. alav.CS2	АС нет рез.пот.рыч.управл. ПУ2
1.0080.064001.205.021.2	AL Lever Poti Defect CS2	AL Hend.Poti.uitgev CS2	AL 控制杆电位器丢失报警 CS2	AL pot. da alav. defeito CS2	АС деф.потенц-ра рыч.упр.ПУ2
1.0080.064016.205.021.2	AL Lever Com. Lost CS2	AL hendel com. gestoord CS2	AL 通信控制杆丢失报警 CS2	AL falha da com. da alav. CS2	АС сбой комм-ии рыч. упр. ПУ2
1.0080.064017.225.021.2	TD Lever Poti CS2	TD Hend.Poti CS2	TD 控制杆电位器 CS2	TD pot. da alavanca CS2	ОД рычаг управления ПУ2
1.0080.064002.205.031.2	AL Lever Poti Red.Lost CS3	AL Hend.Poti.red.uitgev CS3	AL 控制杆电位器冗余丢失报警 CS3	AL falha pot. da alav. red.CS3	АС нет рез.пот.рыч.управл. ПУ3
1.0080.064001.205.031.2	AL Lever Poti Defect CS3	AL Hend.Poti.uitgev CS3	AL 控制杆电位器丢失报警 CS3	AL pot. da alav. defeita CS3	АС деф.потенц-ра рыч.упр.ПУ3
1.0080.064016.205.031.2	AL Lever Com. Lost CS3	AL hendel com. gestoord CS3	AL 通信控制杆丢失报警 CS3	AL falha da com. da alav. CS3	АС сбой комм-ии рыч. упр. ПУ3
1.0080.064017.225.031.2	TD Lever Poti CS3	TD Hend.Poti CS3	TD 控制杆电位器 CS3	TD pot. da alavanca CS3	ОД рычаг управления ПУ3
1.0080.064002.205.041.2	AL Lever Poti Red.Lost CS4	AL Hend.Poti.red.uitgev CS4	AL 控制杆电位器冗余丢失报警 CS4	AL falha da red. pot. alav.CS4	АС нет рез.пот.рыч.управл. ПУ4
1.0080.064001.205.041.2	AL Lever Poti Defect CS4	AL Hend.Poti.uitgev CS4	AL 控制杆电位器丢失报警 CS4	AL pot. da alav. defeita CS4	АС деф.потенц-ра рыч.упр.ПУ4
1.0080.064016.205.041.2	AL Lever Com. Lost CS4	AL hendel com. gestoord CS4	AL 通信控制杆丢失报警 CS4	AL falha da com. da alav. CS4	АС сбой комм-ии рыч. упр. ПУ4
1.0080.064017.225.041.2	TD Lever Poti CS4	TD Hend.Poti CS4	TD 控制杆电位器 CS4	TD pot. da alavanca CS4	ОД рычаг управления ПУ4
1.0080.064002.205.051.2	AL Lever Poti Red.Lost CS5	AL Hend.Poti.red.uitgev CS5	AL 控制杆电位器冗余丢失报警 CS5	AL falha da red. pot. alav.CS5	АС нет рез.пот.рыч.управл. ПУ5
1.0080.064001.205.051.2	AL Lever Poti Defect CS5	AL Hend.Poti.uitgev CS5	AL 控制杆电位器丢失报警 CS5	AL pot. da alav. defeito CS5	АС деф.потенц-ра рыч.упр.ПУ5
1.0080.064016.205.051.2	AL Lever Com. Lost CS5	AL hendel com. gestoord CS5	AL 通信控制杆丢失报警 CS5	AL falha da com. da alav. CS5	АС сбой комм-ии рыч. упр. ПУ5
1.0080.064017.225.051.2	TD Lever Poti CS5	TD Hend.Poti CS5	TD 控制杆电位器 CS5	TD pot. da alavanca CS5	ОД рычаг управления ПУ5
1.0080.064002.205.061.2	AL Lever Poti Red.Lost CS6	AL Hend.Poti.red.uitgev CS6	AL 控制杆电位器冗余丢失报警 CS6	AL falha da red. pot. alav.CS6	АС нет рез.пот.рыч.управл. ПУ6
1.0080.064001.205.061.2	AL Lever Poti Defect CS6	AL Hend.Poti.uitgev CS6	AL 控制杆电位器丢失报警 CS6	AL pot. da alav. defeito CS6	АС деф.потенц-ра рыч.упр.ПУ6
1.0080.064016.205.061.2	AL Lever Com. Lost CS6	AL hendel com. gestoord CS6	AL 通信控制杆丢失报警 CS6	AL falha da com. da alav. CS6	АС сбой комм-ии рыч. упр. ПУ6
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183		Blatt/ Sheet 95 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.					

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
1.0080.064017.225.061.2	TD Lever Poti CS6	TD Hend.Poti CS6	TD 控制杆电位器 CS6	TD pot. da alavanca CS6	ОД рычаг управления ПУ6
1.0080.064002.205.071.2	AL Lever Poti Red.Lost PC	AL Hend.Pot.red.uitgev PC	AL 电位器冗余丢失报警 PC	AL falha da red. pot. alav.c.p	АС нет рез. пот-ра рычага РУУ
1.0080.064001.205.071.2	AL Lever Poti Defect PC	AL Hend.Pot.uitgev PC	AL 电位器丢失报警 PC	AL pot. da alav.def.ctrl.port.	АС дефект пот-ра рычага РУУ
1.0080.064016.205.071.2	AL Com. Lost Portable Ctrl.	AL com. gestoord HSG	AL 通信丢失报警 PC	AL falha da com. da alav. CP	АС сбой коммуникации РУУ
1.0080.064017.225.071.2	TD Lever Poti PC	TD Hend.Poti PC	TD 控制杆电位器 PC	TD pot. da alav. ctrl.portátil	ОД рычага РУУ
1.0080.075210.205.001.2	AL Com. Lost Port.Ctrl.Interf.	AL Com.Kwijt Port.Ctrl.Interf.	AL 通讯中断便携式控制接口	AL falha IF do ctrl. portátil	АС сбой коммун-ции интерф. РУУ
1.0080.064003.205.001.2	AL Portable Control lost	AL Draagbare Controle Verloren	AL 便携式失去控制	AL Controle Portátil Perdido	АС нет подвижн. устр-ва упр-ия
1.0080.066106.205.001.2	AL Com.Lost Joystick System	AL Verb.Kwijt Joystick System	AL 通讯中断游戏杆系统	AL falha com. sist. do joyst.	АС сбой комм-ии сист.джойстика
1.0090.035201.205.001.2	AL No Heading Information	Al No Kop Informatie	AL 杳打头信息	AL falta da informação da rota	АС нет информации о курсе
1.0090.035301.205.001.2	AL No Position Information	Al No Positie-informatie	AL 杳位置信息	AL falta da informação de pos.	АС нет информации о позиции
1.0080.066123.205.001.2	AL Com.Lost Joystick 1	AL Verb.Kwijt Joystick 1	AL 通讯中断游戏杆1	AL falha da com. do joystick 1	АС сбой комм-ции джойстик 1
1.0080.066123.205.011.2	AL Com.Lost Joystick 2	AL Verb.Kwijt Joystick 2	AL 通讯中断游戏杆2	AL falha da com. do joystick 2	АС сбой комм-ции джойстик 2
1.0080.066123.205.021.2	AL Com.Lost Joystick 3	AL Verb.Kwijt Joystick 3	AL 通讯中断游戏杆3	AL falha da com. do joystick 3	АС сбой комм-ции джойстик 3
1.0080.066123.205.031.2	AL Com.Lost Joystick 4	AL Verb.Kwijt Joystick 4	AL 通讯中断游戏杆4	AL falha da com. do joystick 4	АС сбой комм-ции джойстик 4
1.0080.066123.205.041.2	AL Com.Lost Joystick 5	AL Verb.Kwijt Joystick 5	AL 通讯中断游戏杆5	AL falha da com. do joystick 5	АС сбой комм-ции джойстик 5
1.0080.066123.205.051.2	AL Com.Lost Joystick 6	AL Verb.Kwijt Joystick 6	AL 通讯中断游戏杆6	AL falha da com. do joystick 6	АС сбой комм-ции джойстик 6
1.0030.073100.205.001.2	AL Bow Thruster not Avail.	AL Boegschroef niet Leverbaar	AL 艏侧推不可用	AL leme da proa indisponível	АС нос. подрул. устр-во не раб
1.0030.073101.155.001.2	HI T-Bow Thruster	HI T-Boegschroef	HI T-艏侧推	HI T-Leme da proa	ВЫ Т-носовое порупл. устр-во
1.0030.073102.205.001.2	AL Bow Thruster derated	AL Boegschroef afgesteld	AL 艏侧推降级	AL pot. limit. na leme da proa	АС огран.мощн. нос.подр.устройства
1.0030.050000.105.001.2	LO Bow Thruster Power Supply	LO Boegschroef Voeding	LO 艏侧推电源	LO alim. elêtr. leme da proa	НИ напр. пит.нос.подр.устр-ва
1.0030.028301.105.001.2	LO Bow Thruster Oil Level	LO Boegschroef oliepeil	LO 艏侧推油位	LO nível óleo no leme da proa	НИ уров. масла нос.подр.у-ства
1.0030.073100.205.011.2	AL Stern Thruster not Avail.	AL Hekschroef niet Leverbaar	AL 船尾推进器不可用	AL leme da ré indisponível	АС корм. подрул.устр-во не раб
1.0030.073101.155.011.2	HI T-Stern Thruster	HI T-Hekschroef	HI T-船尾推进器	HI T-Leme de ré	ВЫ Т-кормовое порупл. устр-во
1.0030.073102.205.011.2	AL Stern Thruster derated	AL Hekschroef afgesteld	AL 船尾推进器降级	AL pot. limit. na leme da ré	АС огран.мощн. кор.подр.устройства
1.0030.050000.105.011.2	LO Stern Thruster Power Supply	LO Hekschroef Voeding	LO 船尾推进器电源	LO alim. elêtr. na leme da ré	НИ напр. пит.кор.подр.устр-ва
1.0030.028301.105.011.2	LO Stern Thruster Oil Level	LO Hekschroef Olie Niveau	LO 船尾推进器油位	LO nível do óleo no leme da ré	НИ уров. масла кор.подр.у-ства
1.0080.066121.205.001.2	AL Joystick System in Cmd Lost	AL Joystick Syst. in Cmd Kwijt	AL 操纵杆系统丢失的Cmd	AL falha do sist.joyst. em cmd	АС нет команды сист. Джойстика
1.0080.066120.205.001.2	AL Joystick Emerg.Deactivation	AL Joystick Emerg. deactivatie	AL 操纵杆紧急停用	AL joystick desativação emerg.	АС авар. выключение джойстик
1.0080.066130.205.001.2	AL Active Joystick Lost	AL Actief Joystick Kwijt	AL 主动操纵杆失落	AL falha do joystick ativo	АС нет активного джойстика
1.0080.066128.205.001.2	AL Joystick Combined Alarm Red	AL Joystick Gecomb. Alarm Red	AL 操纵杆结合报警红色	AL comb. vermelho do joystick	АС джойстик обобщ.трев. красн.
1.0080.066129.205.001.2	AL Joystick Combined Alarm Yel	AL Joystick Gecomb. Alarm Yel	AL 操纵杆结合报警YEL	AL comb. amarelo do joystick	АС джойстик обобщ.трев. желт.
1.0080.046503.205.011.2	AL Not Able To Keep Heading	AL Niet kunnen Heading houden	AL 无法跟上头球	AL impossível manter a rota	АС держать курс невозможно
1.0080.046502.205.001.2	AL Not Able To Keep Position	AL Niet kunnen Position houden	AL 无法跟上位置	AL impossível manter a pos.	АС держать позицию невозможно
0080.065002.205.001.2	AL Backup RCS Active	AL Backup RCS Actief	AL 备份RCS活动	AL backup RCS ativo	АС резервный RCS активен
1.0080.046504.205.001.2	AL Adv. Joystick Mode Deact.	AL Vergeev.JoystickModeGedeact.	AL 高级操纵杆模式已停用	AL Ava. Joystick Modo Inativo	АС доп. функции джойстика откл
0080.065003.255.001.2	WB Backup RCS	WB Backup RCS	WB 备份RCS	WB backup RCS	ПК Резервное копирование RCS
0080.065003.205.001.2	AL Backup RCS Defect	AL Backup RCS defect	AL 备份RCS故障报警	AL backup RCS defeito	АС неисправность резервный RCS
1.0030.073103.205.001.2	AL BowThruster Internal Fail	AL Intern Boegschroef fouten	AL 内部弓形推进器故障	AL Interno falha Leme da proa	АС внутрен.нос. подрул.устр-ва
1.0030.073101.165.001.2	HIHI T-Bow Thruster	HIHI T-Boegschroef	HIHI T-艏侧推	HIHI T-Leme da proa	ВЫВЫ Т-носовое порупл. устр-во

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 96 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
1.0030.073103.205.011.2	AL SternThruster Internal Fail	AL Intern Hekschroef fouten	AL 内部推力器失效	AL Interno falha Leme de ré	АС внутрен.корм.подрун.устр-ва
1.0030.073101.165.011.2	HIHI T-Stern Thruster	HIHI T-Hekschroef	HIHI T-船尾推进器	HIHI T-Leme de ré	ВыйЫй Т-кормовое порул., устр-во
1.0080.046509.205.001.2	AL HeadingOrPosition Lost Soon	AL HeadingPositieVerliesVerw.	AL 标题或位置将很快失去	AL RotaPosiçãoSeráPerdidaembr.	АС курс/позиция будупотеряны
0070.075201.205.011.2	AL MMS Com. Lost	AL MMS com. Kwijt	AL MMS 通信中断	AL falha da com. MMS	АС сбой коммуникации MMS
0070.075205.205.011.2	AL MMS SaSy Com. Lost	AL MMS SaSy com. Kwijt	AL MMS SaSy 通信中断	AL falha da com. MMS SaSy	АС сбой коммуникации С3 MMS
0070.075203.205.011.2	AL LOS Com. Lost	AL LOS com. Kwijt	AL LOS 通信中断	AL falha da com. LOS	АС сбой коммуникации LOS
0070.075202.205.011.2	AL MMS Com. Red. Lost	AL MMS com. red. Kwijt	AL MMS 备用通信中断	AL falha da com. MMS red.	АС сбой резервн. комм-ции MMS
0070.075004.205.001.2	AL Internal System Failure	AL interne systeemfout	AL 内部系统故障	AL falha interna do sistema	АС внутр. неисправн. системы
0070.075899.205.001.2	AL Com. to RCS Lost	AL Com. naar RCS Kwijt	AL RCS 通信中断	AL falha da com. RCS	АС сбой комм-ции с RCS
0070.075800.205.001.2	AL Com.To Managed Switch1 Lost	AL Verb.ann Manag.Switch1Kwijt	AL 开关1通信中断	AL falha da com. Switch 1	АС сбой комм-ции с перключ. 1
0070.075802.205.001.2	AL Systembus Redundancy Lost	AL Systeembus Redundant. Kwijt	AL 系统总线备用丢失	AL falha do SystemBus red.	АС нет резерв. системной шины
0070.075800.205.011.2	AL Com.To Managed Switch2 Lost	AL Verb.ann Manag.Switch2Kwijt	AL 开关2通信中断	AL falha da com. Switch 2	АС сбой комм-ции с перключ. 2
0070.075800.205.021.2	AL Com.To Managed Router1 Lost	AL Verb.ann Manag.Router1kwijt	AL通信为了管理路由器1赔	AL falha da com. Router 1	АС сбой комм-ции с маршрутиз 1
0070.075800.205.031.2	AL Com.To Managed Router2 Lost	AL Verb.ann Manag.Router2kwijt	AL通信为了管理路由器2赔	AL falha da com. Router 2	АС сбой комм-ции с маршрутиз 2
0070.075803.205.001.2	AL Com.To Ext MCS Lost	AL Verb.ann Ext MCS Kwijt	AL沟通器至外部MCS失落	AL falha da com. ext. MCS	АС сбой кмм-ции с внешн. MCS
0070.075803.205.011.2	AL Red. Com.To Ext MCS Lost	AL Red. Verb.ann Ext MCS Kwijt	AL冗余通讯到外部MCS失落	AL falha da com. ext. MCS red.	АС сбой рез.комм. с внешн. RCS
1.0080.075201.205.011.2	AL RCS Transfer PAN Lost CS1	AL RCS Transfer PAN Kwijt CS1	AL RCS 移交 PAN 通信中断 CS1	AL falha do RCS transf.PANCS1	АС RCS сбой передачи к PAN ПУ1
1.0080.075202.205.011.2	AL RCS Indication PAN Lost CS1	AL RCS Vermeld. PAN Kwijt CS1	AL RCS 指示符 PAN 通信中断 CS1	AL falha do RCS ind. PAN CS1	АС RCS нет индикации PAN ПУ1
1.0080.075201.205.021.2	AL RCS Transfer PAN Lost CS2	AL RCS Transfer PAN Kwijt CS2	AL RCS 移交 PAN 通信中断 CS2	AL falha do RCS transf.PANCS2	АС RCS сбой передачи к PAN ПУ2
1.0080.075202.205.021.2	AL RCS Indication PAN Lost CS2	AL RCS Vermeld. PAN Kwijt CS2	AL RCS 指示符 PAN 通信中断 CS2	AL falha do RCS ind. PAN CS2	АС RCS нет индикации PAN ПУ2
1.0080.075201.205.031.2	AL RCS Transfer PAN Lost CS3	AL RCS Transfer PAN Kwijt CS3	AL RCS 移交 PAN 通信中断 CS3	AL falha do RCS transf.PANCS3	АС RCS сбой передачи к PAN ПУ3
1.0080.075202.205.031.2	AL RCS Indication PAN Lost CS3	AL RCS Vermeld. PAN Kwijt CS3	AL RCS 指示符 PAN 通信中断 CS3	AL falha do RCS ind. PAN CS3	АС RCS нет индикации PAN ПУ3
1.0080.075201.205.041.2	AL RCS Transfer PAN Lost CS4	AL RCS Transfer PAN Kwijt CS4	AL RCS 移交 PAN 通信中断 CS4	AL falha do RCS transf.PANCS4	АС RCS сбой передачи к PAN ПУ4
1.0080.075202.205.041.2	AL RCS Indication PAN Lost CS4	AL RCS Vermeld. PAN Kwijt CS4	AL RCS 指示符 PAN 通信中断 CS4	AL falha do RCS ind. PAN CS4	АС RCS нет индикации PAN ПУ4
1.0080.075201.205.051.2	AL RCS Transfer PAN Lost CS5	AL RCS Transfer PAN Kwijt CS5	AL RCS 移交 PAN 通信中断 CS5	AL falha do RCS transf.PANCS5	АС RCS сбой передачи к PAN ПУ5
1.0080.075202.205.051.2	AL RCS Indication PAN Lost CS5	AL RCS Vermeld. PAN Kwijt CS5	AL RCS 指示符 PAN 通信中断 CS5	AL falha do RCS ind. PAN CS5	АС RCS нет индикации PAN ПУ5
1.0080.075201.205.061.2	AL RCS Transfer PAN Lost CS6	AL RCS Transfer PAN Kwijt CS6	AL RCS 移交 PAN 通信中断 CS6	AL falha do RCS transf.PANCS6	АС RCS сбой передачи к PAN ПУ6
1.0080.075202.205.061.2	AL RCS Indication PAN Lost CS6	AL RCS Vermeld. PAN Kwijt CS6	AL RCS 指示符 PAN 通信中断 CS6	AL falha do RCS ind. PAN CS6	АС RCS нет индикации PAN ПУ65
0070.075210.205.011.2	AL MCS Display Com. Lost CS1	AL MCS scherm Verb. Kwijt CS1	AL MCS 显示通信中断 CS1	AL falha da com. disp. MCS CS1	АС MCS нет комм. с диспл. ПУ1
0070.075210.205.021.2	AL MCS Display Com. Lost CS2	AL MCS scherm Verb. Kwijt CS2	AL MCS 显示通信中断 CS2	AL falha da com. disp. MCS CS2	АС MCS нет комм. с диспл. ПУ2
0070.075210.205.031.2	AL MCS Display Com. Lost CS3	AL MCS scherm Verb. Kwijt CS3	AL MCS 显示通信中断 CS3	AL falha da com. disp. MCS CS3	АС MCS нет комм. с диспл. ПУ3
0070.075210.205.041.2	AL MCS Display Com. Lost CS4	AL MCS scherm Verb. Kwijt CS4	AL MCS 显示通信中断 CS4	AL falha da com. disp. MCS CS4	АС MCS нет комм. с диспл. ПУ4
0070.075210.205.051.2	AL MCS Display Com. Lost CS5	AL MCS scherm Verb. Kwijt CS5	AL MCS 显示通信中断 CS5	AL falha da com. disp. MCS CS5	АС MCS нет комм. с диспл. ПУ5
0070.075210.205.061.2	AL MCS Display Com. Lost CS6	AL MCS scherm Verb. Kwijt CS6	AL MCS 显示通信中断 CS6	AL falha da com. disp. MCS CS6	АС MCS нет комм. с диспл. ПУ6
0070.075231.205.011.2	AL MCS Start/Stop PAN Lost CS1	AL MCS Start/Stp PAN Kwijt CS1	AL MCS 启动/停止 PAN 通信中断 CS1	AL falha do MCS St/Stop PANCS1	АС MCS неиспр. пуск/выкл. ПУ1
0070.075231.205.021.2	AL MCS Start/Stop PAN Lost CS2	AL MCS Start/Stp PAN Kwijt CS2	AL MCS 启动/停止 PAN 通信中断 CS2	AL falha do MCS St/Stop PANCS2	АС MCS неиспр. пуск/выкл. ПУ2
0070.075231.205.031.2	AL MCS Start/Stop PAN Lost CS3	AL MCS Start/Stp PAN Kwijt CS3	AL MCS 启动/停止 PAN 通信中断 CS3	AL falha do MCS St/Stop PANCS3	АС MCS неиспр. пуск/выкл. ПУ3
0070.075231.205.041.2	AL MCS Start/Stop PAN Lost CS4	AL MCS Start/Stp PAN Kwijt CS4	AL MCS 启动/停止 PAN 通信中断 CS4	AL falha do MCS St/Stop PANCS4	АС MCS неиспр. пуск/выкл. ПУ4
0070.075231.205.051.2	AL MCS Start/Stop PAN Lost CS5	AL MCS Start/Stp PAN Kwijt CS5	AL MCS 启动/停止 PAN 通信中断 CS5	AL falha do MCS St/Stop PANCS5	АС MCS неиспр. пуск/выкл. ПУ5

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 97 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0070.075231.205.061.2	AL MCS Start/Stop PAN Lost CS6	AL MCS Start/Stp PAN Kwijt CS6	AL MCS 启动/停止 PAN 通信中断 CS6	AL falha do MCS St/Stop PANCS6	AC MCS неиспр. пуск/выкл. ПУ6
1.0080.075222.205.001.2	AL Com.Lost to RCS IO CAN Dev.	AL Verb.Kwijt RCS IO CAN Dev.	AL RCS IO CAN Dev. 通信中断	AL falha da com. RCS IO CAN	AC нет комм с устр.вход/выхRCS
0070.075222.205.001.2	AL Com.Lost to MCS IO CAN Dev.	AL Verb.Kwijt MCS IO CAN Dev.	AL MCS IO CAN Dev. 通信中断	AL falha da com. MCS IO CAN	AC нет комм с устр.вход/выхMCS
1.0080.075223.205.001.2	AL RCS-5 Com. Lost	AL RCS-5 Verb. Kwijt	AL RCS-5 通信中断	AL falha da com. RCS-5	AC сбой коммуникации с RCS-5
1.0080.075220.205.001.2	AL Com.Lost to RCS CAN Dev.	AL Verb.Kwijt RCS CAN Dev.	AL RCS CAN Dev. 通信中断	AL falha da com. RCS CAN	AC нет комм с устр-вом CAN RCS
0070.075220.205.001.2	AL Com.Lost to MCS CAN Dev.	AL Verb.Kwijt MCS CAN Dev.	AL MCS CAN Dev. 通信中断	AL falha da com. MCS CAN	AC нет комм с устр-вом CAN MCS
0070.075801.205.001.2	AL Com.Lost MCS Syst.Bus Dev.	AL Verb.Kwijt MCS Syst.BusDev.	AL MCS 系统总线设备的通信中断	AL falha da com. MCS SystemBus	AC нет комм устр.сист.шины MCS
1.0080.075801.205.001.2	AL Com.Lost RCS Syst.Bus Dev.	AL Verb.Kwijt RCS Syst.BusDev.	AL RCS 系统总线设备的通信中断	AL falha da com. RCS SystemBus	AC нет комм устр.сист.шины RCS
0070.050021.205.001.2	AL Power Red. Lost Router 1	AL macht rood.Kwijt Router1	AL电源冗余丢失的路由器1	AL alim. elétr. red. Router1	AC нет рез.питания маршрутиз 1
0070.050021.205.011.2	AL Power Red. Lost Router 2	AL macht rood.Kwijt Router2	AL电源冗余丢失的路由器2	AL alim. elétr. red. Router2	AC нет рез.питания маршрутиз 2
0070.050018.205.001.2	AL Power Red. Lost Switch 1	AL macht rood.Kwijt Switch1	AL 备用电源丧失 开关1	AL alim. elétr. red. Switch1	AC нет рез. питания перключ. 1
0070.050019.205.001.2	AL Power Supply Red. Lost SCUs	AL Nood.HoofdVoeding.KwijtSCUs	AL 备用电源丧失 SCU	AL alim. elétr. red. SCUs	AC нет рез. питния устр-в SCU
0070.050018.205.011.2	AL Power Red. Lost Switch 2	AL macht rood.Kwijt Switch2	AL 备用电源丧失 开关2	AL alim. elétr. red. Switch2	AC нет рез. питания перключ. 2
0010.087002.205.001.2	AL Knock Ignition L1 Comb	AL Zuending Klopfen Sammel L1	---	---	---
0010.025605.155.001.2	HI T-SplashOilCombLifeCycDrift	HI Spritzoelalteringsdrift	---	---	---
0010.025605.165.001.2	HIHI T-SplashOilCombLifeCycDri	HIHI Spritzoelalteringsdrift	---	---	---
0010.015302.105.001.2	LO Coolant Level Intercooler	LO KuehlmitelniveauLadeluftk.	---	---	---
0010.000528.205.001.2	AL Idle Speed not reached	AL Leerlaufdrehz nichterreicht	---	---	---
0010.000529.205.001.2	AL Release Speed not reached	AL Hochlaufdrehz nicht erreicht	---	---	---
0010.015302.215.001.2	SD Coolant Level Intercooler	SD KuehlmitelniveauLadeluftk.	---	---	---
0010.015103.105.001.2	LO P-Coolant Difference	LO P-Kuehlmittel Differenz	---	---	---
0010.015101.155.001.2	HI P-Coolant	HI P-Kuehlmittel	---	---	---
0010.015102.105.001.2	LO P-Coolant before engine	LO P-Kuehlmittel vor Motor	---	---	---
0010.015102.115.001.2	LOLO P-Coolant before engine	LOLO P-Kuehlmittel vor Motor	---	---	---
0010.005201.105.001.2	LO T-Intake Air	LO T-Ansaugluft	---	---	---
0010.005201.115.001.2	LOLO T-Intake Air	LOLO T-Ansaugluft	---	---	---
0010.015102.215.001.2	SD P-Coolant before engine	SD P-Kuehlmittel vor Motor	---	---	---
0010.015103.215.001.2	SD P-Coolant Difference	SD P-Kuehlmitteldifferenz	---	---	---
0010.057011.205.001.2	AL Wiring PWM_CM1	AL Verkabelung PWM_CM1	---	---	---
0010.087012.205.001.2	AL GasControlCheck Fault	AL Gasregelstreckentest Fehler	---	---	---
0010.087013.205.001.2	AL Ignition Fault	AL Fehler Zündung	---	---	---
0010.087014.205.001.2	AL GasValve Fault	AL Fehler Gasventil	---	---	---
0010.057011.205.041.2	AL Wiring PWM_CM4	AL Verkabelung PWM_CM4	---	---	---
0010.057011.205.051.2	AL Wiring PWM_CM5	AL Verkabelung PWM_CM5	---	---	---
0010.061003.205.001.2	AL EIL Protection	AL EIL Protektionmodul	---	---	---
0010.011200.215.001.2	SD P-Ambient Air	SD P-Umgebungsluft	---	---	---
0010.011100.215.001.2	SD T-Ambient Air	SD TO-Umgebungsluft	---	---	---
0010.011300.215.001.2	SD Rel Humidity	SD Rel.LuftfeuchtenachGem.Kueh	---	---	---
0010.006501.215.001.2	SD P-Exhaust near Lambda	SD P-Abgas naehe Lambdasonde	---	---	---

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 98 von/of 137
---	--	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.087101.205.001.2	AI Req Angle Throttle A	AL Gef. Winkel Drossel A	---	---	---
0010.087101.205.011.2	AI Req Angle Throttle B	AL Gef. Winkel Drossel B	---	---	---
0010.087300.205.001.2	AL Com.To Compres.Bypass Lost	AL Kom.zu Verdichterbyp. gest.	---	---	---
0010.006600.205.011.2	AL Com. to NOx A Lost	AL Kom. zu NOx A gestoert	---	---	---
0010.087301.205.001.2	AL Comb.Warning Compres.Bypass	AL SammelWarnungVerdichterbyp.	---	---	---
0010.087301.205.011.2	AL Comb.Failure Compres.Bypass	AL SammelFehlerVerdichterbyp.	---	---	---
0010.012101.105.001.2	LO T-Gas	LO T-Gas	---	---	---
0010.012101.115.001.2	LOLO T-Gas	LOLO T-Gas	---	---	---
0010.012101.155.001.2	HI T-Gas	HI T-Gas	---	---	---
0010.012101.165.001.2	HIHI T-Gas	HIHI T-Gas	---	---	---
0010.056001.215.051.2	SD ETC 5 Speed	SD ATL 5 Drehzahl	---	---	---
0010.006601.205.011.2	AL Emission Warning	AL Emmisionswarnung	---	---	---
0010.011300.155.001.2	HI Rel. Humidity	HI Rel. Luftfeuchte	---	---	---
0010.087007.205.001.2	AL Com. to Sensor HDT2800 Lost	AL Kom.zuSensorHDT2800gestoert	---	---	---
0010.087008.205.001.2	AL Comb.WarningIgnitionControl	AL Sammel Warnung Zuendung	---	---	---
0010.087008.205.011.2	AL Comb.FailureIgnitionControl	AL Sammel Fehler Zuendung	---	---	---
0010.087009.205.001.2	AL Com.to IgnitionControl Lost	AL Kom. zur Zuendani. gestoert	---	---	---
0010.087010.205.001.2	AL IgnitionControl/Signat.Diff.	AL Zuendani. Signatur Diff.	---	---	---
0010.087011.205.001.2	AL Ign.Ctrl.PR Download act.	AL Zuendung PR Download akt.	---	---	---
0010.040428.205.001.2	AL Engine Cold Active	AL Funkt. Motor Kalt aktiv	---	---	---
0010.057012.265.001.2	SC ECU AO1	SC ECU Analogausgang 1	---	---	---
0010.057012.265.011.2	SC ECU AO2	SC ECU Analogausgang 2	---	---	---
0010.075214.205.001.2	AL EMU CAN_E Lost	AL EMU CAN_E verloren	---	---	---
0010.087400.205.001.2	AL Com. To Wastegate A Lost	AL Kom.zu Wastegate A gest.	---	---	---
0010.087400.205.011.2	AL Com. To Wastegate B Lost	AL Kom.zu Wastegate B gest.	---	---	---
0010.087102.205.001.2	AL Com.ToRestrictorValveA Lost	AL Kom.zu DrosselklappeA gest.	---	---	---
0010.087102.205.011.2	AL Com.ToRestrictorValveB Lost	AL Kom.zu DrosselklappeB gest.	---	---	---
0010.087006.205.001.2	AL Com. Lost GRU	AL Kom. zur GRU gestört	---	---	---
0010.087208.205.001.2	AL Com. CPM Lost	AL Kom. zum CPM gestoert	---	---	---
0010.011300.155.011.2	HIHI Rel.Humidity	HI HI Rel.LuftfeuchtenachGem.Kueh	---	---	---
0010.012204.155.001.2	HI P-Gas Difference A B	HI P-Gas Differenz A B	---	---	---
0010.012202.105.001.2	LO P-Gas in Rail A	LO P-Gas A	---	---	---
0010.012202.105.011.2	LO P-Gas in Rail B	LO P-Gas B	---	---	---
0010.012202.115.001.2	LOLO P-Gas in Rail A	LOLO P-Gas A	---	---	---
0010.012202.115.011.2	LOLO P-Gas in Rail B	LOLO P-Gas B	---	---	---
0010.012202.155.001.2	HI P-Gas in Rail A	HI P-Gas A	---	---	---
0010.012202.155.011.2	HI P-Gas in Rail B	HI P-Gas B	---	---	---
0010.012202.165.001.2	HIHI P-Gas in Rail A	HI HI P-Gas A	---	---	---
0010.012202.165.011.2	HIHI P-Gas in Rail B	HI HI P-Gas B	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 99 von/of 137
---	--	---

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.087015.205.001.2	AL Act. greater Req. Eng.Power	AL Istleist.groößer Sollleist.	---	---	---
0010.087016.205.001.2	AL Combined Warning GRU	AL Sammelalarm Warnung GRU	---	---	---
0010.087017.205.001.2	AL Combined Failure GRU	AL Sammelalarm Fehler GRU	---	---	---
0010.087500.205.001.2	AL Explosion Relief Valve open	AL Druckentl.klappen offen	---	---	---
0010.087018.205.001.2	AL Ign.Control Testmode Act..	AL Zuendantl. Testmodus aktiv	---	---	---
0010.087003.205.011.2	AL Knock Ignition L2 A1	AL Zuendung Klopfen L2 A1	---	---	---
0010.087003.205.021.2	AL Knock Ignition L2 A2	AL Zuendung Klopfen L2 A2	---	---	---
0010.087003.205.031.2	AL Knock Ignition L2 A3	AL Zuendung Klopfen L2 A3	---	---	---
0010.087003.205.041.2	AL Knock Ignition L2 A4	AL Zuendung Klopfen L2 A4	---	---	---
0010.087003.205.051.2	AL Knock Ignition L2 A5	AL Zuendung Klopfen L2 A5	---	---	---
0010.087003.205.061.2	AL Knock Ignition L2 A6	AL Zuendung Klopfen L2 A6	---	---	---
0010.087003.205.071.2	AL Knock Ignition L2 A7	AL Zuendung Klopfen L2 A7	---	---	---
0010.087003.205.081.2	AL Knock Ignition L2 A8	AL Zuendung Klopfen L2 A8	---	---	---
0010.087003.205.091.2	AL Knock Ignition L2 A9	AL Zuendung Klopfen L2 A9	---	---	---
0010.087003.205.101.2	AL Knock Ignition L2 A10	AL Zuendung Klopfen L2 A10	---	---	---
0010.087003.205.111.2	AL Knock Ignition L2 B1	AL Zuendung Klopfen L2 B1	---	---	---
0010.087003.205.121.2	AL Knock Ignition L2 B2	AL Zuendung Klopfen L2 B2	---	---	---
0010.087003.205.131.2	AL Knock Ignition L2 B3	AL Zuendung Klopfen L2 B3	---	---	---
0010.087003.205.141.2	AL Knock Ignition L2 B4	AL Zuendung Klopfen L2 B4	---	---	---
0010.087003.205.151.2	AL Knock Ignition L2 B5	AL Zuendung Klopfen L2 B5	---	---	---
0010.087003.205.161.2	AL Knock Ignition L2 B6	AL Zuendung Klopfen L2 B6	---	---	---
0010.087003.205.171.2	AL Knock Ignition L2 B7	AL Zuendung Klopfen L2 B7	---	---	---
0010.087003.205.181.2	AL Knock Ignition L2 B8	AL Zuendung Klopfen L2 B8	---	---	---
0010.087003.205.191.2	AL Knock Ignition L2 B9	AL Zuendung Klopfen L2 B9	---	---	---
0010.087003.205.201.2	AL Knock Ignition L2 B10	AL Zuendung Klopfen L2 B10	---	---	---
0010.087004.205.011.2	AL Knock Ignition L3 A1	AL Zuendung Klopfen L3 A1	---	---	---
0010.087004.205.021.2	AL Knock Ignition L3 A2	AL Zuendung Klopfen L3 A2	---	---	---
0010.087004.205.031.2	AL Knock Ignition L3 A3	AL Zuendung Klopfen L3 A3	---	---	---
0010.087004.205.041.2	AL Knock Ignition L3 A4	AL Zuendung Klopfen L3 A4	---	---	---
0010.087004.205.051.2	AL Knock Ignition L3 A5	AL Zuendung Klopfen L3 A5	---	---	---
0010.087004.205.061.2	AL Knock Ignition L3 A6	AL Zuendung Klopfen L3 A6	---	---	---
0010.087004.205.071.2	AL Knock Ignition L3 A7	AL Zuendung Klopfen L3 A7	---	---	---
0010.087004.205.081.2	AL Knock Ignition L3 A8	AL Zuendung Klopfen L3 A8	---	---	---
0010.087004.205.091.2	AL Knock Ignition L3 A9	AL Zuendung Klopfen L3 A9	---	---	---
0010.087004.205.101.2	AL Knock Ignition L3 A10	AL Zuendung Klopfen L3 A10	---	---	---
0010.087004.205.111.2	AL Knock Ignition L3 B1	AL Zuendung Klopfen L3 B1	---	---	---
0010.087004.205.121.2	AL Knock Ignition L3 B2	AL Zuendung Klopfen L3 B2	---	---	---
0010.087004.205.131.2	AL Knock Ignition L3 B3	AL Zuendung Klopfen L3 B3	---	---	---
0010.087004.205.141.2	AL Knock Ignition L3 B4	AL Zuendung Klopfen L3 B4	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 100 von/of 137
---	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.087004.205.151.2	AL Knock Ignition L3 B5	AL Zuendung Klopfen L3 B5	---	---	---
0010.087004.205.161.2	AL Knock Ignition L3 B6	AL Zuendung Klopfen L3 B6	---	---	---
0010.087004.205.171.2	AL Knock Ignition L3 B7	AL Zuendung Klopfen L3 B7	---	---	---
0010.087004.205.181.2	AL Knock Ignition L3 B8	AL Zuendung Klopfen L3 B8	---	---	---
0010.087004.205.191.2	AL Knock Ignition L3 B9	AL Zuendung Klopfen L3 B9	---	---	---
0010.087004.205.201.2	AL Knock Ignition L3 B10	AL Zuendung Klopfen L3 B10	---	---	---
0010.005103.215.001.2	SD P-Air before Throttle	SD Luftdrucksen vorDrosselkla.	---	---	---
0010.025605.205.001.2	AL SplashOilCalib.not Possible	AL Spritzoeikalibr.nichtmoegl.	---	---	---
0010.087207.155.001.2	HI T-CPM	HI T-CPM	---	---	---
0010.087206.105.001.2	LO Power Supply CPM	LO Spannungsversorgung EMU	---	---	---
0010.087206.115.001.2	LOLO Power Supply CPM	LOLO Spannungsversorgung EMU	---	---	---
0010.087206.155.001.2	HI Power Supply CPM	LO Spannungsversorgung EMU	---	---	---
0010.087206.165.001.2	HIHI Power Supply CPM	LOLO Spannungsversorgung EMU	---	---	---
0010.087201.155.001.2	HI P-Cylinder Max A1	HI P-Zylinder Max A1	---	---	---
0010.087201.155.011.2	HI P-Cylinder Max A2	HI P-Zylinder Max A2	---	---	---
0010.087201.155.021.2	HI P-Cylinder Max A3	HI P-Zylinder Max A3	---	---	---
0010.087201.155.031.2	HI P-Cylinder Max A4	HI P-Zylinder Max A4	---	---	---
0010.087201.155.041.2	HI P-Cylinder Max A5	HI P-Zylinder Max A5	---	---	---
0010.087201.155.051.2	HI P-Cylinder Max A6	HI P-Zylinder Max A6	---	---	---
0010.087201.155.061.2	HI P-Cylinder Max A7	HI P-Zylinder Max A7	---	---	---
0010.087201.155.071.2	HI P-Cylinder Max A8	HI P-Zylinder Max A8	---	---	---
0010.087201.155.081.2	HI P-Cylinder Max A9	HI P-Zylinder Max A9	---	---	---
0010.087201.155.091.2	HI P-Cylinder Max A10	HI P-Zylinder Max A10	---	---	---
0010.087202.155.001.2	HI P-Cylinder Max B1	HI P-Zylinder Max B1	---	---	---
0010.087202.155.011.2	HI P-Cylinder Max B2	HI P-Zylinder Max B2	---	---	---
0010.087202.155.021.2	HI P-Cylinder Max B3	HI P-Zylinder Max B3	---	---	---
0010.087202.155.031.2	HI P-Cylinder Max B4	HI P-Zylinder Max B4	---	---	---
0010.087202.155.041.2	HI P-Cylinder Max B5	HI P-Zylinder Max B5	---	---	---
0010.087202.155.051.2	HI P-Cylinder Max B6	HI P-Zylinder Max B6	---	---	---
0010.087202.155.061.2	HI P-Cylinder Max B7	HI P-Zylinder Max B7	---	---	---
0010.087202.155.071.2	HI P-Cylinder Max B8	HI P-Zylinder Max B8	---	---	---
0010.087202.155.081.2	HI P-Cylinder Max B9	HI P-Zylinder Max B9	---	---	---
0010.087202.155.091.2	HI P-Cylinder Max B10	HI P-Zylinder Max B10	---	---	---
0010.087201.165.001.2	HIHI P-Cylinder Max A1	HIHI P-Zylinder Max A1	---	---	---
0010.087201.165.011.2	HIHI P-Cylinder Max A2	HIHI P-Zylinder Max A2	---	---	---
0010.087201.165.021.2	HIHI P-Cylinder Max A3	HIHI P-Zylinder Max A3	---	---	---
0010.087201.165.031.2	HIHI P-Cylinder Max A4	HIHI P-Zylinder Max A4	---	---	---
0010.087201.165.041.2	HIHI P-Cylinder Max A5	HIHI P-Zylinder Max A5	---	---	---
0010.087201.165.051.2	HIHI P-Cylinder Max A6	HIHI P-Zylinder Max A6	---	---	---

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 101 von/of 137
---	--	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.087201.165.061.2	HIHI P-Cylinder Max A7	HIHI P-Zylinder Max A7	---	---	---
0010.087201.165.071.2	HIHI P-Cylinder Max A8	HIHI P-Zylinder Max A8	---	---	---
0010.087201.165.081.2	HIHI P-Cylinder Max A9	HIHI P-Zylinder Max A9	---	---	---
0010.087201.165.091.2	HIHI P-Cylinder Max A10	HIHI P-Zylinder Max A10	---	---	---
0010.087202.165.001.2	HIHI P-Cylinder Max B1	HIHI P-Zylinder Max B1	---	---	---
0010.087202.165.011.2	HIHI P-Cylinder Max B2	HIHI P-Zylinder Max B2	---	---	---
0010.087202.165.021.2	HIHI P-Cylinder Max B3	HIHI P-Zylinder Max B3	---	---	---
0010.087202.165.031.2	HIHI P-Cylinder Max B4	HIHI P-Zylinder Max B4	---	---	---
0010.087202.165.041.2	HIHI P-Cylinder Max B5	HIHI P-Zylinder Max B5	---	---	---
0010.087202.165.051.2	HIHI P-Cylinder Max B6	HIHI P-Zylinder Max B6	---	---	---
0010.087202.165.061.2	HIHI P-Cylinder Max B7	HIHI P-Zylinder Max B7	---	---	---
0010.087202.165.071.2	HIHI P-Cylinder Max B8	HIHI P-Zylinder Max B8	---	---	---
0010.087202.165.081.2	HIHI P-Cylinder Max B9	HIHI P-Zylinder Max B9	---	---	---
0010.087202.165.091.2	HIHI P-Cylinder Max B10	HIHI P-Zylinder Max B10	---	---	---
0010.087201.215.001.2	SD P-Cylinder Max A1	SD P-Zylinder Max A1	---	---	---
0010.087201.215.011.2	SD P-Cylinder Max A2	SD P-Zylinder Max A2	---	---	---
0010.087201.215.021.2	SD P-Cylinder Max A3	SD P-Zylinder Max A3	---	---	---
0010.087201.215.031.2	SD P-Cylinder Max A4	SD P-Zylinder Max A4	---	---	---
0010.087201.215.041.2	SD P-Cylinder Max A5	SD P-Zylinder Max A5	---	---	---
0010.087201.215.051.2	SD P-Cylinder Max A6	SD P-Zylinder Max A6	---	---	---
0010.087201.215.061.2	SD P-Cylinder Max A7	SD P-Zylinder Max A7	---	---	---
0010.087201.215.071.2	SD P-Cylinder Max A8	SD P-Zylinder Max A8	---	---	---
0010.087201.215.081.2	SD P-Cylinder Max A9	SD P-Zylinder Max A9	---	---	---
0010.087201.215.091.2	SD P-Cylinder Max A10	SD P-Zylinder Max A10	---	---	---
0010.087202.215.001.2	SD P-Cylinder Max B1	SD P-Zylinder Max B1	---	---	---
0010.087202.215.011.2	SD P-Cylinder Max B2	SD P-Zylinder Max B2	---	---	---
0010.087202.215.021.2	SD P-Cylinder Max B3	SD P-Zylinder Max B3	---	---	---
0010.087202.215.031.2	SD P-Cylinder Max B4	SD P-Zylinder Max B4	---	---	---
0010.087202.215.041.2	SD P-Cylinder Max B5	SD P-Zylinder Max B5	---	---	---
0010.087202.215.051.2	SD P-Cylinder Max B6	SD P-Zylinder Max B6	---	---	---
0010.087202.215.061.2	SD P-Cylinder Max B7	SD P-Zylinder Max B7	---	---	---
0010.087202.215.071.2	SD P-Cylinder Max B8	SD P-Zylinder Max B8	---	---	---
0010.087202.215.081.2	SD P-Cylinder Max B9	SD P-Zylinder Max B9	---	---	---
0010.087202.215.091.2	SD P-Cylinder Max B10	SD P-Zylinder Max B10	---	---	---
0010.087203.205.011.2	AL Glow Ignition A1	AL Gluehzuendung A1	---	---	---
0010.087203.205.021.2	AL Glow Ignition A2	AL Gluehzuendung A2	---	---	---
0010.087203.205.031.2	AL Glow Ignition A3	AL Gluehzuendung A3	---	---	---
0010.087203.205.041.2	AL Glow Ignition A4	AL Gluehzuendung A4	---	---	---
0010.087203.205.051.2	AL Glow Ignition A5	AL Gluehzuendung A5	---	---	---

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 102 von/of 137
---	--	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.087203.205.061.2	AL Glow Ignition A6	AL Gluehzuendung A6	---	---	---
0010.087203.205.071.2	AL Glow Ignition A7	AL Gluehzuendung A7	---	---	---
0010.087203.205.081.2	AL Glow Ignition A8	AL Gluehzuendung A8	---	---	---
0010.087203.205.091.2	AL Glow Ignition A9	AL Gluehzuendung A9	---	---	---
0010.087203.205.101.2	AL Glow Ignition A10	AL Gluehzuendung A10	---	---	---
0010.087203.205.111.2	AL Glow Ignition B1	AL Gluehzuendung B1	---	---	---
0010.087203.205.121.2	AL Glow Ignition B2	AL Gluehzuendung B2	---	---	---
0010.087203.205.131.2	AL Glow Ignition B3	AL Gluehzuendung B3	---	---	---
0010.087203.205.141.2	AL Glow Ignition B4	AL Gluehzuendung B4	---	---	---
0010.087203.205.151.2	AL Glow Ignition B5	AL Gluehzuendung B5	---	---	---
0010.087203.205.161.2	AL Glow Ignition B6	AL Gluehzuendung B6	---	---	---
0010.087203.205.171.2	AL Glow Ignition B7	AL Gluehzuendung B7	---	---	---
0010.087203.205.181.2	AL Glow Ignition B8	AL Gluehzuendung B8	---	---	---
0010.087203.205.191.2	AL Glow Ignition B9	AL Gluehzuendung B9	---	---	---
0010.087203.205.201.2	AL Glow Ignition B10	AL Gluehzuendung B10	---	---	---
0010.087204.155.011.2	HI Misfire A1	HI Fehlzuendung A1	---	---	---
0010.087204.155.021.2	HI Misfire A2	HI Fehlzuendung A2	---	---	---
0010.087204.155.031.2	HI Misfire A3	HI Fehlzuendung A3	---	---	---
0010.087204.155.041.2	HI Misfire A4	HI Fehlzuendung A4	---	---	---
0010.087204.155.051.2	HI Misfire A5	HI Fehlzuendung A5	---	---	---
0010.087204.155.061.2	HI Misfire A6	HI Fehlzuendung A6	---	---	---
0010.087204.155.071.2	HI Misfire A7	HI Fehlzuendung A7	---	---	---
0010.087204.155.081.2	HI Misfire A8	HI Fehlzuendung A8	---	---	---
0010.087204.155.091.2	HI Misfire A9	HI Fehlzuendung A9	---	---	---
0010.087204.155.101.2	HI Misfire A10	HI Fehlzuendung A10	---	---	---
0010.087204.155.111.2	HI Misfire B1	HI Fehlzuendung B1	---	---	---
0010.087204.155.121.2	HI Misfire B2	HI Fehlzuendung B2	---	---	---
0010.087204.155.131.2	HI Misfire B3	HI Fehlzuendung B3	---	---	---
0010.087204.155.141.2	HI Misfire B4	HI Fehlzuendung B4	---	---	---
0010.087204.155.151.2	HI Misfire B5	HI Fehlzuendung B5	---	---	---
0010.087204.155.161.2	HI Misfire B6	HI Fehlzuendung B6	---	---	---
0010.087204.155.171.2	HI Misfire B7	HI Fehlzuendung B7	---	---	---
0010.087204.155.181.2	HI Misfire B8	HI Fehlzuendung B8	---	---	---
0010.087204.155.191.2	HI Misfire B9	HI Fehlzuendung B9	---	---	---
0010.087204.155.201.2	HI Misfire B10	HI Fehlzuendung B10	---	---	---
0010.087204.165.011.2	HIHI Misfire A1	HIHI Fehlzuendung A1	---	---	---
0010.087204.165.021.2	HIHI Misfire A2	HIHI Fehlzuendung A2	---	---	---
0010.087204.165.031.2	HIHI Misfire A3	HIHI Fehlzuendung A3	---	---	---
0010.087204.165.041.2	HIHI Misfire A4	HIHI Fehlzuendung A4	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 103 von/of 137
---	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.087204.165.051.2	HIHI Misfire A5	HIHI Fehlzündung A5	---	---	---
0010.087204.165.061.2	HIHI Misfire A6	HIHI Fehlzündung A6	---	---	---
0010.087204.165.071.2	HIHI Misfire A7	HIHI Fehlzündung A7	---	---	---
0010.087204.165.081.2	HIHI Misfire A8	HIHI Fehlzündung A8	---	---	---
0010.087204.165.091.2	HIHI Misfire A9	HIHI Fehlzündung A9	---	---	---
0010.087204.165.101.2	HIHI Misfire A10	HIHI Fehlzündung A10	---	---	---
0010.087204.165.111.2	HIHI Misfire B1	HIHI Fehlzündung B1	---	---	---
0010.087204.165.121.2	HIHI Misfire B2	HIHI Fehlzündung B2	---	---	---
0010.087204.165.131.2	HIHI Misfire B3	HIHI Fehlzündung B3	---	---	---
0010.087204.165.141.2	HIHI Misfire B4	HIHI Fehlzündung B4	---	---	---
0010.087204.165.151.2	HIHI Misfire B5	HIHI Fehlzündung B5	---	---	---
0010.087204.165.161.2	HIHI Misfire B6	HIHI Fehlzündung B6	---	---	---
0010.087204.165.171.2	HIHI Misfire B7	HIHI Fehlzündung B7	---	---	---
0010.087204.165.181.2	HIHI Misfire B8	HIHI Fehlzündung B8	---	---	---
0010.087204.165.191.2	HIHI Misfire B9	HIHI Fehlzündung B9	---	---	---
0010.087204.165.201.2	HIHI Misfire B10	HIHI Fehlzündung B10	---	---	---
0010.087205.105.011.2	LO P-Cyl. Deviat.to Avg A1	LO P-Zyl. Abw.z.Durchsch.A1	---	---	---
0010.087205.105.021.2	LO P-Cyl. Deviat.to Avg A2	LO P-Zyl. Abw.z.Durchsch.A2	---	---	---
0010.087205.105.031.2	LO P-Cyl. Deviat.to Avg A3	LO P-Zyl. Abw.z.Durchsch.A3	---	---	---
0010.087205.105.041.2	LO P-Cyl. Deviat.to Avg A4	LO P-Zyl. Abw.z.Durchsch.A4	---	---	---
0010.087205.105.051.2	LO P-Cyl. Deviat.to Avg A5	LO P-Zyl. Abw.z.Durchsch.A5	---	---	---
0010.087205.105.061.2	LO P-Cyl. Deviat.to Avg A6	LO P-Zyl. Abw.z.Durchsch.A6	---	---	---
0010.087205.105.071.2	LO P-Cyl. Deviat.to Avg A7	LO P-Zyl. Abw.z.Durchsch.A7	---	---	---
0010.087205.105.081.2	LO P-Cyl. Deviat.to Avg A8	LO P-Zyl. Abw.z.Durchsch.A8	---	---	---
0010.087205.105.091.2	LO P-Cyl. Deviat.to Avg A9	LO P-Zyl. Abw.z.Durchsch.A9	---	---	---
0010.087205.105.101.2	LO P-Cyl. Deviat.to Avg A10	LO P-Zyl. Abw.z.Durchsch.A10	---	---	---
0010.087205.105.111.2	LO P-Cyl. Deviat.to Avg B1	LO P-Zyl. Abw.z.Durchsch.B1	---	---	---
0010.087205.105.121.2	LO P-Cyl. Deviat.to Avg B2	LO P-Zyl. Abw.z.Durchsch.B2	---	---	---
0010.087205.105.131.2	LO P-Cyl. Deviat.to Avg B3	LO P-Zyl. Abw.z.Durchsch.B3	---	---	---
0010.087205.105.141.2	LO P-Cyl. Deviat.to Avg B4	LO P-Zyl. Abw.z.Durchsch.B4	---	---	---
0010.087205.105.151.2	LO P-Cyl. Deviat.to Avg B5	LO P-Zyl. Abw.z.Durchsch.B5	---	---	---
0010.087205.105.161.2	LO P-Cyl. Deviat.to Avg B6	LO P-Zyl. Abw.z.Durchsch.B6	---	---	---
0010.087205.105.171.2	LO P-Cyl. Deviat.to Avg B7	LO P-Zyl. Abw.z.Durchsch.B7	---	---	---
0010.087205.105.181.2	LO P-Cyl. Deviat.to Avg B8	LO P-Zyl. Abw.z.Durchsch.B8	---	---	---
0010.087205.105.191.2	LO P-Cyl. Deviat.to Avg B9	LO P-Zyl. Abw.z.Durchsch.B9	---	---	---
0010.087205.105.201.2	LO P-Cyl. Deviat.to Avg B10	LO P-Zyl. Abw.z.Durchsch.B10	---	---	---
0010.087205.115.011.2	LOLO P-Cyl. Deviat.to Avg A1	LOLO P-Zyl. Abw.z.Durchsch.A1	---	---	---
0010.087205.115.021.2	LOLO P-Cyl. Deviat.to Avg A2	LOLO P-Zyl. Abw.z.Durchsch.A2	---	---	---
0010.087205.115.031.2	LOLO P-Cyl. Deviat.to Avg A3	LOLO P-Zyl. Abw.z.Durchsch.A3	---	---	---

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 104 von/of 137
---	--	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.087205.115.041.2	LOLO P-Cyl. Deviat.to Avg A4	LOLO P-Zyl. Abw.z.Durchsch.A4	---	---	---
0010.087205.115.051.2	LOLO P-Cyl. Deviat.to Avg A5	LOLO P-Zyl. Abw.z.Durchsch.A5	---	---	---
0010.087205.115.061.2	LOLO P-Cyl. Deviat.to Avg A6	LOLO P-Zyl. Abw.z.Durchsch.A6	---	---	---
0010.087205.115.071.2	LOLO P-Cyl. Deviat.to Avg A7	LOLO P-Zyl. Abw.z.Durchsch.A7	---	---	---
0010.087205.115.081.2	LOLO P-Cyl. Deviat.to Avg A8	LOLO P-Zyl. Abw.z.Durchsch.A8	---	---	---
0010.087205.115.091.2	LOLO P-Cyl. Deviat.to Avg A9	LOLO P-Zyl. Abw.z.Durchsch.A9	---	---	---
0010.087205.115.101.2	LOLO P-Cyl. Deviat.to Avg A10	LOLO P-Zyl. Abw.z.Durchsch.A10	---	---	---
0010.087205.115.111.2	LOLO P-Cyl. Deviat.to Avg B1	LOLO P-Zyl. Abw.z.Durchsch.B1	---	---	---
0010.087205.115.121.2	LOLO P-Cyl. Deviat.to Avg B2	LOLO P-Zyl. Abw.z.Durchsch.B2	---	---	---
0010.087205.115.131.2	LOLO P-Cyl. Deviat.to Avg B3	LOLO P-Zyl. Abw.z.Durchsch.B3	---	---	---
0010.087205.115.141.2	LOLO P-Cyl. Deviat.to Avg B4	LOLO P-Zyl. Abw.z.Durchsch.B4	---	---	---
0010.087205.115.151.2	LOLO P-Cyl. Deviat.to Avg B5	LOLO P-Zyl. Abw.z.Durchsch.B5	---	---	---
0010.087205.115.161.2	LOLO P-Cyl. Deviat.to Avg B6	LOLO P-Zyl. Abw.z.Durchsch.B6	---	---	---
0010.087205.115.171.2	LOLO P-Cyl. Deviat.to Avg B7	LOLO P-Zyl. Abw.z.Durchsch.B7	---	---	---
0010.087205.115.181.2	LOLO P-Cyl. Deviat.to Avg B8	LOLO P-Zyl. Abw.z.Durchsch.B8	---	---	---
0010.087205.115.191.2	LOLO P-Cyl. Deviat.to Avg B9	LOLO P-Zyl. Abw.z.Durchsch.B9	---	---	---
0010.087205.115.201.2	LOLO P-Cyl. Deviat.to Avg B10	LOLO P-Zyl. Abw.z.Durchsch.B10	---	---	---
0010.087205.155.011.2	HI P-Cyl. Deviat.to Avg A1	HI P-Zyl. Abw.z.Durchsch.A1	---	---	---
0010.087205.155.021.2	HI P-Cyl. Deviat.to Avg A2	HI P-Zyl. Abw.z.Durchsch.A2	---	---	---
0010.087205.155.031.2	HI P-Cyl. Deviat.to Avg A3	HI P-Zyl. Abw.z.Durchsch.A3	---	---	---
0010.087205.155.041.2	HI P-Cyl. Deviat.to Avg A4	HI P-Zyl. Abw.z.Durchsch.A4	---	---	---
0010.087205.155.051.2	HI P-Cyl. Deviat.to Avg A5	HI P-Zyl. Abw.z.Durchsch.A5	---	---	---
0010.087205.155.061.2	HI P-Cyl. Deviat.to Avg A6	HI P-Zyl. Abw.z.Durchsch.A6	---	---	---
0010.087205.155.071.2	HI P-Cyl. Deviat.to Avg A7	HI P-Zyl. Abw.z.Durchsch.A7	---	---	---
0010.087205.155.081.2	HI P-Cyl. Deviat.to Avg A8	HI P-Zyl. Abw.z.Durchsch.A8	---	---	---
0010.087205.155.091.2	HI P-Cyl. Deviat.to Avg A9	HI P-Zyl. Abw.z.Durchsch.A9	---	---	---
0010.087205.155.101.2	HI P-Cyl. Deviat.to Avg A10	HI P-Zyl. Abw.z.Durchsch.A10	---	---	---
0010.087205.155.111.2	HI P-Cyl. Deviat.to Avg B1	HI P-Zyl. Abw.z.Durchsch.B1	---	---	---
0010.087205.155.121.2	HI P-Cyl. Deviat.to Avg B2	HI P-Zyl. Abw.z.Durchsch.B2	---	---	---
0010.087205.155.131.2	HI P-Cyl. Deviat.to Avg B3	HI P-Zyl. Abw.z.Durchsch.B3	---	---	---
0010.087205.155.141.2	HI P-Cyl. Deviat.to Avg B4	HI P-Zyl. Abw.z.Durchsch.B4	---	---	---
0010.087205.155.151.2	HI P-Cyl. Deviat.to Avg B5	HI P-Zyl. Abw.z.Durchsch.B5	---	---	---
0010.087205.155.161.2	HI P-Cyl. Deviat.to Avg B6	HI P-Zyl. Abw.z.Durchsch.B6	---	---	---
0010.087205.155.171.2	HI P-Cyl. Deviat.to Avg B7	HI P-Zyl. Abw.z.Durchsch.B7	---	---	---
0010.087205.155.181.2	HI P-Cyl. Deviat.to Avg B8	HI P-Zyl. Abw.z.Durchsch.B8	---	---	---
0010.087205.155.191.2	HI P-Cyl. Deviat.to Avg B9	HI P-Zyl. Abw.z.Durchsch.B9	---	---	---
0010.087205.155.201.2	HI P-Cyl. Deviat.to Avg B10	HI P-Zyl. Abw.z.Durchsch.B10	---	---	---
0010.087205.165.011.2	HIHI P-Cyl. Deviat.to Avg A1	HIHI P-Zyl. Abw.z.Durchsch.A1	---	---	---
0010.087205.165.021.2	HIHI P-Cyl. Deviat.to Avg A2	HIHI P-Zyl. Abw.z.Durchsch.A2	---	---	---

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 105 von/of 137
---	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.8	Aenderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.087205.165.031.2	HIHI P-Cyl. Deviat.to Avg A3	HIHI P-Zyl. Abw.z.Durchsch.A3	---	---	---
0010.087205.165.041.2	HIHI P-Cyl. Deviat.to Avg A4	HIHI P-Zyl. Abw.z.Durchsch.A4	---	---	---
0010.087205.165.051.2	HIHI P-Cyl. Deviat.to Avg A5	HIHI P-Zyl. Abw.z.Durchsch.A5	---	---	---
0010.087205.165.061.2	HIHI P-Cyl. Deviat.to Avg A6	HIHI P-Zyl. Abw.z.Durchsch.A6	---	---	---
0010.087205.165.071.2	HIHI P-Cyl. Deviat.to Avg A7	HIHI P-Zyl. Abw.z.Durchsch.A7	---	---	---
0010.087205.165.081.2	HIHI P-Cyl. Deviat.to Avg A8	HIHI P-Zyl. Abw.z.Durchsch.A8	---	---	---
0010.087205.165.091.2	HIHI P-Cyl. Deviat.to Avg A9	HIHI P-Zyl. Abw.z.Durchsch.A9	---	---	---
0010.087205.165.101.2	HIHI P-Cyl. Deviat.to Avg A10	HIHI P-Zyl. Abw.z.Durchsch.A10	---	---	---
0010.087205.165.111.2	HIHI P-Cyl. Deviat.to Avg B1	HIHI P-Zyl. Abw.z.Durchsch.B1	---	---	---
0010.087205.165.121.2	HIHI P-Cyl. Deviat.to Avg B2	HIHI P-Zyl. Abw.z.Durchsch.B2	---	---	---
0010.087205.165.131.2	HIHI P-Cyl. Deviat.to Avg B3	HIHI P-Zyl. Abw.z.Durchsch.B3	---	---	---
0010.087205.165.141.2	HIHI P-Cyl. Deviat.to Avg B4	HIHI P-Zyl. Abw.z.Durchsch.B4	---	---	---
0010.087205.165.151.2	HIHI P-Cyl. Deviat.to Avg B5	HIHI P-Zyl. Abw.z.Durchsch.B5	---	---	---
0010.087205.165.161.2	HIHI P-Cyl. Deviat.to Avg B6	HIHI P-Zyl. Abw.z.Durchsch.B6	---	---	---
0010.087205.165.171.2	HIHI P-Cyl. Deviat.to Avg B7	HIHI P-Zyl. Abw.z.Durchsch.B7	---	---	---
0010.087205.165.181.2	HIHI P-Cyl. Deviat.to Avg B8	HIHI P-Zyl. Abw.z.Durchsch.B8	---	---	---
0010.087205.165.191.2	HIHI P-Cyl. Deviat.to Avg B9	HIHI P-Zyl. Abw.z.Durchsch.B9	---	---	---
0010.087205.165.201.2	HIHI P-Cyl. Deviat.to Avg B10	HIHI P-Zyl. Abw.z.Durchsch.B10	---	---	---
0070.075232.205.011.2	AL MCS Dim. PAN Lost CS1	AL MCS Dim. PAN gestoert CS1	---	---	---
0070.075232.205.021.2	AL MCS Dim. PAN Lost CS2	AL MCS Dim. PAN gestoert CS2	---	---	---
0070.075232.205.031.2	AL MCS Dim. PAN Lost CS3	AL MCS Dim. PAN gestoert CS3	---	---	---
0070.075232.205.041.2	AL MCS Dim. PAN Lost CS4	AL MCS Dim. PAN gestoert CS4	---	---	---
0070.075232.205.051.2	AL MCS Dim. PAN Lost CS5	AL MCS Dim. PAN gestoert CS5	---	---	---
0070.075232.205.061.2	AL MCS Dim. PAN Lost CS6	AL MCS Dim. PAN gestoert CS6	---	---	---
0010.002020.205.001.2	AL Perm. Injection Detection 2	AL Perm. Injecion Detection 2	AL 永久注射检测 2	AL Perm. Detecção Injecion 2	AC обнаруж. постоянный впрыск2
0100.078002.205.001.2	AL MMS Combined Red	AL MMS Verzamelalarm ROOD	AL MMS 集体警报红色	AL MMS Alarme Comb. Vermelho	AL MMS Саммеляльм красный
0100.078003.205.001.2	AL MMS Combined Yel	AL MMS Verzamelalarm Geel	AL MMS 集体警报黄色	AL MMS Alarme Comb. Amarelo	AC MMS Комбинированная сигнал.
0050.024300.205.011.2	AL DEF Tank Level Empty	AL DEF Tank Level Leeg	LO DEF 坦克级别为空	LO DEF Nível de Tanque Vazio	AC RA Уровень резервуара пуст
0010.025305.105.001.2	SD Lube Oil Level Switch	SD Schakelaar smeerolieniveau	SD 润滑油液位开关	SD InterruptorNível/OleoLubríf.	SD Переключатель уровня масла
0010.016101.115.001.2	LOLO P-Raw Water	LOLO P-Buitenboord Water	LOLO 海水压力	LOLO P-Coluna de Agua	НИНИ Д-заборная вода
0010.056007.205.001.2	AL Gas Inclusion	AL Gasinsluiting	AL 气体夹杂	AL Inclusão de Gás	AC газовое включение
0010.015104.215.001.2	SD P-Coolant Intercooler	SD P-koelmiddel Intercool.	SD P 冷却液中冷器	SD P-Refrigerante Intercooler	ДД Р-хладагент Интеркулер
0010.015104.105.001.2	LO P-Coolant Intercooler	LO P-koelmiddel Intercool.	LO P 冷却液中冷器	LO P-Refrigerante Intercooler	НИ Р-хладагент Интеркулер
0010.015104.115.001.2	LOLO P-Coolant Intercooler	LOLO P-koelmiddel Intercool.	LOLO P 冷却液中冷器	LOLO P-RefrigeranteIntercooler	НИНИ Р-хладагент Интеркулер
0010.005102.215.001.2	SD P-Intake Air After FilterA	SD T-inlaatlucht A	SD 进气压力 A	SD T-Ar de admissão A	ДД Д-всасываемый воздух А
0010.005102.105.001.2	LO P-Intake Air After FilterA	LO T-inlaatlucht A	LO 进气压力 A	LO T-Ar de admissão A	НИ Д-всасываемый воздух А
0010.005102.115.001.2	LOLO P-Intake AirAfterFilterA	LOLO T-inlaatlucht A	LOLO 进气压力 A	LOLO T-Ar de admissão A	НИНИ Д-всасываемый воздух А
0010.005102.115.011.2	LOLO P-Intake AirAfterFilterB	LOLO T-inlaatlucht B	LOLO 进气压力 B	LOLO T-Ar de admissão B	НИНИ Д-всасываемый воздух В
0010.015202.215.001.2	SD T-Coolant Intercooler	SD T-koelmiddel Intercool.	SD 冷却水温度中冷器	SD T-Refrigerante Intercooler	ДД Т-хладагент Интеркулер

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 106 von/of 137
---	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency																																																																																																																																																																																																																																																		
Buchst./Rev.Ltr. -.8			Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																
<table><thead><tr><th>SysID</th><th>English</th><th>Dutch</th><th>Simplified Chinese (PRC)</th><th>Portuguese</th><th>Russian</th></tr></thead><tbody><tr><td>0010.015202.155.001.2</td><td>HI T-Coolant Intercooler</td><td>HI T-koelmiddel Intercool.</td><td>HI 冷却水温度中冷器</td><td>HI T-Refrigerante Intercooler</td><td>Вы Т-хладагент Интеркулер</td></tr><tr><td>0010.015202.165.001.2</td><td>HIHI T-Coolant Intercooler</td><td>HIHI T-koelmiddel Intercool.</td><td>HIHI 冷却水温度中冷器</td><td>HIHI T-RefrigeranteIntercooler</td><td>ВыВы Т-хладагент Интеркулер</td></tr><tr><td>0010.002018.205.001.2</td><td>AL Inj. Drift Limit 1 Cyl.A1</td><td>AL Inj. Drift Limit 1 cil. A1</td><td>AL 喷油器流速限值 1，缸 A1</td><td>AL Inj. Deriv. Lim. 1 Cil. A1</td><td>АС предел 1 дрейфа инж. цил.А1</td></tr><tr><td>0010.002018.205.011.2</td><td>AL Inj. Drift Limit 1 Cyl.A2</td><td>AL Inj. Drift Limit 1 cil. A2</td><td>AL 喷油器流速限值 1，缸 A2</td><td>AL Inj. Deriv. Lim. 1 Cil. A2</td><td>АС предел 1 дрейфа инж. цил.А2</td></tr><tr><td>0010.002018.205.021.2</td><td>AL Inj. Drift Limit 1 Cyl.A3</td><td>AL Inj. Drift Limit 1 cil. A3</td><td>AL 喷油器流速限值 1，缸 A3</td><td>AL Inj. Deriv. Lim. 1 Cil. A3</td><td>АС предел 1 дрейфа инж. цил.А3</td></tr><tr><td>0010.002018.205.031.2</td><td>AL Inj. Drift Limit 1 Cyl.A4</td><td>AL Inj. Drift Limit 1 cil. A4</td><td>AL 喷油器流速限值 1，缸 A4</td><td>AL Inj. Deriv. Lim. 1 Cil. A4</td><td>АС предел 1 дрейфа инж. цил.А4</td></tr><tr><td>0010.002018.205.041.2</td><td>AL Inj. Drift Limit 1 Cyl.A5</td><td>AL Inj. Drift Limit 1 cil. A5</td><td>AL 喷油器流速限值 1，缸 A5</td><td>AL Inj. Deriv. Lim. 1 Cil. A5</td><td>АС предел 1 дрейфа инж. цил.А5</td></tr><tr><td>0010.002018.205.051.2</td><td>AL Inj. Drift Limit 1 Cyl.A6</td><td>AL Inj. Drift Limit 1 cil. A6</td><td>AL 喷油器流速限值 1，缸 A6</td><td>AL Inj. Deriv. Lim. 1 Cil. A6</td><td>АС предел 1 дрейфа инж. цил.А6</td></tr><tr><td>0010.002018.205.061.2</td><td>AL Inj. Drift Limit 1 Cyl.A7</td><td>AL Inj. Drift Limit 1 cil. A7</td><td>AL 喷油器流速限值 1，缸 A7</td><td>AL Inj. Deriv. Lim. 1 Cil. A7</td><td>АС предел 1 дрейфа инж. цил.А7</td></tr><tr><td>0010.002018.205.071.2</td><td>AL Inj. Drift Limit 1 Cyl.A8</td><td>AL Inj. Drift Limit 1 cil. A8</td><td>AL 喷油器流速限值 1，缸 A8</td><td>AL Inj. Deriv. Lim. 1 Cil. A8</td><td>АС предел 1 дрейфа инж. цил.А8</td></tr><tr><td>0010.002018.205.081.2</td><td>AL Inj. Drift Limit 1 Cyl.A9</td><td>AL Inj. Drift Limit 1 cil. A9</td><td>AL 喷油器流速限值 1，缸 A9</td><td>AL Inj. Deriv. Lim. 1 Cil. A9</td><td>АС предел 1 дрейфа инж. цил.А9</td></tr><tr><td>0010.002018.205.091.2</td><td>AL Inj. Drift Limit 1 Cyl.A10</td><td>AL Inj. Drift Limit 1 cil. A10</td><td>AL 喷油器流速限值 1，缸 A10</td><td>AL Inj. Deriv. Lim. 1 Cil. A10</td><td>АС предел 1 дрейфа инж.цил.А10</td></tr><tr><td>0010.002019.205.001.2</td><td>AL Inj. Drift Limit 2 Cyl.A1</td><td>AL Inj. Drift Limit 2 cil. A1</td><td>AL 喷油器流速限值 2，缸 A1</td><td>AL Inj. Deriv. Lim. 2 Cil. A1</td><td>АС предел 2 дрейфа инж. цил.А1</td></tr><tr><td>0010.002019.205.011.2</td><td>AL Inj. Drift Limit 2 Cyl.A2</td><td>AL Inj. Drift Limit 2 cil. A2</td><td>AL 喷油器流速限值 2，缸 A2</td><td>AL Inj. Deriv. Lim. 2 Cil. A2</td><td>АС предел 2 дрейфа инж. цил.А2</td></tr><tr><td>0010.002019.205.021.2</td><td>AL Inj. Drift Limit 2 Cyl.A3</td><td>AL Inj. Drift Limit 2 cil. A3</td><td>AL 喷油器流速限值 2，缸 A3</td><td>AL Inj. Deriv. Lim. 2 Cil. A3</td><td>АС предел 2 дрейфа инж. цил.А3</td></tr><tr><td>0010.002019.205.031.2</td><td>AL Inj. Drift Limit 2 Cyl.A4</td><td>AL Inj. Drift Limit 2 cil. A4</td><td>AL 喷油器流速限值 2，缸 A4</td><td>AL Inj. Deriv. Lim. 2 Cil. A4</td><td>АС предел 2 дрейфа инж. цил.А4</td></tr><tr><td>0010.002019.205.041.2</td><td>AL Inj. Drift Limit 2 Cyl.A5</td><td>AL Inj. Drift Limit 2 cil. A5</td><td>AL 喷油器流速限值 2，缸 A5</td><td>AL Inj. Deriv. Lim. 2 Cil. A5</td><td>АС предел 2 дрейфа инж. цил.А5</td></tr><tr><td>0010.002019.205.051.2</td><td>AL Inj. Drift Limit 2 Cyl.A6</td><td>AL Inj. Drift Limit 2 cil. A6</td><td>AL 喷油器流速限值 2，缸 A6</td><td>AL Inj. Deriv. Lim. 2 Cil. A6</td><td>АС предел 2 дрейфа инж. цил.А6</td></tr><tr><td>0010.002019.205.061.2</td><td>AL Inj. Drift Limit 2 Cyl.A7</td><td>AL Inj. Drift Limit 2 cil. A7</td><td>AL 喷油器流速限值 2，缸 A7</td><td>AL Inj. Deriv. Lim. 2 Cil. A7</td><td>АС предел 2 дрейфа инж. цил.А7</td></tr><tr><td>0010.002019.205.071.2</td><td>AL Inj. Drift Limit 2 Cyl.A8</td><td>AL Inj. Drift Limit 2 cil. A8</td><td>AL 喷油器流速限值 2，缸 A8</td><td>AL Inj. Deriv. Lim. 2 Cil. A8</td><td>АС предел 2 дрейфа инж. цил.А8</td></tr><tr><td>0010.002019.205.081.2</td><td>AL Inj. Drift Limit 2 Cyl.A9</td><td>AL Inj. Drift Limit 2 cil. A9</td><td>AL 喷油器流速限值 2，缸 A9</td><td>AL Inj. Deriv. Lim. 2 Cil. A9</td><td>АС предел 2 дрейфа инж. цил.А9</td></tr><tr><td>0010.002019.205.091.2</td><td>AL Inj. Drift Limit 2 Cyl.A10</td><td>AL Inj. Drift Limit 2 cil. A10</td><td>AL 喷油器流速限值 2，缸 A10</td><td>AL Inj. Deriv. Lim. 2 Cil. A10</td><td>АС предел 2 дрейфа инж.цил.А10</td></tr><tr><td>0010.002018.205.101.2</td><td>AL Inj. Drift Limit 1 Cyl.B1</td><td>AL Inj. Drift Limit 1 cil. B1</td><td>AL 喷油器流速限值 1，缸 B1</td><td>AL Inj. Deriv. Lim. 1 Cil. B1</td><td>АС предел 1 дрейфа инж. цил.В1</td></tr><tr><td>0010.002018.205.111.2</td><td>AL Inj. Drift Limit 1 Cyl.B2</td><td>AL Inj. Drift Limit 1 cil. B2</td><td>AL 喷油器流速限值 1，缸 B2</td><td>AL Inj. Deriv. Lim. 1 Cil. B2</td><td>АС предел 1 дрейфа инж. цил.В2</td></tr><tr><td>0010.002018.205.121.2</td><td>AL Inj. Drift Limit 1 Cyl.B3</td><td>AL Inj. Drift Limit 1 cil. B3</td><td>AL 喷油器流速限值 1，缸 B3</td><td>AL Inj. Deriv. Lim. 1 Cil. B3</td><td>АС предел 1 дрейфа инж. цил.В3</td></tr><tr><td>0010.002018.205.131.2</td><td>AL Inj. Drift Limit 1 Cyl.B4</td><td>AL Inj. Drift Limit 1 cil. B4</td><td>AL 喷油器流速限值 1，缸 B4</td><td>AL Inj. Deriv. Lim. 1 Cil. B4</td><td>АС предел 1 дрейфа инж. цил.В4</td></tr><tr><td>0010.002018.205.141.2</td><td>AL Inj. Drift Limit 1 Cyl.B5</td><td>AL Inj. Drift Limit 1 cil. B5</td><td>AL 喷油器流速限值 1，缸 B5</td><td>AL Inj. Deriv. Lim. 1 Cil. B5</td><td>АС предел 1 дрейфа инж. цил.В5</td></tr><tr><td>0010.002018.205.151.2</td><td>AL Inj. Drift Limit 1 Cyl.B6</td><td>AL Inj. Drift Limit 1 cil. B6</td><td>AL 喷油器流速限值 1，缸 B6</td><td>AL Inj. Deriv. Lim. 1 Cil. B6</td><td>АС предел 1 дрейфа инж. цил.В6</td></tr><tr><td>0010.002018.205.161.2</td><td>AL Inj. Drift Limit 1 Cyl.B7</td><td>AL Inj. Drift Limit 1 cil. B7</td><td>AL 喷油器流速限值 1，缸 B7</td><td>AL Inj. Deriv. Lim. 1 Cil. B7</td><td>АС предел 1 дрейфа инж. цил.В7</td></tr><tr><td>0010.002018.205.171.2</td><td>AL Inj. Drift Limit 1 Cyl.B8</td><td>AL Inj. Drift Limit 1 cil. B8</td><td>AL 喷油器流速限值 1，缸 B8</td><td>AL Inj. Deriv. Lim. 1 Cil. B8</td><td>АС предел 1 дрейфа инж. цил.В8</td></tr><tr><td>0010.002018.205.181.2</td><td>AL Inj. Drift Limit 1 Cyl.B9</td><td>AL Inj. Drift Limit 1 cil. B9</td><td>AL 喷油器流速限值 1，缸 B9</td><td>AL Inj. Deriv. Lim. 1 Cil. B9</td><td>АС предел 1 дрейфа инж. цил.В9</td></tr><tr><td>0010.002018.205.191.2</td><td>AL Inj. Drift Limit 1 Cyl.B10</td><td>AL Inj. Drift Limit 1 cil. B10</td><td>AL 喷油器流速限值 1，缸 B10</td><td>AL Inj. Deriv. Lim. 1 Cil. B10</td><td>АС предел 1 дрейфа инж.цил.В10</td></tr><tr><td>0010.002019.205.101.2</td><td>AL Inj. Drift Limit 2 Cyl.B1</td><td>AL Inj. Drift Limit 2 cil. B1</td><td>AL 喷油器流速限值 2，缸 B1</td><td>AL Inj. Deriv. Lim. 2 Cil. B1</td><td>АС предел 2 дрейфа инж. цил.В1</td></tr><tr><td>0010.002019.205.111.2</td><td>AL Inj. Drift Limit 2 Cyl.B2</td><td>AL Inj. Drift Limit 2 cil. B2</td><td>AL 喷油器流速限值 2，缸 B2</td><td>AL Inj. Deriv. Lim. 2 Cil. B2</td><td>АС предел 2 дрейфа инж. цил.В2</td></tr><tr><td>0010.002019.205.121.2</td><td>AL Inj. Drift Limit 2 Cyl.B3</td><td>AL Inj. Drift Limit 2 cil. B3</td><td>AL 喷油器流速限值 2，缸 B3</td><td>AL Inj. Deriv. Lim. 2 Cil. B3</td><td>АС предел 2 дрейфа инж. цил.В3</td></tr><tr><td>0010.002019.205.131.2</td><td>AL Inj. Drift Limit 2 Cyl.B4</td><td>AL Inj. Drift Limit 2 cil. B4</td><td>AL 喷油器流速限值 2，缸 B4</td><td>AL Inj. Deriv. Lim. 2 Cil. B4</td><td>АС предел 2 дрейфа инж. цил.В4</td></tr><tr><td>0010.002019.205.141.2</td><td>AL Inj. Drift Limit 2 Cyl.B5</td><td>AL Inj. Drift Limit 2 cil. B5</td><td>AL 喷油器流速限值 2，缸 B5</td><td>AL Inj. Deriv. Lim. 2 Cil. B5</td><td>АС предел 2 дрейфа инж. цил.В5</td></tr><tr><td>0010.002019.205.151.2</td><td>AL Inj. Drift Limit 2 Cyl.B6</td><td>AL Inj. Drift Limit 2 cil. B6</td><td>AL 喷油器流速限值 2，缸 B6</td><td>AL Inj. Deriv. Lim. 2 Cil. B6</td><td>АС предел 2 дрейфа инж. цил.В6</td></tr><tr><td>0010.002019.205.161.2</td><td>AL Inj. Drift Limit 2 Cyl.B7</td><td>AL Inj. Drift Limit 2 cil. B7</td><td>AL 喷油器流速限值 2，缸 B7</td><td>AL Inj. Deriv. Lim. 2 Cil. B7</td><td>АС предел 2 дрейфа инж. цил.В7</td></tr></tbody></table>						SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian	0010.015202.155.001.2	HI T-Coolant Intercooler	HI T-koelmiddel Intercool.	HI 冷却水温度中冷器	HI T-Refrigerante Intercooler	Вы Т-хладагент Интеркулер	0010.015202.165.001.2	HIHI T-Coolant Intercooler	HIHI T-koelmiddel Intercool.	HIHI 冷却水温度中冷器	HIHI T-RefrigeranteIntercooler	ВыВы Т-хладагент Интеркулер	0010.002018.205.001.2	AL Inj. Drift Limit 1 Cyl.A1	AL Inj. Drift Limit 1 cil. A1	AL 喷油器流速限值 1，缸 A1	AL Inj. Deriv. Lim. 1 Cil. A1	АС предел 1 дрейфа инж. цил.А1	0010.002018.205.011.2	AL Inj. Drift Limit 1 Cyl.A2	AL Inj. Drift Limit 1 cil. A2	AL 喷油器流速限值 1，缸 A2	AL Inj. Deriv. Lim. 1 Cil. A2	АС предел 1 дрейфа инж. цил.А2	0010.002018.205.021.2	AL Inj. Drift Limit 1 Cyl.A3	AL Inj. Drift Limit 1 cil. A3	AL 喷油器流速限值 1，缸 A3	AL Inj. Deriv. Lim. 1 Cil. A3	АС предел 1 дрейфа инж. цил.А3	0010.002018.205.031.2	AL Inj. Drift Limit 1 Cyl.A4	AL Inj. Drift Limit 1 cil. A4	AL 喷油器流速限值 1，缸 A4	AL Inj. Deriv. Lim. 1 Cil. A4	АС предел 1 дрейфа инж. цил.А4	0010.002018.205.041.2	AL Inj. Drift Limit 1 Cyl.A5	AL Inj. Drift Limit 1 cil. A5	AL 喷油器流速限值 1，缸 A5	AL Inj. Deriv. Lim. 1 Cil. A5	АС предел 1 дрейфа инж. цил.А5	0010.002018.205.051.2	AL Inj. Drift Limit 1 Cyl.A6	AL Inj. Drift Limit 1 cil. A6	AL 喷油器流速限值 1，缸 A6	AL Inj. Deriv. Lim. 1 Cil. A6	АС предел 1 дрейфа инж. цил.А6	0010.002018.205.061.2	AL Inj. Drift Limit 1 Cyl.A7	AL Inj. Drift Limit 1 cil. A7	AL 喷油器流速限值 1，缸 A7	AL Inj. Deriv. Lim. 1 Cil. A7	АС предел 1 дрейфа инж. цил.А7	0010.002018.205.071.2	AL Inj. Drift Limit 1 Cyl.A8	AL Inj. Drift Limit 1 cil. A8	AL 喷油器流速限值 1，缸 A8	AL Inj. Deriv. Lim. 1 Cil. A8	АС предел 1 дрейфа инж. цил.А8	0010.002018.205.081.2	AL Inj. Drift Limit 1 Cyl.A9	AL Inj. Drift Limit 1 cil. A9	AL 喷油器流速限值 1，缸 A9	AL Inj. Deriv. Lim. 1 Cil. A9	АС предел 1 дрейфа инж. цил.А9	0010.002018.205.091.2	AL Inj. Drift Limit 1 Cyl.A10	AL Inj. Drift Limit 1 cil. A10	AL 喷油器流速限值 1，缸 A10	AL Inj. Deriv. Lim. 1 Cil. A10	АС предел 1 дрейфа инж.цил.А10	0010.002019.205.001.2	AL Inj. Drift Limit 2 Cyl.A1	AL Inj. Drift Limit 2 cil. A1	AL 喷油器流速限值 2，缸 A1	AL Inj. Deriv. Lim. 2 Cil. A1	АС предел 2 дрейфа инж. цил.А1	0010.002019.205.011.2	AL Inj. Drift Limit 2 Cyl.A2	AL Inj. Drift Limit 2 cil. A2	AL 喷油器流速限值 2，缸 A2	AL Inj. Deriv. Lim. 2 Cil. A2	АС предел 2 дрейфа инж. цил.А2	0010.002019.205.021.2	AL Inj. Drift Limit 2 Cyl.A3	AL Inj. Drift Limit 2 cil. A3	AL 喷油器流速限值 2，缸 A3	AL Inj. Deriv. Lim. 2 Cil. A3	АС предел 2 дрейфа инж. цил.А3	0010.002019.205.031.2	AL Inj. Drift Limit 2 Cyl.A4	AL Inj. Drift Limit 2 cil. A4	AL 喷油器流速限值 2，缸 A4	AL Inj. Deriv. Lim. 2 Cil. A4	АС предел 2 дрейфа инж. цил.А4	0010.002019.205.041.2	AL Inj. Drift Limit 2 Cyl.A5	AL Inj. Drift Limit 2 cil. A5	AL 喷油器流速限值 2，缸 A5	AL Inj. Deriv. Lim. 2 Cil. A5	АС предел 2 дрейфа инж. цил.А5	0010.002019.205.051.2	AL Inj. Drift Limit 2 Cyl.A6	AL Inj. Drift Limit 2 cil. A6	AL 喷油器流速限值 2，缸 A6	AL Inj. Deriv. Lim. 2 Cil. A6	АС предел 2 дрейфа инж. цил.А6	0010.002019.205.061.2	AL Inj. Drift Limit 2 Cyl.A7	AL Inj. Drift Limit 2 cil. A7	AL 喷油器流速限值 2，缸 A7	AL Inj. Deriv. Lim. 2 Cil. A7	АС предел 2 дрейфа инж. цил.А7	0010.002019.205.071.2	AL Inj. Drift Limit 2 Cyl.A8	AL Inj. Drift Limit 2 cil. A8	AL 喷油器流速限值 2，缸 A8	AL Inj. Deriv. Lim. 2 Cil. A8	АС предел 2 дрейфа инж. цил.А8	0010.002019.205.081.2	AL Inj. Drift Limit 2 Cyl.A9	AL Inj. Drift Limit 2 cil. A9	AL 喷油器流速限值 2，缸 A9	AL Inj. Deriv. Lim. 2 Cil. A9	АС предел 2 дрейфа инж. цил.А9	0010.002019.205.091.2	AL Inj. Drift Limit 2 Cyl.A10	AL Inj. Drift Limit 2 cil. A10	AL 喷油器流速限值 2，缸 A10	AL Inj. Deriv. Lim. 2 Cil. A10	АС предел 2 дрейфа инж.цил.А10	0010.002018.205.101.2	AL Inj. Drift Limit 1 Cyl.B1	AL Inj. Drift Limit 1 cil. B1	AL 喷油器流速限值 1，缸 B1	AL Inj. Deriv. Lim. 1 Cil. B1	АС предел 1 дрейфа инж. цил.В1	0010.002018.205.111.2	AL Inj. Drift Limit 1 Cyl.B2	AL Inj. Drift Limit 1 cil. B2	AL 喷油器流速限值 1，缸 B2	AL Inj. Deriv. Lim. 1 Cil. B2	АС предел 1 дрейфа инж. цил.В2	0010.002018.205.121.2	AL Inj. Drift Limit 1 Cyl.B3	AL Inj. Drift Limit 1 cil. B3	AL 喷油器流速限值 1，缸 B3	AL Inj. Deriv. Lim. 1 Cil. B3	АС предел 1 дрейфа инж. цил.В3	0010.002018.205.131.2	AL Inj. Drift Limit 1 Cyl.B4	AL Inj. Drift Limit 1 cil. B4	AL 喷油器流速限值 1，缸 B4	AL Inj. Deriv. Lim. 1 Cil. B4	АС предел 1 дрейфа инж. цил.В4	0010.002018.205.141.2	AL Inj. Drift Limit 1 Cyl.B5	AL Inj. Drift Limit 1 cil. B5	AL 喷油器流速限值 1，缸 B5	AL Inj. Deriv. Lim. 1 Cil. B5	АС предел 1 дрейфа инж. цил.В5	0010.002018.205.151.2	AL Inj. Drift Limit 1 Cyl.B6	AL Inj. Drift Limit 1 cil. B6	AL 喷油器流速限值 1，缸 B6	AL Inj. Deriv. Lim. 1 Cil. B6	АС предел 1 дрейфа инж. цил.В6	0010.002018.205.161.2	AL Inj. Drift Limit 1 Cyl.B7	AL Inj. Drift Limit 1 cil. B7	AL 喷油器流速限值 1，缸 B7	AL Inj. Deriv. Lim. 1 Cil. B7	АС предел 1 дрейфа инж. цил.В7	0010.002018.205.171.2	AL Inj. Drift Limit 1 Cyl.B8	AL Inj. Drift Limit 1 cil. B8	AL 喷油器流速限值 1，缸 B8	AL Inj. Deriv. Lim. 1 Cil. B8	АС предел 1 дрейфа инж. цил.В8	0010.002018.205.181.2	AL Inj. Drift Limit 1 Cyl.B9	AL Inj. Drift Limit 1 cil. B9	AL 喷油器流速限值 1，缸 B9	AL Inj. Deriv. Lim. 1 Cil. B9	АС предел 1 дрейфа инж. цил.В9	0010.002018.205.191.2	AL Inj. Drift Limit 1 Cyl.B10	AL Inj. Drift Limit 1 cil. B10	AL 喷油器流速限值 1，缸 B10	AL Inj. Deriv. Lim. 1 Cil. B10	АС предел 1 дрейфа инж.цил.В10	0010.002019.205.101.2	AL Inj. Drift Limit 2 Cyl.B1	AL Inj. Drift Limit 2 cil. B1	AL 喷油器流速限值 2，缸 B1	AL Inj. Deriv. Lim. 2 Cil. B1	АС предел 2 дрейфа инж. цил.В1	0010.002019.205.111.2	AL Inj. Drift Limit 2 Cyl.B2	AL Inj. Drift Limit 2 cil. B2	AL 喷油器流速限值 2，缸 B2	AL Inj. Deriv. Lim. 2 Cil. B2	АС предел 2 дрейфа инж. цил.В2	0010.002019.205.121.2	AL Inj. Drift Limit 2 Cyl.B3	AL Inj. Drift Limit 2 cil. B3	AL 喷油器流速限值 2，缸 B3	AL Inj. Deriv. Lim. 2 Cil. B3	АС предел 2 дрейфа инж. цил.В3	0010.002019.205.131.2	AL Inj. Drift Limit 2 Cyl.B4	AL Inj. Drift Limit 2 cil. B4	AL 喷油器流速限值 2，缸 B4	AL Inj. Deriv. Lim. 2 Cil. B4	АС предел 2 дрейфа инж. цил.В4	0010.002019.205.141.2	AL Inj. Drift Limit 2 Cyl.B5	AL Inj. Drift Limit 2 cil. B5	AL 喷油器流速限值 2，缸 B5	AL Inj. Deriv. Lim. 2 Cil. B5	АС предел 2 дрейфа инж. цил.В5	0010.002019.205.151.2	AL Inj. Drift Limit 2 Cyl.B6	AL Inj. Drift Limit 2 cil. B6	AL 喷油器流速限值 2，缸 B6	AL Inj. Deriv. Lim. 2 Cil. B6	АС предел 2 дрейфа инж. цил.В6	0010.002019.205.161.2	AL Inj. Drift Limit 2 Cyl.B7	AL Inj. Drift Limit 2 cil. B7	AL 喷油器流速限值 2，缸 B7	AL Inj. Deriv. Lim. 2 Cil. B7	АС предел 2 дрейфа инж. цил.В7
SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian																																																																																																																																																																																																																																																
0010.015202.155.001.2	HI T-Coolant Intercooler	HI T-koelmiddel Intercool.	HI 冷却水温度中冷器	HI T-Refrigerante Intercooler	Вы Т-хладагент Интеркулер																																																																																																																																																																																																																																																
0010.015202.165.001.2	HIHI T-Coolant Intercooler	HIHI T-koelmiddel Intercool.	HIHI 冷却水温度中冷器	HIHI T-RefrigeranteIntercooler	ВыВы Т-хладагент Интеркулер																																																																																																																																																																																																																																																
0010.002018.205.001.2	AL Inj. Drift Limit 1 Cyl.A1	AL Inj. Drift Limit 1 cil. A1	AL 喷油器流速限值 1，缸 A1	AL Inj. Deriv. Lim. 1 Cil. A1	АС предел 1 дрейфа инж. цил.А1																																																																																																																																																																																																																																																
0010.002018.205.011.2	AL Inj. Drift Limit 1 Cyl.A2	AL Inj. Drift Limit 1 cil. A2	AL 喷油器流速限值 1，缸 A2	AL Inj. Deriv. Lim. 1 Cil. A2	АС предел 1 дрейфа инж. цил.А2																																																																																																																																																																																																																																																
0010.002018.205.021.2	AL Inj. Drift Limit 1 Cyl.A3	AL Inj. Drift Limit 1 cil. A3	AL 喷油器流速限值 1，缸 A3	AL Inj. Deriv. Lim. 1 Cil. A3	АС предел 1 дрейфа инж. цил.А3																																																																																																																																																																																																																																																
0010.002018.205.031.2	AL Inj. Drift Limit 1 Cyl.A4	AL Inj. Drift Limit 1 cil. A4	AL 喷油器流速限值 1，缸 A4	AL Inj. Deriv. Lim. 1 Cil. A4	АС предел 1 дрейфа инж. цил.А4																																																																																																																																																																																																																																																
0010.002018.205.041.2	AL Inj. Drift Limit 1 Cyl.A5	AL Inj. Drift Limit 1 cil. A5	AL 喷油器流速限值 1，缸 A5	AL Inj. Deriv. Lim. 1 Cil. A5	АС предел 1 дрейфа инж. цил.А5																																																																																																																																																																																																																																																
0010.002018.205.051.2	AL Inj. Drift Limit 1 Cyl.A6	AL Inj. Drift Limit 1 cil. A6	AL 喷油器流速限值 1，缸 A6	AL Inj. Deriv. Lim. 1 Cil. A6	АС предел 1 дрейфа инж. цил.А6																																																																																																																																																																																																																																																
0010.002018.205.061.2	AL Inj. Drift Limit 1 Cyl.A7	AL Inj. Drift Limit 1 cil. A7	AL 喷油器流速限值 1，缸 A7	AL Inj. Deriv. Lim. 1 Cil. A7	АС предел 1 дрейфа инж. цил.А7																																																																																																																																																																																																																																																
0010.002018.205.071.2	AL Inj. Drift Limit 1 Cyl.A8	AL Inj. Drift Limit 1 cil. A8	AL 喷油器流速限值 1，缸 A8	AL Inj. Deriv. Lim. 1 Cil. A8	АС предел 1 дрейфа инж. цил.А8																																																																																																																																																																																																																																																
0010.002018.205.081.2	AL Inj. Drift Limit 1 Cyl.A9	AL Inj. Drift Limit 1 cil. A9	AL 喷油器流速限值 1，缸 A9	AL Inj. Deriv. Lim. 1 Cil. A9	АС предел 1 дрейфа инж. цил.А9																																																																																																																																																																																																																																																
0010.002018.205.091.2	AL Inj. Drift Limit 1 Cyl.A10	AL Inj. Drift Limit 1 cil. A10	AL 喷油器流速限值 1，缸 A10	AL Inj. Deriv. Lim. 1 Cil. A10	АС предел 1 дрейфа инж.цил.А10																																																																																																																																																																																																																																																
0010.002019.205.001.2	AL Inj. Drift Limit 2 Cyl.A1	AL Inj. Drift Limit 2 cil. A1	AL 喷油器流速限值 2，缸 A1	AL Inj. Deriv. Lim. 2 Cil. A1	АС предел 2 дрейфа инж. цил.А1																																																																																																																																																																																																																																																
0010.002019.205.011.2	AL Inj. Drift Limit 2 Cyl.A2	AL Inj. Drift Limit 2 cil. A2	AL 喷油器流速限值 2，缸 A2	AL Inj. Deriv. Lim. 2 Cil. A2	АС предел 2 дрейфа инж. цил.А2																																																																																																																																																																																																																																																
0010.002019.205.021.2	AL Inj. Drift Limit 2 Cyl.A3	AL Inj. Drift Limit 2 cil. A3	AL 喷油器流速限值 2，缸 A3	AL Inj. Deriv. Lim. 2 Cil. A3	АС предел 2 дрейфа инж. цил.А3																																																																																																																																																																																																																																																
0010.002019.205.031.2	AL Inj. Drift Limit 2 Cyl.A4	AL Inj. Drift Limit 2 cil. A4	AL 喷油器流速限值 2，缸 A4	AL Inj. Deriv. Lim. 2 Cil. A4	АС предел 2 дрейфа инж. цил.А4																																																																																																																																																																																																																																																
0010.002019.205.041.2	AL Inj. Drift Limit 2 Cyl.A5	AL Inj. Drift Limit 2 cil. A5	AL 喷油器流速限值 2，缸 A5	AL Inj. Deriv. Lim. 2 Cil. A5	АС предел 2 дрейфа инж. цил.А5																																																																																																																																																																																																																																																
0010.002019.205.051.2	AL Inj. Drift Limit 2 Cyl.A6	AL Inj. Drift Limit 2 cil. A6	AL 喷油器流速限值 2，缸 A6	AL Inj. Deriv. Lim. 2 Cil. A6	АС предел 2 дрейфа инж. цил.А6																																																																																																																																																																																																																																																
0010.002019.205.061.2	AL Inj. Drift Limit 2 Cyl.A7	AL Inj. Drift Limit 2 cil. A7	AL 喷油器流速限值 2，缸 A7	AL Inj. Deriv. Lim. 2 Cil. A7	АС предел 2 дрейфа инж. цил.А7																																																																																																																																																																																																																																																
0010.002019.205.071.2	AL Inj. Drift Limit 2 Cyl.A8	AL Inj. Drift Limit 2 cil. A8	AL 喷油器流速限值 2，缸 A8	AL Inj. Deriv. Lim. 2 Cil. A8	АС предел 2 дрейфа инж. цил.А8																																																																																																																																																																																																																																																
0010.002019.205.081.2	AL Inj. Drift Limit 2 Cyl.A9	AL Inj. Drift Limit 2 cil. A9	AL 喷油器流速限值 2，缸 A9	AL Inj. Deriv. Lim. 2 Cil. A9	АС предел 2 дрейфа инж. цил.А9																																																																																																																																																																																																																																																
0010.002019.205.091.2	AL Inj. Drift Limit 2 Cyl.A10	AL Inj. Drift Limit 2 cil. A10	AL 喷油器流速限值 2，缸 A10	AL Inj. Deriv. Lim. 2 Cil. A10	АС предел 2 дрейфа инж.цил.А10																																																																																																																																																																																																																																																
0010.002018.205.101.2	AL Inj. Drift Limit 1 Cyl.B1	AL Inj. Drift Limit 1 cil. B1	AL 喷油器流速限值 1，缸 B1	AL Inj. Deriv. Lim. 1 Cil. B1	АС предел 1 дрейфа инж. цил.В1																																																																																																																																																																																																																																																
0010.002018.205.111.2	AL Inj. Drift Limit 1 Cyl.B2	AL Inj. Drift Limit 1 cil. B2	AL 喷油器流速限值 1，缸 B2	AL Inj. Deriv. Lim. 1 Cil. B2	АС предел 1 дрейфа инж. цил.В2																																																																																																																																																																																																																																																
0010.002018.205.121.2	AL Inj. Drift Limit 1 Cyl.B3	AL Inj. Drift Limit 1 cil. B3	AL 喷油器流速限值 1，缸 B3	AL Inj. Deriv. Lim. 1 Cil. B3	АС предел 1 дрейфа инж. цил.В3																																																																																																																																																																																																																																																
0010.002018.205.131.2	AL Inj. Drift Limit 1 Cyl.B4	AL Inj. Drift Limit 1 cil. B4	AL 喷油器流速限值 1，缸 B4	AL Inj. Deriv. Lim. 1 Cil. B4	АС предел 1 дрейфа инж. цил.В4																																																																																																																																																																																																																																																
0010.002018.205.141.2	AL Inj. Drift Limit 1 Cyl.B5	AL Inj. Drift Limit 1 cil. B5	AL 喷油器流速限值 1，缸 B5	AL Inj. Deriv. Lim. 1 Cil. B5	АС предел 1 дрейфа инж. цил.В5																																																																																																																																																																																																																																																
0010.002018.205.151.2	AL Inj. Drift Limit 1 Cyl.B6	AL Inj. Drift Limit 1 cil. B6	AL 喷油器流速限值 1，缸 B6	AL Inj. Deriv. Lim. 1 Cil. B6	АС предел 1 дрейфа инж. цил.В6																																																																																																																																																																																																																																																
0010.002018.205.161.2	AL Inj. Drift Limit 1 Cyl.B7	AL Inj. Drift Limit 1 cil. B7	AL 喷油器流速限值 1，缸 B7	AL Inj. Deriv. Lim. 1 Cil. B7	АС предел 1 дрейфа инж. цил.В7																																																																																																																																																																																																																																																
0010.002018.205.171.2	AL Inj. Drift Limit 1 Cyl.B8	AL Inj. Drift Limit 1 cil. B8	AL 喷油器流速限值 1，缸 B8	AL Inj. Deriv. Lim. 1 Cil. B8	АС предел 1 дрейфа инж. цил.В8																																																																																																																																																																																																																																																
0010.002018.205.181.2	AL Inj. Drift Limit 1 Cyl.B9	AL Inj. Drift Limit 1 cil. B9	AL 喷油器流速限值 1，缸 B9	AL Inj. Deriv. Lim. 1 Cil. B9	АС предел 1 дрейфа инж. цил.В9																																																																																																																																																																																																																																																
0010.002018.205.191.2	AL Inj. Drift Limit 1 Cyl.B10	AL Inj. Drift Limit 1 cil. B10	AL 喷油器流速限值 1，缸 B10	AL Inj. Deriv. Lim. 1 Cil. B10	АС предел 1 дрейфа инж.цил.В10																																																																																																																																																																																																																																																
0010.002019.205.101.2	AL Inj. Drift Limit 2 Cyl.B1	AL Inj. Drift Limit 2 cil. B1	AL 喷油器流速限值 2，缸 B1	AL Inj. Deriv. Lim. 2 Cil. B1	АС предел 2 дрейфа инж. цил.В1																																																																																																																																																																																																																																																
0010.002019.205.111.2	AL Inj. Drift Limit 2 Cyl.B2	AL Inj. Drift Limit 2 cil. B2	AL 喷油器流速限值 2，缸 B2	AL Inj. Deriv. Lim. 2 Cil. B2	АС предел 2 дрейфа инж. цил.В2																																																																																																																																																																																																																																																
0010.002019.205.121.2	AL Inj. Drift Limit 2 Cyl.B3	AL Inj. Drift Limit 2 cil. B3	AL 喷油器流速限值 2，缸 B3	AL Inj. Deriv. Lim. 2 Cil. B3	АС предел 2 дрейфа инж. цил.В3																																																																																																																																																																																																																																																
0010.002019.205.131.2	AL Inj. Drift Limit 2 Cyl.B4	AL Inj. Drift Limit 2 cil. B4	AL 喷油器流速限值 2，缸 B4	AL Inj. Deriv. Lim. 2 Cil. B4	АС предел 2 дрейфа инж. цил.В4																																																																																																																																																																																																																																																
0010.002019.205.141.2	AL Inj. Drift Limit 2 Cyl.B5	AL Inj. Drift Limit 2 cil. B5	AL 喷油器流速限值 2，缸 B5	AL Inj. Deriv. Lim. 2 Cil. B5	АС предел 2 дрейфа инж. цил.В5																																																																																																																																																																																																																																																
0010.002019.205.151.2	AL Inj. Drift Limit 2 Cyl.B6	AL Inj. Drift Limit 2 cil. B6	AL 喷油器流速限值 2，缸 B6	AL Inj. Deriv. Lim. 2 Cil. B6	АС предел 2 дрейфа инж. цил.В6																																																																																																																																																																																																																																																
0010.002019.205.161.2	AL Inj. Drift Limit 2 Cyl.B7	AL Inj. Drift Limit 2 cil. B7	AL 喷油器流速限值 2，缸 B7	AL Inj. Deriv. Lim. 2 Cil. B7	АС предел 2 дрейфа инж. цил.В7																																																																																																																																																																																																																																																
 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183		Blatt/ Sheet 107 von/of 137																																																																																																																																																																																																																																																	
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																					

Aenderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8			Aenderungs-Nr./Revision Notice No. PR033438		Bearbeitungsstatus/Lifecycle Released
SysID	English	Dutch	Simplified Chinese (PRC)	Portuguese	Russian
0010.002019.205.171.2	AL Inj. Drift Limit 2 cil.B8	AL Inj. Drift Limit 2 cil. B8	AL 喷油器流速限值 2 · 缸 B8	AL Inj. Deriv. Lim. 2 Cil. B8	АС предел 2 дрейфа инж. цил.В8
0010.002019.205.181.2	AL Inj. Drift Limit 2 Cyl.B9	AL Inj. Drift Limit 2 cil. B9	AL 喷油器流速限值 2 · 缸 B9	AL Inj. Deriv. Lim. 2 Cil. B9	АС предел 2 дрейфа инж. цил.В9
0010.002019.205.191.2	AL Inj. Drift Limit 2 Cyl.B10	AL Inj. Drift Limit 2 cil. B10	AL 喷油器流速限值 2 · 缸 B10	AL Inj. Deriv. Lim. 2 Cil. B10	АС предел 2 дрейфа инж.цил.В10
0010.056006.155.011.2	HI ETC Idle Speed	HI ETC Stationair toerental	HI ETC 怠速	HI ETC Vel.emPontoMorto/Neutro	ВЫ ТКОГ Обороты холостого хода
0012.024424.105.001.2	LO RA Concentration	LO RM concentratie	LO RA 浓度	LO RA Concentração	НИ концентрация восстановителя
0012.024424.115.001.2	LOLO RA Concentration	LOLO RM concentratie	LOLO RA 浓度	LOLO RA Concentração	НИНИ концентр. восстановителя
0012.024424.215.001.2	SD RA Concentration	SD RM concentratie	SD RA 浓度	SD RA Concentração	ДД концентрация восстановителя
0012.024424.155.001.2	HI RA Concentration	HI RM concentratie	HI RA 浓度	HI RA Concentração	ВЫ концентрация восстановителя
0012.024424.165.001.2	HIHI RA Concentration	HIHI RM concentratie	HIHI RA 浓度	HIHI RA Concentração	ВЫВЫ концентр. восстановителя
0012.024425.105.001.2	LO RA Quality	LO RM kwaliteit	LO RA 质量	LO RA Qualidade	НИ качество восстановителя
0012.006500.155.011.2	HI P-Exhaust Diff. SCR 2	HI P-Uitlaat tussen SCR 2	HI P 排气差异 SCR 2	HI P-Escape Dif. SCR 2	ВЫ P-Выхлопная Разница SCR 2
0012.006500.165.011.2	HIHI P-Exhaust Diff. SCR 2	HIHI P-Uitlaat tussen SCR 2	HIHI P 排气差异 SCR 2	HIHI P-Escape Dif. SCR 2	ВЫВЫ P-Выхлопная Разница SCR 2
0012.006201.215.011.2	SD T-Exhaust SCR Outlet 2	SD T-Uitlaat SCR Uitgang 2	SD SCR 出口 2 排气温度	SD T-Exaustao SCR Saída 2	SD T-ОГ на выходе SCR 2
0012.006201.155.011.2	HI T-Exhaust SCR Outlet 2	HI T-Uitlaat SCR Uitgang 2	HI SCR 出口 2 排气温度	HI T-Exaustão SCR Saída 2	ВЫ T-ОГ выход SCR 2
0012.006201.165.011.2	HIHI T-Exhaust SCR Outlet 2	HIHI T-Uitlaat SCR Uitgang 2	HIHI SCR 出口 2 排气温度	HIHI T-Exaustão SCR Saída 2	ВЫВЫ T-ОГ выход SCR 2
0012.024426.205.001.2	AL PDM Leak Check Failed	AL PDM lekkagecontr. mislukt	AL PDM 泄漏检查失败	AL PDM Cont. de Vazam. Falhou	АС PDM неудачн.контроль утечки
0012.024101.155.001.2	HI T-Reducing Agent SUDU F1	HI T-reductiemiddel SUDUF1	HI 还原剂温度 SUDU F1	HI Agente Redutor T SUDU F1	ВЫ T-восстановителя SUDU F1
0012.024101.155.011.2	HI T-Reducing Agent SUDU F2	HI T-reductiemiddel SUDUF2	HI 还原剂温度 SUDU F2	HI Agente Redutor T SUDU F2	ВЫ T-восстановителя SUDU F2
0012.024425.205.001.2	AL Hydraulics Fault SUDU 1	AL Hydr. storing SUDU 1	AL 液压故障 SUDU 1	AL Falha Hidráulica SUDU 1	АС дефект гидросистемы SUDU 1
0012.024425.205.011.2	AL Hydraulics Fault SUDU 2	AL Hydr. storing SUDU 2	AL 液压故障 SUDU 2	AL Falha Hidráulica SUDU 2	АС дефект гидросистемы SUDU 2
0012.024425.205.021.2	AL Hydraulics Fault SUDU 3	AL Hydr. storing SUDU 3	AL 液压故障 SUDU 3	AL Falha Hidráulica SUDU 3	АС дефект гидросистемы SUDU 3
0012.024425.205.031.2	AL Hydraulics Fault SUDU 4	AL Hydr. storing SUDU 4	AL 液压故障 SUDU 4	AL Falha Hidráulica SUDU 4	АС дефект гидросистемы SUDU 4
0012.024425.205.041.2	AL Hydraulics Fault SUDU 5	AL Hydr. storing SUDU 5	AL 液压故障 SUDU 5	AL Falha Hidráulica SUDU 5	АС дефект гидросистемы SUDU 5
0012.024425.205.051.2	AL Hydraulics Fault SUDU 6	AL Hydr. storing SUDU 6	AL 液压故障 SUDU 6	AL Falha Hidráulica SUDU 6	АС дефект гидросистемы SUDU 6
0910.062017.205.001.2	AL SD-Card Unaccessible	AL SD-kaart niet toegankelijk	AL SD 卡无法访问	AL Cartão SD Não Acessível	АС SD-карта не доступна
0050.072002.205.001.2	AL Capsize Timeout	AL kaps. schak. Time-out	AL 推翻船序列超时	AL interr. virar Temposgotado	АС переворот на 360° тайм아웃
0011.043513.215.001.2	SD Eng.Speed Crankshaft SaSy	SD motortoerental krukas SaSy	SD 发动机曲轴转速 SaSy	SD Veloc.rot.motor cambotaSaSy	ДД обороты коленчатоговалаSaSy
0011.043513.225.001.2	TD Engine Speed Crankshaft	TD motortoerental krukas	TD 发动机曲轴转速	TD Veloc.rotação motor cambota	ОД обороты коленчатого вала

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 108 von/of 137
--	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ			Kommt vor/Frequency		
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released	

Alarm Interface Mapping

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.057303.205.001.2	AL ECU Defect	Yellow (3)	--	110116	--	522192	12	110116	--	1998
0011.000501.165.001.2	HIHI Engine Overspeed SaSy	Red (2)	--	112003	--	520805	0	112006	--	1006
0011.025101.105.001.2	LO P-Lube Oil SaSy	Yellow (3)	6243	112029	6.0606.199	520292	17	112029	--	1158
0011.025101.115.001.2	LOLO P-Lube Oil SaSy	Red (2)	6244	112030	6.0606.299	520292	1	112030	--	1160
0011.015201.155.001.2	HI T-Coolant SaSy	Yellow (3)	6239	112129	6.0605.199	520302	15	112129	--	1446
0011.015201.165.001.2	HIHI T-Coolant SaSy	Red (2)	6240	112130	6.0605.299	520302	0	112130	--	1444
0011.043301.255.001.2	WB SaSy Emergency Stop Output	Yellow (4)	--	112181	--	520806	31	112181	--	1996
0011.043302.265.001.2	SC SaSy Emergency Stop Output	Yellow (3)	--	112191	--	520807	31	112191	--	1994
0010.055202.155.001.2	HI T-Bearing Mean	Yellow (3)	--	112272	--	520407	15	112272	--	1700
0010.006201.155.011.2	HI T-Exhaust A1	Yellow (3)	6140	112301	6.0601.581	1137	15	112301	--	1508
0010.006201.155.021.2	HI T-Exhaust A2	Yellow (3)	6141	112302	6.0601.583	1138	15	112302	--	1514
0010.006201.155.031.2	HI T-Exhaust A3	Yellow (3)	6142	112303	6.0601.585	1139	15	112303	--	1520
0010.006201.155.041.2	HI T-Exhaust A4	Yellow (3)	6143	112304	6.0601.587	1140	15	112304	--	1526
0010.006201.155.051.2	HI T-Exhaust A5	Yellow (3)	6144	112305	6.0601.589	1141	15	112305	--	1532
0010.006201.155.061.2	HI T-Exhaust A6	Yellow (3)	6145	112306	6.0601.591	1142	15	112306	--	1538
0010.006201.155.071.2	HI T-Exhaust A7	Yellow (3)	6146	112307	6.0601.593	1143	15	112307	--	1544
0010.006201.155.081.2	HI T-Exhaust A8	Yellow (3)	6147	112308	6.0601.595	1144	15	112308	--	1550
0010.006201.155.091.2	HI T-Exhaust A9	Yellow (3)	6148	112309	6.0601.597	1145	15	112309	--	1556
0010.006201.155.101.2	HI T-Exhaust A10	Yellow (3)	6149	112310	6.0601.599	1146	15	112310	--	1562
0010.006202.155.011.2	HI T-Exhaust B1	Yellow (3)	6150	112311	6.0601.601	1147	15	112311	--	1568
0010.006202.155.021.2	HI T-Exhaust B2	Yellow (3)	6151	112312	6.0601.603	1148	15	112312	--	1574
0010.006202.155.031.2	HI T-Exhaust B3	Yellow (3)	6152	112313	6.0601.605	1149	15	112313	--	1580
0010.006202.155.041.2	HI T-Exhaust B4	Yellow (3)	6153	112314	6.0601.607	1150	15	112314	--	1586
0010.006202.155.051.2	HI T-Exhaust B5	Yellow (3)	6154	112315	6.0601.609	1151	15	112315	--	1592
0010.006202.155.061.2	HI T-Exhaust B6	Yellow (3)	6155	112316	6.0601.611	1152	15	112316	--	1598
0010.006202.155.071.2	HI T-Exhaust B7	Yellow (3)	6156	112317	6.0601.613	1153	15	112317	--	1604
0010.006202.155.081.2	HI T-Exhaust B8	Yellow (3)	6157	112318	6.0601.615	1154	15	112318	--	1610
0010.006202.155.091.2	HI T-Exhaust B9	Yellow (3)	6158	112319	6.0601.617	1155	15	112319	--	1616
0010.006202.155.101.2	HI T-Exhaust B10	Yellow (3)	6159	112320	6.0601.619	1156	15	112320	--	1622
0010.055201.155.011.2	HI T-Bearing 1	Yellow (3)	6200	112351	6.0602.501	1157	15	112351	--	1638
0010.055201.155.021.2	HI T-Bearing 2	Yellow (3)	6201	112352	6.0602.503	1158	15	112352	--	1644
0010.055201.155.031.2	HI T-Bearing 3	Yellow (3)	6202	112353	6.0602.505	1159	15	112353	--	1650
0010.055201.155.041.2	HI T-Bearing 4	Yellow (3)	6203	112354	6.0602.507	1160	15	112354	--	1656
0010.055201.155.051.2	HI T-Bearing 5	Yellow (3)	6204	112355	6.0602.509	1161	15	112355	--	1662
0010.055201.155.061.2	HI T-Bearing 6	Yellow (3)	6205	112356	6.0602.511	1162	15	112356	--	1668
0010.055201.155.071.2	HI T-Bearing 7	Yellow (3)	6206	112357	6.0602.513	1163	15	112357	--	1674
0010.055201.155.081.2	HI T-Bearing 8	Yellow (3)	6207	112358	6.0602.515	1164	15	112358	--	1680



MTU Friedrichshafen GmbH

Zeichnungs-Nr./Drawing No.

ZNG00013183

Blatt/ Sheet

109
von/of
137

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.055201.155.091.2	HI T-Bearing 9	Yellow (3)	6208	112359	6.0602.517	1165	15	112359	--	1686
0010.055201.155.101.2	HI T-Bearing 10	Yellow (3)	6209	112360	6.0602.519	1166	15	112360	--	1692
0010.055201.155.111.2	HI T-Bearing 11	Yellow (3)	6210	112361	6.0602.521	1167	15	112361	--	1698
0010.055201.165.011.2	HIHI T-Bearing 1	Red (2)	6211	112371	6.0602.523	1157	0	112371	--	1636
0010.055201.165.021.2	HIHI T-Bearing 2	Red (2)	6212	112372	6.0602.525	1158	0	112372	--	1642
0010.055201.165.031.2	HIHI T-Bearing 3	Red (2)	6213	112373	6.0602.527	1159	0	112373	--	1648
0010.055201.165.041.2	HIHI T-Bearing 4	Red (2)	6214	112374	6.0602.529	1160	0	112374	--	1654
0010.055201.165.051.2	HIHI T-Bearing 5	Red (2)	6215	112375	6.0602.531	1161	0	112375	--	1660
0010.055201.165.061.2	HIHI T-Bearing 6	Red (2)	6216	112376	6.0602.533	1162	0	112376	--	1666
0010.055201.165.071.2	HIHI T-Bearing 7	Red (2)	6217	112377	6.0602.535	1163	0	112377	--	1672
0010.055201.165.081.2	HIHI T-Bearing 8	Red (2)	6218	112378	6.0602.537	1164	0	112378	--	1678
0010.055201.165.091.2	HIHI T-Bearing 9	Red (2)	6219	112379	6.0602.539	1165	0	112379	--	1684
0010.055201.165.101.2	HIHI T-Bearing 10	Red (2)	6220	112380	6.0602.541	1166	0	112380	--	1690
0010.055201.165.111.2	HIHI T-Bearing 11	Red (2)	6221	112381	6.0602.543	1167	0	112381	--	1696
0010.006201.105.011.2	LO T-Exhaust A1	Yellow (3)	6100	112401	6.0601.501	1137	17	112401	--	1510
0010.006201.105.021.2	LO T-Exhaust A2	Yellow (3)	6101	112402	6.0601.503	1138	17	112402	--	1516
0010.006201.105.031.2	LO T-Exhaust A3	Yellow (3)	6102	112403	6.0601.505	1139	17	112403	--	1522
0010.006201.105.041.2	LO T-Exhaust A4	Yellow (3)	6103	112404	6.0601.507	1140	17	112404	--	1528
0010.006201.105.051.2	LO T-Exhaust A5	Yellow (3)	6104	112405	6.0601.509	1141	17	112405	--	1534
0010.006201.105.061.2	LO T-Exhaust A6	Yellow (3)	6105	112406	6.0601.511	1142	17	112406	--	1540
0010.006201.105.071.2	LO T-Exhaust A7	Yellow (3)	6106	112407	6.0601.513	1143	17	112407	--	1546
0010.006201.105.081.2	LO T-Exhaust A8	Yellow (3)	6107	112408	6.0601.515	1144	17	112408	--	1552
0010.006201.105.091.2	LO T-Exhaust A9	Yellow (3)	6108	112409	6.0601.517	1145	17	112409	--	1558
0010.006201.105.101.2	LO T-Exhaust A10	Yellow (3)	6109	112410	6.0601.519	1146	17	112410	--	1564
0010.006202.105.011.2	LO T-Exhaust B1	Yellow (3)	6110	112411	6.0601.521	1147	17	112411	--	1570
0010.006202.105.021.2	LO T-Exhaust B2	Yellow (3)	6111	112412	6.0601.523	1148	17	112412	--	1576
0010.006202.105.031.2	LO T-Exhaust B3	Yellow (3)	6112	112413	6.0601.525	1149	17	112413	--	1582
0010.006202.105.041.2	LO T-Exhaust B4	Yellow (3)	6113	112414	6.0601.527	1150	17	112414	--	1588
0010.006202.105.051.2	LO T-Exhaust B5	Yellow (3)	6114	112415	6.0601.529	1151	17	112415	--	1594
0010.006202.105.061.2	LO T-Exhaust B6	Yellow (3)	6115	112416	6.0601.531	1152	17	112416	--	1600
0010.006202.105.071.2	LO T-Exhaust B7	Yellow (3)	6116	112417	6.0601.533	1153	17	112417	--	1606
0010.006202.105.081.2	LO T-Exhaust B8	Yellow (3)	6117	112418	6.0601.535	1154	17	112418	--	1612
0010.006202.105.091.2	LO T-Exhaust B9	Yellow (3)	6118	112419	6.0601.537	1155	17	112419	--	1618
0010.006202.105.101.2	LO T-Exhaust B10	Yellow (3)	6119	112420	6.0601.539	1156	17	112420	--	1624
0010.016101.105.001.2	LO P-Raw Water	Yellow (3)	6234	112503	6.0603.199	2435	17	112503	--	1244
0010.006207.205.001.2	AL Exhaust Monitoring Fail	Yellow (3)	--	112512	--	520293	31	112512	--	2000
0011.043501.205.001.2	AL Security Channel def. SaSy	Yellow (3)	--	112516	--	520259	2	112516	--	2002
0011.015201.225.001.2	TD T-Coolant	Yellow (4)	6255	112518	6.0605.599	110	20	112518	--	1448
0011.025101.225.001.2	TD P-Lube Oil	Yellow (4)	6256	112519	6.0606.599	100	20	112519	--	1162
0010.006206.205.001.2	AL T-Exhaust L2 above/below	Red (2)	--	112620	--	520796	31	112620	--	1632
0010.025601.155.011.2	HI T-Splash Oil B1	Yellow (3)	6268	112771	6.0611.521	520395	15	112771	--	1708

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 110 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ						Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0010.025601.155.021.2</td><td>HI T-Splash Oil B2</td><td>Yellow (3)</td><td>6269</td><td>112772</td><td>6.0611.523</td><td>520396</td><td>15</td><td>112772</td><td>--</td><td>1714</td></tr><tr><td>0010.025601.155.031.2</td><td>HI T-Splash Oil B3</td><td>Yellow (3)</td><td>6270</td><td>112773</td><td>6.0611.525</td><td>520397</td><td>15</td><td>112773</td><td>--</td><td>1720</td></tr><tr><td>0010.025601.155.041.2</td><td>HI T-Splash Oil B4</td><td>Yellow (3)</td><td>6271</td><td>112774</td><td>6.0611.527</td><td>520398</td><td>15</td><td>112774</td><td>--</td><td>1726</td></tr><tr><td>0010.025601.155.051.2</td><td>HI T-Splash Oil B5</td><td>Yellow (3)</td><td>6272</td><td>112775</td><td>6.0611.529</td><td>520399</td><td>15</td><td>112775</td><td>--</td><td>1732</td></tr><tr><td>0010.025601.155.061.2</td><td>HI T-Splash Oil B6</td><td>Yellow (3)</td><td>6273</td><td>112776</td><td>6.0611.531</td><td>520400</td><td>15</td><td>112776</td><td>--</td><td>1738</td></tr><tr><td>0010.025601.155.071.2</td><td>HI T-Splash Oil B7</td><td>Yellow (3)</td><td>6274</td><td>112777</td><td>6.0611.533</td><td>520401</td><td>15</td><td>112777</td><td>--</td><td>1744</td></tr><tr><td>0010.025601.155.081.2</td><td>HI T-Splash Oil B8</td><td>Yellow (3)</td><td>6275</td><td>112778</td><td>6.0611.535</td><td>520402</td><td>15</td><td>112778</td><td>--</td><td>1750</td></tr><tr><td>0010.025601.155.091.2</td><td>HI T-Splash Oil B9</td><td>Yellow (3)</td><td>6276</td><td>112779</td><td>6.0611.537</td><td>520403</td><td>15</td><td>112779</td><td>--</td><td>1756</td></tr><tr><td>0010.025601.155.101.2</td><td>HI T-Splash Oil B10</td><td>Yellow (3)</td><td>6277</td><td>112780</td><td>6.0611.539</td><td>520404</td><td>15</td><td>112780</td><td>--</td><td>1762</td></tr><tr><td>0010.025601.165.011.2</td><td>HIHI T-Splash Oil B1</td><td>Red (2)</td><td>6278</td><td>112781</td><td>6.0611.541</td><td>520395</td><td>0</td><td>112781</td><td>--</td><td>1706</td></tr><tr><td>0010.025601.165.021.2</td><td>HIHI T-Splash Oil B2</td><td>Red (2)</td><td>6279</td><td>112782</td><td>6.0611.543</td><td>520396</td><td>0</td><td>112782</td><td>--</td><td>1712</td></tr><tr><td>0010.025601.165.031.2</td><td>HIHI T-Splash Oil B3</td><td>Red (2)</td><td>6280</td><td>112783</td><td>6.0611.545</td><td>520397</td><td>0</td><td>112783</td><td>--</td><td>1718</td></tr><tr><td>0010.025601.165.041.2</td><td>HIHI T-Splash Oil B4</td><td>Red (2)</td><td>6281</td><td>112784</td><td>6.0611.547</td><td>520398</td><td>0</td><td>112784</td><td>--</td><td>1724</td></tr><tr><td>0010.025601.165.051.2</td><td>HIHI T-Splash Oil B5</td><td>Red (2)</td><td>6282</td><td>112785</td><td>6.0611.549</td><td>520399</td><td>0</td><td>112785</td><td>--</td><td>1730</td></tr><tr><td>0010.025601.165.061.2</td><td>HIHI T-Splash Oil B6</td><td>Red (2)</td><td>6283</td><td>112786</td><td>6.0611.551</td><td>520400</td><td>0</td><td>112786</td><td>--</td><td>1736</td></tr><tr><td>0010.025601.165.071.2</td><td>HIHI T-Splash Oil B7</td><td>Red (2)</td><td>6284</td><td>112787</td><td>6.0611.553</td><td>520401</td><td>0</td><td>112787</td><td>--</td><td>1742</td></tr><tr><td>0010.025601.165.081.2</td><td>HIHI T-Splash Oil B8</td><td>Red (2)</td><td>6285</td><td>112788</td><td>6.0611.555</td><td>520402</td><td>0</td><td>112788</td><td>--</td><td>1748</td></tr><tr><td>0010.025601.165.091.2</td><td>HIHI T-Splash Oil B9</td><td>Red (2)</td><td>6286</td><td>112789</td><td>6.0611.557</td><td>520403</td><td>0</td><td>112789</td><td>--</td><td>1754</td></tr><tr><td>0010.025601.165.101.2</td><td>HIHI T-Splash Oil B10</td><td>Red (2)</td><td>6287</td><td>112790</td><td>6.0611.559</td><td>520404</td><td>0</td><td>112790</td><td>--</td><td>1760</td></tr><tr><td>0010.025604.205.011.2</td><td>AL Splash Oil Cal not Poss</td><td>Yellow (4)</td><td>--</td><td>112824</td><td>--</td><td>520925</td><td>31</td><td>112824</td><td>--</td><td>2004</td></tr><tr><td>0011.025101.215.001.2</td><td>SD P-Lube Oil SaSy</td><td>Yellow (4)</td><td>6242</td><td>--</td><td>6.0606.059</td><td>520292</td><td>11</td><td>113025</td><td>112026</td><td>1156</td></tr><tr><td>0011.015201.215.001.2</td><td>SD T-Coolant SaSy</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520302</td><td>11</td><td>113126</td><td>112126</td><td>1442</td></tr><tr><td>0010.006201.215.011.2</td><td>SD T-Exhaust A1</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1137</td><td>11</td><td>113201</td><td>112201</td><td>1506</td></tr><tr><td>0010.006201.215.021.2</td><td>SD T-Exhaust A2</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1138</td><td>11</td><td>113202</td><td>112202</td><td>1512</td></tr><tr><td>0010.006201.215.031.2</td><td>SD T-Exhaust A3</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1139</td><td>11</td><td>113203</td><td>112203</td><td>1518</td></tr><tr><td>0010.006201.215.041.2</td><td>SD T-Exhaust A4</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1140</td><td>11</td><td>113204</td><td>112204</td><td>1524</td></tr><tr><td>0010.006201.215.051.2</td><td>SD T-Exhaust A5</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1141</td><td>11</td><td>113205</td><td>112205</td><td>1530</td></tr><tr><td>0010.006201.215.061.2</td><td>SD T-Exhaust A6</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1142</td><td>11</td><td>113206</td><td>112206</td><td>1536</td></tr><tr><td>0010.006201.215.071.2</td><td>SD T-Exhaust A7</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1143</td><td>11</td><td>113207</td><td>112207</td><td>1542</td></tr><tr><td>0010.006201.215.081.2</td><td>SD T-Exhaust A8</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1144</td><td>11</td><td>113208</td><td>112208</td><td>1548</td></tr><tr><td>0010.006201.215.091.2</td><td>SD T-Exhaust A9</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1145</td><td>11</td><td>113209</td><td>112209</td><td>1554</td></tr><tr><td>0010.006201.215.101.2</td><td>SD T-Exhaust A10</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1146</td><td>11</td><td>113210</td><td>112210</td><td>1560</td></tr><tr><td>0010.006202.215.011.2</td><td>SD T-Exhaust B1</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1147</td><td>11</td><td>113211</td><td>112211</td><td>1566</td></tr><tr><td>0010.006202.215.021.2</td><td>SD T-Exhaust B2</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1148</td><td>11</td><td>113212</td><td>112212</td><td>1572</td></tr><tr><td>0010.006202.215.031.2</td><td>SD T-Exhaust B3</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1149</td><td>11</td><td>113213</td><td>112213</td><td>1578</td></tr><tr><td>0010.006202.215.041.2</td><td>SD T-Exhaust B4</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1150</td><td>11</td><td>113214</td><td>112214</td><td>1584</td></tr><tr><td>0010.006202.215.051.2</td><td>SD T-Exhaust B5</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1151</td><td>11</td><td>113215</td><td>112215</td><td>1590</td></tr><tr><td>0010.006202.215.061.2</td><td>SD T-Exhaust B6</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1152</td><td>11</td><td>113216</td><td>112216</td><td>1596</td></tr><tr><td>0010.006202.215.071.2</td><td>SD T-Exhaust B7</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1153</td><td>11</td><td>113217</td><td>112217</td><td>1602</td></tr><tr><td>0010.006202.215.081.2</td><td>SD T-Exhaust B8</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1154</td><td>11</td><td>113218</td><td>112218</td><td>1608</td></tr><tr><td>0010.006202.215.091.2</td><td>SD T-Exhaust B9</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>1155</td><td>11</td><td>113219</td><td>112219</td><td>1614</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0010.025601.155.021.2	HI T-Splash Oil B2	Yellow (3)	6269	112772	6.0611.523	520396	15	112772	--	1714	0010.025601.155.031.2	HI T-Splash Oil B3	Yellow (3)	6270	112773	6.0611.525	520397	15	112773	--	1720	0010.025601.155.041.2	HI T-Splash Oil B4	Yellow (3)	6271	112774	6.0611.527	520398	15	112774	--	1726	0010.025601.155.051.2	HI T-Splash Oil B5	Yellow (3)	6272	112775	6.0611.529	520399	15	112775	--	1732	0010.025601.155.061.2	HI T-Splash Oil B6	Yellow (3)	6273	112776	6.0611.531	520400	15	112776	--	1738	0010.025601.155.071.2	HI T-Splash Oil B7	Yellow (3)	6274	112777	6.0611.533	520401	15	112777	--	1744	0010.025601.155.081.2	HI T-Splash Oil B8	Yellow (3)	6275	112778	6.0611.535	520402	15	112778	--	1750	0010.025601.155.091.2	HI T-Splash Oil B9	Yellow (3)	6276	112779	6.0611.537	520403	15	112779	--	1756	0010.025601.155.101.2	HI T-Splash Oil B10	Yellow (3)	6277	112780	6.0611.539	520404	15	112780	--	1762	0010.025601.165.011.2	HIHI T-Splash Oil B1	Red (2)	6278	112781	6.0611.541	520395	0	112781	--	1706	0010.025601.165.021.2	HIHI T-Splash Oil B2	Red (2)	6279	112782	6.0611.543	520396	0	112782	--	1712	0010.025601.165.031.2	HIHI T-Splash Oil B3	Red (2)	6280	112783	6.0611.545	520397	0	112783	--	1718	0010.025601.165.041.2	HIHI T-Splash Oil B4	Red (2)	6281	112784	6.0611.547	520398	0	112784	--	1724	0010.025601.165.051.2	HIHI T-Splash Oil B5	Red (2)	6282	112785	6.0611.549	520399	0	112785	--	1730	0010.025601.165.061.2	HIHI T-Splash Oil B6	Red (2)	6283	112786	6.0611.551	520400	0	112786	--	1736	0010.025601.165.071.2	HIHI T-Splash Oil B7	Red (2)	6284	112787	6.0611.553	520401	0	112787	--	1742	0010.025601.165.081.2	HIHI T-Splash Oil B8	Red (2)	6285	112788	6.0611.555	520402	0	112788	--	1748	0010.025601.165.091.2	HIHI T-Splash Oil B9	Red (2)	6286	112789	6.0611.557	520403	0	112789	--	1754	0010.025601.165.101.2	HIHI T-Splash Oil B10	Red (2)	6287	112790	6.0611.559	520404	0	112790	--	1760	0010.025604.205.011.2	AL Splash Oil Cal not Poss	Yellow (4)	--	112824	--	520925	31	112824	--	2004	0011.025101.215.001.2	SD P-Lube Oil SaSy	Yellow (4)	6242	--	6.0606.059	520292	11	113025	112026	1156	0011.015201.215.001.2	SD T-Coolant SaSy	Yellow (4)	--	--	--	520302	11	113126	112126	1442	0010.006201.215.011.2	SD T-Exhaust A1	Yellow (4)	--	--	--	1137	11	113201	112201	1506	0010.006201.215.021.2	SD T-Exhaust A2	Yellow (4)	--	--	--	1138	11	113202	112202	1512	0010.006201.215.031.2	SD T-Exhaust A3	Yellow (4)	--	--	--	1139	11	113203	112203	1518	0010.006201.215.041.2	SD T-Exhaust A4	Yellow (4)	--	--	--	1140	11	113204	112204	1524	0010.006201.215.051.2	SD T-Exhaust A5	Yellow (4)	--	--	--	1141	11	113205	112205	1530	0010.006201.215.061.2	SD T-Exhaust A6	Yellow (4)	--	--	--	1142	11	113206	112206	1536	0010.006201.215.071.2	SD T-Exhaust A7	Yellow (4)	--	--	--	1143	11	113207	112207	1542	0010.006201.215.081.2	SD T-Exhaust A8	Yellow (4)	--	--	--	1144	11	113208	112208	1548	0010.006201.215.091.2	SD T-Exhaust A9	Yellow (4)	--	--	--	1145	11	113209	112209	1554	0010.006201.215.101.2	SD T-Exhaust A10	Yellow (4)	--	--	--	1146	11	113210	112210	1560	0010.006202.215.011.2	SD T-Exhaust B1	Yellow (4)	--	--	--	1147	11	113211	112211	1566	0010.006202.215.021.2	SD T-Exhaust B2	Yellow (4)	--	--	--	1148	11	113212	112212	1572	0010.006202.215.031.2	SD T-Exhaust B3	Yellow (4)	--	--	--	1149	11	113213	112213	1578	0010.006202.215.041.2	SD T-Exhaust B4	Yellow (4)	--	--	--	1150	11	113214	112214	1584	0010.006202.215.051.2	SD T-Exhaust B5	Yellow (4)	--	--	--	1151	11	113215	112215	1590	0010.006202.215.061.2	SD T-Exhaust B6	Yellow (4)	--	--	--	1152	11	113216	112216	1596	0010.006202.215.071.2	SD T-Exhaust B7	Yellow (4)	--	--	--	1153	11	113217	112217	1602	0010.006202.215.081.2	SD T-Exhaust B8	Yellow (4)	--	--	--	1154	11	113218	112218	1608	0010.006202.215.091.2	SD T-Exhaust B9	Yellow (4)	--	--	--	1155	11	113219	112219	1614
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.155.021.2	HI T-Splash Oil B2	Yellow (3)	6269	112772	6.0611.523	520396	15	112772	--	1714																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.155.031.2	HI T-Splash Oil B3	Yellow (3)	6270	112773	6.0611.525	520397	15	112773	--	1720																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.155.041.2	HI T-Splash Oil B4	Yellow (3)	6271	112774	6.0611.527	520398	15	112774	--	1726																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.155.051.2	HI T-Splash Oil B5	Yellow (3)	6272	112775	6.0611.529	520399	15	112775	--	1732																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.155.061.2	HI T-Splash Oil B6	Yellow (3)	6273	112776	6.0611.531	520400	15	112776	--	1738																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.155.071.2	HI T-Splash Oil B7	Yellow (3)	6274	112777	6.0611.533	520401	15	112777	--	1744																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.155.081.2	HI T-Splash Oil B8	Yellow (3)	6275	112778	6.0611.535	520402	15	112778	--	1750																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.155.091.2	HI T-Splash Oil B9	Yellow (3)	6276	112779	6.0611.537	520403	15	112779	--	1756																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.155.101.2	HI T-Splash Oil B10	Yellow (3)	6277	112780	6.0611.539	520404	15	112780	--	1762																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.011.2	HIHI T-Splash Oil B1	Red (2)	6278	112781	6.0611.541	520395	0	112781	--	1706																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.021.2	HIHI T-Splash Oil B2	Red (2)	6279	112782	6.0611.543	520396	0	112782	--	1712																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.031.2	HIHI T-Splash Oil B3	Red (2)	6280	112783	6.0611.545	520397	0	112783	--	1718																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.041.2	HIHI T-Splash Oil B4	Red (2)	6281	112784	6.0611.547	520398	0	112784	--	1724																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.051.2	HIHI T-Splash Oil B5	Red (2)	6282	112785	6.0611.549	520399	0	112785	--	1730																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.061.2	HIHI T-Splash Oil B6	Red (2)	6283	112786	6.0611.551	520400	0	112786	--	1736																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.071.2	HIHI T-Splash Oil B7	Red (2)	6284	112787	6.0611.553	520401	0	112787	--	1742																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.081.2	HIHI T-Splash Oil B8	Red (2)	6285	112788	6.0611.555	520402	0	112788	--	1748																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.091.2	HIHI T-Splash Oil B9	Red (2)	6286	112789	6.0611.557	520403	0	112789	--	1754																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025601.165.101.2	HIHI T-Splash Oil B10	Red (2)	6287	112790	6.0611.559	520404	0	112790	--	1760																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025604.205.011.2	AL Splash Oil Cal not Poss	Yellow (4)	--	112824	--	520925	31	112824	--	2004																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0011.025101.215.001.2	SD P-Lube Oil SaSy	Yellow (4)	6242	--	6.0606.059	520292	11	113025	112026	1156																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0011.015201.215.001.2	SD T-Coolant SaSy	Yellow (4)	--	--	--	520302	11	113126	112126	1442																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.011.2	SD T-Exhaust A1	Yellow (4)	--	--	--	1137	11	113201	112201	1506																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.021.2	SD T-Exhaust A2	Yellow (4)	--	--	--	1138	11	113202	112202	1512																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.031.2	SD T-Exhaust A3	Yellow (4)	--	--	--	1139	11	113203	112203	1518																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.041.2	SD T-Exhaust A4	Yellow (4)	--	--	--	1140	11	113204	112204	1524																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.051.2	SD T-Exhaust A5	Yellow (4)	--	--	--	1141	11	113205	112205	1530																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.061.2	SD T-Exhaust A6	Yellow (4)	--	--	--	1142	11	113206	112206	1536																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.071.2	SD T-Exhaust A7	Yellow (4)	--	--	--	1143	11	113207	112207	1542																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.081.2	SD T-Exhaust A8	Yellow (4)	--	--	--	1144	11	113208	112208	1548																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.091.2	SD T-Exhaust A9	Yellow (4)	--	--	--	1145	11	113209	112209	1554																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006201.215.101.2	SD T-Exhaust A10	Yellow (4)	--	--	--	1146	11	113210	112210	1560																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006202.215.011.2	SD T-Exhaust B1	Yellow (4)	--	--	--	1147	11	113211	112211	1566																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006202.215.021.2	SD T-Exhaust B2	Yellow (4)	--	--	--	1148	11	113212	112212	1572																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006202.215.031.2	SD T-Exhaust B3	Yellow (4)	--	--	--	1149	11	113213	112213	1578																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006202.215.041.2	SD T-Exhaust B4	Yellow (4)	--	--	--	1150	11	113214	112214	1584																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006202.215.051.2	SD T-Exhaust B5	Yellow (4)	--	--	--	1151	11	113215	112215	1590																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006202.215.061.2	SD T-Exhaust B6	Yellow (4)	--	--	--	1152	11	113216	112216	1596																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006202.215.071.2	SD T-Exhaust B7	Yellow (4)	--	--	--	1153	11	113217	112217	1602																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006202.215.081.2	SD T-Exhaust B8	Yellow (4)	--	--	--	1154	11	113218	112218	1608																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006202.215.091.2	SD T-Exhaust B9	Yellow (4)	--	--	--	1155	11	113219	112219	1614																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 111 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Änderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.006202.215.101.2	SD T-Exhaust B10	Yellow (4)	--	--	--	1156	11	113220	112220	1620
0010.055201.215.011.2	SD T-Bearing 1	Yellow (4)	6222	--	6.0602.545	1157	11	113251	112251	1634
0010.055201.215.021.2	SD T-Bearing 2	Yellow (4)	6223	--	6.0602.547	1158	11	113252	112252	1640
0010.055201.215.031.2	SD T-Bearing 3	Yellow (4)	6224	--	6.0602.549	1159	11	113253	112253	1646
0010.055201.215.041.2	SD T-Bearing 4	Yellow (4)	6225	--	6.0602.551	1160	11	113254	112254	1652
0010.055201.215.051.2	SD T-Bearing 5	Yellow (4)	6226	--	6.0602.553	1161	11	113255	112255	1658
0010.055201.215.061.2	SD T-Bearing 6	Yellow (4)	6227	--	6.0602.555	1162	11	113256	112256	1664
0010.055201.215.071.2	SD T-Bearing 7	Yellow (4)	6228	--	6.0602.557	1163	11	113257	112257	1670
0010.055201.215.081.2	SD T-Bearing 8	Yellow (4)	6229	--	6.0602.559	1164	11	113258	112258	1676
0010.055201.215.091.2	SD T-Bearing 9	Yellow (4)	6230	--	6.0602.561	1165	11	113259	112259	1682
0010.055201.215.101.2	SD T-Bearing 10	Yellow (4)	6231	--	6.0602.563	1166	11	113260	112260	1688
0010.055201.215.111.2	SD T-Bearing 11	Yellow (4)	6232	--	6.0602.565	1167	11	113261	112261	1694
0010.016101.215.001.2	SD P-Raw Water	Yellow (4)	--	--	--	2435	11	113501	112501	1242
0010.025601.215.011.2	SD T-Splash Oil B1	Yellow (4)	6258	--	6.0611.501	520395	11	113721	112721	1704
0010.025601.215.021.2	SD T-Splash Oil B2	Yellow (4)	6259	--	6.0611.503	520396	11	113722	112722	1710
0010.025601.215.031.2	SD T-Splash Oil B3	Yellow (4)	6260	--	6.0611.505	520397	11	113723	112723	1716
0010.025601.215.041.2	SD T-Splash Oil B4	Yellow (4)	6261	--	6.0611.507	520398	11	113724	112724	1722
0010.025601.215.051.2	SD T-Splash Oil B5	Yellow (4)	6262	--	6.0611.509	520399	11	113725	112725	1728
0010.025601.215.061.2	SD T-Splash Oil B6	Yellow (4)	6263	--	6.0611.511	520400	11	113726	112726	1734
0010.025601.215.071.2	SD T-Splash Oil B7	Yellow (4)	6264	--	6.0611.513	520401	11	113727	112727	1740
0010.025601.215.081.2	SD T-Splash Oil B8	Yellow (4)	6265	--	6.0611.515	520402	11	113728	112728	1746
0010.025601.215.091.2	SD T-Splash Oil B9	Yellow (4)	6266	--	6.0611.517	520403	11	113729	112729	1752
0010.025601.215.101.2	SD T-Splash Oil B10	Yellow (4)	6267	--	6.0611.519	520404	11	113730	112730	1758
0010.050001.205.001.2	AL Battery Charger Failure	Yellow (4)	8014	900062	--	520803	31	114053	--	2006
0010.050001.205.011.2	AL MMS Internal Power Fail	Yellow (3)	8012	900061	--	520219	31	114054	--	2008
0010.050002.205.011.2	AL MMS Main Power Fail	Yellow (3)	8005	900055	--	520824	12	114055	--	2010
0010.050002.205.021.2	AL MMS Emerg Power Fail	Yellow (3)	8008	900056	--	520825	12	114056	--	2012
0010.050003.105.011.2	LO Starter Supply Voltage	Yellow (3)	8011	900057	--	168	17	114057	--	1110
0010.043602.205.001.2	AL Shut Down Air Flaps Fail	Yellow (3)	8016	900059	--	520212	31	114059	--	2014
0010.043601.205.001.2	AL Shut Down Air Flaps closed	Red (2)	8015	900065	--	520260	31	114065	--	2016
0010.043305.205.001.2	AL Emerg. Stop Circuit Fail	Yellow (3)	8017	900068	--	520231	31	114068	--	2018
0010.043307.205.001.2	AL Emergency Stop	Red (2)	8018	900070	--	520826	31	114070	--	2020
0010.040105.205.001.2	AL Priming Pump Fail	Yellow (3)	8002	900071	--	520264	31	114071	--	2022
0010.040702.205.001.2	AL Starter Fail	Yellow (3)	8019	900072	--	520240	31	114072	--	2024
0010.040701.205.001.2			8020	900074						
0010.040801.205.001.2	AL Barring Gear Engaged	Yellow (3)	8025	900107	--	520261	31	114107	--	2030
0010.060301.205.001.2	AL EIM defect	Yellow (3)	8029	900145	--	522197	12	114145	--	2034
0010.025401.105.001.2	LO P-Oil Refill Pump	Yellow (3)	8031	900304	--	520567	17	114306	--	1228
0010.007101.105.001.2	LO P-Start Air	Yellow (3)	8021	900075	--	520274	17	114426	--	1326
0010.007101.115.001.2	LOLO P-Start Air	Yellow (3)	8022	900076	--	520274	1	114427	--	1328
0010.025401.215.001.2	SD P-Oil Refill Pump	Yellow (4)	--	--	--	520567	11	115301	114301	1226



MTU Friedrichshafen GmbH

Zeichnungs-Nr./Drawing No.

ZNG00013183

Blatt/ Sheet

112
von/of
137

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.007101.215.001.2	SD P-Start Air	Yellow (4)	--	--	--	520274	11	115421	114421	1324
0075.043002.205.001.2	AL Shutdown Expected	Yellow (3)	--	--	--	520801	31	116090	--	2036
0075.043001.205.001.2	AL Power Limitation Expected	Yellow (3)	--	--	--	520799	31	116091	--	2038
0011.050001.205.001.2	AL SaSy Int.Power Supply Fail	Yellow (3)	--	--	--	520808	31	116120	--	2040
0070.050017.205.001.2	AL SPU Int. Power Supply Fail	Yellow (3)	--	--	--	520802	31	116121	--	2042
0010.043102.205.001.2	AL Security Shutdown	Red (2)	8028	900123	--	1110	31	116123	--	2044
0010.043101.205.001.2	AL Power Limitation Active	Red (2)	8013	900300	--	520800	31	116124	--	2046
0010.043201.205.001.2	AL Override Activated	Red (2)	8001	900125	--	520202	31	116125	--	2048
0010.040422.205.001.2	AL Safety Start Interlock	Yellow (3)	--	--	--	520798	31	116126	--	2050
0020.043109.205.001.2	AL Safety Engage Interlock	Yellow (3)	--	--	--	520813	31	116127	--	2052
0075.043501.205.001.2	AL Safety System defect	Yellow (3)	--	--	--	520758	31	116130	--	2058
0070.059002.205.001.2	AL Emergency Disengage	Yellow (3)	--	--	--	520750	31	116151	--	2060
0050.020002.205.011.2	AL Water in Fuel Prefilter 1	Yellow (4)	--	--	--	97	31	116421	--	2062
0050.020002.205.021.2	AL Water in Fuel Prefilter 2	Yellow (4)	--	--	--	520859	31	116422	--	2064
0070.050001.105.001.2	LO U-SPU Main Power Supply	Yellow (3)	--	--	--	520862	17	116446	--	1134
0070.050001.155.001.2	HI U-SPU Main Power Supply	Yellow (3)	--	--	--	520862	15	116448	--	1132
0070.050002.105.001.2	LO U-SPU Emerg.Power Supply	Yellow (3)	--	--	--	520849	17	116456	--	1138
0070.050002.155.001.2	HI U-SPU Emerg.Power Supply	Yellow (3)	--	--	--	520849	15	116458	--	1136
0050.020301.105.011.2	LO Fuel Level 1	Yellow (3)	--	--	--	96	17	116516	--	2208
0050.020301.115.011.2	LOLO Fuel Level 1	Yellow (3)	--	--	--	96	1	116517	--	2212
0050.020301.155.011.2	HI Fuel Level 1	Yellow (3)	--	--	--	96	15	116518	--	2216
0050.020301.165.011.2	HIHI Fuel Level 1	Yellow (3)	--	--	--	96	0	116519	--	2222
0050.020302.105.011.2	LO Fuel Level 2	Yellow (3)	--	--	--	38	17	116526	--	2210
0050.020302.115.011.2	LOLO Fuel Level 2	Yellow (3)	--	--	--	38	1	116527	--	2214
0050.020302.155.011.2	HI Fuel Level 2	Yellow (3)	--	--	--	38	15	116528	--	2218
0050.020302.165.011.2	HIHI Fuel Level 2	Yellow (3)	--	--	--	38	0	116529	--	2224
0050.020301.205.011.2	AL Config.Failure Fuel Level 1	Yellow (3)	--	--	--	96	31	116531	--	2068
0050.020302.205.021.2	AL Config.Failure Fuel Level 2	Yellow (3)	--	--	--	38	31	116532	--	2070
0050.020002.215.011.2	SD Fuel Prefilter 1	Yellow (4)	--	--	--	520860	11	117421	--	1254
0050.020002.215.021.2	SD Fuel Prefilter 2	Yellow (4)	--	--	--	520861	11	117422	--	1256
0050.058102.215.001.2	SD T-Riser	Yellow (4)	--	--	--	520863	11	117431	116431	1770
0050.058101.215.001.2	SD T-Riser	Yellow (4)	--	--	--	520795	11	117432	--	--
0050.020301.215.011.2	SD Fuel Level 1	Yellow (4)	--	--	--	96	11	117511	116511	2226
0050.020302.215.011.2	SD Fuel Level 2	Yellow (4)	--	--	--	38	11	117521	116521	2228
0010.020201.155.001.2	HI T-Fuel	Yellow (3)	3	--	2.0122.931	174	15	118003	--	1428
0010.020201.165.001.2	HIHI T-Fuel	Red (2)	4	--	2.0122.932	174	0	118004	--	1426
0010.008201.155.001.2	HI T-Charge Air	Yellow (3)	5	--	2.0121.931	105	15	118005	--	1468
0010.008201.165.001.2	HIHI T-Charge Air	Red (2)	6	--	2.0121.932	105	0	118006	--	1466
0010.025101.105.001.2	LO P-Lube Oil	Yellow (3)	15	--	2.0100.921	100	17	118015	--	1152
0010.025101.115.001.2	LOLO P-Lube Oil	Red (2)	16	--	2.0100.922	100	1	118016	--	1154
0010.006401.155.011.2	HI T-Exhaust Combined A	Yellow (3)	19	--	2.0126.931	2434	15	118019	--	1486

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 113 von/of 137
---	--	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.006401.165.011.2	HIHI T-Exhaust Combined A	Red (2)	20	--	2.0126.932	2434	0	118020	--	1484
0010.006401.155.021.2	HI T-Exhaust Combined B	Yellow (3)	21	--	2.0127.931	2433	15	118021	--	1492
0010.006401.165.021.2	HIHI T-Exhaust Combined B	Red (2)	22	--	2.0127.932	2433	0	118022	--	1490
0010.015301.105.001.2	LO Coolant Level	Yellow (3)	23 1003	--	2.0152.921 2.0228.921	111	17	118023	--	1838
0010.025103.155.001.2	HI P-Oil Filter Difference	Yellow (3)	25	--	2.0154.931	99	15	118025	--	1210
0010.020301.155.001.2	HI Fuel Leakage	Yellow (3)	27	--	2.0151.931	1239	15	118027	--	1822
0010.000501.165.001.2	HIHI Engine Overspeed (ECU)	Red (2)	30	--	2.2510.932	190	0	118030	--	2220
0010.056001.155.011.2	HI ETC 1 Speed	Yellow (3)	31	--	2.3011.931	103	15	118031	--	1022
0010.056001.165.011.2	HIHI ETC 1 Overspeed	Red (2)	32	--	2.3012.932	103	0	118032	--	1020
0010.020105.155.001.2	HI P-Fuel Filter Difference	Yellow (3)	33	--	2.0114.931	95	15	118033	--	1262
0010.056001.155.021.2	HI ETC 2 Speed	Yellow (3)	36	--	2.3013.931	1169	15	118036	--	1028
0010.056001.165.021.2	HIHI ETC 2 Overspeed	Red (2)	37	--	2.3013.912	1169	0	118037	--	1026
0010.056001.155.001.2	HI ETC Speed Difference	Yellow (4)	38	--	1.8004.205	520546	0	118038	--	1048
0010.056002.205.021.2	AL ETC 2 Cut in Fail	Yellow (3)	39	--	1.8004.204	520547	31	118039	--	2072
0010.025201.155.001.2	HI T-Lube Oil	Yellow (3)	51	--	2.0125.931	175	15	118051	--	1390
0010.025201.165.001.2	HIHI T-Lube Oil	Red (2)	52	--	2.0125.932	175	0	118052	--	1388
0010.005201.155.001.2	HI T-Intake Air	Yellow (3)	53	--	2.0123.931	172	15	118053	--	1458
0010.015101.105.001.2	LO P-Coolant	Yellow (3)	57	--	2.0101.921	109	17	118057	--	1234
0010.015101.115.001.2	LOLO P-Coolant	Red (2)	58	--	2.0101.922	109	1	118058	--	1236
0010.009101.155.001.2	HI P-Crankcase	Yellow (3)	63	--	2.0106.931	101	15	118063	--	1304
0010.009101.165.001.2	HIHI P-Crankcase	Red (2)	64	--	2.0106.932	101	0	118064	--	1302
0010.020101.105.001.2	LO P-Fuel	Yellow (3)	65	--	2.0102.921	520286	17	118065	--	1248
0010.020101.115.001.2	LOLO P-Fuel	Red (2)	66	--	2.0102.922	520286	1	118066	--	1250
0010.015201.155.001.2	HI T-Coolant	Yellow (3)	67	--	2.0120.931	110	15	118067	--	1440
0010.015201.165.001.2	HIHI T-Coolant	Red (2)	68	--	2.0120.932	110	0	118068	--	1438
0010.020104.205.001.2	AL Common Rail Leakage	Yellow (3)	81	--	1.8004.046	520349	31	118081	--	2074
0010.020103.155.001.2	HI P-Fuel Common Rail	Yellow (3)	82	--	2.0104.931	157	15	118082	--	1270
0010.020103.105.001.2	LO P-Fuel Common Rail	Yellow (3)	83	--	2.0104.921	157	1	118083	--	1274
0010.008202.155.001.2	HI T-Charge Air Seq Ctrl Valve	Yellow (3)	85	--	2.0128.931	520254	15	118085	--	1480
0010.008202.165.001.2	HIHI T-Charge Air Seq Ctrl Val	Red (2)	86	--	2.0128.932	520254	0	118086	--	1478
0010.000501.115.001.2	LOLO Engine Speed	Yellow (3)	89	--	2.2500.030	190	1	118089	--	1002
0010.050101.105.001.2	LO ECU Power Supply Voltage	Yellow (4)	118	--	2.0140.921	158	17	118118	--	1118
0010.050101.115.001.2	LOLO ECU Power Supply Voltage	Red (2)	119	--	2.0140.922	158	1	118119	--	1120
0010.050101.155.001.2	HI ECU Power Supply Voltage	Yellow (4)	120	--	2.0140.931	158	15	118120	--	1116
0010.050101.165.001.2	HIHI ECU Power Supply Voltage	Red (2)	121	--	2.0140.932	158	0	118121	--	1114
0010.057304.155.001.2	HI T-ECU	Yellow (3)	122	--	2.0132.921	1136	15	118122	--	1768
0010.015201.215.001.2	SD T-Coolant	Yellow (4)	201	--	1.8004.570	110	11	118201	110126	1436
0010.020201.215.001.2	SD T-Fuel	Yellow (4)	202	--	1.8004.572	174	11	118202	110152	1424
0010.008201.215.001.2	SD T-Charge Air	Yellow (4)	203	--	1.8004.571	105	11	118203	110131	1464
0010.025301.215.001.2	SD Lube Oil Level	Yellow (4)	204	--	1.8004.602	98	11	118204	--	1832



MTU Friedrichshafen GmbH

Zeichnungs-Nr./Drawing No.

ZNG00013183

Blatt/ Sheet

114

von/of

137

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.006401.215.011.2	SD T-Exhaust Combined A	Yellow (4)	206	--	1.8004.576	2434	11	118206	110145	1482
0010.006401.215.021.2	SD T-Exhaust Combined B	Yellow (4)	207	--	1.8004.577	2433	11	118207	110148	1488
0010.008101.215.001.2	SD P-Charge Air A	Yellow (4)	208	--	1.8004.566	3563	11	118208	110049	1308
0010.025101.215.001.2	SD P-Lube Oil	Yellow (4)	211	--	1.8004.563	100	11	118211	110026	1150
0010.015101.215.001.2	SD P-Coolant	Yellow (4)	212	--	1.8004.564	109	11	118212	110036	1232
0010.009101.215.001.2	SD P-Crankcase	Yellow (4)	214	--	1.8004.568	101	11	118214	110031	1300
0010.020103.215.001.2	SD P-Fuel Common Rail	Yellow (4)	215	--	1.8004.567	157	11	118215	110053	1268
0010.025201.215.001.2	SD T-Lube Oil	Yellow (4)	216	--	1.8004.575	175	11	118216	110140	1386
0010.005201.215.001.2	SD T-Intake Air	Yellow (4)	219	--	1.8004.573	172	11	118219	110151	1454
0010.015301.215.001.2	SD Coolant Level	Yellow (4)	220	--	1.8004.584	111	11	118220	--	1836
0010.025103.215.001.2	SD P-Oil Filter Difference	Yellow (4)	221	--	1.8004.585	99	11	118221	110154	1206
0010.020301.215.001.2	SD Fuel Leakage	Yellow (4)	222	--	1.8004.582	1239	11	118222	--	1820
0010.025102.215.001.2	SD P-Lube Oil before Filter	Yellow (4)	227	--	1.8004.620	1208	11	118227	110153	1204
0010.020102.215.001.2	SD P-Fuel before Filter	Yellow (4)	228	--	1.8004.595	94	11	118228	110218	1252
0010.000507.215.001.2	SD Engine Speed Crankshaft	Yellow (4)	230	--	1.8004.498	520258	11	118230	--	1010
0010.000506.215.001.2	SD Engine Speed Camshaft	Yellow (4)	231	--	1.8004.499	520257	11	118231	--	1008
0010.056001.215.011.2	SD ETC 1 Speed	Yellow (4)	232	--	1.3011.128	103	11	118232	110057	1018
0010.056001.215.021.2	SD ETC 2 Speed	Yellow (4)	233	--	1.3011.129	1169	11	118233	110059	1024
0010.020105.215.001.2	SD P-Fuel Filter Difference	Yellow (4)	239	--	1.8004.598	95	11	118239	110231	1260
0010.020101.215.001.2	SD P-Fuel after Filter	Yellow (4)	240	--	1.8004.565	164	11	118240	110046	1246
0010.008202.215.001.2	SD T-Charge Air Seq Ctrl Valve	Yellow (4)	241	--	1.8004.581	520254	11	118241	110258	1476
0010.050101.215.001.2	SD ECU Power Supply Voltage	Yellow (4)	245	--	2.8006.589	158	11	118245	110104	1112
0010.000609.205.001.2	AL RCS Speed Demand Defect	Yellow (3)	--	--	--	898	2	118266	--	2076
0010.057101.265.011.2	SC Injector A1	Yellow (4)	321	--	1.8004.520	520900	31	118321	--	1912
0010.057101.265.021.2	SC Injector A2	Yellow (4)	322	--	1.8004.521	520901	31	118322	--	1916
0010.057101.265.031.2	SC Injector A3	Yellow (4)	323	--	1.8004.522	520902	31	118323	--	1920
0010.057101.265.041.2	SC Injector A4	Yellow (4)	324	--	1.8004.523	520903	31	118324	--	1924
0010.057101.265.051.2	SC Injector A5	Yellow (4)	325	--	1.8004.524	520904	31	118325	--	1928
0010.057101.265.061.2	SC Injector A6	Yellow (4)	326	--	1.8004.525	520905	31	118326	--	1932
0010.057101.265.071.2	SC Injector A7	Yellow (4)	327	--	1.8004.526	520906	31	118327	--	1936
0010.057101.265.081.2	SC Injector A8	Yellow (4)	328	--	1.8004.527	520907	31	118328	--	1940
0010.057101.265.091.2	SC Injector A9	Yellow (4)	329	--	1.8004.528	520908	31	118329	--	1944
0010.057101.265.101.2	SC Injector A10	Yellow (4)	330	--	1.8004.529	520909	31	118330	--	1948
0010.057102.265.011.2	SC Injector B1	Yellow (4)	331	--	1.8004.530	520910	31	118331	--	1952
0010.057102.265.021.2	SC Injector B2	Yellow (4)	332	--	1.8004.531	520911	31	118332	--	1956
0010.057102.265.031.2	SC Injector B3	Yellow (4)	333	--	1.8004.532	520912	31	118333	--	1960
0010.057102.265.041.2	SC Injector B4	Yellow (4)	334	--	1.8004.533	520913	31	118334	--	1964
0010.057102.265.051.2	SC Injector B5	Yellow (4)	335	--	1.8004.534	520914	31	118335	--	1968
0010.057102.265.061.2	SC Injector B6	Yellow (4)	336	--	1.8004.535	520915	31	118336	--	1972
0010.057102.265.071.2	SC Injector B7	Yellow (4)	337	--	1.8004.536	520916	31	118337	--	1976
0010.057102.265.081.2	SC Injector B8	Yellow (4)	338	--	1.8004.537	520917	31	118338	--	1980

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 115 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0010.057102.265.091.2</td><td>SC Injector B9</td><td>Yellow (4)</td><td>339</td><td>--</td><td>1.8004.538</td><td>520918</td><td>31</td><td>118339</td><td>--</td><td>1984</td></tr><tr><td>0010.057102.265.101.2</td><td>SC Injector B10</td><td>Yellow (4)</td><td>340</td><td>--</td><td>1.8004.539</td><td>520919</td><td>31</td><td>118340</td><td>--</td><td>1988</td></tr><tr><td>0010.057103.255.011.2</td><td>WB Injector A1</td><td>Yellow (4)</td><td>341</td><td>--</td><td>1.8004.540</td><td>520930</td><td>31</td><td>118341</td><td>--</td><td>1914</td></tr><tr><td>0010.057103.255.021.2</td><td>WB Injector A2</td><td>Yellow (4)</td><td>342</td><td>--</td><td>1.8004.541</td><td>520931</td><td>31</td><td>118342</td><td>--</td><td>1918</td></tr><tr><td>0010.057103.255.031.2</td><td>WB Injector A3</td><td>Yellow (4)</td><td>343</td><td>--</td><td>1.8004.542</td><td>520932</td><td>31</td><td>118343</td><td>--</td><td>1922</td></tr><tr><td>0010.057103.255.041.2</td><td>WB Injector A4</td><td>Yellow (4)</td><td>344</td><td>--</td><td>1.8004.543</td><td>520933</td><td>31</td><td>118344</td><td>--</td><td>1926</td></tr><tr><td>0010.057103.255.051.2</td><td>WB Injector A5</td><td>Yellow (4)</td><td>345</td><td>--</td><td>1.8004.544</td><td>520934</td><td>31</td><td>118345</td><td>--</td><td>1930</td></tr><tr><td>0010.057103.255.061.2</td><td>WB Injector A6</td><td>Yellow (4)</td><td>346</td><td>--</td><td>1.8004.545</td><td>520935</td><td>31</td><td>118346</td><td>--</td><td>1934</td></tr><tr><td>0010.057103.255.071.2</td><td>WB Injector A7</td><td>Yellow (4)</td><td>347</td><td>--</td><td>1.8004.546</td><td>520936</td><td>31</td><td>118347</td><td>--</td><td>1938</td></tr><tr><td>0010.057103.255.081.2</td><td>WB Injector A8</td><td>Yellow (4)</td><td>348</td><td>--</td><td>1.8004.547</td><td>520937</td><td>31</td><td>118348</td><td>--</td><td>1942</td></tr><tr><td>0010.057103.255.091.2</td><td>WB Injector A9</td><td>Yellow (4)</td><td>349</td><td>--</td><td>1.8004.548</td><td>520938</td><td>31</td><td>118349</td><td>--</td><td>1946</td></tr><tr><td>0010.057103.255.101.2</td><td>WB Injector A10</td><td>Yellow (4)</td><td>350</td><td>--</td><td>1.8004.549</td><td>520939</td><td>31</td><td>118350</td><td>--</td><td>1950</td></tr><tr><td>0010.057104.255.011.2</td><td>WB Injector B1</td><td>Yellow (4)</td><td>351</td><td>--</td><td>1.8004.550</td><td>520940</td><td>31</td><td>118351</td><td>--</td><td>1954</td></tr><tr><td>0010.057104.255.021.2</td><td>WB Injector B2</td><td>Yellow (4)</td><td>352</td><td>--</td><td>1.8004.551</td><td>520941</td><td>31</td><td>118352</td><td>--</td><td>1958</td></tr><tr><td>0010.057104.255.031.2</td><td>WB Injector B3</td><td>Yellow (4)</td><td>353</td><td>--</td><td>1.8004.552</td><td>520942</td><td>31</td><td>118353</td><td>--</td><td>1962</td></tr><tr><td>0010.057104.255.041.2</td><td>WB Injector B4</td><td>Yellow (4)</td><td>354</td><td>--</td><td>1.8004.553</td><td>520943</td><td>31</td><td>118354</td><td>--</td><td>1966</td></tr><tr><td>0010.057104.255.051.2</td><td>WB Injector B5</td><td>Yellow (4)</td><td>355</td><td>--</td><td>1.8004.554</td><td>520944</td><td>31</td><td>118355</td><td>--</td><td>1970</td></tr><tr><td>0010.057104.255.061.2</td><td>WB Injector B6</td><td>Yellow (4)</td><td>356</td><td>--</td><td>1.8004.555</td><td>520945</td><td>31</td><td>118356</td><td>--</td><td>1974</td></tr><tr><td>0010.057104.255.071.2</td><td>WB Injector B7</td><td>Yellow (4)</td><td>357</td><td>--</td><td>1.8004.556</td><td>520946</td><td>31</td><td>118357</td><td>--</td><td>1978</td></tr><tr><td>0010.057104.255.081.2</td><td>WB Injector B8</td><td>Yellow (4)</td><td>358</td><td>--</td><td>1.8004.557</td><td>520947</td><td>31</td><td>118358</td><td>--</td><td>1982</td></tr><tr><td>0010.057104.255.091.2</td><td>WB Injector B9</td><td>Yellow (4)</td><td>359</td><td>--</td><td>1.8004.558</td><td>520948</td><td>31</td><td>118359</td><td>--</td><td>1986</td></tr><tr><td>0010.057104.255.101.2</td><td>WB Injector B10</td><td>Yellow (4)</td><td>360</td><td>--</td><td>1.8004.559</td><td>520949</td><td>31</td><td>118360</td><td>--</td><td>1990</td></tr><tr><td>0010.057201.205.001.2</td><td>AL Power Driver Unit Low</td><td>Yellow (4)</td><td>361</td><td>--</td><td>1.8004.496</td><td>521020</td><td>31</td><td>118361</td><td>--</td><td>2078</td></tr><tr><td>0010.057202.205.001.2</td><td>AL Power Driver Unit High</td><td>Yellow (4)</td><td>362</td><td>--</td><td>1.8004.497</td><td>521021</td><td>31</td><td>118362</td><td>--</td><td>2080</td></tr><tr><td>0010.057203.205.001.2</td><td>AL Power Driver Unit Fail</td><td>Red (2)</td><td>363</td><td>--</td><td>1.8004.560</td><td>521022</td><td>31</td><td>118363</td><td>--</td><td>2082</td></tr><tr><td>0010.057105.265.001.2</td><td>SC Injector Line / Eng. Stop</td><td>Red (2)</td><td>365</td><td>--</td><td>1.8004.561</td><td>521023</td><td>31</td><td>118365</td><td>--</td><td>1992</td></tr><tr><td>0010.002501.205.001.2</td><td>AL MCR Overload</td><td>Yellow (4)</td><td>390</td><td>--</td><td>1.1085.009</td><td>92</td><td>16</td><td>118390</td><td>--</td><td>2084</td></tr><tr><td>0010.057204.105.001.2</td><td>LO U-Power Driver Unit</td><td>Yellow (4)</td><td>410</td><td>--</td><td>2.0141.921</td><td>520982</td><td>17</td><td>118410</td><td>--</td><td>1128</td></tr><tr><td>0010.057204.115.001.2</td><td>LOLO U-Power Driver Unit</td><td>Red (2)</td><td>411</td><td>--</td><td>2.0141.922</td><td>520982</td><td>1</td><td>118411</td><td>--</td><td>1130</td></tr><tr><td>0010.057204.155.001.2</td><td>HI U-Power Driver Unit</td><td>Yellow (3)</td><td>412</td><td>--</td><td>2.0141.931</td><td>520982</td><td>15</td><td>118412</td><td>--</td><td>1126</td></tr><tr><td>0010.057204.165.001.2</td><td>HIHI U-Power Driver Unit</td><td>Red (2)</td><td>413</td><td>--</td><td>2.0141.932</td><td>520982</td><td>0</td><td>118413</td><td>--</td><td>1124</td></tr><tr><td>0010.057204.215.001.2</td><td>SD U-Power Driver Unit</td><td>Yellow (4)</td><td>444</td><td>--</td><td>1.8004.578</td><td>520982</td><td>11</td><td>118444</td><td>--</td><td>1122</td></tr><tr><td>0010.008101.155.001.2</td><td>HI P-Charge Air A</td><td>Yellow (3)</td><td>448</td><td>--</td><td>2.0103.931</td><td>3563</td><td>15</td><td>118448</td><td>--</td><td>1312</td></tr><tr><td>0010.057304.215.001.2</td><td>SD T-ECU</td><td>Yellow (4)</td><td>470</td><td>--</td><td>1.8004.587</td><td>1136</td><td>11</td><td>118470</td><td>110169</td><td>1766</td></tr><tr><td>0010.006401.215.031.2</td><td>SD T-Exhaust Combined C</td><td>Yellow (4)</td><td>482</td><td>--</td><td>1.8004.596</td><td>520393</td><td>11</td><td>118482</td><td>110335</td><td>1494</td></tr><tr><td>0010.006401.215.041.2</td><td>SD T-Exhaust Combined D</td><td>Yellow (4)</td><td>483</td><td>--</td><td>1.8004.597</td><td>520394</td><td>11</td><td>118483</td><td>110340</td><td>1500</td></tr><tr><td>0010.006401.155.031.2</td><td>HI T-Exhaust Combined C</td><td>Yellow (3)</td><td>484</td><td>--</td><td>2.0133.931</td><td>520393</td><td>15</td><td>118484</td><td>--</td><td>1498</td></tr><tr><td>0010.006401.165.031.2</td><td>HIHI T-Exhaust Combined C</td><td>Red (2)</td><td>485</td><td>--</td><td>2.0133.932</td><td>520393</td><td>0</td><td>118485</td><td>--</td><td>1496</td></tr><tr><td>0010.006401.155.041.2</td><td>HI T-Exhaust Combined D</td><td>Yellow (3)</td><td>486</td><td>--</td><td>2.0134.931</td><td>520394</td><td>15</td><td>118486</td><td>--</td><td>1504</td></tr><tr><td>0010.006401.165.041.2</td><td>HIHI T-Exhaust Combined D</td><td>Red (2)</td><td>487</td><td>--</td><td>2.0134.932</td><td>520394</td><td>0</td><td>118487</td><td>--</td><td>1502</td></tr><tr><td>0010.056001.155.031.2</td><td>HI ETC 3 Speed</td><td>Yellow (3)</td><td>488</td><td>--</td><td>2.3014.931</td><td>1170</td><td>15</td><td>118488</td><td>--</td><td>1034</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0010.057102.265.091.2	SC Injector B9	Yellow (4)	339	--	1.8004.538	520918	31	118339	--	1984	0010.057102.265.101.2	SC Injector B10	Yellow (4)	340	--	1.8004.539	520919	31	118340	--	1988	0010.057103.255.011.2	WB Injector A1	Yellow (4)	341	--	1.8004.540	520930	31	118341	--	1914	0010.057103.255.021.2	WB Injector A2	Yellow (4)	342	--	1.8004.541	520931	31	118342	--	1918	0010.057103.255.031.2	WB Injector A3	Yellow (4)	343	--	1.8004.542	520932	31	118343	--	1922	0010.057103.255.041.2	WB Injector A4	Yellow (4)	344	--	1.8004.543	520933	31	118344	--	1926	0010.057103.255.051.2	WB Injector A5	Yellow (4)	345	--	1.8004.544	520934	31	118345	--	1930	0010.057103.255.061.2	WB Injector A6	Yellow (4)	346	--	1.8004.545	520935	31	118346	--	1934	0010.057103.255.071.2	WB Injector A7	Yellow (4)	347	--	1.8004.546	520936	31	118347	--	1938	0010.057103.255.081.2	WB Injector A8	Yellow (4)	348	--	1.8004.547	520937	31	118348	--	1942	0010.057103.255.091.2	WB Injector A9	Yellow (4)	349	--	1.8004.548	520938	31	118349	--	1946	0010.057103.255.101.2	WB Injector A10	Yellow (4)	350	--	1.8004.549	520939	31	118350	--	1950	0010.057104.255.011.2	WB Injector B1	Yellow (4)	351	--	1.8004.550	520940	31	118351	--	1954	0010.057104.255.021.2	WB Injector B2	Yellow (4)	352	--	1.8004.551	520941	31	118352	--	1958	0010.057104.255.031.2	WB Injector B3	Yellow (4)	353	--	1.8004.552	520942	31	118353	--	1962	0010.057104.255.041.2	WB Injector B4	Yellow (4)	354	--	1.8004.553	520943	31	118354	--	1966	0010.057104.255.051.2	WB Injector B5	Yellow (4)	355	--	1.8004.554	520944	31	118355	--	1970	0010.057104.255.061.2	WB Injector B6	Yellow (4)	356	--	1.8004.555	520945	31	118356	--	1974	0010.057104.255.071.2	WB Injector B7	Yellow (4)	357	--	1.8004.556	520946	31	118357	--	1978	0010.057104.255.081.2	WB Injector B8	Yellow (4)	358	--	1.8004.557	520947	31	118358	--	1982	0010.057104.255.091.2	WB Injector B9	Yellow (4)	359	--	1.8004.558	520948	31	118359	--	1986	0010.057104.255.101.2	WB Injector B10	Yellow (4)	360	--	1.8004.559	520949	31	118360	--	1990	0010.057201.205.001.2	AL Power Driver Unit Low	Yellow (4)	361	--	1.8004.496	521020	31	118361	--	2078	0010.057202.205.001.2	AL Power Driver Unit High	Yellow (4)	362	--	1.8004.497	521021	31	118362	--	2080	0010.057203.205.001.2	AL Power Driver Unit Fail	Red (2)	363	--	1.8004.560	521022	31	118363	--	2082	0010.057105.265.001.2	SC Injector Line / Eng. Stop	Red (2)	365	--	1.8004.561	521023	31	118365	--	1992	0010.002501.205.001.2	AL MCR Overload	Yellow (4)	390	--	1.1085.009	92	16	118390	--	2084	0010.057204.105.001.2	LO U-Power Driver Unit	Yellow (4)	410	--	2.0141.921	520982	17	118410	--	1128	0010.057204.115.001.2	LOLO U-Power Driver Unit	Red (2)	411	--	2.0141.922	520982	1	118411	--	1130	0010.057204.155.001.2	HI U-Power Driver Unit	Yellow (3)	412	--	2.0141.931	520982	15	118412	--	1126	0010.057204.165.001.2	HIHI U-Power Driver Unit	Red (2)	413	--	2.0141.932	520982	0	118413	--	1124	0010.057204.215.001.2	SD U-Power Driver Unit	Yellow (4)	444	--	1.8004.578	520982	11	118444	--	1122	0010.008101.155.001.2	HI P-Charge Air A	Yellow (3)	448	--	2.0103.931	3563	15	118448	--	1312	0010.057304.215.001.2	SD T-ECU	Yellow (4)	470	--	1.8004.587	1136	11	118470	110169	1766	0010.006401.215.031.2	SD T-Exhaust Combined C	Yellow (4)	482	--	1.8004.596	520393	11	118482	110335	1494	0010.006401.215.041.2	SD T-Exhaust Combined D	Yellow (4)	483	--	1.8004.597	520394	11	118483	110340	1500	0010.006401.155.031.2	HI T-Exhaust Combined C	Yellow (3)	484	--	2.0133.931	520393	15	118484	--	1498	0010.006401.165.031.2	HIHI T-Exhaust Combined C	Red (2)	485	--	2.0133.932	520393	0	118485	--	1496	0010.006401.155.041.2	HI T-Exhaust Combined D	Yellow (3)	486	--	2.0134.931	520394	15	118486	--	1504	0010.006401.165.041.2	HIHI T-Exhaust Combined D	Red (2)	487	--	2.0134.932	520394	0	118487	--	1502	0010.056001.155.031.2	HI ETC 3 Speed	Yellow (3)	488	--	2.3014.931	1170	15	118488	--	1034
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057102.265.091.2	SC Injector B9	Yellow (4)	339	--	1.8004.538	520918	31	118339	--	1984																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057102.265.101.2	SC Injector B10	Yellow (4)	340	--	1.8004.539	520919	31	118340	--	1988																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.011.2	WB Injector A1	Yellow (4)	341	--	1.8004.540	520930	31	118341	--	1914																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.021.2	WB Injector A2	Yellow (4)	342	--	1.8004.541	520931	31	118342	--	1918																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.031.2	WB Injector A3	Yellow (4)	343	--	1.8004.542	520932	31	118343	--	1922																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.041.2	WB Injector A4	Yellow (4)	344	--	1.8004.543	520933	31	118344	--	1926																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.051.2	WB Injector A5	Yellow (4)	345	--	1.8004.544	520934	31	118345	--	1930																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.061.2	WB Injector A6	Yellow (4)	346	--	1.8004.545	520935	31	118346	--	1934																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.071.2	WB Injector A7	Yellow (4)	347	--	1.8004.546	520936	31	118347	--	1938																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.081.2	WB Injector A8	Yellow (4)	348	--	1.8004.547	520937	31	118348	--	1942																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.091.2	WB Injector A9	Yellow (4)	349	--	1.8004.548	520938	31	118349	--	1946																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057103.255.101.2	WB Injector A10	Yellow (4)	350	--	1.8004.549	520939	31	118350	--	1950																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.011.2	WB Injector B1	Yellow (4)	351	--	1.8004.550	520940	31	118351	--	1954																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.021.2	WB Injector B2	Yellow (4)	352	--	1.8004.551	520941	31	118352	--	1958																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.031.2	WB Injector B3	Yellow (4)	353	--	1.8004.552	520942	31	118353	--	1962																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.041.2	WB Injector B4	Yellow (4)	354	--	1.8004.553	520943	31	118354	--	1966																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.051.2	WB Injector B5	Yellow (4)	355	--	1.8004.554	520944	31	118355	--	1970																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.061.2	WB Injector B6	Yellow (4)	356	--	1.8004.555	520945	31	118356	--	1974																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.071.2	WB Injector B7	Yellow (4)	357	--	1.8004.556	520946	31	118357	--	1978																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.081.2	WB Injector B8	Yellow (4)	358	--	1.8004.557	520947	31	118358	--	1982																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.091.2	WB Injector B9	Yellow (4)	359	--	1.8004.558	520948	31	118359	--	1986																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057104.255.101.2	WB Injector B10	Yellow (4)	360	--	1.8004.559	520949	31	118360	--	1990																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057201.205.001.2	AL Power Driver Unit Low	Yellow (4)	361	--	1.8004.496	521020	31	118361	--	2078																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057202.205.001.2	AL Power Driver Unit High	Yellow (4)	362	--	1.8004.497	521021	31	118362	--	2080																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057203.205.001.2	AL Power Driver Unit Fail	Red (2)	363	--	1.8004.560	521022	31	118363	--	2082																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057105.265.001.2	SC Injector Line / Eng. Stop	Red (2)	365	--	1.8004.561	521023	31	118365	--	1992																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.002501.205.001.2	AL MCR Overload	Yellow (4)	390	--	1.1085.009	92	16	118390	--	2084																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057204.105.001.2	LO U-Power Driver Unit	Yellow (4)	410	--	2.0141.921	520982	17	118410	--	1128																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057204.115.001.2	LOLO U-Power Driver Unit	Red (2)	411	--	2.0141.922	520982	1	118411	--	1130																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057204.155.001.2	HI U-Power Driver Unit	Yellow (3)	412	--	2.0141.931	520982	15	118412	--	1126																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057204.165.001.2	HIHI U-Power Driver Unit	Red (2)	413	--	2.0141.932	520982	0	118413	--	1124																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057204.215.001.2	SD U-Power Driver Unit	Yellow (4)	444	--	1.8004.578	520982	11	118444	--	1122																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.008101.155.001.2	HI P-Charge Air A	Yellow (3)	448	--	2.0103.931	3563	15	118448	--	1312																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057304.215.001.2	SD T-ECU	Yellow (4)	470	--	1.8004.587	1136	11	118470	110169	1766																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006401.215.031.2	SD T-Exhaust Combined C	Yellow (4)	482	--	1.8004.596	520393	11	118482	110335	1494																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006401.215.041.2	SD T-Exhaust Combined D	Yellow (4)	483	--	1.8004.597	520394	11	118483	110340	1500																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006401.155.031.2	HI T-Exhaust Combined C	Yellow (3)	484	--	2.0133.931	520393	15	118484	--	1498																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006401.165.031.2	HIHI T-Exhaust Combined C	Red (2)	485	--	2.0133.932	520393	0	118485	--	1496																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006401.155.041.2	HI T-Exhaust Combined D	Yellow (3)	486	--	2.0134.931	520394	15	118486	--	1504																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006401.165.041.2	HIHI T-Exhaust Combined D	Red (2)	487	--	2.0134.932	520394	0	118487	--	1502																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.056001.155.031.2	HI ETC 3 Speed	Yellow (3)	488	--	2.3014.931	1170	15	118488	--	1034																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 116 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Aenderungsbeschreibung/Description of Revision war kZ						Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0010.056001.165.031.2</td><td>HIHI ETC 3 Overspeed</td><td>Red (2)</td><td>489</td><td>--</td><td>2.3014.932</td><td>1170</td><td>0</td><td>118489</td><td>--</td><td>1032</td></tr><tr><td>0010.056001.155.041.2</td><td>HI ETC 4 Speed</td><td>Yellow (3)</td><td>490</td><td>--</td><td>2.3015.931</td><td>1171</td><td>15</td><td>118490</td><td>--</td><td>1040</td></tr><tr><td>0010.056001.165.041.2</td><td>HIHI ETC 4 Overspeed</td><td>Red (2)</td><td>491</td><td>--</td><td>2.3015.932</td><td>1171</td><td>0</td><td>118491</td><td>--</td><td>1038</td></tr><tr><td>0010.056002.205.041.2</td><td>AL ETC 4 Cut in Fail</td><td>Yellow (3)</td><td>492</td><td>--</td><td>1.8004.202</td><td>520549</td><td>31</td><td>118492</td><td>--</td><td>2086</td></tr><tr><td>0010.056002.205.031.2</td><td>AL ETC 3 Cut in Fail</td><td>Yellow (3)</td><td>493</td><td>--</td><td>1.8004.203</td><td>520548</td><td>31</td><td>118493</td><td>--</td><td>2088</td></tr><tr><td>0010.085003.205.001.2</td><td>AL Multiple FDH Slaves</td><td>Yellow (4)</td><td>543</td><td>--</td><td>2.0555.005</td><td>520552</td><td>31</td><td>118543</td><td>--</td><td>2090</td></tr><tr><td>0010.085002.205.001.2</td><td>AL Configuration Changed</td><td>Yellow (4)</td><td>544</td><td>--</td><td>2.0555.003</td><td>520551</td><td>31</td><td>118544</td><td>--</td><td>2092</td></tr><tr><td>0010.057301.205.001.2</td><td>AL ECU Reset while Eng.Run.</td><td>Yellow (4)</td><td>549</td><td>--</td><td>2.7001.952</td><td>521031</td><td>31</td><td>118549</td><td>--</td><td>2094</td></tr><tr><td>0010.085001.205.001.2</td><td>AL Call MTU Field Service</td><td>Yellow (4)</td><td>555</td><td>--</td><td>2.0555.001</td><td>520550</td><td>31</td><td>118555</td><td>--</td><td>2096</td></tr><tr><td>0010.025202.215.001.2</td><td>SD T-Lube Oil (Oil PAN)</td><td>Yellow (4)</td><td>577</td><td>--</td><td>1.0137.900</td><td>520543</td><td>11</td><td>118577</td><td>--</td><td>1776</td></tr><tr><td>0010.025202.105.001.2</td><td>LO T-Lube Oil (Oil PAN)</td><td>Yellow (3)</td><td>593</td><td>--</td><td>2.1090.929</td><td>520543</td><td>17</td><td>118593</td><td>--</td><td>1774</td></tr><tr><td>0010.057405.205.001.2</td><td>AL Develop PR Set</td><td>Yellow (4)</td><td>596</td><td>--</td><td>1.8004.645</td><td>520804</td><td>31</td><td>118596</td><td>--</td><td>2098</td></tr><tr><td>0010.020106.155.001.2</td><td>HI P-Fuel Int. Filter Diff.</td><td>Yellow (3)</td><td>614</td><td>--</td><td>2.0119.001</td><td>520797</td><td>15</td><td>118614</td><td>--</td><td>1258</td></tr><tr><td>0010.025301.105.001.2</td><td>LO Lube Oil Level</td><td>Yellow (3)</td><td>690</td><td>--</td><td>1.0150.921</td><td>98</td><td>17</td><td>118690</td><td>--</td><td>1834</td></tr><tr><td>0020.027101.105.001.2</td><td>LO P-Gear Control Oil</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>123</td><td>17</td><td>210006</td><td>--</td><td>1220</td></tr><tr><td>0020.027101.115.001.2</td><td>LOLO P-Gear Control Oil</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>123</td><td>1</td><td>210007</td><td>--</td><td>1222</td></tr><tr><td>0020.025101.105.001.2</td><td>LO P-Gear Lube Oil</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>127</td><td>17</td><td>210016</td><td>--</td><td>1214</td></tr><tr><td>0020.025101.115.001.2</td><td>LOLO P-Gear Lube Oil</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>127</td><td>1</td><td>210017</td><td>--</td><td>1216</td></tr><tr><td>0020.025201.155.001.2</td><td>HI T-Gear Oil</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>177</td><td>15</td><td>210028</td><td>--</td><td>1404</td></tr><tr><td>0020.025201.165.001.2</td><td>HIHI T-Gear Oil</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>177</td><td>0</td><td>210029</td><td>--</td><td>1402</td></tr><tr><td>0020.025701.205.001.2</td><td>AL Gear Oil Filter Clogged</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>3359</td><td>31</td><td>210030</td><td>--</td><td>2100</td></tr><tr><td>0020.025301.105.001.2</td><td>LO Gear Oil Level</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>124</td><td>17</td><td>210046</td><td>--</td><td>1826</td></tr><tr><td>0020.025202.155.001.2</td><td>HI T-Gear Oil after Cooler</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>5938</td><td>15</td><td>210058</td><td>--</td><td>1410</td></tr><tr><td>0020.025202.165.001.2</td><td>HIHI T-Gear Oil after Cooler</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>5938</td><td>0</td><td>210059</td><td>--</td><td>1408</td></tr><tr><td>0020.055301.155.001.2</td><td>HI T-Gear Thrust Bearing</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520850</td><td>15</td><td>210068</td><td>--</td><td>1416</td></tr><tr><td>0020.055301.165.001.2</td><td>HIHI T-Gear Thrust Bearing</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520850</td><td>0</td><td>210069</td><td>--</td><td>1414</td></tr><tr><td>1.0020.059302.205.001.2</td><td>AL Trolling System Failure</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520855</td><td>31</td><td>210133</td><td>--</td><td>2350</td></tr><tr><td>1.0020.059003.255.001.2</td><td>WB Trolling Linear Valve</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520853</td><td>31</td><td>210135</td><td>--</td><td>2410</td></tr><tr><td>1.0020.059003.265.001.2</td><td>SC Trolling Linear Valve</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520854</td><td>31</td><td>210136</td><td>--</td><td>2414</td></tr><tr><td>1.0020.059002.255.001.2</td><td>WB Trolling On Valve</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520851</td><td>31</td><td>210137</td><td>--</td><td>2412</td></tr><tr><td>1.0020.059002.265.001.2</td><td>SC Trolling On Valve</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520852</td><td>31</td><td>210138</td><td>--</td><td>2416</td></tr><tr><td>0070.059003.205.001.2</td><td>AL Engage Error</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520751</td><td>31</td><td>210152</td><td>--</td><td>2102</td></tr><tr><td>0070.059004.205.001.2</td><td>AL Disengage Error</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520752</td><td>31</td><td>210153</td><td>--</td><td>2104</td></tr><tr><td>1.0020.059301.205.001.2</td><td>AL Trolling On Failure</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520856</td><td>31</td><td>210180</td><td>--</td><td>2352</td></tr><tr><td>0020.000701.205.001.2</td><td>AL Shaft Speed Direction Lost</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520809</td><td>31</td><td>210330</td><td>--</td><td>2106</td></tr><tr><td>0020.000701.205.011.2</td><td>AL Shaft Speed Redundancy Lost</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520810</td><td>31</td><td>210331</td><td>--</td><td>2108</td></tr><tr><td>0020.000701.225.011.2</td><td>TD Shaft Speed</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520811</td><td>31</td><td>210332</td><td>--</td><td>1016</td></tr><tr><td>0020.027101.215.001.2</td><td>SD P-Gear Control Oil</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>123</td><td>11</td><td>211001</td><td>210001</td><td>1218</td></tr><tr><td>0020.025101.215.001.2</td><td>SD P-Gear Lube Oil</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>127</td><td>11</td><td>211011</td><td>210011</td><td>1212</td></tr><tr><td>0020.025201.215.001.2</td><td>SD T-Gear Oil</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>177</td><td>11</td><td>211021</td><td>210021</td><td>1400</td></tr><tr><td>0020.025701.215.001.2</td><td>SD Gear Oil Filter Clogged</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>3359</td><td>11</td><td>211031</td><td>--</td><td>1224</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0010.056001.165.031.2	HIHI ETC 3 Overspeed	Red (2)	489	--	2.3014.932	1170	0	118489	--	1032	0010.056001.155.041.2	HI ETC 4 Speed	Yellow (3)	490	--	2.3015.931	1171	15	118490	--	1040	0010.056001.165.041.2	HIHI ETC 4 Overspeed	Red (2)	491	--	2.3015.932	1171	0	118491	--	1038	0010.056002.205.041.2	AL ETC 4 Cut in Fail	Yellow (3)	492	--	1.8004.202	520549	31	118492	--	2086	0010.056002.205.031.2	AL ETC 3 Cut in Fail	Yellow (3)	493	--	1.8004.203	520548	31	118493	--	2088	0010.085003.205.001.2	AL Multiple FDH Slaves	Yellow (4)	543	--	2.0555.005	520552	31	118543	--	2090	0010.085002.205.001.2	AL Configuration Changed	Yellow (4)	544	--	2.0555.003	520551	31	118544	--	2092	0010.057301.205.001.2	AL ECU Reset while Eng.Run.	Yellow (4)	549	--	2.7001.952	521031	31	118549	--	2094	0010.085001.205.001.2	AL Call MTU Field Service	Yellow (4)	555	--	2.0555.001	520550	31	118555	--	2096	0010.025202.215.001.2	SD T-Lube Oil (Oil PAN)	Yellow (4)	577	--	1.0137.900	520543	11	118577	--	1776	0010.025202.105.001.2	LO T-Lube Oil (Oil PAN)	Yellow (3)	593	--	2.1090.929	520543	17	118593	--	1774	0010.057405.205.001.2	AL Develop PR Set	Yellow (4)	596	--	1.8004.645	520804	31	118596	--	2098	0010.020106.155.001.2	HI P-Fuel Int. Filter Diff.	Yellow (3)	614	--	2.0119.001	520797	15	118614	--	1258	0010.025301.105.001.2	LO Lube Oil Level	Yellow (3)	690	--	1.0150.921	98	17	118690	--	1834	0020.027101.105.001.2	LO P-Gear Control Oil	Yellow (3)	--	--	--	123	17	210006	--	1220	0020.027101.115.001.2	LOLO P-Gear Control Oil	Red (2)	--	--	--	123	1	210007	--	1222	0020.025101.105.001.2	LO P-Gear Lube Oil	Yellow (3)	--	--	--	127	17	210016	--	1214	0020.025101.115.001.2	LOLO P-Gear Lube Oil	Red (2)	--	--	--	127	1	210017	--	1216	0020.025201.155.001.2	HI T-Gear Oil	Yellow (3)	--	--	--	177	15	210028	--	1404	0020.025201.165.001.2	HIHI T-Gear Oil	Red (2)	--	--	--	177	0	210029	--	1402	0020.025701.205.001.2	AL Gear Oil Filter Clogged	Yellow (3)	--	--	--	3359	31	210030	--	2100	0020.025301.105.001.2	LO Gear Oil Level	Yellow (3)	--	--	--	124	17	210046	--	1826	0020.025202.155.001.2	HI T-Gear Oil after Cooler	Yellow (3)	--	--	--	5938	15	210058	--	1410	0020.025202.165.001.2	HIHI T-Gear Oil after Cooler	Red (2)	--	--	--	5938	0	210059	--	1408	0020.055301.155.001.2	HI T-Gear Thrust Bearing	Yellow (3)	--	--	--	520850	15	210068	--	1416	0020.055301.165.001.2	HIHI T-Gear Thrust Bearing	Red (2)	--	--	--	520850	0	210069	--	1414	1.0020.059302.205.001.2	AL Trolling System Failure	Yellow (3)	--	--	--	520855	31	210133	--	2350	1.0020.059003.255.001.2	WB Trolling Linear Valve	Yellow (4)	--	--	--	520853	31	210135	--	2410	1.0020.059003.265.001.2	SC Trolling Linear Valve	Yellow (3)	--	--	--	520854	31	210136	--	2414	1.0020.059002.255.001.2	WB Trolling On Valve	Yellow (4)	--	--	--	520851	31	210137	--	2412	1.0020.059002.265.001.2	SC Trolling On Valve	Yellow (3)	--	--	--	520852	31	210138	--	2416	0070.059003.205.001.2	AL Engage Error	Yellow (3)	--	--	--	520751	31	210152	--	2102	0070.059004.205.001.2	AL Disengage Error	Yellow (3)	--	--	--	520752	31	210153	--	2104	1.0020.059301.205.001.2	AL Trolling On Failure	Yellow (3)	--	--	--	520856	31	210180	--	2352	0020.000701.205.001.2	AL Shaft Speed Direction Lost	Yellow (3)	--	--	--	520809	31	210330	--	2106	0020.000701.205.011.2	AL Shaft Speed Redundancy Lost	Yellow (3)	--	--	--	520810	31	210331	--	2108	0020.000701.225.011.2	TD Shaft Speed	Yellow (3)	--	--	--	520811	31	210332	--	1016	0020.027101.215.001.2	SD P-Gear Control Oil	Yellow (4)	--	--	--	123	11	211001	210001	1218	0020.025101.215.001.2	SD P-Gear Lube Oil	Yellow (4)	--	--	--	127	11	211011	210011	1212	0020.025201.215.001.2	SD T-Gear Oil	Yellow (4)	--	--	--	177	11	211021	210021	1400	0020.025701.215.001.2	SD Gear Oil Filter Clogged	Yellow (4)	--	--	--	3359	11	211031	--	1224
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.056001.165.031.2	HIHI ETC 3 Overspeed	Red (2)	489	--	2.3014.932	1170	0	118489	--	1032																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.056001.155.041.2	HI ETC 4 Speed	Yellow (3)	490	--	2.3015.931	1171	15	118490	--	1040																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.056001.165.041.2	HIHI ETC 4 Overspeed	Red (2)	491	--	2.3015.932	1171	0	118491	--	1038																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.056002.205.041.2	AL ETC 4 Cut in Fail	Yellow (3)	492	--	1.8004.202	520549	31	118492	--	2086																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.056002.205.031.2	AL ETC 3 Cut in Fail	Yellow (3)	493	--	1.8004.203	520548	31	118493	--	2088																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.085003.205.001.2	AL Multiple FDH Slaves	Yellow (4)	543	--	2.0555.005	520552	31	118543	--	2090																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.085002.205.001.2	AL Configuration Changed	Yellow (4)	544	--	2.0555.003	520551	31	118544	--	2092																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057301.205.001.2	AL ECU Reset while Eng.Run.	Yellow (4)	549	--	2.7001.952	521031	31	118549	--	2094																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.085001.205.001.2	AL Call MTU Field Service	Yellow (4)	555	--	2.0555.001	520550	31	118555	--	2096																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025202.215.001.2	SD T-Lube Oil (Oil PAN)	Yellow (4)	577	--	1.0137.900	520543	11	118577	--	1776																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025202.105.001.2	LO T-Lube Oil (Oil PAN)	Yellow (3)	593	--	2.1090.929	520543	17	118593	--	1774																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.057405.205.001.2	AL Develop PR Set	Yellow (4)	596	--	1.8004.645	520804	31	118596	--	2098																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.020106.155.001.2	HI P-Fuel Int. Filter Diff.	Yellow (3)	614	--	2.0119.001	520797	15	118614	--	1258																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.025301.105.001.2	LO Lube Oil Level	Yellow (3)	690	--	1.0150.921	98	17	118690	--	1834																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.027101.105.001.2	LO P-Gear Control Oil	Yellow (3)	--	--	--	123	17	210006	--	1220																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.027101.115.001.2	LOLO P-Gear Control Oil	Red (2)	--	--	--	123	1	210007	--	1222																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025101.105.001.2	LO P-Gear Lube Oil	Yellow (3)	--	--	--	127	17	210016	--	1214																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025101.115.001.2	LOLO P-Gear Lube Oil	Red (2)	--	--	--	127	1	210017	--	1216																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025201.155.001.2	HI T-Gear Oil	Yellow (3)	--	--	--	177	15	210028	--	1404																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025201.165.001.2	HIHI T-Gear Oil	Red (2)	--	--	--	177	0	210029	--	1402																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025701.205.001.2	AL Gear Oil Filter Clogged	Yellow (3)	--	--	--	3359	31	210030	--	2100																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025301.105.001.2	LO Gear Oil Level	Yellow (3)	--	--	--	124	17	210046	--	1826																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025202.155.001.2	HI T-Gear Oil after Cooler	Yellow (3)	--	--	--	5938	15	210058	--	1410																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025202.165.001.2	HIHI T-Gear Oil after Cooler	Red (2)	--	--	--	5938	0	210059	--	1408																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.055301.155.001.2	HI T-Gear Thrust Bearing	Yellow (3)	--	--	--	520850	15	210068	--	1416																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.055301.165.001.2	HIHI T-Gear Thrust Bearing	Red (2)	--	--	--	520850	0	210069	--	1414																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0020.059302.205.001.2	AL Trolling System Failure	Yellow (3)	--	--	--	520855	31	210133	--	2350																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0020.059003.255.001.2	WB Trolling Linear Valve	Yellow (4)	--	--	--	520853	31	210135	--	2410																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0020.059003.265.001.2	SC Trolling Linear Valve	Yellow (3)	--	--	--	520854	31	210136	--	2414																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0020.059002.255.001.2	WB Trolling On Valve	Yellow (4)	--	--	--	520851	31	210137	--	2412																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0020.059002.265.001.2	SC Trolling On Valve	Yellow (3)	--	--	--	520852	31	210138	--	2416																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0070.059003.205.001.2	AL Engage Error	Yellow (3)	--	--	--	520751	31	210152	--	2102																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0070.059004.205.001.2	AL Disengage Error	Yellow (3)	--	--	--	520752	31	210153	--	2104																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0020.059301.205.001.2	AL Trolling On Failure	Yellow (3)	--	--	--	520856	31	210180	--	2352																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.000701.205.001.2	AL Shaft Speed Direction Lost	Yellow (3)	--	--	--	520809	31	210330	--	2106																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.000701.205.011.2	AL Shaft Speed Redundancy Lost	Yellow (3)	--	--	--	520810	31	210331	--	2108																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.000701.225.011.2	TD Shaft Speed	Yellow (3)	--	--	--	520811	31	210332	--	1016																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.027101.215.001.2	SD P-Gear Control Oil	Yellow (4)	--	--	--	123	11	211001	210001	1218																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025101.215.001.2	SD P-Gear Lube Oil	Yellow (4)	--	--	--	127	11	211011	210011	1212																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025201.215.001.2	SD T-Gear Oil	Yellow (4)	--	--	--	177	11	211021	210021	1400																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025701.215.001.2	SD Gear Oil Filter Clogged	Yellow (4)	--	--	--	3359	11	211031	--	1224																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 117 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Aenderungsbeschreibung/Description of Revision war kZ						Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0020.025301.215.001.2</td><td>SD Gear Oil Level</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>124</td><td>11</td><td>211041</td><td>--</td><td>1824</td></tr><tr><td>0020.025202.215.001.2</td><td>SD T-Gear Oil after Cooler</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>5938</td><td>11</td><td>211051</td><td>210051</td><td>1406</td></tr><tr><td>0020.055301.215.001.2</td><td>SD T-Gear Thrust Bearing</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520850</td><td>11</td><td>211061</td><td>210061</td><td>1412</td></tr><tr><td>0020.000701.215.011.2</td><td>SD Shaft Speed 1</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520864</td><td>11</td><td>211311</td><td>210311</td><td>1012</td></tr><tr><td>0020.000701.215.021.2</td><td>SD Shaft Speed 2</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520865</td><td>11</td><td>211321</td><td>210321</td><td>1014</td></tr><tr><td>1.0021.027101.105.001.2</td><td>LO P-Gear Control Oil SaSy</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520409</td><td>17</td><td>212006</td><td>--</td><td>2466</td></tr><tr><td>1.0021.027101.115.001.2</td><td>LOLO P-Gear Control Oil SaSy</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520409</td><td>1</td><td>212007</td><td>--</td><td>2470</td></tr><tr><td>1.0021.025101.105.001.2</td><td>LO P-Gear Lube Oil SaSy</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520857</td><td>17</td><td>212016</td><td>--</td><td>2468</td></tr><tr><td>1.0021.025101.115.001.2</td><td>LOLO P-Gear Lube Oil SaSy</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520857</td><td>1</td><td>212017</td><td>--</td><td>2472</td></tr><tr><td>1.0021.027101.215.001.2</td><td>SD P-Gear Control Oil SaSy</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520409</td><td>11</td><td>213001</td><td>212001</td><td>2388</td></tr><tr><td>0080.075003.205.001.2</td><td>AL RCS Combined Alarm Yel</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520793</td><td>31</td><td>810056</td><td>--</td><td>2110</td></tr><tr><td>0080.075001.205.001.2</td><td>AL RCS Combined Alarm Red</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520792</td><td>31</td><td>810057</td><td>--</td><td>2112</td></tr><tr><td>1.0080.064005.205.001.2</td><td>AL RCS SYNC Failure</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520777</td><td>31</td><td>810058</td><td>--</td><td>2348</td></tr><tr><td>1.0080.064004.205.001.2</td><td>AL RCS Active Lever Lost</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520776</td><td>31</td><td>810059</td><td>--</td><td>2346</td></tr><tr><td>1.0080.046112.205.021.2</td><td>AL Parallel Transfer Error</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520759</td><td>31</td><td>810060</td><td>--</td><td>2344</td></tr><tr><td>1.0080.076008.205.001.2</td><td>AL Com. to other Shafts Lost</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520794</td><td>31</td><td>810061</td><td>--</td><td>2114</td></tr><tr><td>1.0080.049005.205.001.2</td><td>AL Disengage Sequence Timeout</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520760</td><td>31</td><td>810062</td><td>--</td><td>2300</td></tr><tr><td>1.0080.049006.205.001.2</td><td>AL Engage Sequence Timeout</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520761</td><td>31</td><td>810063</td><td>--</td><td>2302</td></tr><tr><td>1.0080.064002.205.011.2</td><td>AL Lever Poti Red.Lost CS1</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520769</td><td>31</td><td>810132</td><td>--</td><td>2330</td></tr><tr><td>1.0080.064001.205.011.2</td><td>AL Lever Poti Defect CS1</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520762</td><td>31</td><td>810133</td><td>--</td><td>2316</td></tr><tr><td>1.0080.064016.205.011.2</td><td>AL Lever Com. Lost CS1</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520778</td><td>31</td><td>810134</td><td>--</td><td>2306</td></tr><tr><td>1.0080.064017.225.011.2</td><td>TD Lever Poti CS1</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520785</td><td>31</td><td>810135</td><td>--</td><td>2396</td></tr><tr><td>1.0080.064002.205.021.2</td><td>AL Lever Poti Red.Lost CS2</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520770</td><td>31</td><td>810232</td><td>--</td><td>2332</td></tr><tr><td>1.0080.064001.205.021.2</td><td>AL Lever Poti Defect CS2</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520763</td><td>31</td><td>810233</td><td>--</td><td>2318</td></tr><tr><td>1.0080.064016.205.021.2</td><td>AL Lever Com. Lost CS2</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520779</td><td>31</td><td>810234</td><td>--</td><td>2308</td></tr><tr><td>1.0080.064017.225.021.2</td><td>TD Lever Poti CS2</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520786</td><td>31</td><td>810235</td><td>--</td><td>2398</td></tr><tr><td>1.0080.064002.205.031.2</td><td>AL Lever Poti Red.Lost CS3</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520771</td><td>31</td><td>810332</td><td>--</td><td>2334</td></tr><tr><td>1.0080.064001.205.031.2</td><td>AL Lever Poti Defect CS3</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520764</td><td>31</td><td>810333</td><td>--</td><td>2320</td></tr><tr><td>1.0080.064016.205.031.2</td><td>AL Lever Com. Lost CS3</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520780</td><td>31</td><td>810334</td><td>--</td><td>2310</td></tr><tr><td>1.0080.064017.225.031.2</td><td>TD Lever Poti CS3</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520787</td><td>31</td><td>810335</td><td>--</td><td>2400</td></tr><tr><td>1.0080.064002.205.041.2</td><td>AL Lever Poti Red.Lost CS4</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520772</td><td>31</td><td>810432</td><td>--</td><td>2336</td></tr><tr><td>1.0080.064001.205.041.2</td><td>AL Lever Poti Defect CS4</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520765</td><td>31</td><td>810433</td><td>--</td><td>2322</td></tr><tr><td>1.0080.064016.205.041.2</td><td>AL Lever Com. Lost CS4</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520781</td><td>31</td><td>810434</td><td>--</td><td>2312</td></tr><tr><td>1.0080.064017.225.041.2</td><td>TD Lever Poti CS4</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520788</td><td>31</td><td>810435</td><td>--</td><td>2402</td></tr><tr><td>1.0080.064002.205.051.2</td><td>AL Lever Poti Red.Lost CS5</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520773</td><td>31</td><td>810532</td><td>--</td><td>2338</td></tr><tr><td>1.0080.064001.205.051.2</td><td>AL Lever Poti Defect CS5</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520766</td><td>31</td><td>810533</td><td>--</td><td>2324</td></tr><tr><td>1.0080.064016.205.051.2</td><td>AL Lever Com. Lost CS5</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520782</td><td>31</td><td>810534</td><td>--</td><td>2314</td></tr><tr><td>1.0080.064017.225.051.2</td><td>TD Lever Poti CS5</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520789</td><td>31</td><td>810535</td><td>--</td><td>2404</td></tr><tr><td>1.0080.064002.205.061.2</td><td>AL Lever Poti Red.Lost CS6</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520774</td><td>31</td><td>810632</td><td>--</td><td>2340</td></tr><tr><td>1.0080.064001.205.061.2</td><td>AL Lever Poti Defect CS6</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520767</td><td>31</td><td>810633</td><td>--</td><td>2326</td></tr><tr><td>1.0080.064016.205.061.2</td><td>AL Lever Com. Lost CS6</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520783</td><td>31</td><td>810634</td><td>--</td><td>2304</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0020.025301.215.001.2	SD Gear Oil Level	Yellow (4)	--	--	--	124	11	211041	--	1824	0020.025202.215.001.2	SD T-Gear Oil after Cooler	Yellow (4)	--	--	--	5938	11	211051	210051	1406	0020.055301.215.001.2	SD T-Gear Thrust Bearing	Yellow (4)	--	--	--	520850	11	211061	210061	1412	0020.000701.215.011.2	SD Shaft Speed 1	Yellow (4)	--	--	--	520864	11	211311	210311	1012	0020.000701.215.021.2	SD Shaft Speed 2	Yellow (4)	--	--	--	520865	11	211321	210321	1014	1.0021.027101.105.001.2	LO P-Gear Control Oil SaSy	Yellow (3)	--	--	--	520409	17	212006	--	2466	1.0021.027101.115.001.2	LOLO P-Gear Control Oil SaSy	Red (2)	--	--	--	520409	1	212007	--	2470	1.0021.025101.105.001.2	LO P-Gear Lube Oil SaSy	Yellow (3)	--	--	--	520857	17	212016	--	2468	1.0021.025101.115.001.2	LOLO P-Gear Lube Oil SaSy	Red (2)	--	--	--	520857	1	212017	--	2472	1.0021.027101.215.001.2	SD P-Gear Control Oil SaSy	Yellow (4)	--	--	--	520409	11	213001	212001	2388	0080.075003.205.001.2	AL RCS Combined Alarm Yel	Yellow (4)	--	--	--	520793	31	810056	--	2110	0080.075001.205.001.2	AL RCS Combined Alarm Red	Red (2)	--	--	--	520792	31	810057	--	2112	1.0080.064005.205.001.2	AL RCS SYNC Failure	Yellow (3)	--	--	--	520777	31	810058	--	2348	1.0080.064004.205.001.2	AL RCS Active Lever Lost	Red (2)	--	--	--	520776	31	810059	--	2346	1.0080.046112.205.021.2	AL Parallel Transfer Error	Red (2)	--	--	--	520759	31	810060	--	2344	1.0080.076008.205.001.2	AL Com. to other Shafts Lost	Red (2)	--	--	--	520794	31	810061	--	2114	1.0080.049005.205.001.2	AL Disengage Sequence Timeout	Red (2)	--	--	--	520760	31	810062	--	2300	1.0080.049006.205.001.2	AL Engage Sequence Timeout	Red (2)	--	--	--	520761	31	810063	--	2302	1.0080.064002.205.011.2	AL Lever Poti Red.Lost CS1	Yellow (3)	--	--	--	520769	31	810132	--	2330	1.0080.064001.205.011.2	AL Lever Poti Defect CS1	Red (2)	--	--	--	520762	31	810133	--	2316	1.0080.064016.205.011.2	AL Lever Com. Lost CS1	Red (2)	--	--	--	520778	31	810134	--	2306	1.0080.064017.225.011.2	TD Lever Poti CS1	Yellow (3)	--	--	--	520785	31	810135	--	2396	1.0080.064002.205.021.2	AL Lever Poti Red.Lost CS2	Yellow (3)	--	--	--	520770	31	810232	--	2332	1.0080.064001.205.021.2	AL Lever Poti Defect CS2	Red (2)	--	--	--	520763	31	810233	--	2318	1.0080.064016.205.021.2	AL Lever Com. Lost CS2	Red (2)	--	--	--	520779	31	810234	--	2308	1.0080.064017.225.021.2	TD Lever Poti CS2	Yellow (3)	--	--	--	520786	31	810235	--	2398	1.0080.064002.205.031.2	AL Lever Poti Red.Lost CS3	Yellow (3)	--	--	--	520771	31	810332	--	2334	1.0080.064001.205.031.2	AL Lever Poti Defect CS3	Red (2)	--	--	--	520764	31	810333	--	2320	1.0080.064016.205.031.2	AL Lever Com. Lost CS3	Red (2)	--	--	--	520780	31	810334	--	2310	1.0080.064017.225.031.2	TD Lever Poti CS3	Yellow (3)	--	--	--	520787	31	810335	--	2400	1.0080.064002.205.041.2	AL Lever Poti Red.Lost CS4	Yellow (3)	--	--	--	520772	31	810432	--	2336	1.0080.064001.205.041.2	AL Lever Poti Defect CS4	Red (2)	--	--	--	520765	31	810433	--	2322	1.0080.064016.205.041.2	AL Lever Com. Lost CS4	Red (2)	--	--	--	520781	31	810434	--	2312	1.0080.064017.225.041.2	TD Lever Poti CS4	Yellow (3)	--	--	--	520788	31	810435	--	2402	1.0080.064002.205.051.2	AL Lever Poti Red.Lost CS5	Yellow (3)	--	--	--	520773	31	810532	--	2338	1.0080.064001.205.051.2	AL Lever Poti Defect CS5	Red (2)	--	--	--	520766	31	810533	--	2324	1.0080.064016.205.051.2	AL Lever Com. Lost CS5	Red (2)	--	--	--	520782	31	810534	--	2314	1.0080.064017.225.051.2	TD Lever Poti CS5	Yellow (3)	--	--	--	520789	31	810535	--	2404	1.0080.064002.205.061.2	AL Lever Poti Red.Lost CS6	Yellow (3)	--	--	--	520774	31	810632	--	2340	1.0080.064001.205.061.2	AL Lever Poti Defect CS6	Red (2)	--	--	--	520767	31	810633	--	2326	1.0080.064016.205.061.2	AL Lever Com. Lost CS6	Red (2)	--	--	--	520783	31	810634	--	2304
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025301.215.001.2	SD Gear Oil Level	Yellow (4)	--	--	--	124	11	211041	--	1824																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.025202.215.001.2	SD T-Gear Oil after Cooler	Yellow (4)	--	--	--	5938	11	211051	210051	1406																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.055301.215.001.2	SD T-Gear Thrust Bearing	Yellow (4)	--	--	--	520850	11	211061	210061	1412																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.000701.215.011.2	SD Shaft Speed 1	Yellow (4)	--	--	--	520864	11	211311	210311	1012																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0020.000701.215.021.2	SD Shaft Speed 2	Yellow (4)	--	--	--	520865	11	211321	210321	1014																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0021.027101.105.001.2	LO P-Gear Control Oil SaSy	Yellow (3)	--	--	--	520409	17	212006	--	2466																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0021.027101.115.001.2	LOLO P-Gear Control Oil SaSy	Red (2)	--	--	--	520409	1	212007	--	2470																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0021.025101.105.001.2	LO P-Gear Lube Oil SaSy	Yellow (3)	--	--	--	520857	17	212016	--	2468																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0021.025101.115.001.2	LOLO P-Gear Lube Oil SaSy	Red (2)	--	--	--	520857	1	212017	--	2472																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0021.027101.215.001.2	SD P-Gear Control Oil SaSy	Yellow (4)	--	--	--	520409	11	213001	212001	2388																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0080.075003.205.001.2	AL RCS Combined Alarm Yel	Yellow (4)	--	--	--	520793	31	810056	--	2110																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0080.075001.205.001.2	AL RCS Combined Alarm Red	Red (2)	--	--	--	520792	31	810057	--	2112																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064005.205.001.2	AL RCS SYNC Failure	Yellow (3)	--	--	--	520777	31	810058	--	2348																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064004.205.001.2	AL RCS Active Lever Lost	Red (2)	--	--	--	520776	31	810059	--	2346																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.046112.205.021.2	AL Parallel Transfer Error	Red (2)	--	--	--	520759	31	810060	--	2344																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.076008.205.001.2	AL Com. to other Shafts Lost	Red (2)	--	--	--	520794	31	810061	--	2114																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.049005.205.001.2	AL Disengage Sequence Timeout	Red (2)	--	--	--	520760	31	810062	--	2300																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.049006.205.001.2	AL Engage Sequence Timeout	Red (2)	--	--	--	520761	31	810063	--	2302																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064002.205.011.2	AL Lever Poti Red.Lost CS1	Yellow (3)	--	--	--	520769	31	810132	--	2330																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064001.205.011.2	AL Lever Poti Defect CS1	Red (2)	--	--	--	520762	31	810133	--	2316																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064016.205.011.2	AL Lever Com. Lost CS1	Red (2)	--	--	--	520778	31	810134	--	2306																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064017.225.011.2	TD Lever Poti CS1	Yellow (3)	--	--	--	520785	31	810135	--	2396																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064002.205.021.2	AL Lever Poti Red.Lost CS2	Yellow (3)	--	--	--	520770	31	810232	--	2332																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064001.205.021.2	AL Lever Poti Defect CS2	Red (2)	--	--	--	520763	31	810233	--	2318																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064016.205.021.2	AL Lever Com. Lost CS2	Red (2)	--	--	--	520779	31	810234	--	2308																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064017.225.021.2	TD Lever Poti CS2	Yellow (3)	--	--	--	520786	31	810235	--	2398																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064002.205.031.2	AL Lever Poti Red.Lost CS3	Yellow (3)	--	--	--	520771	31	810332	--	2334																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064001.205.031.2	AL Lever Poti Defect CS3	Red (2)	--	--	--	520764	31	810333	--	2320																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064016.205.031.2	AL Lever Com. Lost CS3	Red (2)	--	--	--	520780	31	810334	--	2310																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064017.225.031.2	TD Lever Poti CS3	Yellow (3)	--	--	--	520787	31	810335	--	2400																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064002.205.041.2	AL Lever Poti Red.Lost CS4	Yellow (3)	--	--	--	520772	31	810432	--	2336																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064001.205.041.2	AL Lever Poti Defect CS4	Red (2)	--	--	--	520765	31	810433	--	2322																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064016.205.041.2	AL Lever Com. Lost CS4	Red (2)	--	--	--	520781	31	810434	--	2312																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064017.225.041.2	TD Lever Poti CS4	Yellow (3)	--	--	--	520788	31	810435	--	2402																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064002.205.051.2	AL Lever Poti Red.Lost CS5	Yellow (3)	--	--	--	520773	31	810532	--	2338																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064001.205.051.2	AL Lever Poti Defect CS5	Red (2)	--	--	--	520766	31	810533	--	2324																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064016.205.051.2	AL Lever Com. Lost CS5	Red (2)	--	--	--	520782	31	810534	--	2314																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064017.225.051.2	TD Lever Poti CS5	Yellow (3)	--	--	--	520789	31	810535	--	2404																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064002.205.061.2	AL Lever Poti Red.Lost CS6	Yellow (3)	--	--	--	520774	31	810632	--	2340																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064001.205.061.2	AL Lever Poti Defect CS6	Red (2)	--	--	--	520767	31	810633	--	2326																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064016.205.061.2	AL Lever Com. Lost CS6	Red (2)	--	--	--	520783	31	810634	--	2304																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 118 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
1.0080.064017.225.061.2	TD Lever Poti CS6	Yellow (3)	--	--	--	520790	31	810635	--	2406
1.0080.064002.205.071.2	AL Lever Poti Red.Lost PC	Yellow (3)	--	--	--	520775	31	810732	--	2342
1.0080.064001.205.071.2	AL Lever Poti Defect PC	Red (2)	--	--	--	520768	31	810733	--	2328
1.0080.064016.205.071.2	AL Com. Lost Portable Ctrl.	Red (2)	--	--	--	520784	31	810734	--	2298
1.0080.064017.225.071.2	TD Lever Poti PC	Yellow (3)	--	--	--	520791	31	810735	--	2408
0070.075201.205.011.2	AL MMS Com. Lost	Yellow (3)	--	--	--	520754	31	910001	--	2116
0070.075205.205.011.2	AL MMS SaSy Com. Lost	Yellow (3)	--	--	--	520757	31	910002	--	2118
0070.075203.205.011.2	AL LOS Com. Lost	Yellow (3)	--	--	--	520756	31	910003	--	2120
0070.075202.205.011.2	AL MMS Com. Red. Lost	Yellow (3)	--	--	--	520755	31	910004	--	2122
0070.075004.205.001.2	AL Internal System Failure	Yellow (3)	--	--	--	520753	31	910100	--	2124
0050.058103.155.001.2	HI T-Riser	Yellow (3)	--	--	--	520863	15	116438	--	1772
0010.043306.255.001.2	WB ECU Emerg.Stop Input (ESI)	Yellow (3)	408	--	2.8006.633	521024	31	118408	--	2280
0070.050001.215.001.2	SD U-SPU Main Power Supply	Yellow (4)	--	--	--	520862	11	116160	116441	2230
0011.043502.205.001.2	AL EMU 11V	Yellow (4)	--	112612	--	520926	31	112612	--	1142
0011.043503.205.001.2	AL EMU 7V	Yellow (4)	--	112613	--	520927	31	112613	--	1144
0010.075101.245.001.2	SE Lifedata Not Available	Yellow (4)	176	--	2.4000.004	521231	31	111780	--	2426
0010.075102.245.001.2	SE Lifedata Restore Incomp	Yellow (4)	177	--	2.4000.006	521232	31	111781	--	2428
0010.075103.245.001.2	SE CAN 1 Node Lost	Yellow (4)	180	--	2.0500.680	521006	31	111782	--	2430
0010.075104.245.001.2	SE CAN 2 Node Lost	Yellow (4)	181	--	2.0500.681	521007	31	111783	--	2432
0010.075105.245.001.2	SE CAN Wrong Parameters	Yellow (4)	182	--	2.0500.682	521008	31	111784	--	2434
0010.075106.245.001.2	SE CAN No PU Data	Yellow (4)	183	--	2.0500.683	521009	31	111785	--	2436
0010.075107.245.001.2	SE CAN PU Data Flash Error	Yellow (4)	184	--	2.0500.684	521010	31	111786	--	2438
0010.075108.245.001.2	SE CAN 1 Bus off	Yellow (4)	186	--	2.0500.686	521011	31	111787	--	2440
0010.075109.245.001.2	SE CAN 1 Error Passive	Yellow (4)	187	--	2.0500.687	521012	31	111788	--	2442
0010.075110.245.001.2	SE CAN 2 Bus off	Yellow (4)	188	--	2.0500.688	521013	31	111789	--	2444
0010.075111.245.001.2	SE CAN 2 Error Passive	Yellow (4)	189	--	2.0500.689	521014	31	111790	--	2446
0010.075112.245.001.2	SE EMU PR Not Supported	Yellow (4)	190	--	2.0500.690	521230	31	111791	--	2448
0010.075301.205.011.2	AL SC/WB Trans.Outp.TO1 (ECU)	Yellow (4)	371	--	1.8004.634	520872	31	118371	--	2174
0010.075301.205.021.2	AL SC/WB Trans.Outp.TO2 (ECU)	Yellow (4)	372	--	1.8004.635	520894	31	118372	--	2176
0010.075301.205.031.2	AL SC/WB Trans.Outp.TO3 (ECU)	Yellow (4)	373	--	1.8004.636	520895	31	118373	--	2178
0010.075301.205.041.2	AL SC/WB Trans.Outp.TO4 (ECU)	Yellow (4)	374	--	1.8004.637	520896	31	118374	--	2180
0010.075302.205.011.2	AL SC/WB Trans.Outp.TOP1 (ECU)	Yellow (4)	381	--	2.8006.638	520952	31	118381	--	2182
0010.075302.205.021.2	AL SC/WB Trans.Outp.TOP2 (ECU)	Yellow (4)	382	--	2.8006.639	520953	31	118382	--	2184
0010.075302.205.031.2	AL SC/WB Trans.Outp.TOP3 (ECU)	Yellow (4)	383	--	2.8006.640	520954	31	118383	--	2186
0010.075302.205.041.2	AL SC/WB Trans.Outp.TOP4 (ECU)	Yellow (4)	384	--	2.8006.641	520955	31	118384	--	2188
0010.075401.255.011.2	WB Binary Input DI1 (ECU)	Yellow (4)	400	--	2.8006.625	520958	31	118400	--	2282
0010.075401.255.021.2	WB Binary Input DI2 (ECU)	Yellow (4)	401	--	2.8006.626	520959	31	118401	--	2284
0010.075401.255.031.2	WB Binary Input DI3 (ECU)	Yellow (4)	402	--	2.8006.627	520960	31	118402	--	2286
0010.075401.255.041.2	WB Binary Input DI4 (ECU)	Yellow (4)	403	--	2.8006.628	520961	31	118403	--	2288
0010.075401.255.051.2	WB Binary Input DI5 (ECU)	Yellow (4)	404	--	2.8006.629	520962	31	118404	--	2290
0010.075401.255.061.2	WB Binary Input DI6 (ECU)	Yellow (4)	405	--	2.8006.630	520963	31	118405	--	2292

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 119 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.075401.255.071.2	WB Binary Input DI7 (ECU)	Yellow (4)	406	--	2.8006.631	520964	31	118406	--	2294
0010.075401.255.081.2	WB Binary Input DI8 (ECU)	Yellow (4)	407	--	2.8006.632	520965	31	118407	--	2296
0070.059005.205.001.2	AL Clutch Interlock Active	Yellow (3)	--	--	--	521234	31	210147	--	2198
0070.050001.205.001.2	AL U-SPU Main Power SupplyFail	Yellow (4)	--	--	--	520862	31	116161	--	1146
0070.050002.215.001.2	SD U-SPU Emerg. Power Supply	Yellow (4)	--	--	--	520849	11	116162	116451	2232
0070.050002.205.001.2	AL U-SPU Emerg. Pow Sup Fail	Yellow (4)	--	--	--	520849	31	116163	--	1148
0070.049004.205.001.2	AL FRCS Ctrl Fail	Yellow (3)	--	--	--	521233	31	116423	--	2066
0010.025104.215.011.2	SD P-Lube Oil A-Side ETCs	Yellow (4)	782	--	1.0222.920	104	11	118782	110529	1164
0010.025104.105.011.2	LO P-Lube Oil A-Side ETCs	Yellow (3)	867	--	2.0222.923	104	17	118867	--	1166
0010.025104.115.011.2	LOLO P-Lube Oil A-Side ETCs	Red (2)	868	--	2.0222.924	104	1	118868	--	1168
0010.025104.215.021.2	SD P-Lube Oil B-Side ETCs	Yellow (4)	856	--	1.0223.920	1168	11	118856	110504	1170
0010.025104.105.021.2	LO P-Lube Oil B-Side ETCs	Yellow (3)	858	--	2.0223.921	1168	17	118858	--	1172
0010.025104.115.021.2	LOLO P-Lube Oil B-Side ETCs	Red (2)	869	--	2.0223.922	1168	1	118869	--	1174
0010.040704.205.001.2	AL Startpilot Fail	Yellow (3)	--	900083	--	--	--	114108	--	2032
0010.040705.205.001.2	AL Start terminated	Yellow (3)	8024	900084	--	--	--	114075	--	2028
0070.075801.205.001.2	AL Com.Lost MCS Syst.Bus Dev.	Yellow (3)	--	--	--	521397	31	910910	--	2200
0070.075899.205.001.2	AL Com. to RCS Lost	Red (2)	--	--	--	521390	31	910270	--	2126
0070.075800.205.001.2	AL Com.To Managed Switch1 Lost	Yellow (3)	--	--	--	521391	31	910271	--	2128
0070.050018.205.001.2	AL Power Red. Lost Switch 1	Yellow (3)	--	--	--	521392	31	910916	--	2202
0070.075220.205.001.2	AL Com.Lost to MCS CAN Dev.	Yellow (3)	--	--	--	521393	31	910909	--	2204
0070.075222.205.001.2	AL Com.Lost to MCS IO CAN Dev.	Yellow (3)	--	--	--	--	--	910906	--	2156
0070.075210.205.011.2	AL MCS Display Com. Lost CS1	Yellow (3)	--	--	--	--	--	910410	--	2132
0070.075210.205.021.2	AL MCS Display Com. Lost CS2	Yellow (3)	--	--	--	--	--	910420	--	2134
0070.075210.205.031.2	AL MCS Display Com. Lost CS3	Yellow (3)	--	--	--	--	--	910430	--	2136
0070.075210.205.041.2	AL MCS Display Com. Lost CS4	Yellow (3)	--	--	--	--	--	910440	--	2138
0070.075210.205.051.2	AL MCS Display Com. Lost CS5	Yellow (3)	--	--	--	--	--	910450	--	2140
0070.075210.205.061.2	AL MCS Display Com. Lost CS6	Yellow (3)	--	--	--	--	--	910460	--	2142
0070.050019.205.001.2	AL Power Supply Red. Lost SCUs	Yellow (3)	--	--	--	522198	31	910917	--	2206
0070.075802.205.001.2	AL Systembus Redundancy Lost	Yellow (3)	--	--	--	521394	31	910272	--	2130
0070.075231.205.031.2	AL MCS Start/Stop PAN Lost CS3	Yellow (3)	--	--	--	--	--	910530	--	2148
0070.075231.205.011.2	AL MCS Start/Stop PAN Lost CS1	Yellow (3)	--	--	--	--	--	910510	--	2144
0070.075231.205.051.2	AL MCS Start/Stop PAN Lost CS5	Yellow (3)	--	--	--	--	--	910550	--	2152
0070.075231.205.061.2	AL MCS Start/Stop PAN Lost CS6	Yellow (3)	--	--	--	--	--	910560	--	2154
0070.075231.205.041.2	AL MCS Start/Stop PAN Lost CS4	Yellow (3)	--	--	--	--	--	910540	--	2150
0070.075231.205.021.2	AL MCS Start/Stop PAN Lost CS2	Yellow (3)	--	--	--	--	--	910520	--	2146
0010.005101.105.021.2	LO P-Intake Air After FilterB	Yellow (3)	567	--	2.0187.921	1177	17	118567	--	1306
0010.025105.105.001.2	LO P-Oil after Level Pump	Yellow (3)	787	--	2.0219.921	--	--	118787	--	1178
0010.020103.105.021.2	LO P-Fuel Common Rail B	Yellow (3)	438	--	2.0116.921	--	--	118438	--	1282
0011.020101.105.011.2	LO P-Fuel Common Rail A SaSy	Yellow (3)	--	112458	--	--	--	112458	--	1286
0011.020101.105.021.2	LO P-Fuel Common Rail B SaSy	Yellow (3)	--	112459	--	--	--	112459	--	1292
0010.020108.105.001.2	LO P-Fuel bef. Low Press. Pump	Yellow (3)	794	--	2.0218.921	--	--	118794	--	1266

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 120 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.			

Aenderungsbeschreibung/Description of Revision war kZ						Kommt vor/Frequency					
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released					

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.025106.105.001.2	LO P-Lube Oil Last Bearing	Yellow (3)	--	112432	--	--	--	112432	--	1190
0010.025107.105.011.2	LO P-Oil bef.High Press.Pump A	Yellow (3)	785	--	2.0220.921	--	--	118785	--	1182
0010.025107.105.021.2	LO P-Oil bef.High Press.Pump B	Yellow (3)	786	--	2.0221.922	--	--	118786	--	1186
0010.025108.105.001.2	LO P-Piston Cooling Oil	Yellow (3)	--	112437	--	--	--	112437	--	1196
0010.016102.105.001.2	LO P-Raw Water before Pump	Yellow (3)	--	112427	--	--	--	112427	--	1240
0010.010101.105.001.2	LO P-Control Air	Yellow (3)	--	112447	--	--	--	112447	--	1322
0010.025304.105.001.2	LO Oil Refill Tank Level	Yellow (3)	805	--	2.0216.921	--	--	118805	--	1830
0010.025110.105.001.2	LO P-Priming	Yellow (3)	8004	900093	--	--	--	114077	--	1230
0010.025106.115.001.2	LOLO P-Lube Oil Last Bearing	Red (2)	--	112434	--	--	--	112434	--	1192
0010.025108.115.001.2	LOLO P-Piston Cooling Oil	Red (2)	--	112439	--	--	--	112439	--	1198
0010.008101.155.021.2	HI P-Charge Air B	Yellow (3)	792	--	2.0149.921	--	--	118792	--	1318
0010.008201.155.021.2	HI T-Charge Air B	Yellow (3)	796	--	2.0146.931	--	--	118796	--	1474
0010.020201.155.021.2	HI T-Fuel Common Rail B	Yellow (3)	803	--	2.0215.931	--	--	118803	--	1434
0010.016201.155.001.2	HI T-Raw Water after Pump	Yellow (3)	801	--	2.0214.931	--	--	118801	--	1452
0010.006402.155.011.2	HI T-Exhaust after Engine	Yellow (3)	800	--	2.0213.931	--	--	118800	--	1628
0010.025203.155.001.2	HI T-Lube Oil ETCs	Yellow (3)	918	--	2.0224.003	176	15	118918	--	1398
0010.025203.165.001.2	HIHI T-Lube Oil ETCs	Red (2)	890	--	2.0224.922	176	0	118890	--	1396
0010.020103.155.021.2	HI P-Fuel Common Rail B	Yellow (3)	439	--	2.0116.931	--	--	118439	--	1278
0010.020107.155.001.2	HI P-Fuel Return Path	Yellow (3)	795	--	2.0217.931	--	--	118795	--	1298
0010.025109.155.001.2	HI P-Piston Cool.Oil Filt.Diff	Yellow (3)	--	112472	--	--	--	112472	--	1202
0010.006101.155.001.2	HI P-Exhaust back	Yellow (3)	--	112452	--	--	--	112452	--	1334
0010.056001.155.051.2	HI ETC 5 Speed	Yellow (3)	--	112467	--	--	--	112467	--	1046
0010.008101.165.021.2	HIHI P-Charge Air B	Red (2)	793	--	2.0149.922	--	--	118793	--	1316
0010.008201.165.021.2	HIHI T-Charge Air B	Red (2)	797	--	2.0146.932	--	--	118797	--	1472
0010.020201.165.021.2	HIHI T-Fuel Common Rail B	Red (2)	804	--	2.0215.932	--	--	118804	--	1432
0010.006101.165.001.2	HIHI P-Exhaust back	Red (2)	--	112454	--	--	--	112454	--	1332
0010.056001.165.051.2	HIHI ETC 5 Overspeed	Red (2)	--	112469	--	--	--	112469	--	1044
0010.000501.165.003.2	HIHI Engine Overspeed (EIM)	Red (2)	8034	900069	2.2510.932	--	--	116069	--	1004
0010.008101.215.021.2	SD P-Charge Air B	Yellow (4)	648	--	1.0149.900	--	--	118648	110051	1314
0010.008201.215.021.2	SD T-Charge Air B	Yellow (4)	422	--	1.8004.605	--	--	118422	110134	1470
0010.005101.215.021.2	SD P-Intake Air After FilterB	Yellow (4)	522	--	1.0187.900	521116	11	118522	110565	1460
0010.025105.215.001.2	SD P-Oil after Level Pump	Yellow (4)	775	--	1.0219.920	--	--	118775	110576	1176
0010.020201.215.021.2	SD T-Fuel Common Rail B	Yellow (4)	771	--	1.0215.920	--	--	118771	110584	1430
0010.020202.215.001.2	SD T-Fuel bef.Low Press.Pump	Yellow (4)	761	--	1.0080.900	--	--	118761	--	1418
0010.016201.215.001.2	SD T-Raw Water after Pump	Yellow (4)	770	--	1.0214.920	--	--	118770	--	1450
0010.006402.215.011.2	SD T-Exhaust after Engine	Yellow (4)	769	--	1.0213.920	--	--	118769	--	1626
0010.025203.215.001.2	SD T-Lube Oil ETCs	Yellow (4)	889	--	1.0224.920	--	--	118889	--	1394
0010.020103.215.021.2	SD P-Fuel Common Rail B	Yellow (4)	446	--	1.8004.599	--	--	118446	110431	1276
0011.020101.215.011.2	SD P-Fuel Common Rail A SaSy	Yellow (4)	--	--	--	--	--	113455	--	1284
0011.020101.215.021.2	SD P-Fuel Common Rail B SaSy	Yellow (4)	--	--	--	--	--	113456	--	1290
0010.020107.215.001.2	SD P-Fuel Return Path	Yellow (4)	773	--	1.0217.920	--	--	118773	--	1296

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 121 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency					
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released					

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.020108.215.001.2	SD P-Fuel bef. Low Press. Pump	Yellow (4)	774	--	1.0218.920	--	--	118774	--	1264
0010.025106.215.001.2	SD P-Lube Oil Last Bearing	Yellow (4)	--	--	--	--	--	113430	--	1188
0010.025107.215.011.2	SD P-Oil bef.High Press.Pump A	Yellow (4)	776	--	1.0220.920	--	--	118776	--	1180
0010.025107.215.021.2	SD P-Oil bef.High Press.Pump B	Yellow (4)	777	--	1.0221.920	--	--	118777	--	1184
0010.025108.215.001.2	SD P-Piston Cooling Oil	Yellow (4)	--	--	--	--	--	113435	--	1194
0010.025109.215.001.2	SD P-Piston Cool.Oil Filt.Diff	Yellow (4)	--	SD P-Piston Cool.Oil Filt.Diff	--	--	--	113470	--	1200
0010.016102.215.001.2	SD P-Raw Water before Pump	Yellow (4)	--	--	--	--	--	113425	--	1238
0010.010101.215.001.2	SD P-Control Air	Yellow (4)	--	--	--	--	--	113445	--	1320
0010.006101.215.001.2	SD P-Exhaust back	Yellow (4)	--	--	--	--	--	113450	114431	1330
0010.025304.215.001.2	SD Oil Refill Tank Level	Yellow (4)	772	--	1.0216.920	--	--	118772	110586	1828
1.0080.075210.205.001.2	AL Com. Lost Port.Ctrl.Interf.	Yellow (3)	--	--	--	--	--	810736	--	2354
1.0080.075801.205.001.2	AL Com.Lost RCS Syst.Bus Dev.	Yellow (3)	--	--	--	521395	31	910911	--	2356
1.0080.075201.205.011.2	AL RCS Transfer PAN Lost CS1	Yellow (3)	--	--	--	--	--	910310	--	2358
1.0080.075202.205.011.2	AL RCS Indication PAN Lost CS1	Yellow (3)	--	--	--	--	--	910311	--	2360
1.0080.075201.205.021.2	AL RCS Transfer PAN Lost CS2	Yellow (3)	--	--	--	--	--	910320	--	2362
1.0080.075202.205.021.2	AL RCS Indication PAN Lost CS2	Yellow (3)	--	--	--	--	--	910321	--	2364
1.0080.075201.205.051.2	AL RCS Transfer PAN Lost CS5	Yellow (3)	--	--	--	--	--	910350	--	2366
1.0080.075202.205.051.2	AL RCS Indication PAN Lost CS5	Yellow (3)	--	--	--	--	--	910351	--	2368
1.0080.075201.205.061.2	AL RCS Transfer PAN Lost CS6	Yellow (3)	--	--	--	--	--	910360	--	2370
1.0080.075202.205.061.2	AL RCS Indication PAN Lost CS6	Yellow (3)	--	--	--	--	--	910361	--	2372
1.0080.075201.205.031.2	AL RCS Transfer PAN Lost CS3	Yellow (3)	--	--	--	--	--	910330	--	2374
1.0080.075202.205.031.2	AL RCS Indication PAN Lost CS3	Yellow (3)	--	--	--	--	--	910331	--	2376
1.0080.075201.205.041.2	AL RCS Transfer PAN Lost CS4	Yellow (3)	--	--	--	--	--	910340	--	2378
1.0080.075202.205.041.2	AL RCS Indication PAN Lost CS4	Yellow (3)	--	--	--	--	--	910341	--	2380
1.0080.075222.205.001.2	AL Com.Lost to RCS IO CAN Dev.	Yellow (3)	--	--	--	--	--	910905	--	2382
1.0080.075223.205.001.2	AL RCS-5 Com. Lost	Red (2)	--	--	--	--	--	910907	--	2384
1.0080.075220.205.001.2	AL Com.Lost to RCS CAN Dev.	Yellow (3)	--	--	--	521396	31	910908	--	2386
1.0021.027102.215.001.2	SD P-Gear Control Oil SaSy	Yellow (4)	--	--	--	--	--	213111	--	2390
1.0021.025102.215.001.2	SD P-Gear Lube Oil SaSy	Yellow (4)	--	--	--	--	--	213112	--	2392
1.0021.025101.215.001.2	SD P-Gear Lube Oil SaSy	Yellow (4)	--	--	--	520857	11	213011	--	2394
1.0021.075001.205.001.2	AL Gear SaSy Comb Alarm Red	Red (2)	--	--	--	--	--	--	--	2418
1.0021.075003.205.001.2	AL Gear SaSy Comb Alarm Yellow	Yellow (3)	--	--	--	--	--	--	--	2420
0020.043108.230.001.2	MG Not In Speed Window	Event/Message (5)	--	--	--	--	--	--	--	--
0010.020101.225.011.2	TD P-Fuel Common Rail A	Yellow (4)	--	112461	--	--	--	112461	--	1288
0010.020101.225.021.2	TD P-Fuel Common Rail B	Yellow (4)	--	112462	--	--	--	112462	--	1294
1.0021.043002.205.001.2	AL Gear SaSy Shutdown Expected	Yellow (3)	--	--	--	--	--	--	--	2424
1.0080.059005.205.001.2	AL Clutch interlock RCS	Yellow (3)	--	--	--	--	--	--	--	2450
1.0021.043102.205.001.2	AL Security Shutdown Gear SaSy	Red (2)	--	--	--	--	--	--	--	2452
0010.005201.165.001.2	HIHI T-Intake Air	Red (2)	54	--	2.0123.932	--	--	118054	--	1456
0010.020202.165.001.2	HIHI T-Fuel before LP Pump	Red (2)	760	--	2.0080.922	--	--	118760	--	1420



MTU Friedrichshafen GmbH

Zeichnungs-Nr./Drawing No.

ZNG00013183

Blatt/ Sheet

122
von/of
137

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Änderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency					
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released					

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.020103.115.001.2	LOLO P-Fuel Common Rail	Red (2)	1024	--	2.0104.951	--	--	119024	--	1272
0010.020103.115.021.2	LOLO P-Fuel Common Rail B	Red (2)	1025	--	2.0115.911	--	--	119025	--	1280
0070.075800.205.011.2	AL Com.To Managed Switch2 Lost	Yellow (3)	--	--	--	521341	31	910273	--	2158
0070.075800.205.021.2	AL Com.To Managed Router1 Lost	Yellow (3)	--	--	--	521339	31	910274	--	2160
0070.075800.205.031.2	AL Com.To Managed Router2 Lost	Yellow (3)	--	--	--	521340	31	910275	--	2162
0070.050018.205.011.2	AL Power Red. Lost Switch 2	Yellow (3)	--	--	--	521344	31	910918	--	2168
0070.050021.205.001.2	AL Power Red. Lost Router 1	Yellow (3)	--	--	--	521342	31	910913	--	2170
0070.050021.205.011.2	AL Power Red. Lost Router 2	Yellow (3)	--	--	--	521343	31	910914	--	2172
0080.065002.205.001.2	AL Backup RCS Active	Yellow (3)	--	--	--	521425	31	810827	--	2478
1.0080.066106.205.001.2	AL Com.Lost Joystick System	Yellow (3)	--	--	--	521398	31	810800	--	2480
1.0090.035201.205.001.2	AL No Heading Information	Yellow (3)	--	--	--	521399	31	810801	--	2482
1.0090.035301.205.001.2	AL No Position Information	Yellow (3)	--	--	--	521400	31	810802	--	2484
1.0080.066123.205.001.2	AL Com.Lost Joystick 1	Yellow (3)	--	--	--	521401	31	810803	--	2486
1.0080.066123.205.011.2	AL Com.Lost Joystick 2	Yellow (3)	--	--	--	521402	31	810804	--	2488
1.0080.066123.205.021.2	AL Com.Lost Joystick 3	Yellow (3)	--	--	--	521403	31	810805	--	2490
1.0080.066123.205.031.2	AL Com.Lost Joystick 4	Yellow (3)	--	--	--	521404	31	810806	--	2492
1.0080.066123.205.041.2	AL Com.Lost Joystick 5	Yellow (3)	--	--	--	521405	31	810807	--	2494
1.0080.066123.205.051.2	AL Com.Lost Joystick 6	Yellow (3)	--	--	--	521406	31	810808	--	2496
1.0030.073100.205.001.2	AL Bow Thruster not Avail.	Yellow (3)	--	--	--	521407	31	810809	--	2498
1.0030.073101.155.001.2	HI T-Bow Thruster	Yellow (3)	--	--	--	521408	15	810810	--	2500
1.0030.073102.205.001.2	AL Bow Thruster derated	Yellow (3)	--	--	--	521409	31	810811	--	2502
1.0030.050000.105.001.2	LO Bow Thruster Power Supply	Yellow (3)	--	--	--	521410	17	810812	--	2504
1.0030.028301.105.001.2	LO Bow Thruster Oil Level	Yellow (3)	--	--	--	521411	17	810813	--	2506
1.0030.073100.205.011.2	AL Stern Thruster not Avail.	Yellow (3)	--	--	--	521412	31	810814	--	2508
1.0030.073101.155.011.2	HI T-Stern Thruster	Yellow (3)	--	--	--	521413	15	810815	--	2510
1.0030.073102.205.011.2	AL Stern Thruster derated	Yellow (3)	--	--	--	521414	31	810816	--	2512
1.0030.050000.105.011.2	LO Stern Thruster Power Supply	Yellow (3)	--	--	--	521415	17	810817	--	2514
1.0030.028301.105.011.2	LO Stern Thruster Oil Level	Yellow (3)	--	--	--	521416	17	810818	--	2516
1.0080.066121.205.001.2	AL Joystick System in Cmd Lost	Red (2)	--	--	--	521417	31	810819	--	2518
1.0080.066120.205.001.2	AL Joystick Emerg.Deactivation	Red (2)	--	--	--	521418	31	810820	--	2520
1.0080.066130.205.001.2	AL Active Joystick Lost	Red (2)	--	--	--	521419	31	810821	--	2522
1.0080.066128.205.001.2	AL Joystick Combined Alarm Red	Red (2)	--	--	--	521420	31	810822	--	2524
1.0080.066129.205.001.2	AL Joystick Combined Alarm Yel	Yellow (3)	--	--	--	521421	31	810823	--	2526
1.0080.046503.205.011.2	AL Not Able To Keep Heading	Red (2)	--	--	--	521422	31	810824	--	2528
1.0080.046502.205.001.2	AL Not Able To Keep Position	Red (2)	--	--	--	521423	31	810825	--	2530
0080.065003.205.001.2	AL Backup RCS Defect	Red (2)	--	--	--	521503	31	810830	--	2532
0080.065003.255.001.2	WB Backup RCS	Red (2)	--	--	--	521504	31	810829	--	2534
0080.065004.205.001.2	AL Clutch Interlock Override	Red (2)	--	--	--	521505	31	210148	--	2536
0010.020109.255.011.2	WB HighPres Fuel Pump	Yellow (4)	536	--	1.1041.921	520970	31	118536	--	2538
0010.020110.255.011.2	WB HighPres Fuel Ctrl Valve	Yellow (4)	581	--	1.1041.923	520972	31	118581	--	2540
0010.016001.255.011.2	WB Raw Water Ctrl Valve	Yellow (4)	608	--	1.1041.926	520975	31	118608	--	2542

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 123 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.			

Aenderungsbeschreibung/Description of Revision war kZ						Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0010.008001.255.011.2</td><td>WB Blow Over Ctrl Valve</td><td>Yellow (4)</td><td>609</td><td>--</td><td>1.1041.927</td><td>520976</td><td>31</td><td>118609</td><td>--</td><td>2544</td></tr><tr><td>0010.008002.255.011.2</td><td>WB Charge Air Ctrl Valve</td><td>Yellow (4)</td><td>626</td><td>--</td><td>1.1041.928</td><td>520977</td><td>31</td><td>118626</td><td>--</td><td>2546</td></tr><tr><td>0010.056004.255.011.2</td><td>WB Flap ETC A</td><td>Yellow (4)</td><td>627</td><td>--</td><td>1.1041.929</td><td>520978</td><td>31</td><td>118627</td><td>--</td><td>2548</td></tr><tr><td>0010.056004.255.021.2</td><td>WB Flap ETC B</td><td>Yellow (4)</td><td>628</td><td>--</td><td>1.1041.930</td><td>520979</td><td>31</td><td>118628</td><td>--</td><td>2550</td></tr><tr><td>0010.020111.205.011.2</td><td>AL StartwithP-Fuel CR too high</td><td>Yellow (3)</td><td>851</td><td>--</td><td>1.1026.901</td><td>521155</td><td>31</td><td>118851</td><td>--</td><td>2552</td></tr><tr><td>0010.002015.205.011.2</td><td>AL Max.Blank Shot Time expired</td><td>Yellow (3)</td><td>852</td><td>--</td><td>1.1026.903</td><td>521156</td><td>31</td><td>118852</td><td>--</td><td>2554</td></tr><tr><td>0010.002014.205.011.2</td><td>AL Perm. Injection Detection</td><td>Red (2)</td><td>1170</td><td>--</td><td>1.1301.906</td><td>521461</td><td>31</td><td>119170</td><td>--</td><td>2556</td></tr><tr><td>0010.020112.205.011.2</td><td>AL P-Fuel CR Constant Value</td><td>Yellow (3)</td><td>1370</td><td>--</td><td>1.1301.907</td><td>157</td><td>31</td><td>119370</td><td>--</td><td>2558</td></tr><tr><td>0010.056001.215.051.2</td><td>SD ETC 5 Speed</td><td>Yellow (4)</td><td>808</td><td>--</td><td>1.3010.905</td><td>521133</td><td>11</td><td>111910</td><td>110910</td><td>1042</td></tr><tr><td>0010.000506.165.001.2</td><td>HIHI Overspeed Camshaft</td><td>Red (2)</td><td>551</td><td>--</td><td>2.2510.933</td><td>520257</td><td>0</td><td>118551</td><td>--</td><td>2454</td></tr><tr><td>0050.072001.205.001.2</td><td>AL Capsize Function Active</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>520476</td><td>31</td><td>116128</td><td>--</td><td>2054</td></tr><tr><td>0050.072001.215.001.2</td><td>SD Capsize Switch</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520476</td><td>11</td><td>116129</td><td>--</td><td>2056</td></tr><tr><td>0070.050020.105.001.2</td><td>LO U-SPU Real Time Clock</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>520477</td><td>4</td><td>116466</td><td>--</td><td>1140</td></tr><tr><td>0010.009001.265.001.2</td><td>SC Crankcase Vent. Valve</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520478</td><td>6</td><td>116131</td><td>--</td><td>2474</td></tr><tr><td>0010.009001.255.001.2</td><td>WB Crankcase Vent. Valve</td><td>Yellow (4)</td><td>--</td><td>--</td><td>--</td><td>520478</td><td>5</td><td>116132</td><td>--</td><td>2476</td></tr><tr><td>0010.040706.235.001.2</td><td>MG Cold Start required</td><td>Event/Message (5)</td><td>--</td><td>900092</td><td>--</td><td>--</td><td>--</td><td>114076</td><td>--</td><td>--</td></tr><tr><td>1.0910.062011.205.011.2</td><td>AL CPU Overload RCS</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>522201</td><td>31</td><td>116133</td><td>--</td><td>2566</td></tr><tr><td>0910.062011.205.001.2</td><td>AL CPU Overload MCS</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>522200</td><td>31</td><td>116134</td><td>--</td><td>2564</td></tr><tr><td>0010.025103.165.001.2</td><td>HIHI P-Oil Filter Difference</td><td>Red (2)</td><td>26</td><td>--</td><td>2.0154.932</td><td>99</td><td>0</td><td>118026</td><td>--</td><td>1208</td></tr><tr><td>0010.008101.165.001.2</td><td>HIHI P-Charge Air A</td><td>Red (2)</td><td>449</td><td>--</td><td>2.0103.932</td><td>3563</td><td>0</td><td>118449</td><td>--</td><td>1310</td></tr><tr><td>0010.061001.205.001.2</td><td>AL EIL Error</td><td>Yellow (4)</td><td>616</td><td>--</td><td>1.0610.952</td><td>521041</td><td>31</td><td>118616</td><td>--</td><td>2458</td></tr><tr><td>0010.020202.155.001.2</td><td>HI T-Fuel before LP Pump</td><td>Yellow (3)</td><td>759</td><td>--</td><td>2.0080.921</td><td>--</td><td>--</td><td>118759</td><td>--</td><td>1422</td></tr><tr><td>0010.056001.215.031.2</td><td>SD ETC 3 Speed</td><td>Yellow (4)</td><td>806</td><td>--</td><td>1.3010.901</td><td>1170</td><td>11</td><td>118806</td><td>110318</td><td>1030</td></tr><tr><td>0010.056001.215.041.2</td><td>SD ETC 4 Speed</td><td>Yellow (4)</td><td>807</td><td>--</td><td>1.3010.903</td><td>1171</td><td>11</td><td>118807</td><td>110319</td><td>1036</td></tr><tr><td>0010.061002.205.001.2</td><td>AL EIL Different Engine Number</td><td>Yellow (3)</td><td>832</td><td>--</td><td>1.0610.953</td><td>521151</td><td>31</td><td>118832</td><td>--</td><td>2460</td></tr><tr><td>0010.056002.205.051.2</td><td>AL ETC 5 Cut in Fail</td><td>Yellow (3)</td><td>951</td><td>--</td><td>1.8000.034</td><td>521209</td><td>31</td><td>118951</td><td>--</td><td>2462</td></tr><tr><td>0010.056002.205.011.2</td><td>AL ETC 1 Cut in Fail</td><td>Yellow (3)</td><td>952</td><td>--</td><td>1.8000.067</td><td>521210</td><td>31</td><td>118952</td><td>--</td><td>2464</td></tr><tr><td>0070.075803.205.001.2</td><td>AL Com.To Ext MCS Lost</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>521346</td><td>31</td><td>910276</td><td>--</td><td>2164</td></tr><tr><td>0070.075803.205.011.2</td><td>AL Red. Com.To Ext MCS Lost</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>521345</td><td>31</td><td>910277</td><td>--</td><td>2166</td></tr><tr><td>1.0030.073103.205.001.2</td><td>AL Bow Thruster Internal Fail</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>522202</td><td>31</td><td>810831</td><td>--</td><td>2708</td></tr><tr><td>1.0030.073101.165.001.2</td><td>HIHI T-Bow Thruster</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>521408</td><td>0</td><td>810833</td><td>--</td><td>2710</td></tr><tr><td>1.0030.073103.205.011.2</td><td>AL SternThruster Internal Fail</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>522206</td><td>31</td><td>810835</td><td>--</td><td>2712</td></tr><tr><td>1.0030.073101.165.011.2</td><td>HIHI T-Stern Thruster</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>521413</td><td>0</td><td>810837</td><td>--</td><td>2714</td></tr><tr><td>1.0080.046509.205.001.2</td><td>AL HeadingOrPosition Lost Soon</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>522210</td><td>31</td><td>810842</td><td>--</td><td>2716</td></tr><tr><td>1.0080.046504.205.001.2</td><td>AL Adv. Joystick Mode Deact.</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>522211</td><td>31</td><td>810828</td><td>--</td><td>2562</td></tr><tr><td>0010.059200.155.001.2</td><td>HI PCV Defect</td><td>Yellow (3)</td><td>1126</td><td>-</td><td>1.1301.904</td><td>521386</td><td>15</td><td>119126</td><td>--</td><td>2570</td></tr><tr><td>0010.059200.165.001.2</td><td>HIHI PCV Defect</td><td>Red (2)</td><td>1127</td><td>-</td><td>1.1301.905</td><td>521386</td><td>0</td><td>119127</td><td>--</td><td>2572</td></tr><tr><td>0010.002017.155.001.2</td><td>AL Injector Drift Deviation</td><td>Yellow (3)</td><td>1447</td><td>-</td><td>1.1901.901</td><td>521615</td><td>31</td><td>119447</td><td>--</td><td>2574</td></tr><tr><td>0012.024404.205.001.2</td><td>AL Com. Lost NOx EGAT Inlet 1</td><td>Yellow (3)</td><td>1478</td><td>-</td><td>1.0711.902</td><td>521134</td><td>31</td><td>119478</td><td>--</td><td>2652</td></tr><tr><td>0012.024405.205.001.2</td><td>AL Com. Lost NOx EGAT Inlet 2</td><td>Yellow (3)</td><td>1480</td><td>-</td><td>1.0712.902</td><td>521136</td><td>31</td><td>119480</td><td>--</td><td>2654</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0010.008001.255.011.2	WB Blow Over Ctrl Valve	Yellow (4)	609	--	1.1041.927	520976	31	118609	--	2544	0010.008002.255.011.2	WB Charge Air Ctrl Valve	Yellow (4)	626	--	1.1041.928	520977	31	118626	--	2546	0010.056004.255.011.2	WB Flap ETC A	Yellow (4)	627	--	1.1041.929	520978	31	118627	--	2548	0010.056004.255.021.2	WB Flap ETC B	Yellow (4)	628	--	1.1041.930	520979	31	118628	--	2550	0010.020111.205.011.2	AL StartwithP-Fuel CR too high	Yellow (3)	851	--	1.1026.901	521155	31	118851	--	2552	0010.002015.205.011.2	AL Max.Blank Shot Time expired	Yellow (3)	852	--	1.1026.903	521156	31	118852	--	2554	0010.002014.205.011.2	AL Perm. Injection Detection	Red (2)	1170	--	1.1301.906	521461	31	119170	--	2556	0010.020112.205.011.2	AL P-Fuel CR Constant Value	Yellow (3)	1370	--	1.1301.907	157	31	119370	--	2558	0010.056001.215.051.2	SD ETC 5 Speed	Yellow (4)	808	--	1.3010.905	521133	11	111910	110910	1042	0010.000506.165.001.2	HIHI Overspeed Camshaft	Red (2)	551	--	2.2510.933	520257	0	118551	--	2454	0050.072001.205.001.2	AL Capsize Function Active	Red (2)	--	--	--	520476	31	116128	--	2054	0050.072001.215.001.2	SD Capsize Switch	Yellow (4)	--	--	--	520476	11	116129	--	2056	0070.050020.105.001.2	LO U-SPU Real Time Clock	Yellow (3)	--	--	--	520477	4	116466	--	1140	0010.009001.265.001.2	SC Crankcase Vent. Valve	Yellow (4)	--	--	--	520478	6	116131	--	2474	0010.009001.255.001.2	WB Crankcase Vent. Valve	Yellow (4)	--	--	--	520478	5	116132	--	2476	0010.040706.235.001.2	MG Cold Start required	Event/Message (5)	--	900092	--	--	--	114076	--	--	1.0910.062011.205.011.2	AL CPU Overload RCS	Red (2)	--	--	--	522201	31	116133	--	2566	0910.062011.205.001.2	AL CPU Overload MCS	Red (2)	--	--	--	522200	31	116134	--	2564	0010.025103.165.001.2	HIHI P-Oil Filter Difference	Red (2)	26	--	2.0154.932	99	0	118026	--	1208	0010.008101.165.001.2	HIHI P-Charge Air A	Red (2)	449	--	2.0103.932	3563	0	118449	--	1310	0010.061001.205.001.2	AL EIL Error	Yellow (4)	616	--	1.0610.952	521041	31	118616	--	2458	0010.020202.155.001.2	HI T-Fuel before LP Pump	Yellow (3)	759	--	2.0080.921	--	--	118759	--	1422	0010.056001.215.031.2	SD ETC 3 Speed	Yellow (4)	806	--	1.3010.901	1170	11	118806	110318	1030	0010.056001.215.041.2	SD ETC 4 Speed	Yellow (4)	807	--	1.3010.903	1171	11	118807	110319	1036	0010.061002.205.001.2	AL EIL Different Engine Number	Yellow (3)	832	--	1.0610.953	521151	31	118832	--	2460	0010.056002.205.051.2	AL ETC 5 Cut in Fail	Yellow (3)	951	--	1.8000.034	521209	31	118951	--	2462	0010.056002.205.011.2	AL ETC 1 Cut in Fail	Yellow (3)	952	--	1.8000.067	521210	31	118952	--	2464	0070.075803.205.001.2	AL Com.To Ext MCS Lost	Yellow (3)	--	--	--	521346	31	910276	--	2164	0070.075803.205.011.2	AL Red. Com.To Ext MCS Lost	Yellow (3)	--	--	--	521345	31	910277	--	2166	1.0030.073103.205.001.2	AL Bow Thruster Internal Fail	Red (2)	--	--	--	522202	31	810831	--	2708	1.0030.073101.165.001.2	HIHI T-Bow Thruster	Red (2)	--	--	--	521408	0	810833	--	2710	1.0030.073103.205.011.2	AL SternThruster Internal Fail	Red (2)	--	--	--	522206	31	810835	--	2712	1.0030.073101.165.011.2	HIHI T-Stern Thruster	Red (2)	--	--	--	521413	0	810837	--	2714	1.0080.046509.205.001.2	AL HeadingOrPosition Lost Soon	Yellow (3)	--	--	--	522210	31	810842	--	2716	1.0080.046504.205.001.2	AL Adv. Joystick Mode Deact.	Red (2)	--	--	--	522211	31	810828	--	2562	0010.059200.155.001.2	HI PCV Defect	Yellow (3)	1126	-	1.1301.904	521386	15	119126	--	2570	0010.059200.165.001.2	HIHI PCV Defect	Red (2)	1127	-	1.1301.905	521386	0	119127	--	2572	0010.002017.155.001.2	AL Injector Drift Deviation	Yellow (3)	1447	-	1.1901.901	521615	31	119447	--	2574	0012.024404.205.001.2	AL Com. Lost NOx EGAT Inlet 1	Yellow (3)	1478	-	1.0711.902	521134	31	119478	--	2652	0012.024405.205.001.2	AL Com. Lost NOx EGAT Inlet 2	Yellow (3)	1480	-	1.0712.902	521136	31	119480	--	2654
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.008001.255.011.2	WB Blow Over Ctrl Valve	Yellow (4)	609	--	1.1041.927	520976	31	118609	--	2544																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.008002.255.011.2	WB Charge Air Ctrl Valve	Yellow (4)	626	--	1.1041.928	520977	31	118626	--	2546																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.056004.255.011.2	WB Flap ETC A	Yellow (4)	627	--	1.1041.929	520978	31	118627	--	2548																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.056004.255.021.2	WB Flap ETC B	Yellow (4)	628	--	1.1041.930	520979	31	118628	--	2550																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.020111.205.011.2	AL StartwithP-Fuel CR too high	Yellow (3)	851	--	1.1026.901	521155	31	118851	--	2552																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.002015.205.011.2	AL Max.Blank Shot Time expired	Yellow (3)	852	--	1.1026.903	521156	31	118852	--	2554																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.002014.205.011.2	AL Perm. Injection Detection	Red (2)	1170	--	1.1301.906	521461	31	119170	--	2556																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.020112.205.011.2	AL P-Fuel CR Constant Value	Yellow (3)	1370	--	1.1301.907	157	31	119370	--	2558																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.056001.215.051.2	SD ETC 5 Speed	Yellow (4)	808	--	1.3010.905	521133	11	111910	110910	1042																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.000506.165.001.2	HIHI Overspeed Camshaft	Red (2)	551	--	2.2510.933	520257	0	118551	--	2454																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0050.072001.205.001.2	AL Capsize Function Active	Red (2)	--	--	--	520476	31	116128	--	2054																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0050.072001.215.001.2	SD Capsize Switch	Yellow (4)	--	--	--	520476	11	116129	--	2056																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0070.050020.105.001.2	LO U-SPU Real Time Clock	Yellow (3)	--	--	--	520477	4	116466	--	1140																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.009001.265.001.2	SC Crankcase Vent. Valve	Yellow (4)	--	--	--	520478	6	116131	--	2474																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.009001.255.001.2	WB Crankcase Vent. Valve	Yellow (4)	--	--	--	520478	5	116132	--	2476																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.040706.235.001.2	MG Cold Start required	Event/Message (5)	--	900092	--	--	--	114076	--	--																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1.0910.062011.205.011.2	AL CPU Overload RCS	Red (2)	--	--	--	522201	31	116133	--	2566																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0910.062011.205.001.2	AL CPU Overload MCS	Red (2)	--	--	--	522200	31	116134	--	2564																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.025103.165.001.2	HIHI P-Oil Filter Difference	Red (2)	26	--	2.0154.932	99	0	118026	--	1208																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.008101.165.001.2	HIHI P-Charge Air A	Red (2)	449	--	2.0103.932	3563	0	118449	--	1310																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.061001.205.001.2	AL EIL Error	Yellow (4)	616	--	1.0610.952	521041	31	118616	--	2458																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.020202.155.001.2	HI T-Fuel before LP Pump	Yellow (3)	759	--	2.0080.921	--	--	118759	--	1422																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.056001.215.031.2	SD ETC 3 Speed	Yellow (4)	806	--	1.3010.901	1170	11	118806	110318	1030																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.056001.215.041.2	SD ETC 4 Speed	Yellow (4)	807	--	1.3010.903	1171	11	118807	110319	1036																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.061002.205.001.2	AL EIL Different Engine Number	Yellow (3)	832	--	1.0610.953	521151	31	118832	--	2460																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.056002.205.051.2	AL ETC 5 Cut in Fail	Yellow (3)	951	--	1.8000.034	521209	31	118951	--	2462																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.056002.205.011.2	AL ETC 1 Cut in Fail	Yellow (3)	952	--	1.8000.067	521210	31	118952	--	2464																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0070.075803.205.001.2	AL Com.To Ext MCS Lost	Yellow (3)	--	--	--	521346	31	910276	--	2164																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0070.075803.205.011.2	AL Red. Com.To Ext MCS Lost	Yellow (3)	--	--	--	521345	31	910277	--	2166																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1.0030.073103.205.001.2	AL Bow Thruster Internal Fail	Red (2)	--	--	--	522202	31	810831	--	2708																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1.0030.073101.165.001.2	HIHI T-Bow Thruster	Red (2)	--	--	--	521408	0	810833	--	2710																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1.0030.073103.205.011.2	AL SternThruster Internal Fail	Red (2)	--	--	--	522206	31	810835	--	2712																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1.0030.073101.165.011.2	HIHI T-Stern Thruster	Red (2)	--	--	--	521413	0	810837	--	2714																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1.0080.046509.205.001.2	AL HeadingOrPosition Lost Soon	Yellow (3)	--	--	--	522210	31	810842	--	2716																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1.0080.046504.205.001.2	AL Adv. Joystick Mode Deact.	Red (2)	--	--	--	522211	31	810828	--	2562																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.059200.155.001.2	HI PCV Defect	Yellow (3)	1126	-	1.1301.904	521386	15	119126	--	2570																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.059200.165.001.2	HIHI PCV Defect	Red (2)	1127	-	1.1301.905	521386	0	119127	--	2572																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0010.002017.155.001.2	AL Injector Drift Deviation	Yellow (3)	1447	-	1.1901.901	521615	31	119447	--	2574																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0012.024404.205.001.2	AL Com. Lost NOx EGAT Inlet 1	Yellow (3)	1478	-	1.0711.902	521134	31	119478	--	2652																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
0012.024405.205.001.2	AL Com. Lost NOx EGAT Inlet 2	Yellow (3)	1480	-	1.0712.902	521136	31	119480	--	2654																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 124 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438			Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0012.024406.205.001.2</td><td>AL Com. Lost NOx EGAT Outlet 1</td><td>Yellow (3)</td><td>1484</td><td>-</td><td>1.0715.902</td><td>521135</td><td>31</td><td>119484</td><td>--</td><td>2656</td></tr><tr><td>0012.024407.205.001.2</td><td>AL Com. Lost DEF Doser 1</td><td>Yellow (3)</td><td>1489</td><td>-</td><td>1.0721.901</td><td>521596</td><td>31</td><td>119489</td><td>--</td><td>2658</td></tr><tr><td>0012.024408.205.001.2</td><td>AL Com. Lost DEF Doser 2</td><td>Yellow (3)</td><td>1492</td><td>-</td><td>1.0722.901</td><td>521597</td><td>31</td><td>119492</td><td>--</td><td>2662</td></tr><tr><td>0012.024409.205.001.2</td><td>AL Com. Lost DEF Doser 3</td><td>Yellow (3)</td><td>1495</td><td>-</td><td>1.0723.901</td><td>521598</td><td>31</td><td>119495</td><td>--</td><td>2666</td></tr><tr><td>0012.024410.205.001.2</td><td>AL Com. Lost DEF Doser 4</td><td>Yellow (3)</td><td>1498</td><td>-</td><td>1.0724.901</td><td>521599</td><td>31</td><td>119498</td><td>--</td><td>2670</td></tr><tr><td>0012.024411.205.001.2</td><td>AL Com. Lost DEF Doser 5</td><td>Yellow (3)</td><td>1501</td><td>-</td><td>1.0725.901</td><td>521600</td><td>31</td><td>119501</td><td>--</td><td>2674</td></tr><tr><td>0012.024412.205.001.2</td><td>AL Com. Lost DEF Doser 6</td><td>Yellow (3)</td><td>1504</td><td>-</td><td>1.0726.901</td><td>521601</td><td>31</td><td>119504</td><td>--</td><td>2678</td></tr><tr><td>0012.024413.205.001.2</td><td>AL DEF Doser 1 defect</td><td>Yellow (3)</td><td>1490</td><td>-</td><td>1.0721.902</td><td>521596</td><td>11</td><td>119490</td><td>--</td><td>2660</td></tr><tr><td>0012.024414.205.001.2</td><td>AL DEF Doser 2 defect</td><td>Yellow (3)</td><td>1493</td><td>-</td><td>1.0722.902</td><td>521597</td><td>11</td><td>119493</td><td>--</td><td>2664</td></tr><tr><td>0012.024415.205.001.2</td><td>AL DEF Doser 3 defect</td><td>Yellow (3)</td><td>1496</td><td>-</td><td>1.0723.902</td><td>521598</td><td>11</td><td>119496</td><td>--</td><td>2668</td></tr><tr><td>0012.024416.205.001.2</td><td>AL DEF Doser 4 defect</td><td>Yellow (3)</td><td>1499</td><td>-</td><td>1.0724.902</td><td>521599</td><td>11</td><td>119499</td><td>--</td><td>2672</td></tr><tr><td>0012.024417.205.001.2</td><td>AL DEF Doser 5 defect</td><td>Yellow (3)</td><td>1502</td><td>-</td><td>1.0725.902</td><td>521600</td><td>11</td><td>119502</td><td>--</td><td>2676</td></tr><tr><td>0012.024418.205.001.2</td><td>AL DEF Doser 6 defect</td><td>Yellow (3)</td><td>1505</td><td>-</td><td>1.0726.902</td><td>521601</td><td>11</td><td>119505</td><td>--</td><td>2680</td></tr><tr><td>0012.024404.215.001.2</td><td>SD NOx EGAT Inlet 1</td><td>Yellow (4)</td><td>1477</td><td>-</td><td>1.0711.901</td><td>521134</td><td>11</td><td>119477</td><td>--</td><td>2646</td></tr><tr><td>0012.024405.215.001.2</td><td>SD NOx EGAT Inlet 2</td><td>Yellow (4)</td><td>1479</td><td>-</td><td>1.0712.901</td><td>521136</td><td>11</td><td>119479</td><td>--</td><td>2648</td></tr><tr><td>0012.024406.215.001.2</td><td>SD NOx EGAT Outlet 1</td><td>Yellow (4)</td><td>1483</td><td>-</td><td>1.0715.901</td><td>521135</td><td>11</td><td>119483</td><td>--</td><td>2650</td></tr><tr><td>0012.024419.205.001.2</td><td>AL SCR F1 SU DEF Quantity</td><td>Yellow (3)</td><td>884</td><td>-</td><td>1.1702.911</td><td>4348</td><td>15</td><td>118884</td><td>--</td><td>2682</td></tr><tr><td>0012.024420.205.001.2</td><td>AL SCR F2 SU DEF Quantity</td><td>Yellow (3)</td><td>885</td><td>-</td><td>1.1702.913</td><td>4401</td><td>15</td><td>118885</td><td>--</td><td>2684</td></tr><tr><td>0012.024421.105.001.2</td><td>LO Cataly Conversion F1</td><td>Yellow (3)</td><td>942</td><td>-</td><td>2.1700.002</td><td>521204</td><td>17</td><td>118942</td><td>--</td><td>2686</td></tr><tr><td>0012.024422.105.001.2</td><td>LO Cataly Conversion F2</td><td>Yellow (3)</td><td>943</td><td>-</td><td>2.1700.004</td><td>521205</td><td>17</td><td>118943</td><td>--</td><td>2688</td></tr><tr><td>0012.024423.105.001.2</td><td>LO Cataly Conversion F3</td><td>Yellow (3)</td><td>944</td><td>-</td><td>2.1700.006</td><td>521206</td><td>17</td><td>118944</td><td>--</td><td>2690</td></tr><tr><td>0012.024400.205.001.2</td><td>AL Com. Lost DCM ID2</td><td>Yellow (3)</td><td>1212</td><td>-</td><td>1.1754.280</td><td>521602</td><td>31</td><td>119212</td><td>--</td><td>2638</td></tr><tr><td>0012.024401.205.001.2</td><td>AL Com. Lost DCM ID3</td><td>Yellow (3)</td><td>1213</td><td>-</td><td>1.1754.380</td><td>521603</td><td>31</td><td>119213</td><td>--</td><td>2640</td></tr><tr><td>0012.024402.205.001.2</td><td>AL Com. Lost DCM ID4</td><td>Yellow (3)</td><td>1214</td><td>-</td><td>1.1754.480</td><td>521604</td><td>31</td><td>119214</td><td>--</td><td>2642</td></tr><tr><td>0012.024403.205.001.2</td><td>AL Com. Lost DCM ID5</td><td>Yellow (3)</td><td>1215</td><td>-</td><td>1.1754.580</td><td>521605</td><td>31</td><td>119215</td><td>--</td><td>2644</td></tr><tr><td>0012.050000.105.001.2</td><td>LO PS Voltage DCM PDM</td><td>Yellow (3)</td><td>1223</td><td>-</td><td>1.1754.282</td><td>521609</td><td>17</td><td>119223</td><td>--</td><td>2618</td></tr><tr><td>0012.050001.105.001.2</td><td>LO PS Voltage DCM SCR Base 1</td><td>Yellow (3)</td><td>1224</td><td>-</td><td>1.1754.382</td><td>521610</td><td>17</td><td>119224</td><td>--</td><td>2620</td></tr><tr><td>0012.050001.105.011.2</td><td>LO PS Voltage DCM SCR Base 2</td><td>Yellow (3)</td><td>1225</td><td>-</td><td>1.1754.482</td><td>521611</td><td>17</td><td>119225</td><td>--</td><td>2622</td></tr><tr><td>0012.050002.105.001.2</td><td>LO PS Voltage DCM SCR Out</td><td>Yellow (3)</td><td>1226</td><td>-</td><td>1.1754.582</td><td>521612</td><td>17</td><td>119226</td><td>--</td><td>2624</td></tr><tr><td>0012.024400.155.001.2</td><td>HI DEF Dosing</td><td>Yellow (3)</td><td>1576</td><td>-</td><td>1.1702.935</td><td>521606</td><td>15</td><td>119576</td><td>--</td><td>2612</td></tr><tr><td>0012.024400.105.001.2</td><td>LO DEF Dosing</td><td>Yellow (3)</td><td>1577</td><td>-</td><td>1.1702.937</td><td>521606</td><td>17</td><td>119577</td><td>--</td><td>2614</td></tr><tr><td>0012.024400.115.001.2</td><td>LOLO DEF Dosing</td><td>Red (2)</td><td>1578</td><td>-</td><td>1.1702.939</td><td>521606</td><td>1</td><td>119578</td><td>--</td><td>2616</td></tr><tr><td>0012.024100.215.001.2</td><td>SD T-DEF at PDM</td><td>Yellow (4)</td><td>1134</td><td>-</td><td>1.1752.901</td><td>3515</td><td>11</td><td>119134</td><td>110665</td><td>2606</td></tr><tr><td>0012.024100.105.001.2</td><td>LO T-DEF at PDM</td><td>Yellow (3)</td><td>941</td><td>-</td><td>2.7001.906</td><td>3515</td><td>17</td><td>118941</td><td>--</td><td>2608</td></tr><tr><td>0012.024100.155.001.2</td><td>HI T-DEF at PDM</td><td>Yellow (3)</td><td>1541</td><td>-</td><td>1.1752.967</td><td>3515</td><td>15</td><td>119541</td><td>--</td><td>2610</td></tr><tr><td>0012.024200.215.001.2</td><td>SD P-DEF Filter Out at PDM</td><td>Yellow (4)</td><td>1136</td><td>-</td><td>1.1752.903</td><td>521438</td><td>11</td><td>119136</td><td>110666</td><td>2602</td></tr><tr><td>0012.024200.105.001.2</td><td>LO P-DEF Filter Out at PDM</td><td>Yellow (3)</td><td>1140</td><td>-</td><td>1.1752.905</td><td>521438</td><td>17</td><td>119140</td><td>--</td><td>2604</td></tr><tr><td>0012.006502.215.001.2</td><td>SD P-Exhaust SCR Inlet 1</td><td>Yellow (4)</td><td>1342</td><td>-</td><td>1.0238.921</td><td>4334</td><td>11</td><td>119342</td><td>--</td><td>2594</td></tr><tr><td>0012.006501.215.001.2</td><td>SD P-Exhaust SCR Outlet 1</td><td>Yellow (4)</td><td>1443</td><td>-</td><td>1.0238.926</td><td>521614</td><td>11</td><td>119443</td><td>--</td><td>2600</td></tr><tr><td>0012.006500.155.001.2</td><td>HI P-Exhaust Diff. SCR 1</td><td>Yellow (3)</td><td>1542</td><td>-</td><td>2.0238.921</td><td>4358</td><td>15</td><td>119542</td><td>--</td><td>2596</td></tr><tr><td>0012.006500.165.001.2</td><td>HIHI P-Exhaust Diff. SCR 1</td><td>Red (2)</td><td>1543</td><td>-</td><td>2.0238.922</td><td>4358</td><td>0</td><td>119543</td><td>--</td><td>2598</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0012.024406.205.001.2	AL Com. Lost NOx EGAT Outlet 1	Yellow (3)	1484	-	1.0715.902	521135	31	119484	--	2656	0012.024407.205.001.2	AL Com. Lost DEF Doser 1	Yellow (3)	1489	-	1.0721.901	521596	31	119489	--	2658	0012.024408.205.001.2	AL Com. Lost DEF Doser 2	Yellow (3)	1492	-	1.0722.901	521597	31	119492	--	2662	0012.024409.205.001.2	AL Com. Lost DEF Doser 3	Yellow (3)	1495	-	1.0723.901	521598	31	119495	--	2666	0012.024410.205.001.2	AL Com. Lost DEF Doser 4	Yellow (3)	1498	-	1.0724.901	521599	31	119498	--	2670	0012.024411.205.001.2	AL Com. Lost DEF Doser 5	Yellow (3)	1501	-	1.0725.901	521600	31	119501	--	2674	0012.024412.205.001.2	AL Com. Lost DEF Doser 6	Yellow (3)	1504	-	1.0726.901	521601	31	119504	--	2678	0012.024413.205.001.2	AL DEF Doser 1 defect	Yellow (3)	1490	-	1.0721.902	521596	11	119490	--	2660	0012.024414.205.001.2	AL DEF Doser 2 defect	Yellow (3)	1493	-	1.0722.902	521597	11	119493	--	2664	0012.024415.205.001.2	AL DEF Doser 3 defect	Yellow (3)	1496	-	1.0723.902	521598	11	119496	--	2668	0012.024416.205.001.2	AL DEF Doser 4 defect	Yellow (3)	1499	-	1.0724.902	521599	11	119499	--	2672	0012.024417.205.001.2	AL DEF Doser 5 defect	Yellow (3)	1502	-	1.0725.902	521600	11	119502	--	2676	0012.024418.205.001.2	AL DEF Doser 6 defect	Yellow (3)	1505	-	1.0726.902	521601	11	119505	--	2680	0012.024404.215.001.2	SD NOx EGAT Inlet 1	Yellow (4)	1477	-	1.0711.901	521134	11	119477	--	2646	0012.024405.215.001.2	SD NOx EGAT Inlet 2	Yellow (4)	1479	-	1.0712.901	521136	11	119479	--	2648	0012.024406.215.001.2	SD NOx EGAT Outlet 1	Yellow (4)	1483	-	1.0715.901	521135	11	119483	--	2650	0012.024419.205.001.2	AL SCR F1 SU DEF Quantity	Yellow (3)	884	-	1.1702.911	4348	15	118884	--	2682	0012.024420.205.001.2	AL SCR F2 SU DEF Quantity	Yellow (3)	885	-	1.1702.913	4401	15	118885	--	2684	0012.024421.105.001.2	LO Cataly Conversion F1	Yellow (3)	942	-	2.1700.002	521204	17	118942	--	2686	0012.024422.105.001.2	LO Cataly Conversion F2	Yellow (3)	943	-	2.1700.004	521205	17	118943	--	2688	0012.024423.105.001.2	LO Cataly Conversion F3	Yellow (3)	944	-	2.1700.006	521206	17	118944	--	2690	0012.024400.205.001.2	AL Com. Lost DCM ID2	Yellow (3)	1212	-	1.1754.280	521602	31	119212	--	2638	0012.024401.205.001.2	AL Com. Lost DCM ID3	Yellow (3)	1213	-	1.1754.380	521603	31	119213	--	2640	0012.024402.205.001.2	AL Com. Lost DCM ID4	Yellow (3)	1214	-	1.1754.480	521604	31	119214	--	2642	0012.024403.205.001.2	AL Com. Lost DCM ID5	Yellow (3)	1215	-	1.1754.580	521605	31	119215	--	2644	0012.050000.105.001.2	LO PS Voltage DCM PDM	Yellow (3)	1223	-	1.1754.282	521609	17	119223	--	2618	0012.050001.105.001.2	LO PS Voltage DCM SCR Base 1	Yellow (3)	1224	-	1.1754.382	521610	17	119224	--	2620	0012.050001.105.011.2	LO PS Voltage DCM SCR Base 2	Yellow (3)	1225	-	1.1754.482	521611	17	119225	--	2622	0012.050002.105.001.2	LO PS Voltage DCM SCR Out	Yellow (3)	1226	-	1.1754.582	521612	17	119226	--	2624	0012.024400.155.001.2	HI DEF Dosing	Yellow (3)	1576	-	1.1702.935	521606	15	119576	--	2612	0012.024400.105.001.2	LO DEF Dosing	Yellow (3)	1577	-	1.1702.937	521606	17	119577	--	2614	0012.024400.115.001.2	LOLO DEF Dosing	Red (2)	1578	-	1.1702.939	521606	1	119578	--	2616	0012.024100.215.001.2	SD T-DEF at PDM	Yellow (4)	1134	-	1.1752.901	3515	11	119134	110665	2606	0012.024100.105.001.2	LO T-DEF at PDM	Yellow (3)	941	-	2.7001.906	3515	17	118941	--	2608	0012.024100.155.001.2	HI T-DEF at PDM	Yellow (3)	1541	-	1.1752.967	3515	15	119541	--	2610	0012.024200.215.001.2	SD P-DEF Filter Out at PDM	Yellow (4)	1136	-	1.1752.903	521438	11	119136	110666	2602	0012.024200.105.001.2	LO P-DEF Filter Out at PDM	Yellow (3)	1140	-	1.1752.905	521438	17	119140	--	2604	0012.006502.215.001.2	SD P-Exhaust SCR Inlet 1	Yellow (4)	1342	-	1.0238.921	4334	11	119342	--	2594	0012.006501.215.001.2	SD P-Exhaust SCR Outlet 1	Yellow (4)	1443	-	1.0238.926	521614	11	119443	--	2600	0012.006500.155.001.2	HI P-Exhaust Diff. SCR 1	Yellow (3)	1542	-	2.0238.921	4358	15	119542	--	2596	0012.006500.165.001.2	HIHI P-Exhaust Diff. SCR 1	Red (2)	1543	-	2.0238.922	4358	0	119543	--	2598
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024406.205.001.2	AL Com. Lost NOx EGAT Outlet 1	Yellow (3)	1484	-	1.0715.902	521135	31	119484	--	2656																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024407.205.001.2	AL Com. Lost DEF Doser 1	Yellow (3)	1489	-	1.0721.901	521596	31	119489	--	2658																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024408.205.001.2	AL Com. Lost DEF Doser 2	Yellow (3)	1492	-	1.0722.901	521597	31	119492	--	2662																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024409.205.001.2	AL Com. Lost DEF Doser 3	Yellow (3)	1495	-	1.0723.901	521598	31	119495	--	2666																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024410.205.001.2	AL Com. Lost DEF Doser 4	Yellow (3)	1498	-	1.0724.901	521599	31	119498	--	2670																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024411.205.001.2	AL Com. Lost DEF Doser 5	Yellow (3)	1501	-	1.0725.901	521600	31	119501	--	2674																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024412.205.001.2	AL Com. Lost DEF Doser 6	Yellow (3)	1504	-	1.0726.901	521601	31	119504	--	2678																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024413.205.001.2	AL DEF Doser 1 defect	Yellow (3)	1490	-	1.0721.902	521596	11	119490	--	2660																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024414.205.001.2	AL DEF Doser 2 defect	Yellow (3)	1493	-	1.0722.902	521597	11	119493	--	2664																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024415.205.001.2	AL DEF Doser 3 defect	Yellow (3)	1496	-	1.0723.902	521598	11	119496	--	2668																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024416.205.001.2	AL DEF Doser 4 defect	Yellow (3)	1499	-	1.0724.902	521599	11	119499	--	2672																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024417.205.001.2	AL DEF Doser 5 defect	Yellow (3)	1502	-	1.0725.902	521600	11	119502	--	2676																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024418.205.001.2	AL DEF Doser 6 defect	Yellow (3)	1505	-	1.0726.902	521601	11	119505	--	2680																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024404.215.001.2	SD NOx EGAT Inlet 1	Yellow (4)	1477	-	1.0711.901	521134	11	119477	--	2646																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024405.215.001.2	SD NOx EGAT Inlet 2	Yellow (4)	1479	-	1.0712.901	521136	11	119479	--	2648																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024406.215.001.2	SD NOx EGAT Outlet 1	Yellow (4)	1483	-	1.0715.901	521135	11	119483	--	2650																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024419.205.001.2	AL SCR F1 SU DEF Quantity	Yellow (3)	884	-	1.1702.911	4348	15	118884	--	2682																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024420.205.001.2	AL SCR F2 SU DEF Quantity	Yellow (3)	885	-	1.1702.913	4401	15	118885	--	2684																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024421.105.001.2	LO Cataly Conversion F1	Yellow (3)	942	-	2.1700.002	521204	17	118942	--	2686																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024422.105.001.2	LO Cataly Conversion F2	Yellow (3)	943	-	2.1700.004	521205	17	118943	--	2688																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024423.105.001.2	LO Cataly Conversion F3	Yellow (3)	944	-	2.1700.006	521206	17	118944	--	2690																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024400.205.001.2	AL Com. Lost DCM ID2	Yellow (3)	1212	-	1.1754.280	521602	31	119212	--	2638																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024401.205.001.2	AL Com. Lost DCM ID3	Yellow (3)	1213	-	1.1754.380	521603	31	119213	--	2640																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024402.205.001.2	AL Com. Lost DCM ID4	Yellow (3)	1214	-	1.1754.480	521604	31	119214	--	2642																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024403.205.001.2	AL Com. Lost DCM ID5	Yellow (3)	1215	-	1.1754.580	521605	31	119215	--	2644																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.050000.105.001.2	LO PS Voltage DCM PDM	Yellow (3)	1223	-	1.1754.282	521609	17	119223	--	2618																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.050001.105.001.2	LO PS Voltage DCM SCR Base 1	Yellow (3)	1224	-	1.1754.382	521610	17	119224	--	2620																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.050001.105.011.2	LO PS Voltage DCM SCR Base 2	Yellow (3)	1225	-	1.1754.482	521611	17	119225	--	2622																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.050002.105.001.2	LO PS Voltage DCM SCR Out	Yellow (3)	1226	-	1.1754.582	521612	17	119226	--	2624																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024400.155.001.2	HI DEF Dosing	Yellow (3)	1576	-	1.1702.935	521606	15	119576	--	2612																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024400.105.001.2	LO DEF Dosing	Yellow (3)	1577	-	1.1702.937	521606	17	119577	--	2614																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024400.115.001.2	LOLO DEF Dosing	Red (2)	1578	-	1.1702.939	521606	1	119578	--	2616																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024100.215.001.2	SD T-DEF at PDM	Yellow (4)	1134	-	1.1752.901	3515	11	119134	110665	2606																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024100.105.001.2	LO T-DEF at PDM	Yellow (3)	941	-	2.7001.906	3515	17	118941	--	2608																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024100.155.001.2	HI T-DEF at PDM	Yellow (3)	1541	-	1.1752.967	3515	15	119541	--	2610																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024200.215.001.2	SD P-DEF Filter Out at PDM	Yellow (4)	1136	-	1.1752.903	521438	11	119136	110666	2602																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.024200.105.001.2	LO P-DEF Filter Out at PDM	Yellow (3)	1140	-	1.1752.905	521438	17	119140	--	2604																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006502.215.001.2	SD P-Exhaust SCR Inlet 1	Yellow (4)	1342	-	1.0238.921	4334	11	119342	--	2594																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006501.215.001.2	SD P-Exhaust SCR Outlet 1	Yellow (4)	1443	-	1.0238.926	521614	11	119443	--	2600																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006500.155.001.2	HI P-Exhaust Diff. SCR 1	Yellow (3)	1542	-	2.0238.921	4358	15	119542	--	2596																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006500.165.001.2	HIHI P-Exhaust Diff. SCR 1	Red (2)	1543	-	2.0238.922	4358	0	119543	--	2598																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 125 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0012.006201.215.001.2</td><td>SD T-Exhaust SCR Outlet 1</td><td>Yellow (4)</td><td>750</td><td>-</td><td>1.0206.920</td><td>4363</td><td>11</td><td>118750</td><td>110656</td><td>2588</td></tr><tr><td>0012.006201.155.001.2</td><td>HI T-Exhaust SCR Outlet 1</td><td>Yellow (3)</td><td>922</td><td>-</td><td>2.0206.921</td><td>4363</td><td>15</td><td>118922</td><td>--</td><td>2590</td></tr><tr><td>0012.006201.165.001.2</td><td>HIHI T-Exhaust SCR Outlet 1</td><td>Red (2)</td><td>923</td><td>-</td><td>2.0206.922</td><td>4363</td><td>0</td><td>118923</td><td>--</td><td>2592</td></tr><tr><td>0012.006200.215.011.2</td><td>SD T-Exhaust SCR Inlet 2</td><td>Yellow (4)</td><td>749</td><td>-</td><td>1.0205.920</td><td>4413</td><td>11</td><td>118749</td><td>110655</td><td>2582</td></tr><tr><td>0012.006200.155.011.2</td><td>HI T-Exhaust SCR Inlet 2</td><td>Yellow (3)</td><td>924</td><td>-</td><td>2.0205.921</td><td>4413</td><td>15</td><td>118924</td><td>--</td><td>2584</td></tr><tr><td>0012.006200.165.011.2</td><td>HIHI T-Exhaust SCR Inlet 2</td><td>Red (2)</td><td>925</td><td>-</td><td>2.0205.922</td><td>4413</td><td>0</td><td>118925</td><td>--</td><td>2586</td></tr><tr><td>0012.006200.215.001.2</td><td>SD T-Exhaust SCR Inlet 1</td><td>Yellow (4)</td><td>748</td><td>-</td><td>1.0204.921</td><td>4360</td><td>11</td><td>118748</td><td>110654</td><td>2576</td></tr><tr><td>0012.006200.155.001.2</td><td>HI T-Exhaust SCR Inlet 1</td><td>Yellow (3)</td><td>920</td><td>-</td><td>2.0204.921</td><td>4360</td><td>15</td><td>118920</td><td>--</td><td>2578</td></tr><tr><td>0012.006200.165.001.2</td><td>HIHI T-Exhaust SCR Inlet 1</td><td>Red (2)</td><td>921</td><td>-</td><td>2.0204.922</td><td>4360</td><td>0</td><td>118921</td><td>--</td><td>2580</td></tr><tr><td>0050.020100.215.001.2</td><td>SD P-Fuel Prefilter</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>521595</td><td>11</td><td>117551</td><td>116551</td><td>2632</td></tr><tr><td>0050.020100.105.001.2</td><td>LO P-Fuel Prefilter</td><td>Yellow (3)</td><td>-</td><td>-</td><td>-</td><td>521595</td><td>17</td><td>116556</td><td>--</td><td>2634</td></tr><tr><td>0050.020100.115.001.2</td><td>LOLO P-Fuel Prefilter</td><td>Red (2)</td><td>-</td><td>-</td><td>-</td><td>521595</td><td>1</td><td>116557</td><td>--</td><td>2636</td></tr><tr><td>0050.024300.215.011.2</td><td>SD DEF Tank Level</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>1761</td><td>11</td><td>117541</td><td>116541</td><td>2626</td></tr><tr><td>0050.024300.105.011.2</td><td>LO DEF Tank Level</td><td>Yellow (3)</td><td>-</td><td>-</td><td>-</td><td>1761</td><td>17</td><td>116546</td><td>--</td><td>2628</td></tr><tr><td>0050.024300.115.011.2</td><td>LOLO DEF Tank Level</td><td>Red (2)</td><td>-</td><td>-</td><td>-</td><td>1761</td><td>1</td><td>116547</td><td>--</td><td>2630</td></tr><tr><td>0910.062400.255.011.2</td><td>WB Binary Input DI1 (SPU)</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>521618</td><td>31</td><td>116136</td><td>--</td><td>2692</td></tr><tr><td>0910.062400.255.021.2</td><td>WB Binary Input DI2 (SPU)</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>521619</td><td>31</td><td>116137</td><td>--</td><td>2694</td></tr><tr><td>0910.062400.255.031.2</td><td>WB Binary Input DI3 (SPU)</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>521620</td><td>31</td><td>116138</td><td>--</td><td>2696</td></tr><tr><td>0910.062400.255.041.2</td><td>WB Binary Input DI4 (SPU)</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>521621</td><td>31</td><td>116139</td><td>--</td><td>2698</td></tr><tr><td>0910.062400.255.051.2</td><td>WB Binary Input DI5 (SPU)</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>521622</td><td>31</td><td>116140</td><td>--</td><td>2700</td></tr><tr><td>0910.062400.255.061.2</td><td>WB Binary Input DI6 (SPU)</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>521623</td><td>31</td><td>116141</td><td>--</td><td>2702</td></tr><tr><td>0910.062400.255.071.2</td><td>WB Binary Input DI7 (SPU)</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>521624</td><td>31</td><td>116142</td><td>--</td><td>2704</td></tr><tr><td>0910.062400.255.081.2</td><td>WB Binary Input DI8 (SPU)</td><td>Yellow (4)</td><td>-</td><td>-</td><td>-</td><td>521625</td><td>31</td><td>116143</td><td>--</td><td>2706</td></tr><tr><td>0070.075804.245.001.2</td><td>SE Sysbus Duplicate Node</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td></tr><tr><td>0010.006402.165.011.2</td><td>HIHI T-Exhaust after LP ETC</td><td>Red (2)</td><td>1096</td><td>--</td><td>2.0213.941</td><td>--</td><td>--</td><td>119096</td><td>--</td><td>2560</td></tr><tr><td>1.0080.064003.205.001.2</td><td>AL Portable Control Lost</td><td>Red (2)</td><td>--</td><td>--</td><td>--</td><td>522199</td><td>31</td><td>810737</td><td>--</td><td>2568</td></tr><tr><td>0070.075232.205.011.2</td><td>AL MCS Dim PAN Lost CS1</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>910610</td><td>--</td><td>2718</td></tr><tr><td>0070.075232.205.021.2</td><td>AL MCS Dim PAN Lost CS2</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>910620</td><td>--</td><td>2720</td></tr><tr><td>0070.075232.205.031.2</td><td>AL MCS Dim PAN Lost CS3</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>910630</td><td>--</td><td>2722</td></tr><tr><td>0070.075232.205.041.2</td><td>AL MCS Dim PAN Lost CS4</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>910640</td><td>--</td><td>2724</td></tr><tr><td>0070.075232.205.051.2</td><td>AL MCS Dim PAN Lost CS5</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>910650</td><td>--</td><td>2726</td></tr><tr><td>0070.075232.205.061.2</td><td>AL MCS Dim PAN Lost CS6</td><td>Yellow (3)</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>910660</td><td>--</td><td>2728</td></tr><tr><td>0010.087201.155.001.2</td><td>HI P-Cyl. Max A1</td><td>Yellow (3)</td><td>7101</td><td>--</td><td>7.0650.501</td><td>6483</td><td>15</td><td>127101</td><td>--</td><td>4000</td></tr><tr><td>0010.087201.155.011.2</td><td>HI P-Cyl. Max A2</td><td>Yellow (3)</td><td>7102</td><td>--</td><td>7.0650.503</td><td>6487</td><td>15</td><td>127102</td><td>--</td><td>4002</td></tr><tr><td>0010.087201.155.021.2</td><td>HI P-Cyl. Max A3</td><td>Yellow (3)</td><td>7103</td><td>--</td><td>7.0650.505</td><td>6491</td><td>15</td><td>127103</td><td>--</td><td>4004</td></tr><tr><td>0010.087201.155.031.2</td><td>HI P-Cyl. Max A4</td><td>Yellow (3)</td><td>7104</td><td>--</td><td>7.0650.507</td><td>6495</td><td>15</td><td>127104</td><td>--</td><td>4006</td></tr><tr><td>0010.087201.155.041.2</td><td>HI P-Cyl. Max A5</td><td>Yellow (3)</td><td>7105</td><td>--</td><td>7.0650.509</td><td>6499</td><td>15</td><td>127105</td><td>--</td><td>4008</td></tr><tr><td>0010.087201.155.051.2</td><td>HI P-Cyl. Max A6</td><td>Yellow (3)</td><td>7106</td><td>--</td><td>7.0650.511</td><td>6503</td><td>15</td><td>127106</td><td>--</td><td>4010</td></tr><tr><td>0010.087201.155.061.2</td><td>HI P-Cyl. Max A7</td><td>Yellow (3)</td><td>7107</td><td>--</td><td>7.0650.513</td><td>6507</td><td>15</td><td>127107</td><td>--</td><td>4012</td></tr><tr><td>0010.087201.155.071.2</td><td>HI P-Cyl. Max A8</td><td>Yellow (3)</td><td>7108</td><td>--</td><td>7.0650.515</td><td>6511</td><td>15</td><td>127108</td><td>--</td><td>4014</td></tr><tr><td>0010.087201.155.081.2</td><td>HI P-Cyl. Max A9</td><td>Yellow (3)</td><td>7109</td><td>--</td><td>7.0650.517</td><td>6515</td><td>15</td><td>127109</td><td>--</td><td>4016</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0012.006201.215.001.2	SD T-Exhaust SCR Outlet 1	Yellow (4)	750	-	1.0206.920	4363	11	118750	110656	2588	0012.006201.155.001.2	HI T-Exhaust SCR Outlet 1	Yellow (3)	922	-	2.0206.921	4363	15	118922	--	2590	0012.006201.165.001.2	HIHI T-Exhaust SCR Outlet 1	Red (2)	923	-	2.0206.922	4363	0	118923	--	2592	0012.006200.215.011.2	SD T-Exhaust SCR Inlet 2	Yellow (4)	749	-	1.0205.920	4413	11	118749	110655	2582	0012.006200.155.011.2	HI T-Exhaust SCR Inlet 2	Yellow (3)	924	-	2.0205.921	4413	15	118924	--	2584	0012.006200.165.011.2	HIHI T-Exhaust SCR Inlet 2	Red (2)	925	-	2.0205.922	4413	0	118925	--	2586	0012.006200.215.001.2	SD T-Exhaust SCR Inlet 1	Yellow (4)	748	-	1.0204.921	4360	11	118748	110654	2576	0012.006200.155.001.2	HI T-Exhaust SCR Inlet 1	Yellow (3)	920	-	2.0204.921	4360	15	118920	--	2578	0012.006200.165.001.2	HIHI T-Exhaust SCR Inlet 1	Red (2)	921	-	2.0204.922	4360	0	118921	--	2580	0050.020100.215.001.2	SD P-Fuel Prefilter	Yellow (4)	-	-	-	521595	11	117551	116551	2632	0050.020100.105.001.2	LO P-Fuel Prefilter	Yellow (3)	-	-	-	521595	17	116556	--	2634	0050.020100.115.001.2	LOLO P-Fuel Prefilter	Red (2)	-	-	-	521595	1	116557	--	2636	0050.024300.215.011.2	SD DEF Tank Level	Yellow (4)	-	-	-	1761	11	117541	116541	2626	0050.024300.105.011.2	LO DEF Tank Level	Yellow (3)	-	-	-	1761	17	116546	--	2628	0050.024300.115.011.2	LOLO DEF Tank Level	Red (2)	-	-	-	1761	1	116547	--	2630	0910.062400.255.011.2	WB Binary Input DI1 (SPU)	Yellow (4)	-	-	-	521618	31	116136	--	2692	0910.062400.255.021.2	WB Binary Input DI2 (SPU)	Yellow (4)	-	-	-	521619	31	116137	--	2694	0910.062400.255.031.2	WB Binary Input DI3 (SPU)	Yellow (4)	-	-	-	521620	31	116138	--	2696	0910.062400.255.041.2	WB Binary Input DI4 (SPU)	Yellow (4)	-	-	-	521621	31	116139	--	2698	0910.062400.255.051.2	WB Binary Input DI5 (SPU)	Yellow (4)	-	-	-	521622	31	116140	--	2700	0910.062400.255.061.2	WB Binary Input DI6 (SPU)	Yellow (4)	-	-	-	521623	31	116141	--	2702	0910.062400.255.071.2	WB Binary Input DI7 (SPU)	Yellow (4)	-	-	-	521624	31	116142	--	2704	0910.062400.255.081.2	WB Binary Input DI8 (SPU)	Yellow (4)	-	-	-	521625	31	116143	--	2706	0070.075804.245.001.2	SE Sysbus Duplicate Node	Yellow (3)	--	--	--	--	--	--	--	--	0010.006402.165.011.2	HIHI T-Exhaust after LP ETC	Red (2)	1096	--	2.0213.941	--	--	119096	--	2560	1.0080.064003.205.001.2	AL Portable Control Lost	Red (2)	--	--	--	522199	31	810737	--	2568	0070.075232.205.011.2	AL MCS Dim PAN Lost CS1	Yellow (3)	--	--	--	--	--	910610	--	2718	0070.075232.205.021.2	AL MCS Dim PAN Lost CS2	Yellow (3)	--	--	--	--	--	910620	--	2720	0070.075232.205.031.2	AL MCS Dim PAN Lost CS3	Yellow (3)	--	--	--	--	--	910630	--	2722	0070.075232.205.041.2	AL MCS Dim PAN Lost CS4	Yellow (3)	--	--	--	--	--	910640	--	2724	0070.075232.205.051.2	AL MCS Dim PAN Lost CS5	Yellow (3)	--	--	--	--	--	910650	--	2726	0070.075232.205.061.2	AL MCS Dim PAN Lost CS6	Yellow (3)	--	--	--	--	--	910660	--	2728	0010.087201.155.001.2	HI P-Cyl. Max A1	Yellow (3)	7101	--	7.0650.501	6483	15	127101	--	4000	0010.087201.155.011.2	HI P-Cyl. Max A2	Yellow (3)	7102	--	7.0650.503	6487	15	127102	--	4002	0010.087201.155.021.2	HI P-Cyl. Max A3	Yellow (3)	7103	--	7.0650.505	6491	15	127103	--	4004	0010.087201.155.031.2	HI P-Cyl. Max A4	Yellow (3)	7104	--	7.0650.507	6495	15	127104	--	4006	0010.087201.155.041.2	HI P-Cyl. Max A5	Yellow (3)	7105	--	7.0650.509	6499	15	127105	--	4008	0010.087201.155.051.2	HI P-Cyl. Max A6	Yellow (3)	7106	--	7.0650.511	6503	15	127106	--	4010	0010.087201.155.061.2	HI P-Cyl. Max A7	Yellow (3)	7107	--	7.0650.513	6507	15	127107	--	4012	0010.087201.155.071.2	HI P-Cyl. Max A8	Yellow (3)	7108	--	7.0650.515	6511	15	127108	--	4014	0010.087201.155.081.2	HI P-Cyl. Max A9	Yellow (3)	7109	--	7.0650.517	6515	15	127109	--	4016
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006201.215.001.2	SD T-Exhaust SCR Outlet 1	Yellow (4)	750	-	1.0206.920	4363	11	118750	110656	2588																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006201.155.001.2	HI T-Exhaust SCR Outlet 1	Yellow (3)	922	-	2.0206.921	4363	15	118922	--	2590																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006201.165.001.2	HIHI T-Exhaust SCR Outlet 1	Red (2)	923	-	2.0206.922	4363	0	118923	--	2592																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006200.215.011.2	SD T-Exhaust SCR Inlet 2	Yellow (4)	749	-	1.0205.920	4413	11	118749	110655	2582																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006200.155.011.2	HI T-Exhaust SCR Inlet 2	Yellow (3)	924	-	2.0205.921	4413	15	118924	--	2584																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006200.165.011.2	HIHI T-Exhaust SCR Inlet 2	Red (2)	925	-	2.0205.922	4413	0	118925	--	2586																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006200.215.001.2	SD T-Exhaust SCR Inlet 1	Yellow (4)	748	-	1.0204.921	4360	11	118748	110654	2576																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006200.155.001.2	HI T-Exhaust SCR Inlet 1	Yellow (3)	920	-	2.0204.921	4360	15	118920	--	2578																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0012.006200.165.001.2	HIHI T-Exhaust SCR Inlet 1	Red (2)	921	-	2.0204.922	4360	0	118921	--	2580																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0050.020100.215.001.2	SD P-Fuel Prefilter	Yellow (4)	-	-	-	521595	11	117551	116551	2632																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0050.020100.105.001.2	LO P-Fuel Prefilter	Yellow (3)	-	-	-	521595	17	116556	--	2634																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0050.020100.115.001.2	LOLO P-Fuel Prefilter	Red (2)	-	-	-	521595	1	116557	--	2636																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0050.024300.215.011.2	SD DEF Tank Level	Yellow (4)	-	-	-	1761	11	117541	116541	2626																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0050.024300.105.011.2	LO DEF Tank Level	Yellow (3)	-	-	-	1761	17	116546	--	2628																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0050.024300.115.011.2	LOLO DEF Tank Level	Red (2)	-	-	-	1761	1	116547	--	2630																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0910.062400.255.011.2	WB Binary Input DI1 (SPU)	Yellow (4)	-	-	-	521618	31	116136	--	2692																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0910.062400.255.021.2	WB Binary Input DI2 (SPU)	Yellow (4)	-	-	-	521619	31	116137	--	2694																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0910.062400.255.031.2	WB Binary Input DI3 (SPU)	Yellow (4)	-	-	-	521620	31	116138	--	2696																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0910.062400.255.041.2	WB Binary Input DI4 (SPU)	Yellow (4)	-	-	-	521621	31	116139	--	2698																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0910.062400.255.051.2	WB Binary Input DI5 (SPU)	Yellow (4)	-	-	-	521622	31	116140	--	2700																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0910.062400.255.061.2	WB Binary Input DI6 (SPU)	Yellow (4)	-	-	-	521623	31	116141	--	2702																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0910.062400.255.071.2	WB Binary Input DI7 (SPU)	Yellow (4)	-	-	-	521624	31	116142	--	2704																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0910.062400.255.081.2	WB Binary Input DI8 (SPU)	Yellow (4)	-	-	-	521625	31	116143	--	2706																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0070.075804.245.001.2	SE Sysbus Duplicate Node	Yellow (3)	--	--	--	--	--	--	--	--																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.006402.165.011.2	HIHI T-Exhaust after LP ETC	Red (2)	1096	--	2.0213.941	--	--	119096	--	2560																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
1.0080.064003.205.001.2	AL Portable Control Lost	Red (2)	--	--	--	522199	31	810737	--	2568																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0070.075232.205.011.2	AL MCS Dim PAN Lost CS1	Yellow (3)	--	--	--	--	--	910610	--	2718																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0070.075232.205.021.2	AL MCS Dim PAN Lost CS2	Yellow (3)	--	--	--	--	--	910620	--	2720																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0070.075232.205.031.2	AL MCS Dim PAN Lost CS3	Yellow (3)	--	--	--	--	--	910630	--	2722																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0070.075232.205.041.2	AL MCS Dim PAN Lost CS4	Yellow (3)	--	--	--	--	--	910640	--	2724																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0070.075232.205.051.2	AL MCS Dim PAN Lost CS5	Yellow (3)	--	--	--	--	--	910650	--	2726																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0070.075232.205.061.2	AL MCS Dim PAN Lost CS6	Yellow (3)	--	--	--	--	--	910660	--	2728																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087201.155.001.2	HI P-Cyl. Max A1	Yellow (3)	7101	--	7.0650.501	6483	15	127101	--	4000																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087201.155.011.2	HI P-Cyl. Max A2	Yellow (3)	7102	--	7.0650.503	6487	15	127102	--	4002																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087201.155.021.2	HI P-Cyl. Max A3	Yellow (3)	7103	--	7.0650.505	6491	15	127103	--	4004																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087201.155.031.2	HI P-Cyl. Max A4	Yellow (3)	7104	--	7.0650.507	6495	15	127104	--	4006																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087201.155.041.2	HI P-Cyl. Max A5	Yellow (3)	7105	--	7.0650.509	6499	15	127105	--	4008																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087201.155.051.2	HI P-Cyl. Max A6	Yellow (3)	7106	--	7.0650.511	6503	15	127106	--	4010																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087201.155.061.2	HI P-Cyl. Max A7	Yellow (3)	7107	--	7.0650.513	6507	15	127107	--	4012																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087201.155.071.2	HI P-Cyl. Max A8	Yellow (3)	7108	--	7.0650.515	6511	15	127108	--	4014																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087201.155.081.2	HI P-Cyl. Max A9	Yellow (3)	7109	--	7.0650.517	6515	15	127109	--	4016																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 126 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.087201.155.091.2	HI P-Cyl. Max A10	Yellow (3)	7110	--	7.0650.519	6519	15	127110	--	4018
0010.087202.155.001.2	HI P-Cyl. Max B1	Yellow (3)	7111	--	7.0650.521	6523	15	127111	--	4020
0010.087202.155.011.2	HI P-Cyl. Max B2	Yellow (3)	7112	--	7.0650.523	6527	15	127112	--	4022
0010.087202.155.021.2	HI P-Cyl. Max B3	Yellow (3)	7113	--	7.0650.525	6531	15	127113	--	4024
0010.087202.155.031.2	HI P-Cyl. Max B4	Yellow (3)	7114	--	7.0650.527	6535	15	127114	--	4026
0010.087202.155.041.2	HI P-Cyl. Max B5	Yellow (3)	7115	--	7.0650.529	6539	15	127115	--	4028
0010.087202.155.051.2	HI P-Cyl. Max B6	Yellow (3)	7116	--	7.0650.531	6543	15	127116	--	4030
0010.087202.155.061.2	HI P-Cyl. Max B7	Yellow (3)	7117	--	7.0650.533	6547	15	127117	--	4032
0010.087202.155.071.2	HI P-Cyl. Max B8	Yellow (3)	7118	--	7.0650.535	6551	15	127118	--	4034
0010.087202.155.081.2	HI P-Cyl. Max B9	Yellow (3)	7119	--	7.0650.537	6555	15	127119	--	4036
0010.087202.155.091.2	HI P-Cyl. Max B10	Yellow (3)	7120	--	7.0650.539	6559	15	127120	--	4038
0010.087201.165.001.2	HIHI P-Cyl. Max A1	Red (2)	7121	--	7.0650.541	6483	0	127121	--	4040
0010.087201.165.011.2	HIHI P-Cyl. Max A2	Red (2)	7122	--	7.0650.543	6487	0	127122	--	4042
0010.087201.165.021.2	HIHI P-Cyl. Max A3	Red (2)	7123	--	7.0650.545	6491	0	127123	--	4044
0010.087201.165.031.2	HIHI P-Cyl. Max A4	Red (2)	7124	--	7.0650.547	6495	0	127124	--	4046
0010.087201.165.041.2	HIHI P-Cyl. Max A5	Red (2)	7125	--	7.0650.549	6499	0	127125	--	4048
0010.087201.165.051.2	HIHI P-Cyl. Max A6	Red (2)	7126	--	7.0650.551	6503	0	127126	--	4050
0010.087201.165.061.2	HIHI P-Cyl. Max A7	Red (2)	7127	--	7.0650.553	6507	0	127127	--	4052
0010.087201.165.071.2	HIHI P-Cyl. Max A8	Red (2)	7128	--	7.0650.555	6511	0	127128	--	4054
0010.087201.165.081.2	HIHI P-Cyl. Max A9	Red (2)	7129	--	7.0650.557	6515	0	127129	--	4056
0010.087201.165.091.2	HIHI P-Cyl. Max A10	Red (2)	7130	--	7.0650.559	6519	0	127130	--	4058
0010.087202.165.001.2	HIHI P-Cyl. Max B1	Red (2)	7131	--	7.0650.561	6523	0	127131	--	4060
0010.087202.165.011.2	HIHI P-Cyl. Max B2	Red (2)	7132	--	7.0650.563	6527	0	127132	--	4062
0010.087202.165.021.2	HIHI P-Cyl. Max B3	Red (2)	7133	--	7.0650.565	6531	0	127133	--	4064
0010.087202.165.031.2	HIHI P-Cyl. Max B4	Red (2)	7134	--	7.0650.567	6535	0	127134	--	4066
0010.087202.165.041.2	HIHI P-Cyl. Max B5	Red (2)	7135	--	7.0650.569	6539	0	127135	--	4068
0010.087202.165.051.2	HIHI P-Cyl. Max B6	Red (2)	7136	--	7.0650.571	6543	0	127136	--	4070
0010.087202.165.061.2	HIHI P-Cyl. Max B7	Red (2)	7137	--	7.0650.573	6547	0	127137	--	4072
0010.087202.165.071.2	HIHI P-Cyl. Max B8	Red (2)	7138	--	7.0650.575	6551	0	127138	--	4074
0010.087202.165.081.2	HIHI P-Cyl. Max B9	Red (2)	7139	--	7.0650.577	6555	0	127139	--	4076
0010.087202.165.091.2	HIHI P-Cyl. Max B10	Red (2)	7140	--	7.0650.579	6559	0	127140	--	4078
0010.012202.105.001.2	LO P-Gas in Rail A	Yellow (3)	1618	--	2.8006.047	1390	17	119618	--	4080
0010.012202.105.011.2	LO P-Gas in Rail B	Yellow (3)	1619	--	2.8006.048	1366	17	119619	--	4082
0010.012202.115.001.2	LOLO P-Gas in Rail A	Red (2)	1620	--	2.8006.049	1390	1	119620	--	4084
0010.012202.115.011.2	LOLO P-Gas in Rail B	Red (2)	1621	--	2.8006.051	1366	1	119621	--	4086
0010.012202.155.001.2	HI P-Gas in Rail A	Yellow (3)	1622	--	2.8006.052	1390	15	119622	--	4088
0010.012202.155.011.2	HI P-Gas in Rail B	Yellow (3)	1623	--	2.8006.053	1366	15	119623	--	4090
0010.012202.165.001.2	HIHI P-Gas in Rail A	Red (2)	1624	--	2.8006.054	1390	0	119624	--	4092
0010.012202.165.011.2	HIHI P-Gas in Rail B	Red (2)	1625	--	2.8006.055	1366	0	119625	--	4094
0010.012101.105.001.2	LO T-Gas	Yellow (3)	719	--	2.8006.034	174	17	118719	--	4096
0010.012101.115.001.2	LOLO T-Gas	Red (2)	720	--	2.8006.035	174	1	118720	--	4098

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 127 von/of 137
---	--	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ						Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0010.012101.155.001.2</td><td>HI T-Gas</td><td>Yellow (3)</td><td>721</td><td>--</td><td>2.8006.036</td><td>174</td><td>15</td><td>118721</td><td>--</td><td>4100</td></tr><tr><td>0010.012101.165.001.2</td><td>HIHI T-Gas</td><td>Red (2)</td><td>722</td><td>--</td><td>2.8006.037</td><td>174</td><td>0</td><td>118722</td><td>--</td><td>4102</td></tr><tr><td>0010.087207.155.001.2</td><td>HI T-CPM</td><td>Yellow (3)</td><td>7001</td><td>--</td><td>7.0012.399</td><td>521881</td><td>15</td><td>127001</td><td>--</td><td>4104</td></tr><tr><td>0010.015302.105.001.2</td><td>LO Coolant Level Intercooler</td><td>Yellow (3)</td><td>44</td><td>--</td><td>2.0153.921</td><td>3668</td><td>17</td><td>118044</td><td>--</td><td>4106</td></tr><tr><td>0010.000528.205.001.2</td><td>Idle Speed not reached</td><td>Yellow (3)</td><td>90</td><td>--</td><td>2.1090.925</td><td>188</td><td>1</td><td>118090</td><td>--</td><td>4108</td></tr><tr><td>0010.000529.205.001.2</td><td>AL Release Speed not reached</td><td>Yellow (3)</td><td>91</td><td>--</td><td>2.1090.924</td><td>521002</td><td>1</td><td>118091</td><td>--</td><td>4110</td></tr><tr><td>0010.015302.215.001.2</td><td>SD Coolant Level Intercooler</td><td>Yellow (4)</td><td>223</td><td>--</td><td>1.8004.583</td><td>3668</td><td>11</td><td>118223</td><td>--</td><td>4112</td></tr><tr><td>0010.015103.105.001.2</td><td>LO P-Coolant Difference</td><td>Yellow (3)</td><td>423</td><td>--</td><td>2.0180.921</td><td>112</td><td>17</td><td>118423</td><td>--</td><td>4114</td></tr><tr><td>0010.015101.155.001.2</td><td>HI P-Coolant</td><td>Yellow (3)</td><td>429</td><td>--</td><td>2.0101.931</td><td>109</td><td>15</td><td>118429</td><td>--</td><td>4116</td></tr><tr><td>0010.015102.105.001.2</td><td>LO P-Coolant before engine</td><td>Yellow (3)</td><td>430</td><td>--</td><td>2.0168.921</td><td>521220</td><td>17</td><td>118430</td><td>--</td><td>4118</td></tr><tr><td>0010.015102.215.001.2</td><td>SD P-Coolant before engine</td><td>Yellow (4)</td><td>459</td><td>--</td><td>1.8004.627</td><td>521220</td><td>11</td><td>118459</td><td>--</td><td>4120</td></tr><tr><td>0010.015102.115.001.2</td><td>LOLO P-Coolant before engine</td><td>Red (2)</td><td>431</td><td>--</td><td>2.0168.922</td><td>521220</td><td>1</td><td>118431</td><td>--</td><td>4122</td></tr><tr><td>0010.005201.105.001.2</td><td>LO T-Intake Air</td><td>Yellow (3)</td><td>457</td><td>--</td><td>2.0123.921</td><td>172</td><td>17</td><td>118457</td><td>--</td><td>4124</td></tr><tr><td>0010.005201.115.001.2</td><td>LOLO T-Intake Air</td><td>Red (2)</td><td>458</td><td>--</td><td>2.0123.922</td><td>172</td><td>1</td><td>118458</td><td>--</td><td>4126</td></tr><tr><td>0010.087208.205.001.2</td><td>AL CPM Communication Lost</td><td>Yellow (3)</td><td>1593</td><td>--</td><td>1.4580.103</td><td>521862</td><td>31</td><td>119593</td><td>--</td><td>4128</td></tr><tr><td>0010.011300.155.011.2</td><td>HIHI Rel. Humidity</td><td>Yellow (3)</td><td>1616</td><td>--</td><td>2.8006.045</td><td>354</td><td>0</td><td>119616</td><td>--</td><td>4130</td></tr><tr><td>0010.012204.155.001.2</td><td>HI P-Gas Difference A B</td><td>Yellow (3)</td><td>1617</td><td>--</td><td>2.8006.046</td><td>521863</td><td>15</td><td>119617</td><td>--</td><td>4132</td></tr><tr><td>0010.087015.205.001.2</td><td>AL Act. greater Req. Eng.Power</td><td>Yellow (3)</td><td>1629</td><td>--</td><td>2.0278.010</td><td>521864</td><td>31</td><td>119629</td><td>--</td><td>4134</td></tr><tr><td>0010.087016.205.001.2</td><td>AL Combined Warning GRU</td><td>Yellow (3)</td><td>1630</td><td>--</td><td>1.4540.314</td><td>521865</td><td>31</td><td>119630</td><td>--</td><td>4136</td></tr><tr><td>0010.087017.205.001.2</td><td>AL Combined Failure GRU</td><td>Red (2)</td><td>1631</td><td>--</td><td>1.4540.316</td><td>521866</td><td>31</td><td>119631</td><td>--</td><td>4138</td></tr><tr><td>0010.087018.205.001.2</td><td>AL Ign.Control Testmode Act..</td><td>Yellow (3)</td><td>1633</td><td>--</td><td>1.4520.686</td><td>521867</td><td>31</td><td>119633</td><td>--</td><td>4140</td></tr><tr><td>0010.005103.215.001.2</td><td>SD P-Air before Throttle</td><td>Yellow (4)</td><td>1699</td><td>--</td><td>1.0248.900</td><td>521868</td><td>11</td><td>119699</td><td>--</td><td>4142</td></tr><tr><td>0010.087002.205.001.2</td><td>AL Knock Ignition L1 Comb</td><td>Yellow (3)</td><td>1634-1653</td><td>--</td><td>--</td><td>521930</td><td>31</td><td>116164</td><td>--</td><td>4144</td></tr><tr><td>0010.087002.205.011.2</td><td>AL Knock Ignition L1 A1</td><td>Yellow (3)</td><td>1634</td><td>--</td><td>1.4510.221</td><td>1352</td><td>15</td><td>--</td><td>--</td><td>4702</td></tr><tr><td>0010.087002.205.021.2</td><td>AL Knock Ignition L1 A2</td><td>Yellow (3)</td><td>1635</td><td>--</td><td>1.4510.223</td><td>1353</td><td>15</td><td>--</td><td>--</td><td>4704</td></tr><tr><td>0010.087002.205.031.2</td><td>AL Knock Ignition L1 A3</td><td>Yellow (3)</td><td>1636</td><td>--</td><td>1.4510.225</td><td>1354</td><td>15</td><td>--</td><td>--</td><td>4706</td></tr><tr><td>0010.087002.205.041.2</td><td>AL Knock Ignition L1 A4</td><td>Yellow (3)</td><td>1637</td><td>--</td><td>1.4510.227</td><td>1355</td><td>15</td><td>--</td><td>--</td><td>4708</td></tr><tr><td>0010.087002.205.051.2</td><td>AL Knock Ignition L1 A5</td><td>Yellow (3)</td><td>1638</td><td>--</td><td>1.4510.229</td><td>1356</td><td>15</td><td>--</td><td>--</td><td>4710</td></tr><tr><td>0010.087002.205.061.2</td><td>AL Knock Ignition L1 A6</td><td>Yellow (3)</td><td>1639</td><td>--</td><td>1.4510.231</td><td>1357</td><td>15</td><td>--</td><td>--</td><td>4712</td></tr><tr><td>0010.087002.205.071.2</td><td>AL Knock Ignition L1 A7</td><td>Yellow (3)</td><td>1640</td><td>--</td><td>1.4510.233</td><td>1358</td><td>15</td><td>--</td><td>--</td><td>4714</td></tr><tr><td>0010.087002.205.081.2</td><td>AL Knock Ignition L1 A8</td><td>Yellow (3)</td><td>1641</td><td>--</td><td>1.4510.235</td><td>1359</td><td>15</td><td>--</td><td>--</td><td>4716</td></tr><tr><td>0010.087002.205.091.2</td><td>AL Knock Ignition L1 A9</td><td>Yellow (3)</td><td>1642</td><td>--</td><td>1.4510.237</td><td>1360</td><td>15</td><td>--</td><td>--</td><td>4718</td></tr><tr><td>0010.087002.205.101.2</td><td>AL Knock Ignition L1 A10</td><td>Yellow (3)</td><td>1643</td><td>--</td><td>1.4510.239</td><td>1361</td><td>15</td><td>--</td><td>--</td><td>4720</td></tr><tr><td>0010.087002.205.111.2</td><td>AL Knock Ignition L1 B1</td><td>Yellow (3)</td><td>1644</td><td>--</td><td>1.4510.241</td><td>1362</td><td>15</td><td>--</td><td>--</td><td>4722</td></tr><tr><td>0010.087002.205.121.2</td><td>AL Knock Ignition L1 B2</td><td>Yellow (3)</td><td>1645</td><td>--</td><td>1.4510.243</td><td>1363</td><td>15</td><td>--</td><td>--</td><td>4724</td></tr><tr><td>0010.087002.205.131.2</td><td>AL Knock Ignition L1 B3</td><td>Yellow (3)</td><td>1646</td><td>--</td><td>1.4510.245</td><td>1364</td><td>15</td><td>--</td><td>--</td><td>4726</td></tr><tr><td>0010.087002.205.141.2</td><td>AL Knock Ignition L1 B4</td><td>Yellow (3)</td><td>1647</td><td>--</td><td>1.4510.247</td><td>1365</td><td>15</td><td>--</td><td>--</td><td>4728</td></tr><tr><td>0010.087002.205.151.2</td><td>AL Knock Ignition L1 B5</td><td>Yellow (3)</td><td>1648</td><td>--</td><td>1.4510.249</td><td>1366</td><td>15</td><td>--</td><td>--</td><td>4730</td></tr><tr><td>0010.087002.205.161.2</td><td>AL Knock Ignition L1 B6</td><td>Yellow (3)</td><td>1649</td><td>--</td><td>1.4510.251</td><td>1367</td><td>15</td><td>--</td><td>--</td><td>4732</td></tr><tr><td>0010.087002.205.171.2</td><td>AL Knock Ignition L1 B7</td><td>Yellow (3)</td><td>1650</td><td>--</td><td>1.4510.253</td><td>1368</td><td>15</td><td>--</td><td>--</td><td>4734</td></tr><tr><td>0010.087002.205.181.2</td><td>AL Knock Ignition L1 B8</td><td>Yellow (3)</td><td>1651</td><td>--</td><td>1.4510.255</td><td>1369</td><td>15</td><td>--</td><td>--</td><td>4736</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0010.012101.155.001.2	HI T-Gas	Yellow (3)	721	--	2.8006.036	174	15	118721	--	4100	0010.012101.165.001.2	HIHI T-Gas	Red (2)	722	--	2.8006.037	174	0	118722	--	4102	0010.087207.155.001.2	HI T-CPM	Yellow (3)	7001	--	7.0012.399	521881	15	127001	--	4104	0010.015302.105.001.2	LO Coolant Level Intercooler	Yellow (3)	44	--	2.0153.921	3668	17	118044	--	4106	0010.000528.205.001.2	Idle Speed not reached	Yellow (3)	90	--	2.1090.925	188	1	118090	--	4108	0010.000529.205.001.2	AL Release Speed not reached	Yellow (3)	91	--	2.1090.924	521002	1	118091	--	4110	0010.015302.215.001.2	SD Coolant Level Intercooler	Yellow (4)	223	--	1.8004.583	3668	11	118223	--	4112	0010.015103.105.001.2	LO P-Coolant Difference	Yellow (3)	423	--	2.0180.921	112	17	118423	--	4114	0010.015101.155.001.2	HI P-Coolant	Yellow (3)	429	--	2.0101.931	109	15	118429	--	4116	0010.015102.105.001.2	LO P-Coolant before engine	Yellow (3)	430	--	2.0168.921	521220	17	118430	--	4118	0010.015102.215.001.2	SD P-Coolant before engine	Yellow (4)	459	--	1.8004.627	521220	11	118459	--	4120	0010.015102.115.001.2	LOLO P-Coolant before engine	Red (2)	431	--	2.0168.922	521220	1	118431	--	4122	0010.005201.105.001.2	LO T-Intake Air	Yellow (3)	457	--	2.0123.921	172	17	118457	--	4124	0010.005201.115.001.2	LOLO T-Intake Air	Red (2)	458	--	2.0123.922	172	1	118458	--	4126	0010.087208.205.001.2	AL CPM Communication Lost	Yellow (3)	1593	--	1.4580.103	521862	31	119593	--	4128	0010.011300.155.011.2	HIHI Rel. Humidity	Yellow (3)	1616	--	2.8006.045	354	0	119616	--	4130	0010.012204.155.001.2	HI P-Gas Difference A B	Yellow (3)	1617	--	2.8006.046	521863	15	119617	--	4132	0010.087015.205.001.2	AL Act. greater Req. Eng.Power	Yellow (3)	1629	--	2.0278.010	521864	31	119629	--	4134	0010.087016.205.001.2	AL Combined Warning GRU	Yellow (3)	1630	--	1.4540.314	521865	31	119630	--	4136	0010.087017.205.001.2	AL Combined Failure GRU	Red (2)	1631	--	1.4540.316	521866	31	119631	--	4138	0010.087018.205.001.2	AL Ign.Control Testmode Act..	Yellow (3)	1633	--	1.4520.686	521867	31	119633	--	4140	0010.005103.215.001.2	SD P-Air before Throttle	Yellow (4)	1699	--	1.0248.900	521868	11	119699	--	4142	0010.087002.205.001.2	AL Knock Ignition L1 Comb	Yellow (3)	1634-1653	--	--	521930	31	116164	--	4144	0010.087002.205.011.2	AL Knock Ignition L1 A1	Yellow (3)	1634	--	1.4510.221	1352	15	--	--	4702	0010.087002.205.021.2	AL Knock Ignition L1 A2	Yellow (3)	1635	--	1.4510.223	1353	15	--	--	4704	0010.087002.205.031.2	AL Knock Ignition L1 A3	Yellow (3)	1636	--	1.4510.225	1354	15	--	--	4706	0010.087002.205.041.2	AL Knock Ignition L1 A4	Yellow (3)	1637	--	1.4510.227	1355	15	--	--	4708	0010.087002.205.051.2	AL Knock Ignition L1 A5	Yellow (3)	1638	--	1.4510.229	1356	15	--	--	4710	0010.087002.205.061.2	AL Knock Ignition L1 A6	Yellow (3)	1639	--	1.4510.231	1357	15	--	--	4712	0010.087002.205.071.2	AL Knock Ignition L1 A7	Yellow (3)	1640	--	1.4510.233	1358	15	--	--	4714	0010.087002.205.081.2	AL Knock Ignition L1 A8	Yellow (3)	1641	--	1.4510.235	1359	15	--	--	4716	0010.087002.205.091.2	AL Knock Ignition L1 A9	Yellow (3)	1642	--	1.4510.237	1360	15	--	--	4718	0010.087002.205.101.2	AL Knock Ignition L1 A10	Yellow (3)	1643	--	1.4510.239	1361	15	--	--	4720	0010.087002.205.111.2	AL Knock Ignition L1 B1	Yellow (3)	1644	--	1.4510.241	1362	15	--	--	4722	0010.087002.205.121.2	AL Knock Ignition L1 B2	Yellow (3)	1645	--	1.4510.243	1363	15	--	--	4724	0010.087002.205.131.2	AL Knock Ignition L1 B3	Yellow (3)	1646	--	1.4510.245	1364	15	--	--	4726	0010.087002.205.141.2	AL Knock Ignition L1 B4	Yellow (3)	1647	--	1.4510.247	1365	15	--	--	4728	0010.087002.205.151.2	AL Knock Ignition L1 B5	Yellow (3)	1648	--	1.4510.249	1366	15	--	--	4730	0010.087002.205.161.2	AL Knock Ignition L1 B6	Yellow (3)	1649	--	1.4510.251	1367	15	--	--	4732	0010.087002.205.171.2	AL Knock Ignition L1 B7	Yellow (3)	1650	--	1.4510.253	1368	15	--	--	4734	0010.087002.205.181.2	AL Knock Ignition L1 B8	Yellow (3)	1651	--	1.4510.255	1369	15	--	--	4736
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.012101.155.001.2	HI T-Gas	Yellow (3)	721	--	2.8006.036	174	15	118721	--	4100																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.012101.165.001.2	HIHI T-Gas	Red (2)	722	--	2.8006.037	174	0	118722	--	4102																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087207.155.001.2	HI T-CPM	Yellow (3)	7001	--	7.0012.399	521881	15	127001	--	4104																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.015302.105.001.2	LO Coolant Level Intercooler	Yellow (3)	44	--	2.0153.921	3668	17	118044	--	4106																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.000528.205.001.2	Idle Speed not reached	Yellow (3)	90	--	2.1090.925	188	1	118090	--	4108																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.000529.205.001.2	AL Release Speed not reached	Yellow (3)	91	--	2.1090.924	521002	1	118091	--	4110																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.015302.215.001.2	SD Coolant Level Intercooler	Yellow (4)	223	--	1.8004.583	3668	11	118223	--	4112																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.015103.105.001.2	LO P-Coolant Difference	Yellow (3)	423	--	2.0180.921	112	17	118423	--	4114																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.015101.155.001.2	HI P-Coolant	Yellow (3)	429	--	2.0101.931	109	15	118429	--	4116																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.015102.105.001.2	LO P-Coolant before engine	Yellow (3)	430	--	2.0168.921	521220	17	118430	--	4118																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.015102.215.001.2	SD P-Coolant before engine	Yellow (4)	459	--	1.8004.627	521220	11	118459	--	4120																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.015102.115.001.2	LOLO P-Coolant before engine	Red (2)	431	--	2.0168.922	521220	1	118431	--	4122																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.005201.105.001.2	LO T-Intake Air	Yellow (3)	457	--	2.0123.921	172	17	118457	--	4124																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.005201.115.001.2	LOLO T-Intake Air	Red (2)	458	--	2.0123.922	172	1	118458	--	4126																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087208.205.001.2	AL CPM Communication Lost	Yellow (3)	1593	--	1.4580.103	521862	31	119593	--	4128																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.011300.155.011.2	HIHI Rel. Humidity	Yellow (3)	1616	--	2.8006.045	354	0	119616	--	4130																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.012204.155.001.2	HI P-Gas Difference A B	Yellow (3)	1617	--	2.8006.046	521863	15	119617	--	4132																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087015.205.001.2	AL Act. greater Req. Eng.Power	Yellow (3)	1629	--	2.0278.010	521864	31	119629	--	4134																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087016.205.001.2	AL Combined Warning GRU	Yellow (3)	1630	--	1.4540.314	521865	31	119630	--	4136																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087017.205.001.2	AL Combined Failure GRU	Red (2)	1631	--	1.4540.316	521866	31	119631	--	4138																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087018.205.001.2	AL Ign.Control Testmode Act..	Yellow (3)	1633	--	1.4520.686	521867	31	119633	--	4140																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.005103.215.001.2	SD P-Air before Throttle	Yellow (4)	1699	--	1.0248.900	521868	11	119699	--	4142																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.001.2	AL Knock Ignition L1 Comb	Yellow (3)	1634-1653	--	--	521930	31	116164	--	4144																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.011.2	AL Knock Ignition L1 A1	Yellow (3)	1634	--	1.4510.221	1352	15	--	--	4702																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.021.2	AL Knock Ignition L1 A2	Yellow (3)	1635	--	1.4510.223	1353	15	--	--	4704																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.031.2	AL Knock Ignition L1 A3	Yellow (3)	1636	--	1.4510.225	1354	15	--	--	4706																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.041.2	AL Knock Ignition L1 A4	Yellow (3)	1637	--	1.4510.227	1355	15	--	--	4708																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.051.2	AL Knock Ignition L1 A5	Yellow (3)	1638	--	1.4510.229	1356	15	--	--	4710																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.061.2	AL Knock Ignition L1 A6	Yellow (3)	1639	--	1.4510.231	1357	15	--	--	4712																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.071.2	AL Knock Ignition L1 A7	Yellow (3)	1640	--	1.4510.233	1358	15	--	--	4714																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.081.2	AL Knock Ignition L1 A8	Yellow (3)	1641	--	1.4510.235	1359	15	--	--	4716																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.091.2	AL Knock Ignition L1 A9	Yellow (3)	1642	--	1.4510.237	1360	15	--	--	4718																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.101.2	AL Knock Ignition L1 A10	Yellow (3)	1643	--	1.4510.239	1361	15	--	--	4720																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.111.2	AL Knock Ignition L1 B1	Yellow (3)	1644	--	1.4510.241	1362	15	--	--	4722																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.121.2	AL Knock Ignition L1 B2	Yellow (3)	1645	--	1.4510.243	1363	15	--	--	4724																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.131.2	AL Knock Ignition L1 B3	Yellow (3)	1646	--	1.4510.245	1364	15	--	--	4726																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.141.2	AL Knock Ignition L1 B4	Yellow (3)	1647	--	1.4510.247	1365	15	--	--	4728																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.151.2	AL Knock Ignition L1 B5	Yellow (3)	1648	--	1.4510.249	1366	15	--	--	4730																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.161.2	AL Knock Ignition L1 B6	Yellow (3)	1649	--	1.4510.251	1367	15	--	--	4732																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.171.2	AL Knock Ignition L1 B7	Yellow (3)	1650	--	1.4510.253	1368	15	--	--	4734																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087002.205.181.2	AL Knock Ignition L1 B8	Yellow (3)	1651	--	1.4510.255	1369	15	--	--	4736																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 128 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.087002.205.191.2	AL Knock Ignition L1 B9	Yellow (3)	1652	--	1.4510.257	1370	15	--	--	4738
0010.087002.205.201.2	AL Knock Ignition L1 B10	Yellow (3)	1653	--	1.4510.259	1371	15	--	--	4740
0010.087003.205.011.2	AL Knock Ignition L2 A1	Red (2)	1654	--	1.4510.261	1352	16	119654	--	4564
0010.087003.205.021.2	AL Knock Ignition L2 A2	Red (2)	1655	--	1.4510.263	1353	16	119655	--	4566
0010.087003.205.031.2	AL Knock Ignition L2 A3	Red (2)	1656	--	1.4510.265	1354	16	119656	--	4568
0010.087003.205.041.2	AL Knock Ignition L2 A4	Red (2)	1657	--	1.4510.267	1355	16	119657	--	4570
0010.087003.205.051.2	AL Knock Ignition L2 A5	Red (2)	1658	--	1.4510.269	1356	16	119658	--	4572
0010.087003.205.061.2	AL Knock Ignition L2 A6	Red (2)	1659	--	1.4510.271	1357	16	119659	--	4574
0010.087003.205.071.2	AL Knock Ignition L2 A7	Red (2)	1660	--	1.4510.273	1358	16	119660	--	4576
0010.087003.205.081.2	AL Knock Ignition L2 A8	Red (2)	1661	--	1.4510.275	1359	16	119661	--	4578
0010.087003.205.091.2	AL Knock Ignition L2 A9	Red (2)	1662	--	1.4510.277	1360	16	119662	--	4580
0010.087003.205.101.2	AL Knock Ignition L2 A10	Red (2)	1663	--	1.4510.279	1361	16	119663	--	4582
0010.087003.205.111.2	AL Knock Ignition L2 B1	Red (2)	1664	--	1.4510.281	1362	16	119664	--	4584
0010.087003.205.121.2	AL Knock Ignition L2 B2	Red (2)	1665	--	1.4510.283	1363	16	119665	--	4586
0010.087003.205.131.2	AL Knock Ignition L2 B3	Red (2)	1666	--	1.4510.285	1364	16	119666	--	4588
0010.087003.205.141.2	AL Knock Ignition L2 B4	Red (2)	1667	--	1.4510.287	1365	16	119667	--	4590
0010.087003.205.151.2	AL Knock Ignition L2 B5	Red (2)	1668	--	1.4510.289	1366	16	119668	--	4592
0010.087003.205.161.2	AL Knock Ignition L2 B6	Red (2)	1669	--	1.4510.291	1367	16	119669	--	4594
0010.087003.205.171.2	AL Knock Ignition L2 B7	Red (2)	1670	--	1.4510.293	1368	16	119670	--	4596
0010.087003.205.181.2	AL Knock Ignition L2 B8	Red (2)	1671	--	1.4510.295	1369	16	119671	--	4598
0010.087003.205.191.2	AL Knock Ignition L2 B9	Red (2)	1672	--	1.4510.297	1370	16	119672	--	4600
0010.087003.205.201.2	AL Knock Ignition L2 B10	Red (2)	1673	--	1.4510.299	1371	16	119673	--	4602
0010.087004.205.011.2	AL Knock Ignition L3 A1	Red (2)	1674	--	1.4510.301	1352	0	119674	--	4604
0010.087004.205.021.2	AL Knock Ignition L3 A2	Red (2)	1675	--	1.4510.303	1353	0	119675	--	4606
0010.087004.205.031.2	AL Knock Ignition L3 A3	Red (2)	1676	--	1.4510.305	1354	0	119676	--	4608
0010.087004.205.041.2	AL Knock Ignition L3 A4	Red (2)	1677	--	1.4510.307	1355	0	119677	--	4610
0010.087004.205.051.2	AL Knock Ignition L3 A5	Red (2)	1678	--	1.4510.309	1356	0	119678	--	4612
0010.087004.205.061.2	AL Knock Ignition L3 A6	Red (2)	1679	--	1.4510.311	1357	0	119679	--	4614
0010.087004.205.071.2	AL Knock Ignition L3 A7	Red (2)	1680	--	1.4510.313	1358	0	119680	--	4616
0010.087004.205.081.2	AL Knock Ignition L3 A8	Red (2)	1681	--	1.4510.315	1359	0	119681	--	4618
0010.087004.205.091.2	AL Knock Ignition L3 A9	Red (2)	1682	--	1.4510.317	1360	0	119682	--	4620
0010.087004.205.101.2	AL Knock Ignition L3 A10	Red (2)	1683	--	1.4510.319	1361	0	119683	--	4622
0010.087004.205.111.2	AL Knock Ignition L3 B1	Red (2)	1684	--	1.4510.321	1362	0	119684	--	4624
0010.087004.205.121.2	AL Knock Ignition L3 B2	Red (2)	1685	--	1.4510.323	1363	0	119685	--	4626
0010.087004.205.131.2	AL Knock Ignition L3 B3	Red (2)	1686	--	1.4510.325	1364	0	119686	--	4628
0010.087004.205.141.2	AL Knock Ignition L3 B4	Red (2)	1687	--	1.4510.327	1365	0	119687	--	4630
0010.087004.205.151.2	AL Knock Ignition L3 B5	Red (2)	1688	--	1.4510.329	1366	0	119688	--	4632
0010.087004.205.161.2	AL Knock Ignition L3 B6	Red (2)	1689	--	1.4510.331	1367	0	119689	--	4634
0010.087004.205.171.2	AL Knock Ignition L3 B7	Red (2)	1690	--	1.4510.333	1368	0	119690	--	4636
0010.087004.205.181.2	AL Knock Ignition L3 B8	Red (2)	1691	--	1.4510.335	1369	0	119691	--	4638
0010.087004.205.191.2	AL Knock Ignition L3 B9	Red (2)	1692	--	1.4510.337	1370	0	119692	--	4640

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 129 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency					
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released					

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.087004.205.201.2	AL Knock Ignition L3 B10	Red (2)	1693	--	1.4510.339	1371	0	119693	--	4642
0010.068300.155.001.2	HI T-EMU	Yellow (3)	6001	--	6.0012.399	521869	15	112659	--	3432
0010.050300.105.001.2	LO Power Supply EMU	Yellow (3)	6003	--	6.0011.199	521870	17	112660	--	3434
0010.050300.115.001.2	LOLO Power Supply EMU	Red (2)	6004	--	6.0011.299	521870	1	112661	--	3436
0010.050300.155.001.2	HI Power Supply EMU	Yellow (3)	6005	--	6.0011.399	521870	15	112662	--	3438
0010.050300.165.001.2	HIHI Power Supply EMU	Red (2)	6006	--	6.0011.499	521870	0	112663	--	3440
0010.043312.205.001.2	AL SCWB Emergency Stop GRU	Yellow (4)	8507	--	--	521925	31	114007	--	4150
0010.060300.155.001.2	HI T-EIM	Yellow (3)	8032	--	--	521924	15	114008	--	3444
0010.040602.205.001.2	AL Turning Terminated	Yellow (3)	8030	--	--	521923	31	114091	--	3248
0010.015103.215.001.2	SD P-Coolant Difference	Yellow (4)	513	--	1.8004.610	112	11	118513	--	4152
0010.087012.205.001.2	AL GasControlCheck Fault	Yellow (3)	552	--	2.1090.118	521225	31	118552	--	4154
0010.087013.205.001.2	AL Ignition Fault	Yellow (3)	554	--	2.1090.122	521226	31	118554	--	4156
0010.087014.205.001.2	AL GasValve Fault	Yellow (3)	556	--	2.1090.124	521227	31	118556	--	4158
0010.011200.215.001.2	SD P-Ambient Air	Yellow (4)	633	--	1.0700.087	108	11	118633	--	4160
0010.011100.215.001.2	SD T-Ambient Air	Yellow (4)	634	--	1.0700.089	171	11	118634	--	4162
0010.011300.215.001.2	SD Rel Humidity	Yellow (4)	635	--	1.0700.091	4490	11	118635	--	4164
0010.006501.215.001.2	SD P-Exhaust Lambda	Yellow (4)	647	--	1.0163.900	521045	11	118647	--	4166
0010.087101.205.001.2	AI Req Angle Throttle A	Yellow (3)	649	--	2.1200.935	51	15	118649	--	4168
0010.087101.205.011.2	AI Req Angle Throttle B	Yellow (3)	650	--	2.1200.936	3673	15	118650	--	4170
0010.005000.205.001.2	AL Act Intake Air Defect	Yellow (3)	718	--	1.0700.161	521085	31	118718	--	4172
0010.011300.155.001.2	HI Rel. Humidity	Yellow (3)	848	--	2.8006.039	4490	15	118848	--	4174
0010.058601.205.001.2	AL Wastegate 2 Defect	Yellow (3)	855	--	1.0700.841	521083	31	118855	--	3376
0010.058602.205.001.2	AL Wastegate 1 Wear Limit3	Yellow (3)	877	--	1.0700.060	521172	31	118877	--	3378
0010.058603.205.001.2	AL Wastegate 2 Wear Limit3	Yellow (3)	878	--	1.0700.851	521173	31	118878	--	3380
0010.087007.205.001.2	AL Com. to Sensor HDT2800 Lost	Yellow (3)	898	--	1.0700.099	521183	31	118898	--	4182
0010.087008.205.001.2	AL Comb.WarningIgnitionControl	Yellow (3)	932	--	1.4520.933	521272	31	118932	--	4184
0010.087008.205.011.2	AL Comb.FailureIgnitionControl	Red (2)	933	--	1.4520.936	521273	31	118933	--	4186
0010.087009.205.001.2	AL Com.to IgnitionControl Lost	Yellow (3)	934	--	1.4520.939	521274	31	118934	--	4188
0010.087010.205.001.2	AL IgnitionControlSignal.Diff.	Yellow (3)	972	--	1.4520.969	521276	31	118972	--	4190
0010.087011.205.001.2	AL Ign.Ctrl.PR Download act.	Yellow (3)	1012	--	1.4520.966	521299	31	119012	--	4192
0010.057012.265.001.2	SC ECU Analog Out 1	Yellow (4)	1130	--	2.1052.012	521388	6	119130	--	4194
0010.057012.265.011.2	SC ECU Analog Out 2	Yellow (4)	1131	--	2.1052.014	521389	6	119131	--	4196
0010.075214.205.001.2	AL EMU CAN_E Lost	Yellow (3)	1291	--	1.1871.079	521496	31	119291	--	3410
0010.057011.205.001.2	AL Wiring PWM_CM1	Yellow (3)	531	--	1.1044.900	520970	31	118531	--	4200
0010.087006.205.001.2	AL Com. Lost GRU	Yellow (3)	1571	--	1.4540.312	521861	31	119571	--	4210
0010.057011.205.041.2	AL Wiring PWM_CM4	Yellow (3)	598	--	1.1302.900	521036	31	118587	--	4212
0010.057011.205.051.2	AL Wiring PWM_CM5	Yellow (3)	597	--	1.1041.925	520974	31	118597	--	4214
0010.025605.205.001.2	AL SplashOilCalib.not Possible	Yellow (3)	6310	--	6.0611.601	--	--	122310	--	4216
0010.025605.155.001.2	HI T-SplashOilCombLifeCycDrift	Yellow (3)	6288-6297	--	--	521931	15	116165	--	4218
0010.025605.155.011.2	HI T-Splash Oil LifeCycDriftB1	Yellow (3)	6288	--	6.0611.561	521871	15	--	--	4220
0010.025605.155.021.2	HI T-Splash Oil LifeCycDriftB2	Yellow (3)	6289	--	6.0611.563	521872	15	--	--	4222

 MTU Friedrichshafen GmbH		Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 130 von/of 137
---	--	--	--

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.025605.155.031.2	HI T-Splash Oil LifeCycDriftB3	Yellow (3)	6290	--	6.0611.565	521873	15	--	--	4224
0010.025605.155.041.2	HI T-Splash Oil LifeCycDriftB4	Yellow (3)	6291	--	6.0611.567	521874	15	--	--	4226
0010.025605.155.051.2	HI T-Splash Oil LifeCycDriftB5	Yellow (3)	6292	--	6.0611.569	521875	15	--	--	4228
0010.025605.155.061.2	HI T-Splash Oil LifeCycDriftB6	Yellow (3)	6293	--	6.0611.571	521876	15	--	--	4230
0010.025605.155.071.2	HI T-Splash Oil LifeCycDriftB7	Yellow (3)	6294	--	6.0611.573	521877	15	--	--	4232
0010.025605.155.081.2	HI T-Splash Oil LifeCycDriftB8	Yellow (3)	6295	--	6.0611.575	521878	15	--	--	4234
0010.025605.155.091.2	HI T-Splash Oil LifeCycDriftB9	Yellow (3)	6296	--	6.0611.577	521879	15	--	--	4236
0010.025605.155.101.2	HI T-Splash Oil LifeCycDriftB10	Yellow (3)	6297	--	6.0611.579	521880	15	--	--	4238
0010.025605.165.001.2	HIHI T-SplashOILCombLifeCycDri	Red (2)	6298-6307	--	--	521931	0	116166	--	4240
0010.025605.165.011.2	HIHI T-Splash Oil LifeCycDriftB1	Red (2)	6298	--	6.0611.581	521871	0	--	--	4242
0010.025605.165.021.2	HIHI T-Splash Oil LifeCycDriftB2	Red (2)	6299	--	6.0611.583	521872	0	--	--	4244
0010.025605.165.031.2	HIHI T-Splash Oil LifeCycDriftB3	Red (2)	6300	--	6.0611.585	521873	0	--	--	4246
0010.025605.165.041.2	HIHI T-Splash Oil LifeCycDriftB4	Red (2)	6301	--	6.0611.587	521874	0	--	--	4248
0010.025605.165.051.2	HIHI T-Splash Oil LifeCycDriftB5	Red (2)	6302	--	6.0611.589	521875	0	--	--	4250
0010.025605.165.061.2	HIHI T-Splash Oil LifeCycDriftB6	Red (2)	6303	--	6.0611.591	521876	0	--	--	4252
0010.025605.165.071.2	HIHI T-Splash Oil LifeCycDriftB7	Red (2)	6304	--	6.0611.593	521877	0	--	--	4254
0010.025605.165.081.2	HIHI T-Splash Oil LifeCycDriftB8	Red (2)	6305	--	6.0611.595	521878	0	--	--	4256
0010.025605.165.091.2	HIHI T-Splash Oil LifeCycDriftB9	Red (2)	6306	--	6.0611.597	521879	0	--	--	4258
0010.025605.165.101.2	HIHI T-Splash Oil LifeCycDriftB10	Red (2)	6307	--	6.0611.599	521880	0	--	--	4260
0010.087206.105.001.2	LO Power Supply CPM	Yellow (3)	7003	--	7.0011.199	521882	17	127003	--	4262
0010.087206.115.001.2	LOLO Power Supply CPM	Red (2)	7004	--	7.0011.299	521882	1	127004	--	4264
0010.087206.155.001.2	HI Power Supply CPM	Yellow (3)	7005	--	7.0011.004	521882	15	127005	--	4266
0010.087206.165.001.2	HIHI Power Supply CPM	Red (2)	7006	--	7.0011.499	521882	0	127006	--	4268
0010.087203.205.011.2	AL Glow Ignition A1	Yellow (3)	7161	--	7.0650.641	521883	31	127161	--	4272
0010.087203.205.021.2	AL Glow Ignition A2	Yellow (3)	7162	--	7.0650.643	521884	31	127162	--	4274
0010.087203.205.031.2	AL Glow Ignition A3	Yellow (3)	7163	--	7.0650.645	521885	31	127163	--	4276
0010.087203.205.041.2	AL Glow Ignition A4	Yellow (3)	7164	--	7.0650.647	521886	31	127164	--	4278
0010.087203.205.051.2	AL Glow Ignition A5	Yellow (3)	7165	--	7.0650.649	521887	31	127165	--	4280
0010.087203.205.061.2	AL Glow Ignition A6	Yellow (3)	7166	--	7.0650.651	521888	31	127166	--	4282
0010.087203.205.071.2	AL Glow Ignition A7	Yellow (3)	7167	--	7.0650.653	521889	31	127167	--	4284
0010.087203.205.081.2	AL Glow Ignition A8	Yellow (3)	7168	--	7.0650.655	521890	31	127168	--	4286
0010.087203.205.091.2	AL Glow Ignition A9	Yellow (3)	7169	--	7.0650.657	521891	31	127169	--	4288
0010.087203.205.101.2	AL Glow Ignition A10	Yellow (3)	7170	--	7.0650.659	521892	31	127170	--	4290
0010.087203.205.111.2	AL Glow Ignition B1	Yellow (3)	7171	--	7.0650.661	521893	31	127171	--	4292
0010.087203.205.121.2	AL Glow Ignition B2	Yellow (3)	7172	--	7.0650.663	521894	31	127172	--	4294
0010.087203.205.131.2	AL Glow Ignition B3	Yellow (3)	7173	--	7.0650.665	521895	31	127173	--	4296
0010.087203.205.141.2	AL Glow Ignition B4	Yellow (3)	7174	--	7.0650.667	521896	31	127174	--	4298
0010.087203.205.151.2	AL Glow Ignition B5	Yellow (3)	7175	--	7.0650.669	521897	31	127175	--	4300
0010.087203.205.161.2	AL Glow Ignition B6	Yellow (3)	7176	--	7.0650.671	521898	31	127176	--	4302
0010.087203.205.171.2	AL Glow Ignition B7	Yellow (3)	7177	--	7.0650.673	521899	31	127177	--	4304
0010.087203.205.181.2	AL Glow Ignition B8	Yellow (3)	7178	--	7.0650.675	521900	31	127178	--	4306

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 131 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ						Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0010.087203.205.191.2</td><td>AL Glow Ignition B9</td><td>Yellow (3)</td><td>7179</td><td>--</td><td>7.0650.677</td><td>521901</td><td>31</td><td>127179</td><td>--</td><td>4308</td></tr><tr><td>0010.087203.205.201.2</td><td>AL Glow Ignition B10</td><td>Yellow (3)</td><td>7180</td><td>--</td><td>7.0650.679</td><td>521902</td><td>31</td><td>127180</td><td>--</td><td>4310</td></tr><tr><td>0010.087204.155.011.2</td><td>HI MisfireA1</td><td>Yellow (3)</td><td>7181</td><td>--</td><td>7.0650.681</td><td>1323</td><td>15</td><td>127181</td><td>--</td><td>4314</td></tr><tr><td>0010.087204.155.021.2</td><td>HI MisfireA2</td><td>Yellow (3)</td><td>7182</td><td>--</td><td>7.0650.683</td><td>1324</td><td>15</td><td>127182</td><td>--</td><td>4316</td></tr><tr><td>0010.087204.155.031.2</td><td>HI MisfireA3</td><td>Yellow (3)</td><td>7183</td><td>--</td><td>7.0650.685</td><td>1325</td><td>15</td><td>127183</td><td>--</td><td>4318</td></tr><tr><td>0010.087204.155.041.2</td><td>HI MisfireA4</td><td>Yellow (3)</td><td>7184</td><td>--</td><td>7.0650.687</td><td>1326</td><td>15</td><td>127184</td><td>--</td><td>4320</td></tr><tr><td>0010.087204.155.051.2</td><td>HI MisfireA5</td><td>Yellow (3)</td><td>7185</td><td>--</td><td>7.0650.689</td><td>1327</td><td>15</td><td>127185</td><td>--</td><td>4322</td></tr><tr><td>0010.087204.155.061.2</td><td>HI MisfireA6</td><td>Yellow (3)</td><td>7186</td><td>--</td><td>7.0650.691</td><td>1328</td><td>15</td><td>127186</td><td>--</td><td>4324</td></tr><tr><td>0010.087204.155.071.2</td><td>HI MisfireA7</td><td>Yellow (3)</td><td>7187</td><td>--</td><td>7.0650.693</td><td>1329</td><td>15</td><td>127187</td><td>--</td><td>4326</td></tr><tr><td>0010.087204.155.081.2</td><td>HI MisfireA8</td><td>Yellow (3)</td><td>7188</td><td>--</td><td>7.0650.695</td><td>1330</td><td>15</td><td>127188</td><td>--</td><td>4328</td></tr><tr><td>0010.087204.155.091.2</td><td>HI MisfireA9</td><td>Yellow (3)</td><td>7189</td><td>--</td><td>7.0650.697</td><td>1331</td><td>15</td><td>127189</td><td>--</td><td>4330</td></tr><tr><td>0010.087204.155.101.2</td><td>HI MisfireA10</td><td>Yellow (3)</td><td>7190</td><td>--</td><td>7.0650.699</td><td>1332</td><td>15</td><td>127190</td><td>--</td><td>4332</td></tr><tr><td>0010.087204.155.111.2</td><td>HI MisfireB1</td><td>Yellow (3)</td><td>7191</td><td>--</td><td>7.0650.701</td><td>1333</td><td>15</td><td>127191</td><td>--</td><td>4334</td></tr><tr><td>0010.087204.155.121.2</td><td>HI MisfireB2</td><td>Yellow (3)</td><td>7192</td><td>--</td><td>7.0650.703</td><td>1334</td><td>15</td><td>127192</td><td>--</td><td>4336</td></tr><tr><td>0010.087204.155.131.2</td><td>HI MisfireB3</td><td>Yellow (3)</td><td>7193</td><td>--</td><td>7.0650.705</td><td>1335</td><td>15</td><td>127193</td><td>--</td><td>4338</td></tr><tr><td>0010.087204.155.141.2</td><td>HI MisfireB4</td><td>Yellow (3)</td><td>7194</td><td>--</td><td>7.0650.707</td><td>1336</td><td>15</td><td>127194</td><td>--</td><td>4340</td></tr><tr><td>0010.087204.155.151.2</td><td>HI MisfireB5</td><td>Yellow (3)</td><td>7195</td><td>--</td><td>7.0650.709</td><td>1337</td><td>15</td><td>127195</td><td>--</td><td>4342</td></tr><tr><td>0010.087204.155.161.2</td><td>HI MisfireB6</td><td>Yellow (3)</td><td>7196</td><td>--</td><td>7.0650.711</td><td>1338</td><td>15</td><td>127196</td><td>--</td><td>4344</td></tr><tr><td>0010.087204.155.171.2</td><td>HI MisfireB7</td><td>Yellow (3)</td><td>7197</td><td>--</td><td>7.0650.713</td><td>1339</td><td>15</td><td>127197</td><td>--</td><td>4346</td></tr><tr><td>0010.087204.155.181.2</td><td>HI MisfireB8</td><td>Yellow (3)</td><td>7198</td><td>--</td><td>7.0650.715</td><td>1340</td><td>15</td><td>127198</td><td>--</td><td>4348</td></tr><tr><td>0010.087204.155.191.2</td><td>HI MisfireB9</td><td>Yellow (3)</td><td>7199</td><td>--</td><td>7.0650.717</td><td>1341</td><td>15</td><td>127199</td><td>--</td><td>4350</td></tr><tr><td>0010.087204.155.201.2</td><td>HI MisfireB10</td><td>Yellow (3)</td><td>7200</td><td>--</td><td>7.0650.719</td><td>1342</td><td>15</td><td>127200</td><td>--</td><td>4352</td></tr><tr><td>0010.087204.165.011.2</td><td>HIHI MisfireA1</td><td>Red (2)</td><td>7201</td><td>--</td><td>7.0650.721</td><td>1323</td><td>0</td><td>127201</td><td>--</td><td>4356</td></tr><tr><td>0010.087204.165.021.2</td><td>HIHI MisfireA2</td><td>Red (2)</td><td>7202</td><td>--</td><td>7.0650.723</td><td>1324</td><td>0</td><td>127202</td><td>--</td><td>4358</td></tr><tr><td>0010.087204.165.031.2</td><td>HIHI MisfireA3</td><td>Red (2)</td><td>7203</td><td>--</td><td>7.0650.725</td><td>1325</td><td>0</td><td>127203</td><td>--</td><td>4360</td></tr><tr><td>0010.087204.165.041.2</td><td>HIHI MisfireA4</td><td>Red (2)</td><td>7204</td><td>--</td><td>7.0650.727</td><td>1326</td><td>0</td><td>127204</td><td>--</td><td>4362</td></tr><tr><td>0010.087204.165.051.2</td><td>HIHI MisfireA5</td><td>Red (2)</td><td>7205</td><td>--</td><td>7.0650.729</td><td>1327</td><td>0</td><td>127205</td><td>--</td><td>4364</td></tr><tr><td>0010.087204.165.061.2</td><td>HIHI MisfireA6</td><td>Red (2)</td><td>7206</td><td>--</td><td>7.0650.731</td><td>1328</td><td>0</td><td>127206</td><td>--</td><td>4366</td></tr><tr><td>0010.087204.165.071.2</td><td>HIHI MisfireA7</td><td>Red (2)</td><td>7207</td><td>--</td><td>7.0650.733</td><td>1329</td><td>0</td><td>127207</td><td>--</td><td>4368</td></tr><tr><td>0010.087204.165.081.2</td><td>HIHI MisfireA8</td><td>Red (2)</td><td>7208</td><td>--</td><td>7.0650.735</td><td>1330</td><td>0</td><td>127208</td><td>--</td><td>4370</td></tr><tr><td>0010.087204.165.091.2</td><td>HIHI MisfireA9</td><td>Red (2)</td><td>7209</td><td>--</td><td>7.0650.737</td><td>1331</td><td>0</td><td>127209</td><td>--</td><td>4372</td></tr><tr><td>0010.087204.165.101.2</td><td>HIHI MisfireA10</td><td>Red (2)</td><td>7210</td><td>--</td><td>7.0650.739</td><td>1332</td><td>0</td><td>127210</td><td>--</td><td>4374</td></tr><tr><td>0010.087204.165.111.2</td><td>HIHI MisfireB1</td><td>Red (2)</td><td>7211</td><td>--</td><td>7.0650.741</td><td>1333</td><td>0</td><td>127211</td><td>--</td><td>4376</td></tr><tr><td>0010.087204.165.121.2</td><td>HIHI MisfireB2</td><td>Red (2)</td><td>7212</td><td>--</td><td>7.0650.743</td><td>1334</td><td>0</td><td>127212</td><td>--</td><td>4378</td></tr><tr><td>0010.087204.165.131.2</td><td>HIHI MisfireB3</td><td>Red (2)</td><td>7213</td><td>--</td><td>7.0650.745</td><td>1335</td><td>0</td><td>127213</td><td>--</td><td>4380</td></tr><tr><td>0010.087204.165.141.2</td><td>HIHI MisfireB4</td><td>Red (2)</td><td>7214</td><td>--</td><td>7.0650.747</td><td>1336</td><td>0</td><td>127214</td><td>--</td><td>4382</td></tr><tr><td>0010.087204.165.151.2</td><td>HIHI MisfireB5</td><td>Red (2)</td><td>7215</td><td>--</td><td>7.0650.749</td><td>1337</td><td>0</td><td>127215</td><td>--</td><td>4384</td></tr><tr><td>0010.087204.165.161.2</td><td>HIHI MisfireB6</td><td>Red (2)</td><td>7216</td><td>--</td><td>7.0650.751</td><td>1338</td><td>0</td><td>127216</td><td>--</td><td>4386</td></tr><tr><td>0010.087204.165.171.2</td><td>HIHI MisfireB7</td><td>Red (2)</td><td>7217</td><td>--</td><td>7.0650.753</td><td>1339</td><td>0</td><td>127217</td><td>--</td><td>4388</td></tr><tr><td>0010.087204.165.181.2</td><td>HIHI MisfireB8</td><td>Red (2)</td><td>7218</td><td>--</td><td>7.0650.755</td><td>1340</td><td>0</td><td>127218</td><td>--</td><td>4390</td></tr><tr><td>0010.087204.165.191.2</td><td>HIHI MisfireB9</td><td>Red (2)</td><td>7219</td><td>--</td><td>7.0650.757</td><td>1341</td><td>0</td><td>127219</td><td>--</td><td>4392</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0010.087203.205.191.2	AL Glow Ignition B9	Yellow (3)	7179	--	7.0650.677	521901	31	127179	--	4308	0010.087203.205.201.2	AL Glow Ignition B10	Yellow (3)	7180	--	7.0650.679	521902	31	127180	--	4310	0010.087204.155.011.2	HI MisfireA1	Yellow (3)	7181	--	7.0650.681	1323	15	127181	--	4314	0010.087204.155.021.2	HI MisfireA2	Yellow (3)	7182	--	7.0650.683	1324	15	127182	--	4316	0010.087204.155.031.2	HI MisfireA3	Yellow (3)	7183	--	7.0650.685	1325	15	127183	--	4318	0010.087204.155.041.2	HI MisfireA4	Yellow (3)	7184	--	7.0650.687	1326	15	127184	--	4320	0010.087204.155.051.2	HI MisfireA5	Yellow (3)	7185	--	7.0650.689	1327	15	127185	--	4322	0010.087204.155.061.2	HI MisfireA6	Yellow (3)	7186	--	7.0650.691	1328	15	127186	--	4324	0010.087204.155.071.2	HI MisfireA7	Yellow (3)	7187	--	7.0650.693	1329	15	127187	--	4326	0010.087204.155.081.2	HI MisfireA8	Yellow (3)	7188	--	7.0650.695	1330	15	127188	--	4328	0010.087204.155.091.2	HI MisfireA9	Yellow (3)	7189	--	7.0650.697	1331	15	127189	--	4330	0010.087204.155.101.2	HI MisfireA10	Yellow (3)	7190	--	7.0650.699	1332	15	127190	--	4332	0010.087204.155.111.2	HI MisfireB1	Yellow (3)	7191	--	7.0650.701	1333	15	127191	--	4334	0010.087204.155.121.2	HI MisfireB2	Yellow (3)	7192	--	7.0650.703	1334	15	127192	--	4336	0010.087204.155.131.2	HI MisfireB3	Yellow (3)	7193	--	7.0650.705	1335	15	127193	--	4338	0010.087204.155.141.2	HI MisfireB4	Yellow (3)	7194	--	7.0650.707	1336	15	127194	--	4340	0010.087204.155.151.2	HI MisfireB5	Yellow (3)	7195	--	7.0650.709	1337	15	127195	--	4342	0010.087204.155.161.2	HI MisfireB6	Yellow (3)	7196	--	7.0650.711	1338	15	127196	--	4344	0010.087204.155.171.2	HI MisfireB7	Yellow (3)	7197	--	7.0650.713	1339	15	127197	--	4346	0010.087204.155.181.2	HI MisfireB8	Yellow (3)	7198	--	7.0650.715	1340	15	127198	--	4348	0010.087204.155.191.2	HI MisfireB9	Yellow (3)	7199	--	7.0650.717	1341	15	127199	--	4350	0010.087204.155.201.2	HI MisfireB10	Yellow (3)	7200	--	7.0650.719	1342	15	127200	--	4352	0010.087204.165.011.2	HIHI MisfireA1	Red (2)	7201	--	7.0650.721	1323	0	127201	--	4356	0010.087204.165.021.2	HIHI MisfireA2	Red (2)	7202	--	7.0650.723	1324	0	127202	--	4358	0010.087204.165.031.2	HIHI MisfireA3	Red (2)	7203	--	7.0650.725	1325	0	127203	--	4360	0010.087204.165.041.2	HIHI MisfireA4	Red (2)	7204	--	7.0650.727	1326	0	127204	--	4362	0010.087204.165.051.2	HIHI MisfireA5	Red (2)	7205	--	7.0650.729	1327	0	127205	--	4364	0010.087204.165.061.2	HIHI MisfireA6	Red (2)	7206	--	7.0650.731	1328	0	127206	--	4366	0010.087204.165.071.2	HIHI MisfireA7	Red (2)	7207	--	7.0650.733	1329	0	127207	--	4368	0010.087204.165.081.2	HIHI MisfireA8	Red (2)	7208	--	7.0650.735	1330	0	127208	--	4370	0010.087204.165.091.2	HIHI MisfireA9	Red (2)	7209	--	7.0650.737	1331	0	127209	--	4372	0010.087204.165.101.2	HIHI MisfireA10	Red (2)	7210	--	7.0650.739	1332	0	127210	--	4374	0010.087204.165.111.2	HIHI MisfireB1	Red (2)	7211	--	7.0650.741	1333	0	127211	--	4376	0010.087204.165.121.2	HIHI MisfireB2	Red (2)	7212	--	7.0650.743	1334	0	127212	--	4378	0010.087204.165.131.2	HIHI MisfireB3	Red (2)	7213	--	7.0650.745	1335	0	127213	--	4380	0010.087204.165.141.2	HIHI MisfireB4	Red (2)	7214	--	7.0650.747	1336	0	127214	--	4382	0010.087204.165.151.2	HIHI MisfireB5	Red (2)	7215	--	7.0650.749	1337	0	127215	--	4384	0010.087204.165.161.2	HIHI MisfireB6	Red (2)	7216	--	7.0650.751	1338	0	127216	--	4386	0010.087204.165.171.2	HIHI MisfireB7	Red (2)	7217	--	7.0650.753	1339	0	127217	--	4388	0010.087204.165.181.2	HIHI MisfireB8	Red (2)	7218	--	7.0650.755	1340	0	127218	--	4390	0010.087204.165.191.2	HIHI MisfireB9	Red (2)	7219	--	7.0650.757	1341	0	127219	--	4392
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087203.205.191.2	AL Glow Ignition B9	Yellow (3)	7179	--	7.0650.677	521901	31	127179	--	4308																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087203.205.201.2	AL Glow Ignition B10	Yellow (3)	7180	--	7.0650.679	521902	31	127180	--	4310																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.011.2	HI MisfireA1	Yellow (3)	7181	--	7.0650.681	1323	15	127181	--	4314																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.021.2	HI MisfireA2	Yellow (3)	7182	--	7.0650.683	1324	15	127182	--	4316																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.031.2	HI MisfireA3	Yellow (3)	7183	--	7.0650.685	1325	15	127183	--	4318																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.041.2	HI MisfireA4	Yellow (3)	7184	--	7.0650.687	1326	15	127184	--	4320																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.051.2	HI MisfireA5	Yellow (3)	7185	--	7.0650.689	1327	15	127185	--	4322																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.061.2	HI MisfireA6	Yellow (3)	7186	--	7.0650.691	1328	15	127186	--	4324																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.071.2	HI MisfireA7	Yellow (3)	7187	--	7.0650.693	1329	15	127187	--	4326																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.081.2	HI MisfireA8	Yellow (3)	7188	--	7.0650.695	1330	15	127188	--	4328																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.091.2	HI MisfireA9	Yellow (3)	7189	--	7.0650.697	1331	15	127189	--	4330																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.101.2	HI MisfireA10	Yellow (3)	7190	--	7.0650.699	1332	15	127190	--	4332																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.111.2	HI MisfireB1	Yellow (3)	7191	--	7.0650.701	1333	15	127191	--	4334																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.121.2	HI MisfireB2	Yellow (3)	7192	--	7.0650.703	1334	15	127192	--	4336																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.131.2	HI MisfireB3	Yellow (3)	7193	--	7.0650.705	1335	15	127193	--	4338																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.141.2	HI MisfireB4	Yellow (3)	7194	--	7.0650.707	1336	15	127194	--	4340																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.151.2	HI MisfireB5	Yellow (3)	7195	--	7.0650.709	1337	15	127195	--	4342																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.161.2	HI MisfireB6	Yellow (3)	7196	--	7.0650.711	1338	15	127196	--	4344																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.171.2	HI MisfireB7	Yellow (3)	7197	--	7.0650.713	1339	15	127197	--	4346																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.181.2	HI MisfireB8	Yellow (3)	7198	--	7.0650.715	1340	15	127198	--	4348																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.191.2	HI MisfireB9	Yellow (3)	7199	--	7.0650.717	1341	15	127199	--	4350																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.155.201.2	HI MisfireB10	Yellow (3)	7200	--	7.0650.719	1342	15	127200	--	4352																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.011.2	HIHI MisfireA1	Red (2)	7201	--	7.0650.721	1323	0	127201	--	4356																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.021.2	HIHI MisfireA2	Red (2)	7202	--	7.0650.723	1324	0	127202	--	4358																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.031.2	HIHI MisfireA3	Red (2)	7203	--	7.0650.725	1325	0	127203	--	4360																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.041.2	HIHI MisfireA4	Red (2)	7204	--	7.0650.727	1326	0	127204	--	4362																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.051.2	HIHI MisfireA5	Red (2)	7205	--	7.0650.729	1327	0	127205	--	4364																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.061.2	HIHI MisfireA6	Red (2)	7206	--	7.0650.731	1328	0	127206	--	4366																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.071.2	HIHI MisfireA7	Red (2)	7207	--	7.0650.733	1329	0	127207	--	4368																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.081.2	HIHI MisfireA8	Red (2)	7208	--	7.0650.735	1330	0	127208	--	4370																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.091.2	HIHI MisfireA9	Red (2)	7209	--	7.0650.737	1331	0	127209	--	4372																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.101.2	HIHI MisfireA10	Red (2)	7210	--	7.0650.739	1332	0	127210	--	4374																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.111.2	HIHI MisfireB1	Red (2)	7211	--	7.0650.741	1333	0	127211	--	4376																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.121.2	HIHI MisfireB2	Red (2)	7212	--	7.0650.743	1334	0	127212	--	4378																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.131.2	HIHI MisfireB3	Red (2)	7213	--	7.0650.745	1335	0	127213	--	4380																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.141.2	HIHI MisfireB4	Red (2)	7214	--	7.0650.747	1336	0	127214	--	4382																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.151.2	HIHI MisfireB5	Red (2)	7215	--	7.0650.749	1337	0	127215	--	4384																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.161.2	HIHI MisfireB6	Red (2)	7216	--	7.0650.751	1338	0	127216	--	4386																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.171.2	HIHI MisfireB7	Red (2)	7217	--	7.0650.753	1339	0	127217	--	4388																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.181.2	HIHI MisfireB8	Red (2)	7218	--	7.0650.755	1340	0	127218	--	4390																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0010.087204.165.191.2	HIHI MisfireB9	Red (2)	7219	--	7.0650.757	1341	0	127219	--	4392																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 132 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.087204.165.201.2	HIHI MisfireB10	Red (2)	7220	--	7.0650.759	1342	0	127220	--	4394
0010.087205.105.011.2	LO P-Cyl. Deviat. to Avg A1	Yellow (3)	7221	--	7.0650.761	521903	17	127221	--	4398
0010.087205.105.021.2	LO P-Cyl. Deviat. to Avg A2	Yellow (3)	7222	--	7.0650.763	521904	17	127222	--	4400
0010.087205.105.031.2	LO P-Cyl. Deviat. to Avg A3	Yellow (3)	7223	--	7.0650.765	521905	17	127223	--	4402
0010.087205.105.041.2	LO P-Cyl. Deviat. to Avg A4	Yellow (3)	7224	--	7.0650.767	521906	17	127224	--	4404
0010.087205.105.051.2	LO P-Cyl. Deviat. to Avg A5	Yellow (3)	7225	--	7.0650.769	521907	17	127225	--	4406
0010.087205.105.061.2	LO P-Cyl. Deviat. to Avg A6	Yellow (3)	7226	--	7.0650.771	521908	17	127226	--	4408
0010.087205.105.071.2	LO P-Cyl. Deviat. to Avg A7	Yellow (3)	7227	--	7.0650.773	521909	17	127227	--	4410
0010.087205.105.081.2	LO P-Cyl. Deviat. to Avg A8	Yellow (3)	7228	--	7.0650.775	521910	17	127228	--	4412
0010.087205.105.091.2	LO P-Cyl. Deviat. to Avg A9	Yellow (3)	7229	--	7.0650.777	521911	17	127229	--	4414
0010.087205.105.101.2	LO P-Cyl. Deviat. to Avg A10	Yellow (3)	7230	--	7.0650.779	521912	17	127230	--	4416
0010.087205.105.111.2	LO P-Cyl. Deviat. to Avg B1	Yellow (3)	7231	--	7.0650.781	521913	17	127231	--	4418
0010.087205.105.121.2	LO P-Cyl. Deviat. to Avg B2	Yellow (3)	7232	--	7.0650.783	521914	17	127232	--	4420
0010.087205.105.131.2	LO P-Cyl. Deviat. to Avg B3	Yellow (3)	7233	--	7.0650.785	521915	17	127233	--	4422
0010.087205.105.141.2	LO P-Cyl. Deviat. to Avg B4	Yellow (3)	7234	--	7.0650.787	521916	17	127234	--	4424
0010.087205.105.151.2	LO P-Cyl. Deviat. to Avg B5	Yellow (3)	7235	--	7.0650.789	521917	17	127235	--	4426
0010.087205.105.161.2	LO P-Cyl. Deviat. to Avg B6	Yellow (3)	7236	--	7.0650.791	521918	17	127236	--	4428
0010.087205.105.171.2	LO P-Cyl. Deviat. to Avg B7	Yellow (3)	7237	--	7.0650.793	521919	17	127237	--	4430
0010.087205.105.181.2	LO P-Cyl. Deviat. to Avg B8	Yellow (3)	7238	--	7.0650.795	521920	17	127238	--	4432
0010.087205.105.191.2	LO P-Cyl. Deviat. to Avg B9	Yellow (3)	7239	--	7.0650.797	521921	17	127239	--	4434
0010.087205.105.201.2	LO P-Cyl. Deviat. to Avg B10	Yellow (3)	7240	--	7.0650.799	521922	17	127240	--	4436
0010.087205.115.011.2	LOLO P-Cyl. Deviat. to Avg A1	Red (2)	7241	--	7.0650.801	521903	1	127241	--	4440
0010.087205.115.021.2	LOLO P-Cyl. Deviat. to Avg A2	Red (2)	7242	--	7.0650.803	521904	1	127242	--	4442
0010.087205.115.031.2	LOLO P-Cyl. Deviat. to Avg A3	Red (2)	7243	--	7.0650.805	521905	1	127243	--	4444
0010.087205.115.041.2	LOLO P-Cyl. Deviat. to Avg A4	Red (2)	7244	--	7.0650.807	521906	1	127244	--	4446
0010.087205.115.051.2	LOLO P-Cyl. Deviat. to Avg A5	Red (2)	7245	--	7.0650.809	521907	1	127245	--	4448
0010.087205.115.061.2	LOLO P-Cyl. Deviat. to Avg A6	Red (2)	7246	--	7.0650.811	521908	1	127246	--	4450
0010.087205.115.071.2	LOLO P-Cyl. Deviat. to Avg A7	Red (2)	7247	--	7.0650.813	521909	1	127247	--	4452
0010.087205.115.081.2	LOLO P-Cyl. Deviat. to Avg A8	Red (2)	7248	--	7.0650.815	521910	1	127248	--	4454
0010.087205.115.091.2	LOLO P-Cyl. Deviat. to Avg A9	Red (2)	7249	--	7.0650.817	521911	1	127249	--	4456
0010.087205.115.101.2	LOLO P-Cyl. Deviat. to Avg A10	Red (2)	7250	--	7.0650.819	521912	1	127250	--	4458
0010.087205.115.111.2	LOLO P-Cyl. Deviat. to Avg B1	Red (2)	7251	--	7.0650.821	521913	1	127251	--	4460
0010.087205.115.121.2	LOLO P-Cyl. Deviat. to Avg B2	Red (2)	7252	--	7.0650.823	521914	1	127252	--	4462
0010.087205.115.131.2	LOLO P-Cyl. Deviat. to Avg B3	Red (2)	7253	--	7.0650.825	521915	1	127253	--	4464
0010.087205.115.141.2	LOLO P-Cyl. Deviat. to Avg B4	Red (2)	7254	--	7.0650.827	521916	1	127254	--	4466
0010.087205.115.151.2	LOLO P-Cyl. Deviat. to Avg B5	Red (2)	7255	--	7.0650.829	521917	1	127255	--	4468
0010.087205.115.161.2	LOLO P-Cyl. Deviat. to Avg B6	Red (2)	7256	--	7.0650.831	521918	1	127256	--	4470
0010.087205.115.171.2	LOLO P-Cyl. Deviat. to Avg B7	Red (2)	7257	--	7.0650.833	521919	1	127257	--	4472
0010.087205.115.181.2	LOLO P-Cyl. Deviat. to Avg B8	Red (2)	7258	--	7.0650.835	521920	1	127258	--	4474
0010.087205.115.191.2	LOLO P-Cyl. Deviat. to Avg B9	Red (2)	7259	--	7.0650.837	521921	1	127259	--	4476
0010.087205.115.201.2	LOLO P-Cyl. Deviat. to Avg B10	Red (2)	7260	--	7.0650.839	521922	1	127260	--	4478

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 133 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ					Kommt vor/Frequency						
Buchst./Rev.Ltr. -8	Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released						

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0010.087205.155.011.2	HI P-Cyl. Deviat. to Avg A1	Yellow (3)	7261	--	7.0650.841	521903	15	127261	--	4482
0010.087205.155.021.2	HI P-Cyl. Deviat. to Avg A2	Yellow (3)	7262	--	7.0650.843	521904	15	127262	--	4484
0010.087205.155.031.2	HI P-Cyl. Deviat. to Avg A3	Yellow (3)	7263	--	7.0650.845	521905	15	127263	--	4486
0010.087205.155.041.2	HI P-Cyl. Deviat. to Avg A4	Yellow (3)	7264	--	7.0650.847	521906	15	127264	--	4488
0010.087205.155.051.2	HI P-Cyl. Deviat. to Avg A5	Yellow (3)	7265	--	7.0650.849	521907	15	127265	--	4490
0010.087205.155.061.2	HI P-Cyl. Deviat. to Avg A6	Yellow (3)	7266	--	7.0650.851	521908	15	127266	--	4492
0010.087205.155.071.2	HI P-Cyl. Deviat. to Avg A7	Yellow (3)	7267	--	7.0650.853	521909	15	127267	--	4494
0010.087205.155.081.2	HI P-Cyl. Deviat. to Avg A8	Yellow (3)	7268	--	7.0650.855	521910	15	127268	--	4496
0010.087205.155.091.2	HI P-Cyl. Deviat. to Avg A9	Yellow (3)	7269	--	7.0650.857	521911	15	127269	--	4498
0010.087205.155.101.2	HI P-Cyl. Deviat. to Avg A10	Yellow (3)	7270	--	7.0650.859	521912	15	127270	--	4500
0010.087205.155.111.2	HI P-Cyl. Deviat. to Avg B1	Yellow (3)	7271	--	7.0650.861	521913	15	127271	--	4502
0010.087205.155.121.2	HI P-Cyl. Deviat. to Avg B2	Yellow (3)	7272	--	7.0650.863	521914	15	127272	--	4504
0010.087205.155.131.2	HI P-Cyl. Deviat. to Avg B3	Yellow (3)	7273	--	7.0650.865	521915	15	127273	--	4506
0010.087205.155.141.2	HI P-Cyl. Deviat. to Avg B4	Yellow (3)	7274	--	7.0650.867	521916	15	127274	--	4508
0010.087205.155.151.2	HI P-Cyl. Deviat. to Avg B5	Yellow (3)	7275	--	7.0650.869	521917	15	127275	--	4510
0010.087205.155.161.2	HI P-Cyl. Deviat. to Avg B6	Yellow (3)	7276	--	7.0650.871	521918	15	127276	--	4512
0010.087205.155.171.2	HI P-Cyl. Deviat. to Avg B7	Yellow (3)	7277	--	7.0650.873	521919	15	127277	--	4514
0010.087205.155.181.2	HI P-Cyl. Deviat. to Avg B8	Yellow (3)	7278	--	7.0650.875	521920	15	127278	--	4516
0010.087205.155.191.2	HI P-Cyl. Deviat. to Avg B9	Yellow (3)	7279	--	7.0650.877	521921	15	127279	--	4518
0010.087205.155.201.2	HI P-Cyl. Deviat. to Avg B10	Yellow (3)	7280	--	7.0650.879	521922	15	127280	--	4520
0010.087205.165.011.2	HIHI P-Cyl. Deviat. to Avg A1	Red (2)	7281	--	7.0650.881	521903	0	127281	--	4524
0010.087205.165.021.2	HIHI P-Cyl. Deviat. to Avg A2	Red (2)	7282	--	7.0650.883	521904	0	127282	--	4526
0010.087205.165.031.2	HIHI P-Cyl. Deviat. to Avg A3	Red (2)	7283	--	7.0650.885	521905	0	127283	--	4528
0010.087205.165.041.2	HIHI P-Cyl. Deviat. to Avg A4	Red (2)	7284	--	7.0650.887	521906	0	127284	--	4530
0010.087205.165.051.2	HIHI P-Cyl. Deviat. to Avg A5	Red (2)	7285	--	7.0650.889	521907	0	127285	--	4532
0010.087205.165.061.2	HIHI P-Cyl. Deviat. to Avg A6	Red (2)	7286	--	7.0650.891	521908	0	127286	--	4534
0010.087205.165.071.2	HIHI P-Cyl. Deviat. to Avg A7	Red (2)	7287	--	7.0650.893	521909	0	127287	--	4536
0010.087205.165.081.2	HIHI P-Cyl. Deviat. to Avg A8	Red (2)	7288	--	7.0650.895	521910	0	127288	--	4538
0010.087205.165.091.2	HIHI P-Cyl. Deviat. to Avg A9	Red (2)	7289	--	7.0650.897	521911	0	127289	--	4540
0010.087205.165.101.2	HIHI P-Cyl. Deviat. to Avg A10	Red (2)	7290	--	7.0650.899	521912	0	127290	--	4542
0010.087205.165.111.2	HIHI P-Cyl. Deviat. to Avg B1	Red (2)	7291	--	7.0650.901	521913	0	127291	--	4544
0010.087205.165.121.2	HIHI P-Cyl. Deviat. to Avg B2	Red (2)	7292	--	7.0650.903	521914	0	127292	--	4546
0010.087205.165.131.2	HIHI P-Cyl. Deviat. to Avg B3	Red (2)	7293	--	7.0650.905	521915	0	127293	--	4548
0010.087205.165.141.2	HIHI P-Cyl. Deviat. to Avg B4	Red (2)	7294	--	7.0650.907	521916	0	127294	--	4550
0010.087205.165.151.2	HIHI P-Cyl. Deviat. to Avg B5	Red (2)	7295	--	7.0650.909	521917	0	127295	--	4552
0010.087205.165.161.2	HIHI P-Cyl. Deviat. to Avg B6	Red (2)	7296	--	7.0650.911	521918	0	127296	--	4554
0010.087205.165.171.2	HIHI P-Cyl. Deviat. to Avg B7	Red (2)	7297	--	7.0650.913	521919	0	127297	--	4556
0010.087205.165.181.2	HIHI P-Cyl. Deviat. to Avg B8	Red (2)	7298	--	7.0650.915	521920	0	127298	--	4558
0010.087205.165.191.2	HIHI P-Cyl. Deviat. to Avg B9	Red (2)	7299	--	7.0650.917	521921	0	127299	--	4560
0010.087205.165.201.2	HIHI P-Cyl. Deviat. to Avg B10	Red (2)	7300	--	7.0650.919	521922	0	127300	--	4562
0021.043101.205.001.2	AL Power Limitation Active Gear SaSy	Yellow (3)	---	--	--	--	--	--	--	1388

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 134 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ						Kommt vor/Frequency					
Buchst./Rev.Ltr. -8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released					

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0080.049003.205.001.2	AL Disengage Timeout	Red (2)	---	---	---	---	---	---	--	1338
0080.049004.205.001.2	AL Engage Timeout	Red (2)	---	---	---	---	---	---	--	1340
0080.059002.205.010.2	AL Emergency Disengage SaSy	Yellow (3)	---	---	---	---	---	---	--	1342
0080.075899.205.001.2	AL Com To MCS Lost	Red (2)	---	---	---	---	---	---	--	1344
0010.061003.205.001.2	AL EIL Protection	Yellow (3)	615	--	2.0610.951	--	--	118615	--	4688
0010.087300.205.001.2	AL Com.To Compressor Bypass Lost	Yellow (3)	654	--	1.4530.996	--	--	118654	--	4690
0010.006600.205.011.2	AL Com. NOxA Lost	Yellow (3)	658	--	1.4560.096	--	--	118658	--	4692
0010.087301.205.001.2	AL Comb. Warning Compressor Bypass	Yellow (3)	667	--	1.4530.993	--	--	118667	--	4694
0010.087301.205.011.2	AL Comb. Failure Compressor Bypass	Yellow (3)	677	--	1.4530.991	--	--	118677	--	4696
0010.006601.205.011.2	AL Emission Warning	Yellow (3)	833	--	2.1600.008	--	--	118833	--	4698
0010.040428.205.001.2	AL Engine Cold Active	Yellow (3)	1027	--	2.7010.921	--	--	119027	--	4700
0010.087201.215.001.2	SD P-Cylinder Max A1	Yellow (4)	7141	--	7.0650.601	6483	11	127141	--	4644
0010.087201.215.011.2	SD P-Cylinder Max A2	Yellow (4)	7142	--	7.0650.603	6487	11	127142	--	4646
0010.087201.215.021.2	SD P-Cylinder Max A3	Yellow (4)	7143	---	7.0650.605	6491	11	127143	--	4648
0010.087201.215.031.2	SD P-Cylinder Max A4	Yellow (4)	7144	---	7.0650.607	6495	11	127144	--	4650
0010.087201.215.041.2	SD P-Cylinder Max A5	Yellow (4)	7145	---	7.0650.609	6499	11	127145	--	4652
0010.087201.215.051.2	SD P-Cylinder Max A6	Yellow (4)	7146	---	7.0650.611	6503	11	127146	--	4654
0010.087201.215.061.2	SD P-Cylinder Max A7	Yellow (4)	7147	--	7.0650.613	6507	11	127147	--	4656
0010.087201.215.071.2	SD P-Cylinder Max A8	Yellow (4)	7148	--	7.0650.615	6511	11	127148	--	4658
0010.087201.215.081.2	SD P-Cylinder Max A9	Yellow (4)	7149	--	7.0650.617	6515	11	127149	--	4660
0010.087201.215.091.2	SD P-Cylinder Max A10	Yellow (4)	7150	--	7.0650.619	6519	11	127150	--	4662
0010.087202.215.001.2	SD P-Cylinder Max B1	Yellow (4)	7151	--	7.0650.621	6523	11	127151	--	4664
0010.087202.215.011.2	SD P-Cylinder Max B2	Yellow (4)	7152	--	7.0650.623	6527	11	127152	--	4666
0010.087202.215.021.2	SD P-Cylinder Max B3	Yellow (4)	7153	--	7.0650.625	6531	11	127153	--	4668
0010.087202.215.031.2	SD P-Cylinder Max B4	Yellow (4)	7154	--	7.0650.627	6535	11	127154	--	4670
0010.087202.215.041.2	SD P-Cylinder Max B5	Yellow (4)	7155	--	7.0650.629	6539	11	127155	--	4672
0010.087202.215.051.2	SD P-Cylinder Max B6	Yellow (4)	7156	---	7.0650.631	6543	11	127156	--	4674
0010.087202.215.061.2	SD P-Cylinder Max B7	Yellow (4)	7157	---	7.0650.633	6547	11	127157	--	4676
0010.087202.215.071.2	SD P-Cylinder Max B8	Yellow (4)	7158	---	7.0650.635	6551	11	127158	--	4678
0010.087202.215.081.2	SD P-Cylinder Max B9	Yellow (4)	7159	---	7.0650.637	6555	11	127159	--	4680
0010.087202.215.091.2	SD P-Cylinder Max B10	Yellow (4)	7160	---	7.0650.639	6559	11	127160	--	4682
0010.087204.215.001.2	SD T-CPM	Yellow (4)	7000	---	7.0012.059	521881	11	---	126005	4684
0011.043511.215.001.2	SD T-EMU	Yellow (4)	6000	---	6.0012.059	521869	11	---	112088	4686
0010.087102.205.001.2	AL Com To Restrictor Valve A Lost	Yellow (3)	1453	---	1.0701.731	---	---	119453	--	4742
0010.087102.205.011.2	AL Com To Restrictor Valve B Lost	Yellow (3)	1518	---	1.0701.733	---	---	119518	--	4744
0010.087400.205.001.2	AL Com. To Wastegate A Lost	Yellow (3)	1450	---	1.0701.725	---	---	119450	--	4746
0010.087400.205.011.2	AL Com. To Wastegate B Lost	Yellow (3)	1451	---	1.0701.727	---	---	119451	--	4748
0010.087500.205.001.2	AL Explosion Relief Valve open	Red (2)	1632	---	2.0106.937	5571	31	119632	--	4750
0010.015201.105.001.2	LO T-Coolant	Yellow (3)	60	---	2.0120.934	---	---	118060	--	4752
0010.002020.205.001.2	AL Perm. Injection Detection 2	Red (2)	1171	---	1.1302.906	521462	31	119171	--	2730
0100.078002.205.001.2	AL MMS Combined Red	Red (2)	-	---	---	521926	31	116144	--	2732

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 135 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -8	Änderungs-Nr./Revision Notice No. PR033438	Bearbeitungsstatus/Lifecycle Released

SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register
0100.078003.205.001.2	AL MMS Combined Yel	Yellow (3)	-	---	---	521927	31	116145	--	2734
0050.024300.205.011.2	AL DEF Tank Level Empty	Red (2)	1549	---	2.1751.953	1761	31	119549	--	2736
0010.025305.105.001.2	SD Lube Oil Level Switch	Yellow (4)	1740	---	1.1002.920	98	11	119740	--	2738
0010.016101.115.001.2	LOLO P-Raw Water	Red (2)	1737	---	2.0249.922	521805	1	119737	--	2740
0010.056007.205.001.2	AL Gas Inclusion	Yellow (3)	1372	---	1.1612.920	521572	31	119372	--	2742
0010.015104.215.001.2	SD P-Coolant Intercooler	Yellow (4)	213	---	1.8004.569	1203	11	118213	--	2744
0010.015104.105.001.2	LO P-Coolant Intercooler	Yellow (3)	415	---	2.0107.921	1203	17	118415	--	2746
0010.015104.115.001.2	LOLO P-Coolant Intercooler	Red (2)	416	---	2.0107.922	1203	1	118416	--	2748
0010.005102.215.001.2	SD P-Intake Air After FilterA	Yellow (4)	520	---	1.0186.900	521115	11	118520	--	2750
0010.005102.105.001.2	LO P-Intake Air After FilterA	Yellow (3)	565	---	2.0186.921	1176	17	118565	--	3372
0010.005102.115.001.2	LOLO P-Intake AirAfterFilterA	Red (2)	566	---	2.0186.931	1176	1	118566	--	2752
0010.005102.115.011.2	LOLO P-Intake AirAfterFilterB	Red (2)	568	---	2.0187.931	1177	1	118568	--	2758
0010.015202.215.001.2	SD T-Coolant Intercooler	Yellow (4)	205	---	1.8004.574	52	11	118205	--	2760
0010.015202.155.001.2	HI T-Coolant Intercooler	Yellow (3)	9	---	2.0124.931	52	15	118009	--	2762
0010.015202.165.001.2	HIHI T-Coolant Intercooler	Red (2)	10	---	2.0124.932	52	0	118010	--	2764
0010.002018.205.001.2	AL Inj. Drift Limit 1 Cyl.A1	Yellow (3)	1032	---	1.1900.901	1413	15	119032	--	2766
0010.002018.205.011.2	AL Inj. Drift Limit 1 Cyl.A2	Yellow (3)	1033	---	1.1900.903	1414	15	119033	--	2768
0010.002018.205.021.2	AL Inj. Drift Limit 1 Cyl.A3	Yellow (3)	1034	---	1.1900.905	1415	15	119034	--	2770
0010.002018.205.031.2	AL Inj. Drift Limit 1 Cyl.A4	Yellow (3)	1035	---	1.1900.907	1416	15	119035	--	2772
0010.002018.205.041.2	AL Inj. Drift Limit 1 Cyl.A5	Yellow (3)	1036	---	1.1900.909	1417	15	119036	--	2774
0010.002018.205.051.2	AL Inj. Drift Limit 1 Cyl.A6	Yellow (3)	1037	---	1.1900.911	1418	15	119037	--	2776
0010.002018.205.061.2	AL Inj. Drift Limit 1 Cyl.A7	Yellow (3)	1038	---	1.1900.913	1419	15	119038	--	2778
0010.002018.205.071.2	AL Inj. Drift Limit 1 Cyl.A8	Yellow (3)	1039	---	1.1900.915	1420	15	119039	--	2780
0010.002018.205.081.2	AL Inj. Drift Limit 1 Cyl.A9	Yellow (3)	1040	---	1.1900.917	1421	15	119040	--	2782
0010.002018.205.091.2	AL Inj. Drift Limit 1 Cyl.A10	Yellow (3)	1041	---	1.1900.919	1422	15	119041	--	2784
0010.002019.205.001.2	AL Inj. Drift Limit 2 Cyl.A1	Red (2)	1052	---	1.1900.941	1413	0	119052	--	2786
0010.002019.205.011.2	AL Inj. Drift Limit 2 Cyl.A2	Red (2)	1053	---	1.1900.943	1414	0	119053	--	2788
0010.002019.205.021.2	AL Inj. Drift Limit 2 Cyl.A3	Red (2)	1054	---	1.1900.945	1415	0	119054	--	2790
0010.002019.205.031.2	AL Inj. Drift Limit 2 Cyl.A4	Red (2)	1055	---	1.1900.947	1416	0	119055	--	2792
0010.002019.205.041.2	AL Inj. Drift Limit 2 Cyl.A5	Red (2)	1056	---	1.1900.949	1417	0	119056	--	2794
0010.002019.205.051.2	AL Inj. Drift Limit 2 Cyl.A6	Red (2)	1057	---	1.1900.951	1418	0	119057	--	2796
0010.002019.205.061.2	AL Inj. Drift Limit 2 Cyl.A7	Red (2)	1058	---	1.1900.953	1419	0	119058	--	2798
0010.002019.205.071.2	AL Inj. Drift Limit 2 Cyl.A8	Red (2)	1059	---	1.1900.955	1420	0	119059	--	2800
0010.002019.205.081.2	AL Inj. Drift Limit 2 Cyl.A9	Red (2)	1060	---	1.1900.957	1421	0	119060	--	2802
0010.002019.205.091.2	AL Inj. Drift Limit 2 Cyl.A10	Red (2)	1061	---	1.1900.959	1422	0	119061	--	2804
0010.002018.205.101.2	AL Inj. Drift Limit 1 Cyl.B1	Yellow (3)	1042	---	1.1900.921	1423	15	119042	--	2806
0010.002018.205.111.2	AL Inj. Drift Limit 1 Cyl.B2	Yellow (3)	1043	---	1.1900.923	1424	15	119043	--	2808
0010.002018.205.121.2	AL Inj. Drift Limit 1 Cyl.B3	Yellow (3)	1044	---	1.1900.925	1425	15	119044	--	2810
0010.002018.205.131.2	AL Inj. Drift Limit 1 Cyl.B4	Yellow (3)	1045	---	1.1900.927	1426	15	119045	--	2812
0010.002018.205.141.2	AL Inj. Drift Limit 1 Cyl.B5	Yellow (3)	1046	---	1.1900.929	1427	15	119046	--	2814
0010.002018.205.151.2	AL Inj. Drift Limit 1 Cyl.B6	Yellow (3)	1047	---	1.1900.931	1428	15	119047	--	2816

 MTU Friedrichshafen GmbH	Zeichnungs-Nr./Drawing No. ZNG00013183	Blatt/ Sheet 136 von/of 137
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		

Aenderungsbeschreibung/Description of Revision war kZ						Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Buchst./Rev.Ltr. -.8		Aenderungs-Nr./Revision Notice No. PR033438				Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																													
<table><tr><th>SysID</th><th>Alarm Name</th><th>Alarm priority</th><th>MMS Alarm Error Code</th><th>MMS Alarm PV - No</th><th>MMS Alarm ZKP</th><th>SPN</th><th>FMI</th><th>Interface PV</th><th>PV for SD Alarms</th><th>Modbus Register</th></tr><tr><td>0010.002018.205.161.2</td><td>AL Inj. Drift Limit 1 Cyl.B7</td><td>Yellow (3)</td><td>1048</td><td>---</td><td>1.1900.933</td><td>1429</td><td>15</td><td>119048</td><td>--</td><td>2818</td></tr><tr><td>0010.002018.205.171.2</td><td>AL Inj. Drift Limit 1 Cyl.B8</td><td>Yellow (3)</td><td>1049</td><td>---</td><td>1.1900.935</td><td>1430</td><td>15</td><td>119049</td><td>--</td><td>2820</td></tr><tr><td>0010.002018.205.181.2</td><td>AL Inj. Drift Limit 1 Cyl.B9</td><td>Yellow (3)</td><td>1050</td><td>---</td><td>1.1900.937</td><td>1431</td><td>15</td><td>119050</td><td>--</td><td>2822</td></tr><tr><td>0010.002018.205.191.2</td><td>AL Inj. Drift Limit 1 Cyl.B10</td><td>Yellow (3)</td><td>1051</td><td>---</td><td>1.1900.939</td><td>1432</td><td>15</td><td>119051</td><td>--</td><td>2824</td></tr><tr><td>0010.002019.205.101.2</td><td>AL Inj. Drift Limit 2 Cyl.B1</td><td>Red (2)</td><td>1062</td><td>---</td><td>1.1900.961</td><td>1423</td><td>0</td><td>119062</td><td>--</td><td>2826</td></tr><tr><td>0010.002019.205.111.2</td><td>AL Inj. Drift Limit 2 Cyl.B2</td><td>Red (2)</td><td>1063</td><td>---</td><td>1.1900.963</td><td>1424</td><td>0</td><td>119063</td><td>--</td><td>2828</td></tr><tr><td>0010.002019.205.121.2</td><td>AL Inj. Drift Limit 2 Cyl.B3</td><td>Red (2)</td><td>1064</td><td>---</td><td>1.1900.965</td><td>1425</td><td>0</td><td>119064</td><td>--</td><td>2830</td></tr><tr><td>0010.002019.205.131.2</td><td>AL Inj. Drift Limit 2 Cyl.B4</td><td>Red (2)</td><td>1065</td><td>---</td><td>1.1900.967</td><td>1426</td><td>0</td><td>119065</td><td>--</td><td>2832</td></tr><tr><td>0010.002019.205.141.2</td><td>AL Inj. Drift Limit 2 Cyl.B5</td><td>Red (2)</td><td>1066</td><td>---</td><td>1.1900.969</td><td>1427</td><td>0</td><td>119066</td><td>--</td><td>2834</td></tr><tr><td>0010.002019.205.151.2</td><td>AL Inj. Drift Limit 2 Cyl.B6</td><td>Red (2)</td><td>1067</td><td>---</td><td>1.1900.971</td><td>1428</td><td>0</td><td>119067</td><td>--</td><td>2836</td></tr><tr><td>0010.002019.205.161.2</td><td>AL Inj. Drift Limit 2 Cyl.B7</td><td>Red (2)</td><td>1068</td><td>---</td><td>1.1900.973</td><td>1429</td><td>0</td><td>119068</td><td>--</td><td>2838</td></tr><tr><td>0010.002019.205.171.2</td><td>AL Inj. Drift Limit 2 Cyl.B8</td><td>Red (2)</td><td>1069</td><td>---</td><td>1.1900.975</td><td>1430</td><td>0</td><td>119069</td><td>--</td><td>2840</td></tr><tr><td>0010.002019.205.181.2</td><td>AL Inj. Drift Limit 2 Cyl.B9</td><td>Red (2)</td><td>1070</td><td>---</td><td>1.1900.977</td><td>1431</td><td>0</td><td>119070</td><td>--</td><td>2842</td></tr><tr><td>0010.002019.205.191.2</td><td>AL Inj. Drift Limit 2 Cyl.B10</td><td>Red (2)</td><td>1071</td><td>---</td><td>1.1900.979</td><td>1432</td><td>0</td><td>119071</td><td>--</td><td>2844</td></tr><tr><td>0010.056006.155.011.2</td><td>HI ETC Idle Speed</td><td>Yellow (3)</td><td>29</td><td>---</td><td>1.8004.206</td><td>521432</td><td>31</td><td>118029</td><td>--</td><td>2846</td></tr><tr><td>0012.024424.105.001.2</td><td>LO RA Concentration</td><td>Yellow (3)</td><td>1695</td><td>---</td><td>1.4510.343</td><td>3516</td><td>17</td><td>119695</td><td>--</td><td>2848</td></tr><tr><td>0012.024424.115.001.2</td><td>LOLO RA Concentration</td><td>Red (2)</td><td>1696</td><td>---</td><td>1.4510.345</td><td>3516</td><td>1</td><td>119696</td><td>--</td><td>2850</td></tr><tr><td>0012.024424.215.001.2</td><td>SD RA Concentration</td><td>Yellow (4)</td><td>1351</td><td>---</td><td>1.0243.951</td><td>3516</td><td>11</td><td>119351</td><td>--</td><td>2852</td></tr><tr><td>0012.024424.155.001.2</td><td>HI RA Concentration</td><td>Yellow (3)</td><td>1588</td><td>---</td><td>1.1755.901</td><td>3516</td><td>15</td><td>119588</td><td>--</td><td>2854</td></tr><tr><td>0012.024424.165.001.2</td><td>HIHI RA Concentration</td><td>Red (2)</td><td>1589</td><td>---</td><td>1.1755.903</td><td>3516</td><td>0</td><td>119589</td><td>--</td><td>2856</td></tr><tr><td>0012.024425.105.001.2</td><td>LO RA Quality</td><td>Yellow (3)</td><td>881</td><td>---</td><td>2.1702.905</td><td>3516</td><td>31</td><td>118881</td><td>--</td><td>2858</td></tr><tr><td>0012.006500.155.011.2</td><td>HI P-Exhaust Diff. SCR 2</td><td>Yellow (3)</td><td>1716</td><td>---</td><td>2.0238.923</td><td>4411</td><td>15</td><td>119716</td><td>--</td><td>2860</td></tr><tr><td>0012.006500.165.011.2</td><td>HIHI P-Exhaust Diff. SCR 2</td><td>Red (2)</td><td>1717</td><td>---</td><td>2.0238.924</td><td>4411</td><td>0</td><td>119717</td><td>--</td><td>2862</td></tr><tr><td>0012.006201.215.011.2</td><td>SD T-Exhaust SCR Outlet 2</td><td>Yellow (4)</td><td>751</td><td>---</td><td>1.0207.920</td><td>4415</td><td>11</td><td>118751</td><td>--</td><td>2864</td></tr><tr><td>0012.006201.155.011.2</td><td>HI T-Exhaust SCR Outlet 2</td><td>Yellow (3)</td><td>926</td><td>---</td><td>2.0207.921</td><td>4415</td><td>15</td><td>118926</td><td>--</td><td>2866</td></tr><tr><td>0012.006201.165.011.2</td><td>HIHI T-Exhaust SCR Outlet 2</td><td>Red (2)</td><td>927</td><td>---</td><td>2.0207.922</td><td>4415</td><td>0</td><td>118927</td><td>--</td><td>2868</td></tr><tr><td>0012.024426.205.001.2</td><td>AL PDM Leak Check Failed</td><td>Yellow (3)</td><td>1195</td><td>---</td><td>1.1752.909</td><td>521800</td><td>31</td><td>119195</td><td>--</td><td>2870</td></tr><tr><td>0012.024101.155.001.2</td><td>HI T-Reducing Agent SUDU F1</td><td>Yellow (3)</td><td>1075</td><td>---</td><td>2.1702.930</td><td>4337</td><td>15</td><td>119075</td><td>--</td><td>2872</td></tr><tr><td>0012.024101.155.011.2</td><td>HI T-Reducing Agent SUDU F2</td><td>Yellow (3)</td><td>1086</td><td>---</td><td>2.1702.952</td><td>4390</td><td>15</td><td>119086</td><td>--</td><td>2874</td></tr><tr><td>0012.024425.205.001.2</td><td>AL Hydraulics Fault SUDU 1</td><td>Yellow (3)</td><td>1703</td><td>---</td><td>1.0721.905</td><td>521784</td><td>31</td><td>119703</td><td>--</td><td>2876</td></tr><tr><td>0012.024425.205.011.2</td><td>AL Hydraulics Fault SUDU 2</td><td>Yellow (3)</td><td>1705</td><td>---</td><td>1.0722.905</td><td>521786</td><td>31</td><td>119705</td><td>--</td><td>2878</td></tr><tr><td>0012.024425.205.021.2</td><td>AL Hydraulics Fault SUDU 3</td><td>Yellow (3)</td><td>1707</td><td>---</td><td>1.0723.905</td><td>521788</td><td>31</td><td>119707</td><td>--</td><td>2880</td></tr><tr><td>0012.024425.205.031.2</td><td>AL Hydraulics Fault SUDU 4</td><td>Yellow (3)</td><td>1709</td><td>---</td><td>1.0724.905</td><td>521790</td><td>31</td><td>119709</td><td>--</td><td>2882</td></tr><tr><td>0012.024425.205.041.2</td><td>AL Hydraulics Fault SUDU 5</td><td>Yellow (3)</td><td>1711</td><td>---</td><td>1.0725.905</td><td>521792</td><td>31</td><td>119711</td><td>--</td><td>2884</td></tr><tr><td>0012.024425.205.051.2</td><td>AL Hydraulics Fault SUDU 6</td><td>Yellow (3)</td><td>1713</td><td>---</td><td>1.0726.905</td><td>521794</td><td>31</td><td>119713</td><td>--</td><td>2886</td></tr><tr><td>0910.062017.205.001.2</td><td>AL SD-Card Unaccessible</td><td>Yellow (3)</td><td>-</td><td>---</td><td>---</td><td>521928</td><td>31</td><td>116167</td><td>--</td><td>2888</td></tr><tr><td>0050.072002.205.001.2</td><td>AL Capsize Timeout</td><td>Red (2)</td><td>-</td><td>---</td><td>---</td><td>521929</td><td>31</td><td>116135</td><td>--</td><td>2890</td></tr><tr><td>0011.043513.215.001.2</td><td>SD Eng.Speed Crankshaft SaSy</td><td>Yellow (4)</td><td>6028</td><td>---</td><td>6.2500.077</td><td>520382</td><td>11</td><td>122028</td><td>--</td><td>3480</td></tr><tr><td>0011.043513.225.001.2</td><td>TD Engine Speed Crankshaft</td><td>Yellow (4)</td><td>6037</td><td>---</td><td>6.2500.599</td><td>520382</td><td>20</td><td>122037</td><td>--</td><td>3482</td></tr></table>												SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register	0010.002018.205.161.2	AL Inj. Drift Limit 1 Cyl.B7	Yellow (3)	1048	---	1.1900.933	1429	15	119048	--	2818	0010.002018.205.171.2	AL Inj. Drift Limit 1 Cyl.B8	Yellow (3)	1049	---	1.1900.935	1430	15	119049	--	2820	0010.002018.205.181.2	AL Inj. Drift Limit 1 Cyl.B9	Yellow (3)	1050	---	1.1900.937	1431	15	119050	--	2822	0010.002018.205.191.2	AL Inj. Drift Limit 1 Cyl.B10	Yellow (3)	1051	---	1.1900.939	1432	15	119051	--	2824	0010.002019.205.101.2	AL Inj. Drift Limit 2 Cyl.B1	Red (2)	1062	---	1.1900.961	1423	0	119062	--	2826	0010.002019.205.111.2	AL Inj. Drift Limit 2 Cyl.B2	Red (2)	1063	---	1.1900.963	1424	0	119063	--	2828	0010.002019.205.121.2	AL Inj. Drift Limit 2 Cyl.B3	Red (2)	1064	---	1.1900.965	1425	0	119064	--	2830	0010.002019.205.131.2	AL Inj. Drift Limit 2 Cyl.B4	Red (2)	1065	---	1.1900.967	1426	0	119065	--	2832	0010.002019.205.141.2	AL Inj. Drift Limit 2 Cyl.B5	Red (2)	1066	---	1.1900.969	1427	0	119066	--	2834	0010.002019.205.151.2	AL Inj. Drift Limit 2 Cyl.B6	Red (2)	1067	---	1.1900.971	1428	0	119067	--	2836	0010.002019.205.161.2	AL Inj. Drift Limit 2 Cyl.B7	Red (2)	1068	---	1.1900.973	1429	0	119068	--	2838	0010.002019.205.171.2	AL Inj. Drift Limit 2 Cyl.B8	Red (2)	1069	---	1.1900.975	1430	0	119069	--	2840	0010.002019.205.181.2	AL Inj. Drift Limit 2 Cyl.B9	Red (2)	1070	---	1.1900.977	1431	0	119070	--	2842	0010.002019.205.191.2	AL Inj. Drift Limit 2 Cyl.B10	Red (2)	1071	---	1.1900.979	1432	0	119071	--	2844	0010.056006.155.011.2	HI ETC Idle Speed	Yellow (3)	29	---	1.8004.206	521432	31	118029	--	2846	0012.024424.105.001.2	LO RA Concentration	Yellow (3)	1695	---	1.4510.343	3516	17	119695	--	2848	0012.024424.115.001.2	LOLO RA Concentration	Red (2)	1696	---	1.4510.345	3516	1	119696	--	2850	0012.024424.215.001.2	SD RA Concentration	Yellow (4)	1351	---	1.0243.951	3516	11	119351	--	2852	0012.024424.155.001.2	HI RA Concentration	Yellow (3)	1588	---	1.1755.901	3516	15	119588	--	2854	0012.024424.165.001.2	HIHI RA Concentration	Red (2)	1589	---	1.1755.903	3516	0	119589	--	2856	0012.024425.105.001.2	LO RA Quality	Yellow (3)	881	---	2.1702.905	3516	31	118881	--	2858	0012.006500.155.011.2	HI P-Exhaust Diff. SCR 2	Yellow (3)	1716	---	2.0238.923	4411	15	119716	--	2860	0012.006500.165.011.2	HIHI P-Exhaust Diff. SCR 2	Red (2)	1717	---	2.0238.924	4411	0	119717	--	2862	0012.006201.215.011.2	SD T-Exhaust SCR Outlet 2	Yellow (4)	751	---	1.0207.920	4415	11	118751	--	2864	0012.006201.155.011.2	HI T-Exhaust SCR Outlet 2	Yellow (3)	926	---	2.0207.921	4415	15	118926	--	2866	0012.006201.165.011.2	HIHI T-Exhaust SCR Outlet 2	Red (2)	927	---	2.0207.922	4415	0	118927	--	2868	0012.024426.205.001.2	AL PDM Leak Check Failed	Yellow (3)	1195	---	1.1752.909	521800	31	119195	--	2870	0012.024101.155.001.2	HI T-Reducing Agent SUDU F1	Yellow (3)	1075	---	2.1702.930	4337	15	119075	--	2872	0012.024101.155.011.2	HI T-Reducing Agent SUDU F2	Yellow (3)	1086	---	2.1702.952	4390	15	119086	--	2874	0012.024425.205.001.2	AL Hydraulics Fault SUDU 1	Yellow (3)	1703	---	1.0721.905	521784	31	119703	--	2876	0012.024425.205.011.2	AL Hydraulics Fault SUDU 2	Yellow (3)	1705	---	1.0722.905	521786	31	119705	--	2878	0012.024425.205.021.2	AL Hydraulics Fault SUDU 3	Yellow (3)	1707	---	1.0723.905	521788	31	119707	--	2880	0012.024425.205.031.2	AL Hydraulics Fault SUDU 4	Yellow (3)	1709	---	1.0724.905	521790	31	119709	--	2882	0012.024425.205.041.2	AL Hydraulics Fault SUDU 5	Yellow (3)	1711	---	1.0725.905	521792	31	119711	--	2884	0012.024425.205.051.2	AL Hydraulics Fault SUDU 6	Yellow (3)	1713	---	1.0726.905	521794	31	119713	--	2886	0910.062017.205.001.2	AL SD-Card Unaccessible	Yellow (3)	-	---	---	521928	31	116167	--	2888	0050.072002.205.001.2	AL Capsize Timeout	Red (2)	-	---	---	521929	31	116135	--	2890	0011.043513.215.001.2	SD Eng.Speed Crankshaft SaSy	Yellow (4)	6028	---	6.2500.077	520382	11	122028	--	3480	0011.043513.225.001.2	TD Engine Speed Crankshaft	Yellow (4)	6037	---	6.2500.599	520382	20	122037	--	3482
SysID	Alarm Name	Alarm priority	MMS Alarm Error Code	MMS Alarm PV - No	MMS Alarm ZKP	SPN	FMI	Interface PV	PV for SD Alarms	Modbus Register																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002018.205.161.2	AL Inj. Drift Limit 1 Cyl.B7	Yellow (3)	1048	---	1.1900.933	1429	15	119048	--	2818																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002018.205.171.2	AL Inj. Drift Limit 1 Cyl.B8	Yellow (3)	1049	---	1.1900.935	1430	15	119049	--	2820																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002018.205.181.2	AL Inj. Drift Limit 1 Cyl.B9	Yellow (3)	1050	---	1.1900.937	1431	15	119050	--	2822																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002018.205.191.2	AL Inj. Drift Limit 1 Cyl.B10	Yellow (3)	1051	---	1.1900.939	1432	15	119051	--	2824																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.101.2	AL Inj. Drift Limit 2 Cyl.B1	Red (2)	1062	---	1.1900.961	1423	0	119062	--	2826																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.111.2	AL Inj. Drift Limit 2 Cyl.B2	Red (2)	1063	---	1.1900.963	1424	0	119063	--	2828																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.121.2	AL Inj. Drift Limit 2 Cyl.B3	Red (2)	1064	---	1.1900.965	1425	0	119064	--	2830																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.131.2	AL Inj. Drift Limit 2 Cyl.B4	Red (2)	1065	---	1.1900.967	1426	0	119065	--	2832																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.141.2	AL Inj. Drift Limit 2 Cyl.B5	Red (2)	1066	---	1.1900.969	1427	0	119066	--	2834																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.151.2	AL Inj. Drift Limit 2 Cyl.B6	Red (2)	1067	---	1.1900.971	1428	0	119067	--	2836																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.161.2	AL Inj. Drift Limit 2 Cyl.B7	Red (2)	1068	---	1.1900.973	1429	0	119068	--	2838																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.171.2	AL Inj. Drift Limit 2 Cyl.B8	Red (2)	1069	---	1.1900.975	1430	0	119069	--	2840																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.181.2	AL Inj. Drift Limit 2 Cyl.B9	Red (2)	1070	---	1.1900.977	1431	0	119070	--	2842																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.002019.205.191.2	AL Inj. Drift Limit 2 Cyl.B10	Red (2)	1071	---	1.1900.979	1432	0	119071	--	2844																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0010.056006.155.011.2	HI ETC Idle Speed	Yellow (3)	29	---	1.8004.206	521432	31	118029	--	2846																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024424.105.001.2	LO RA Concentration	Yellow (3)	1695	---	1.4510.343	3516	17	119695	--	2848																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024424.115.001.2	LOLO RA Concentration	Red (2)	1696	---	1.4510.345	3516	1	119696	--	2850																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024424.215.001.2	SD RA Concentration	Yellow (4)	1351	---	1.0243.951	3516	11	119351	--	2852																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024424.155.001.2	HI RA Concentration	Yellow (3)	1588	---	1.1755.901	3516	15	119588	--	2854																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024424.165.001.2	HIHI RA Concentration	Red (2)	1589	---	1.1755.903	3516	0	119589	--	2856																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024425.105.001.2	LO RA Quality	Yellow (3)	881	---	2.1702.905	3516	31	118881	--	2858																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.006500.155.011.2	HI P-Exhaust Diff. SCR 2	Yellow (3)	1716	---	2.0238.923	4411	15	119716	--	2860																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.006500.165.011.2	HIHI P-Exhaust Diff. SCR 2	Red (2)	1717	---	2.0238.924	4411	0	119717	--	2862																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.006201.215.011.2	SD T-Exhaust SCR Outlet 2	Yellow (4)	751	---	1.0207.920	4415	11	118751	--	2864																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.006201.155.011.2	HI T-Exhaust SCR Outlet 2	Yellow (3)	926	---	2.0207.921	4415	15	118926	--	2866																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.006201.165.011.2	HIHI T-Exhaust SCR Outlet 2	Red (2)	927	---	2.0207.922	4415	0	118927	--	2868																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024426.205.001.2	AL PDM Leak Check Failed	Yellow (3)	1195	---	1.1752.909	521800	31	119195	--	2870																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024101.155.001.2	HI T-Reducing Agent SUDU F1	Yellow (3)	1075	---	2.1702.930	4337	15	119075	--	2872																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024101.155.011.2	HI T-Reducing Agent SUDU F2	Yellow (3)	1086	---	2.1702.952	4390	15	119086	--	2874																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024425.205.001.2	AL Hydraulics Fault SUDU 1	Yellow (3)	1703	---	1.0721.905	521784	31	119703	--	2876																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024425.205.011.2	AL Hydraulics Fault SUDU 2	Yellow (3)	1705	---	1.0722.905	521786	31	119705	--	2878																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024425.205.021.2	AL Hydraulics Fault SUDU 3	Yellow (3)	1707	---	1.0723.905	521788	31	119707	--	2880																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024425.205.031.2	AL Hydraulics Fault SUDU 4	Yellow (3)	1709	---	1.0724.905	521790	31	119709	--	2882																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024425.205.041.2	AL Hydraulics Fault SUDU 5	Yellow (3)	1711	---	1.0725.905	521792	31	119711	--	2884																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0012.024425.205.051.2	AL Hydraulics Fault SUDU 6	Yellow (3)	1713	---	1.0726.905	521794	31	119713	--	2886																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0910.062017.205.001.2	AL SD-Card Unaccessible	Yellow (3)	-	---	---	521928	31	116167	--	2888																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0050.072002.205.001.2	AL Capsize Timeout	Red (2)	-	---	---	521929	31	116135	--	2890																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0011.043513.215.001.2	SD Eng.Speed Crankshaft SaSy	Yellow (4)	6028	---	6.2500.077	520382	11	122028	--	3480																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0011.043513.225.001.2	TD Engine Speed Crankshaft	Yellow (4)	6037	---	6.2500.599	520382	20	122037	--	3482																																																																																																																																																																																																																																																																																																																																																																																																																																																									
 MTU Friedrichshafen GmbH			Zeichnungs-Nr./Drawing No. ZNG00013183			Blatt/ Sheet 137 von/of 137																																																																																																																																																																																																																																																																																																																																																																																																																																																													
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																			