

Aenderungsbeschreibung/Description of Revision					Kommt vor/Frequency	
war kZ						
Buchst./Rev.Ltr.		Aenderungs-Nr./Revision Notice No.			Bearbeitungsstatus/Lifecycle	
-.9		PR063865			Released	
Changes from Var1 Ed 01.02 to Var1 Ed 01.04						
Corrections:						
Aftertreatment 1 Diesel Exhaust Fluid Temperature 2 (SPN 3515): startbyte 2 changed to 2 SPN 520201. 520204, 520216 deleted SPN 4434 FMI 11 "SD P-Exhaust SCR Inlet 1" -> correct: 6586						
New measuring points added:						
Aftertreatment 1 Diesel Exhaust Fluid Concentration (SPN 3516) Aftertreatment 1 SCR Intake Pressure (SPN 6586) Aftertreatment 2 SCR Differential Pressure (SPN 4411 - PGN 64825) Aftertreatment 2 SCR Intake Pressure (6587 - PGN 64825)						
New limits added:						
New alarms added:						
AL Wiring Emergency Stop SaSy (SPN 520405 FMI 31) HI P-Start Air (SPN 520274 FMI 15) HIHI P-Start Air (SPN 520274 FMI 0) LOLO T-ExhaustA1 (SPN 1137 FMI 1) LOLO T-ExhaustA2 (SPN 1138 FMI 1) LOLO T-ExhaustA3 (SPN 1139 FMI 1) LOLO T-ExhaustA4 (SPN 1140 FMI 1) LOLO T-ExhaustA5 (SPN 1141 FMI 1) LOLO T-ExhaustA6 (SPN 1142 FMI 1) LOLO T-ExhaustA7 (SPN 1143 FMI 1) LOLO T-ExhaustA8 (SPN 1144 FMI 1) LOLO T-ExhaustA9 (SPN 1145 FMI 1) LOLO T-ExhaustA10 (SPN 1146 FMI 1) LOLO T-ExhaustB1 (SPN 1147 FMI 1) LOLO T-ExhaustB2 (SPN 1148 FMI 1) LOLO T-ExhaustB3 (SPN 1149 FMI 1) LOLO T-ExhaustB4 (SPN 1150 FMI 1) LOLO T-ExhaustB5 (SPN 1151 FMI 1) LOLO T-ExhaustB6 (SPN 1152 FMI 1) LOLO T-ExhaustB7 (SPN 1153 FMI 1) LOLO T-ExhaustB8 (SPN 1154 FMI 1) LOLO T-ExhaustB9 (SPN 1155 FMI 1) LOLO T-ExhaustB10 (SPN 1156 FMI 1) HIHI T ExhaustA1 (SPN 1137 FMI 0) HIHI T ExhaustA2 (SPN 1138 FMI 0) HIHI T ExhaustA3 (SPN 1139 FMI 0) HIHI T ExhaustA4 (SPN 1140 FMI 0) HIHI T ExhaustA5 (SPN 1141 FMI 0) HIHI T ExhaustA6 (SPN 1142 FMI 0) HIHI T ExhaustA7 (SPN 1143 FMI 0) HIHI T ExhaustA8 (SPN 1144 FMI 0) HIHI T ExhaustA9 (SPN 1145 FMI 0) HIHI T ExhaustA10 (SPN 1146 FMI 0) HIHI T ExhaustB1 (SPN 1147 FMI 0) HIHI T ExhaustB2 (SPN 1148 FMI 0) HIHI T ExhaustB3 (SPN 1149 FMI 0) HIHI T ExhaustB4 (SPN 1150 FMI 0) HIHI T ExhaustB5 (SPN 1151 FMI 0) HIHI T ExhaustB6 (SPN 1152 FMI 0)						
Tolerierung/Tolerancing ISO 8015		Masse/Size ISO 14405				
Allgemeintoleranzen/General Tolerances ISO 2768-mK				Masse/Mass kg	Format/Size	
Bauart/Type		Allgemeine Fertigungsvorschriften nach MMN332 Production Specification per MMN 332		Werkstoff/Material		
Genoline NewGeneration				A4		
Ausf. u.Lieferung Tech. Characteristics						
Oberflaechenschutz Surface Protection		Oberflaechenangaben nach MTN5033 Surface Specification per MTN5033		Halbzeug.Modell Gesenk / Semifinished Product Pattern, Die		
Verwendbar fuer Typ/Applicable to Model						
GLNG Release 20						
Projekt-/Auftrags-Nr./Project/Order No.		Fert.Ber.		Material-Nr./Material No.		
		Man.Adv				
		Mont.Ber.				
		Inst.Adv				
Ref.-Nr./Ref. No.		Emission ID		XZ00E52000021		
Type1 Var01						
ED01_02						
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfaeltigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.		WORD	Datum/Date	Benennung/ Title /		
		Erstell.	2019-08-22 10:00:51	DOKUMENTATION		
		Drawn		GLNG Fremdschnittstelle J1939		
		Bearb.	2020-11-05 13:42:23	DOCUMENTATION		
		Change		GLNG Foreign MCS J1939		
		Norm				
		Std.				
		Gepr.				
		Checked				
		Zeichnungs-Nr./Drawing No. ZNG00026574			Blatt/ Sheet	
		Beschreibung/Description Type1 Var01 ED01_04			1 von/of	
					43	

T-468-0107

Aenderungsbeschreibung/Description of Revision		Kommt vor/Frequency	
war kZ			
Buchst./Rev.Ltr.	Aenderungs-Nr./Revision Notice No.	Bearbeitungsstatus/Lifecycle	
-.9	PR063865	Released	
HIHI T ExhaustB7 (SPN 1153 FMI 0) HIHI T ExhaustB8 (SPN 1154 FMI 0) HIHI T ExhaustB9 (SPN 1155 FMI 0) HIHI T ExhaustB10 (SPN 1156 FMI 0) AL_EmissionComplianceFailure (SPN 1213 FMI 31) SD_P_ExhaustDiffSCR1 (SPN 4358 FMI 11) AL_ComLostAmmoniaNH3_SCR_Out1 (SPN 4377 FMI 19) SD_AmmoniaNH3_SCR_Out1 (SPN 4377 FMI 11) HI_P_ExhaustSCRInlet1 (SPN 6586 FMI 15) HIHI_P_ExhaustSCRInlet1 (SPN 6586 FMI 16) HIHI_P_ExhaustSCRInlet1 (SPN 6586 FMI 0) HI_P_ExhaustSCRInlet2 (SPN 6587 FMI 15) HIHI_P_ExhaustSCRInlet2 (SPN 6587 FMI 16) HI_SCR_HC1_Deposition (SPN 521942 FMI 15) HIHI_SCR_HC1_Deposition (SPN 521942 FMI 16) HIHIHI_SCR_HC1_Deposition (SPN 521942 FMI 0) HI_SCR_HC2_Deposition (SPN 521951 FMI 15) HIHI_SCR_HC2_Deposition (SPN 521951 FMI 16) HIHIHI_SCR_HC2_Deposition (SPN 521951 FMI 0) HI_SCR_RADeposition (SPN 521952 FMI 15) HIHI_SCR_RADeposition (SPN 521952 FMI 16) HI_AmmoniaNH3_SCR_Out1 (SPN 4377 FMI 15) HIHI_AmmoniaNH3_SCR_Out1 (SPN 4377 FMI 16) HIHIHI_AmmoniaNH3_SCR_Out1 (SPN 4377 FMI 0) AL_ComLostAmmoniaNH3_SCR_Out2 (SPN 4443 FMI 19) SD_AmmoniaNH3_SCR_Out2 (SPN 4443 FMI 11) HI_AmmoniaNH3_SCR_Out2 (SPN 4443 FMI 16) HIHI_AmmoniaNH3_SCR_Out2 (SPN 4443 FMI 15) HIHIHI_AmmoniaNH3_SCR_Out2 (SPN 4443 FMI 0) LO_T_ReducingAgentSUDU_F1 (SPN 4337 FMI 17) LO_P_ReducingAgentDU_F1 (SPN 4334 FMI 17) HI_P_ReducingAgentDU_F1 (SPN 4334 FMI 15) HI_Exhaust_NOx (SPN 521954 FMI 15) AL_ElectricalFault_VND (SPN 521784 FMI 3) AL_ElectricalFault_VNC (SPN 3360 FMI 3) AL_HydraulicsFault_VND (SPN 521784 FMI 31) AL_HydraulicsFault_VNR (SPN 5435 FMI 7) AL_RA_SupplyUnitDefectSU1 (SPN 521781 FMI 31) AL_RA_SupplyUnitDefectSU2 (SPN 521785 FMI 31) AL_RA_SupplyUnitDefectSU3 (SPN 521787 FMI 31) AL_RA_SupplyUnitDefectSU4 (SPN 521789 FMI 31) AL_RA_SupplyUnitDefectSU5 (SPN 521791 FMI 31) AL_RA_SupplyUnitDefectSU6 (SPN 521793 FMI 31) SD_P_FuelBefAddSecFilter (SPN 521063 FMI 11) AL_InjectorDefect_A1 (SPN 651 FMI 31) AL_InjectorDefect_A2 (SPN 652 FMI 31) AL_InjectorDefect_A3 (SPN 653 FMI 31) AL_InjectorDefect_A4 (SPN 654 FMI 31) AL_InjectorDefect_A5 (SPN 655 FMI 31) AL_InjectorDefect_A6 (SPN 656 FMI 31) AL_InjectorDefect_A7 (SPN 657 FMI 31) AL_InjectorDefect_A8 (SPN 658 FMI 31) AL_InjectorDefect_A9 (SPN 659 FMI 31) AL_InjectorDefect_A10 (SPN 660 FMI 31) AL_InjectorDefect_B1 (SPN 661 FMI 31) AL_InjectorDefect_B2 (SPN 662 FMI 31) AL_InjectorDefect_B3 (SPN 663 FMI 31) AL_InjectorDefect_B4 (SPN 664 FMI 31) AL_InjectorDefect_B5 (SPN 665 FMI 31) AL_InjectorDefect_B6 (SPN 666 FMI 31) AL_InjectorDefect_B7 (SPN 667 FMI 31) AL_InjectorDefect_B8 (SPN 668 FMI 31) AL_InjectorDefect_B9 (SPN 669 FMI 31) AL_InjectorDefect_B10 (SPN 670 FMI 31) AL_InjectorDefectCritical_A1 (SPN 671 FMI 31) AL_InjectorDefectCritical_A2 (SPN 651 FMI 31) AL_InjectorDefectCritical_A3 (SPN 652 FMI 31) AL_InjectorDefectCritical_A4 (SPN 653 FMI 31) AL_InjectorDefectCritical_A5 (SPN 654 FMI 31) AL_InjectorDefectCritical_A6 (SPN 655 FMI 31) AL_InjectorDefectCritical_A7 (SPN 656 FMI 31) AL_InjectorDefectCritical_A8 (SPN 657 FMI 31) AL_InjectorDefectCritical_A9 (SPN 658 FMI 31) AL_InjectorDefectCritical_A10 (SPN 659 FMI 31) AL_InjectorDefectCritical_B1 (SPN 660 FMI 31) AL_InjectorDefectCritical_B2 (SPN 661 FMI 31) AL_InjectorDefectCritical_B3 (SPN 662 FMI 31) AL_InjectorDefectCritical_B4 (SPN 663 FMI 31) AL_InjectorDefectCritical_B5 (SPN 664 FMI 31) AL_InjectorDefectCritical_B6 (SPN 665 FMI 31) AL_InjectorDefectCritical_B7 (SPN 666 FMI 31) AL_InjectorDefectCritical_B8 (SPN 667 FMI 31) AL_InjectorDefectCritical_B9 (SPN 668 FMI 31) AL_InjectorDefectCritical_B10 (SPN 669 FMI 31) HI P-RA Filter Out at PFM (SPN 521438 FMI 15) SD P-Exhaust Diff. SCR 2 (SPN 4773 FMI 11) SD P-Exhaust SCR Inlet 2 (SPN 6587 FMI 11) SD P-Exhaust SCR Outlet 2 (SPN 4411 FMI 11)			
	Zeichnungs-Nr./Drawing No.	ZNG00026574	Blatt/ Sheet 2 von/of 43
	Material-Nr./Material No.	XZ00E52000021	
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.			

Änderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.9	Änderungs-Nr./Revision Notice No. PR063865	Bearbeitungsstatus/Lifecycle Released

Table of contents

J1939 PGN Tx Signals.....	4
J1939 PGN Rx Signals	6
J1939 SPN Tx Signals.....	6
J1939 SPN Rx Signals.....	11
J1939 Slot List NMEA2000 Data Format	11
J1939 High Alarms and Limits.....	17
J1939 Low Alarms and Limits	21
J1939 DTC Alarm List.....	24

	Zeichnungs-Nr./Drawing No.	ZNG00026574	Blatt/ Sheet 3 von/of 43
	Material-Nr./Material No.	XZ00E52000021	

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
 All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision
war kZ

Kommt vor/Frequency

Buchst./Rev.Ltr.
-.9

Aenderungs-Nr./Revision Notice No.
PR063865

Bearbeitungsstatus/Lifecycle
Released

J1939 PGN Tx Signals

PGN-Name	PGN	PDUFormat	PDUSpecific	DataPage	DefaultPriority	TransferMode	TxRepetitionRate	SendOnChangeTime	DLC
Engine Hours, Revolutions	65253	254	229	0	6	5	0	0	8
Exhaust Port Temperature 3	65185	254	161	0	7	1	1000	0	8
Dash Display	65276	254	252	0	6	1	1000	100	8
Engine Electronic Controller #1	61444	240	4	0	3	1	100	0	8
Engine Temperature 1	65262	254	238	0	6	1	1000	0	8
Fuel Information (Liquid)	65203	254	179	0	7	5	0	0	8
Exhaust Port Temperature 2	65186	254	162	0	7	1	1000	0	8
Exhaust Port Temperature 5	65183	254	159	0	7	1	1000	0	8
Turbocharger Information 1	65179	254	155	0	7	1	1000	0	8
MTU Air Start Pressure	65502	255	222	0	6	5	0	0	8
MTU Eng Contr 1	65360	255	80	0	3	4	100	100	8
Engine Configuration 1	65251	254	227	0	6	4	2000	100	39
Exhaust Temperature	65031	254	7	0	6	1	500	0	8
Trip Time Information 2	65200	254	176	0	7	5	0	0	20
Engine Fluid Level/Pressure #1	65263	254	239	0	6	1	500	0	8
MTU Eng Fluid Level Pressure 1	65363	255	83	0	6	1	500	0	8
MTU Eng Contr 4 - Add Inform	65284	255	4	0	6	1	100	0	8
Fuel Consumption (Liquid)	65257	254	233	0	6	5	0	0	8
Engine Information	65170	254	146	0	7	1	100	0	8
Shutdown	65252	254	228	0	6	1	1000	0	8
MTU Eng Contr 2 - Speed Dem FB	65361	255	81	0	6	1	100	0	8
Electronic Engine Controller 2	61443	240	3	0	3	1	50	0	8
Exhaust Port Temperature 1	65187	254	163	0	7	1	1000	0	8
Fuel Economy (Liquid)	65266	254	242	0	6	1	100	0	8
Engine Temperature 2	65188	254	164	0	6	1	1000	0	8
Electronic Engine Controller 3	65247	254	223	0	6	1	250	0	8
Inlet/Exhaust Conditions 1	65270	254	246	0	6	1	500	0	8
Inlet/Exhaust Conditions 2	64976	253	208	0	6	1	500	0	8
Vehicle Electrical Power1	65271	254	247	0	6	1	1000	0	8
Electronic Engine Controller 4	65214	254	190	0	7	5	0	0	8
Engine Fuel / Lube Systems	65130	254	106	0	6	1	500	0	8
MTU Eng Contr 5 - Stat Signals	65367	255	87	0	6	1	500	0	8
MTU Engine Temperature 1	65364	255	84	0	6	1	1000	0	8
MTU Engine Temperature 2	65373	255	93	0	6	1	1000	0	8
Turbocharger	65245	254	221	0	6	1	1000	0	8
Exhaust Port Temperature 4	65184	254	160	0	7	1	1000	0	8
MTU Pressure Limits 1	65395	255	115	0	6	5	0	0	8
MTU Pressure Limits 2	65396	255	116	0	6	5	0	0	8
MTU Pressure Limits 3	65397	255	117	0	6	5	0	0	8
MTU Pressure Limits 4	65439	255	159	0	6	5	0	0	8
MTU Turbocharger 1 and 2 Speed Limits	65398	255	118	0	6	5	0	0	8
MTU Turbocharger 3 and 4 Speed Limits	65399	255	119	0	6	5	0	0	8
MTU Temperature Limits 1	65402	255	122	0	6	5	0	0	8
MTU Temperature Limits 2	65403	255	123	0	6	5	0	0	8
MTU-ETC-Information	65404	255	124	0	6	1	200	0	8
MTU Fuel Consumption Info	65405	255	125	0	6	1	500	0	8
MTU Splash Oil Temperature Limits 1	65406	255	126	0	6	5	0	0	8
MTU Splash Oil Temperature Limits 2	65407	255	127	0	6	5	0	0	8
MTU Splash Oil Temperature Limits 3	65408	255	128	0	6	5	0	0	8
MTU Splash Oil Temperature Limits 4	65409	255	129	0	6	5	0	0	8
MTU Splash Oil Temperature Limits 5	65410	255	130	0	6	5	0	0	8
Main Bearing Temperature 1	65182	254	158	0	6	1	1000	0	8
Main Bearing Temperature 2	65181	254	157	0	6	1	1000	0	8
Main Bearing Temperature 3	65180	254	156	0	6	1	1000	0	8
Ambient Conditions	65269	254	245	0	6	1	1000	0	8
MTU Coolant Temperature (EMU) Limits	65413	255	133	0	6	5	0	0	8
MTU Bearing Temperature and Raw-Water Pressure Limits	65412	255	132	0	6	5	0	0	8
Engine Auxiliary Coolant	65172	254	148	0	6	4	500	100	8
MTU Speed Limits	65415	255	135	0	6	5	0	0	8
MTU Refill Pump	65418	255	138	0	6	1	500	0	8
Time/Date	65254	254	230	0	6	5	0	0	8



Zeichnungs-Nr./Drawing No.

ZNG00026574

Material-Nr./Material No.

XZ00E52000021

Blatt/ Sheet

4

von/of

43

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ								Kommt vor/Frequency																																																																																																																																																																																																																																																																						
Buchst./Rev.Ltr. -.9		Aenderungs-Nr./Revision Notice No. PR063865						Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																						
<table><thead><tr><th>PGN-Name</th><th>PGN</th><th>PDUFormat</th><th>PDUSpecific</th><th>DataPage</th><th>DefaultPriority</th><th>TransferMode</th><th>TxRepetitionRate</th><th>SendOnChangeTime</th><th>DLC</th></tr></thead><tbody><tr><td>MTU System DM1 Producer Extension</td><td>65483</td><td>255</td><td>203</td><td>0</td><td>6</td><td>4</td><td>1000</td><td>100</td><td>8</td></tr><tr><td>MTU User Information</td><td>65421</td><td>255</td><td>141</td><td>0</td><td>6</td><td>1</td><td>100</td><td>0</td><td>8</td></tr><tr><td>MTU Splash Oil Temperature 3</td><td>65371</td><td>255</td><td>91</td><td>0</td><td>6</td><td>1</td><td>1000</td><td>0</td><td>8</td></tr><tr><td>Engine Average Information</td><td>64851</td><td>253</td><td>83</td><td>0</td><td>5</td><td>1</td><td>500</td><td>0</td><td>8</td></tr><tr><td>MTU Splash Oil Temperature 4</td><td>65370</td><td>255</td><td>90</td><td>0</td><td>6</td><td>1</td><td>1000</td><td>0</td><td>8</td></tr><tr><td>MTU Exhaust Temperature Limits</td><td>65411</td><td>255</td><td>131</td><td>0</td><td>6</td><td>5</td><td>0</td><td>0</td><td>8</td></tr><tr><td>MTU Splash Oil Temperature 5</td><td>65369</td><td>255</td><td>89</td><td>0</td><td>6</td><td>1</td><td>1000</td><td>0</td><td>8</td></tr><tr><td>Aftertreatment 1 Diesel Exhaust Fluid Tank Volume</td><td>65110</td><td>254</td><td>86</td><td>0</td><td>6</td><td>1</td><td>1000</td><td>0</td><td>8</td></tr><tr><td>MTU Several Limits</td><td>65442</td><td>255</td><td>162</td><td>0</td><td>6</td><td>5</td><td>2000</td><td>0</td><td>8</td></tr><tr><td>Aftertreatment 1 Diesel Exhaust Fluid Information 1</td><td>64923</td><td>253</td><td>155</td><td>0</td><td>6</td><td>1</td><td>500</td><td>0</td><td>8</td></tr><tr><td>Aftertreatment 1 SCR Exhaust Gas Temperature 1</td><td>64830</td><td>253</td><td>62</td><td>0</td><td>6</td><td>1</td><td>500</td><td>0</td><td>8</td></tr><tr><td>Aftertreatment 2 SCR Exhaust Gas Temperature 1</td><td>64824</td><td>253</td><td>56</td><td>0</td><td>6</td><td>1</td><td>500</td><td>0</td><td>8</td></tr><tr><td>MTU SCR Limits</td><td>65443</td><td>255</td><td>163</td><td>0</td><td>6</td><td>5</td><td>2000</td><td>0</td><td>8</td></tr><tr><td>Aftertreatment 1 SCR Dosing System Information 1</td><td>61475</td><td>240</td><td>35</td><td>0</td><td>6</td><td>1</td><td>500</td><td>0</td><td>8</td></tr><tr><td>Aftertreatment 1 SCR Exhaust Gas Pressures</td><td>64831</td><td>253</td><td>63</td><td>0</td><td>6</td><td>1</td><td>500</td><td>0</td><td>8</td></tr><tr><td>EES / Electrical Load</td><td>65171</td><td>254</td><td>147</td><td>0</td><td>6</td><td>1</td><td>500</td><td>0</td><td>8</td></tr><tr><td>AT / Alternator Temperature</td><td>65191</td><td>254</td><td>167</td><td>0</td><td>7</td><td>1</td><td>1000</td><td>0</td><td>8</td></tr><tr><td>Alarm Groups</td><td>65226</td><td>254</td><td>202</td><td>0</td><td>6</td><td>1</td><td>500</td><td>0</td><td>8</td></tr><tr><td>T-Exhaust Combined Limits</td><td>65400</td><td>255</td><td>120</td><td>0</td><td>6</td><td>5</td><td>0</td><td>0</td><td>8</td></tr><tr><td>T-Winding Limits</td><td>65419</td><td>255</td><td>139</td><td>0</td><td>6</td><td>5</td><td>0</td><td>0</td><td>24</td></tr><tr><td>MTU Binary Signals</td><td>65420</td><td>255</td><td>140</td><td>0</td><td>6</td><td>1</td><td>500</td><td>0</td><td>8</td></tr><tr><td>MTU Generator Temperatures 1</td><td>65445</td><td>255</td><td>165</td><td>0</td><td>6</td><td>1</td><td>1000</td><td>0</td><td>8</td></tr><tr><td>Dash Display 2</td><td>64671</td><td>252</td><td>159</td><td>0</td><td>6</td><td>1</td><td>1000</td><td>0</td><td>8</td></tr><tr><td>MTU Several Limits 2</td><td>65448</td><td>255</td><td>168</td><td>0</td><td>6</td><td>5</td><td>2000</td><td>0</td><td>8</td></tr><tr><td>Aftertreatment 2 SCR Exhaust Gas Pressures</td><td>64825</td><td>253</td><td>57</td><td>0</td><td>6</td><td>1</td><td>500</td><td>0</td><td>8</td></tr></tbody></table>											PGN-Name	PGN	PDUFormat	PDUSpecific	DataPage	DefaultPriority	TransferMode	TxRepetitionRate	SendOnChangeTime	DLC	MTU System DM1 Producer Extension	65483	255	203	0	6	4	1000	100	8	MTU User Information	65421	255	141	0	6	1	100	0	8	MTU Splash Oil Temperature 3	65371	255	91	0	6	1	1000	0	8	Engine Average Information	64851	253	83	0	5	1	500	0	8	MTU Splash Oil Temperature 4	65370	255	90	0	6	1	1000	0	8	MTU Exhaust Temperature Limits	65411	255	131	0	6	5	0	0	8	MTU Splash Oil Temperature 5	65369	255	89	0	6	1	1000	0	8	Aftertreatment 1 Diesel Exhaust Fluid Tank Volume	65110	254	86	0	6	1	1000	0	8	MTU Several Limits	65442	255	162	0	6	5	2000	0	8	Aftertreatment 1 Diesel Exhaust Fluid Information 1	64923	253	155	0	6	1	500	0	8	Aftertreatment 1 SCR Exhaust Gas Temperature 1	64830	253	62	0	6	1	500	0	8	Aftertreatment 2 SCR Exhaust Gas Temperature 1	64824	253	56	0	6	1	500	0	8	MTU SCR Limits	65443	255	163	0	6	5	2000	0	8	Aftertreatment 1 SCR Dosing System Information 1	61475	240	35	0	6	1	500	0	8	Aftertreatment 1 SCR Exhaust Gas Pressures	64831	253	63	0	6	1	500	0	8	EES / Electrical Load	65171	254	147	0	6	1	500	0	8	AT / Alternator Temperature	65191	254	167	0	7	1	1000	0	8	Alarm Groups	65226	254	202	0	6	1	500	0	8	T-Exhaust Combined Limits	65400	255	120	0	6	5	0	0	8	T-Winding Limits	65419	255	139	0	6	5	0	0	24	MTU Binary Signals	65420	255	140	0	6	1	500	0	8	MTU Generator Temperatures 1	65445	255	165	0	6	1	1000	0	8	Dash Display 2	64671	252	159	0	6	1	1000	0	8	MTU Several Limits 2	65448	255	168	0	6	5	2000	0	8	Aftertreatment 2 SCR Exhaust Gas Pressures	64825	253	57	0	6	1	500	0	8
PGN-Name	PGN	PDUFormat	PDUSpecific	DataPage	DefaultPriority	TransferMode	TxRepetitionRate	SendOnChangeTime	DLC																																																																																																																																																																																																																																																																					
MTU System DM1 Producer Extension	65483	255	203	0	6	4	1000	100	8																																																																																																																																																																																																																																																																					
MTU User Information	65421	255	141	0	6	1	100	0	8																																																																																																																																																																																																																																																																					
MTU Splash Oil Temperature 3	65371	255	91	0	6	1	1000	0	8																																																																																																																																																																																																																																																																					
Engine Average Information	64851	253	83	0	5	1	500	0	8																																																																																																																																																																																																																																																																					
MTU Splash Oil Temperature 4	65370	255	90	0	6	1	1000	0	8																																																																																																																																																																																																																																																																					
MTU Exhaust Temperature Limits	65411	255	131	0	6	5	0	0	8																																																																																																																																																																																																																																																																					
MTU Splash Oil Temperature 5	65369	255	89	0	6	1	1000	0	8																																																																																																																																																																																																																																																																					
Aftertreatment 1 Diesel Exhaust Fluid Tank Volume	65110	254	86	0	6	1	1000	0	8																																																																																																																																																																																																																																																																					
MTU Several Limits	65442	255	162	0	6	5	2000	0	8																																																																																																																																																																																																																																																																					
Aftertreatment 1 Diesel Exhaust Fluid Information 1	64923	253	155	0	6	1	500	0	8																																																																																																																																																																																																																																																																					
Aftertreatment 1 SCR Exhaust Gas Temperature 1	64830	253	62	0	6	1	500	0	8																																																																																																																																																																																																																																																																					
Aftertreatment 2 SCR Exhaust Gas Temperature 1	64824	253	56	0	6	1	500	0	8																																																																																																																																																																																																																																																																					
MTU SCR Limits	65443	255	163	0	6	5	2000	0	8																																																																																																																																																																																																																																																																					
Aftertreatment 1 SCR Dosing System Information 1	61475	240	35	0	6	1	500	0	8																																																																																																																																																																																																																																																																					
Aftertreatment 1 SCR Exhaust Gas Pressures	64831	253	63	0	6	1	500	0	8																																																																																																																																																																																																																																																																					
EES / Electrical Load	65171	254	147	0	6	1	500	0	8																																																																																																																																																																																																																																																																					
AT / Alternator Temperature	65191	254	167	0	7	1	1000	0	8																																																																																																																																																																																																																																																																					
Alarm Groups	65226	254	202	0	6	1	500	0	8																																																																																																																																																																																																																																																																					
T-Exhaust Combined Limits	65400	255	120	0	6	5	0	0	8																																																																																																																																																																																																																																																																					
T-Winding Limits	65419	255	139	0	6	5	0	0	24																																																																																																																																																																																																																																																																					
MTU Binary Signals	65420	255	140	0	6	1	500	0	8																																																																																																																																																																																																																																																																					
MTU Generator Temperatures 1	65445	255	165	0	6	1	1000	0	8																																																																																																																																																																																																																																																																					
Dash Display 2	64671	252	159	0	6	1	1000	0	8																																																																																																																																																																																																																																																																					
MTU Several Limits 2	65448	255	168	0	6	5	2000	0	8																																																																																																																																																																																																																																																																					
Aftertreatment 2 SCR Exhaust Gas Pressures	64825	253	57	0	6	1	500	0	8																																																																																																																																																																																																																																																																					
		Zeichnungs-Nr./Drawing No.		ZNG00026574					Blatt/ Sheet 5 von/of 43																																																																																																																																																																																																																																																																					
		Material-Nr./Material No.		XZ00E52000021																																																																																																																																																																																																																																																																										
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																														

Aenderungsbeschreibung/Description of Revision war kZ		Kommt vor/Frequency
Buchst./Rev.Ltr. -.9	Aenderungs-Nr./Revision Notice No. PR063865	Bearbeitungsstatus/Lifecycle Released

J1939 PGN Rx Signals

PGN-Name	PGN	PDUFormat	PDUSpecific	DataPage	DefaultPriority	TransferMode	TxRepetitionRate	SendOnChangeTime	DLC
MTU System Operating PDU1 prop A1	61184	239	0	0	6	4	2000	100	8

J1939 SPN Tx Signals

PGN-Name	PGN	SPN-Name	SPN	BitSize	StartByte	StartBit	SLOT
Engine Hours, Revolutions	65253	Engine Total Hours of Operation	247	32	1	1	58
Exhaust Port Temperature 3	65185	Engine Exhaust Gas Port 9 Temperature	1145	16	1	1	68
Exhaust Port Temperature 3	65185	Engine Exhaust Gas Port 10 Temperature	1146	16	3	1	68
Exhaust Port Temperature 3	65185	Engine Exhaust Gas Port 11 Temperature	1147	16	5	1	68
Exhaust Port Temperature 3	65185	Engine Exhaust Gas Port 12 Temperature	1148	16	7	1	68
Dash Display	65276	Engine Fuel Filter Differential Pressure	95	8	3	1	53
Dash Display	65276	Engine Oil Filter Differential Pressure	99	8	4	1	54
Engine Electronic Controller #1	61444	Engine Speed	190	16	4	1	76
Engine Temperature 1	65262	Engine Coolant Temperature	110	8	1	1	67
Engine Temperature 1	65262	Engine Fuel 1 Temperature 1	174	8	2	1	67
Engine Temperature 1	65262	Engine Oil Temperature 1	175	16	3	1	68
Engine Temperature 1	65262	Engine Turbocharger Oil Temperature	176	16	5	1	68
Fuel Information (Liquid)	65203	Trip Average Fuel Rate	1029	16	5	1	42
Exhaust Port Temperature 2	65186	Engine Exhaust Gas Port 5 Temperature	1141	16	1	1	68
Exhaust Port Temperature 2	65186	Engine Exhaust Gas Port 6 Temperature	1142	16	3	1	68
Exhaust Port Temperature 2	65186	Engine Exhaust Gas Port 7 Temperature	1143	16	5	1	68
Exhaust Port Temperature 2	65186	Engine Exhaust Gas Port 8 Temperature	1144	16	7	1	68
Exhaust Port Temperature 5	65183	Engine Exhaust Gas Port 17 Temperature	1153	16	1	1	68
Exhaust Port Temperature 5	65183	Engine Exhaust Gas Port 18 Temperature	1154	16	3	1	68
Exhaust Port Temperature 5	65183	Engine Exhaust Gas Port 19 Temperature	1155	16	5	1	68
Exhaust Port Temperature 5	65183	Engine Exhaust Gas Port 20 Temperature	1156	16	7	1	68
Turbocharger Information 1	65179	Engine Turbocharger Lube Oil Pressure 2	1168	8	1	1	47
Turbocharger Information 1	65179	Engine Turbocharger 2 Speed	1169	16	2	1	77
Turbocharger Information 1	65179	Engine Turbocharger 3 Speed	1170	16	4	1	77
Turbocharger Information 1	65179	Engine Turbocharger 4 Speed	1171	16	6	1	77
MTU Air Start Pressure	65502	MTU Engine Air Start Pressure (Extended Range)	520274	16	1	1	106
MTU Eng Contr 1	65360	MTU Engine Speed redundant	520382	16	1	1	76
MTU Eng Contr 1	65360	Engine Turning Status	520200	2	3	1	87
MTU Eng Contr 1	65360	Engine Safety and Protection Override Status	520202	2	3	3	87
MTU Eng Contr 1	65360	Engine Local Operation Status	520203	2	3	5	87
MTU Eng Contr 1	65360	MTU Engine Running State	520255	2	3	7	87
MTU Eng Contr 1	65360	Engine Cylinder Cutoff	520252	2	5	1	87
MTU Eng Contr 1	65360	Engine Turbocharger 2 Status	520237	2	5	3	87
MTU Eng Contr 1	65360	Engine Turbocharger 3 Status	520242	2	8	1	87
MTU Eng Contr 1	65360	Engine Turbocharger 4 Status	520243	2	8	3	87
Engine Configuration 1	65251	Engine Speed At Idle, Point 1	188	16	1	1	76
Exhaust Temperature	65031	Engine Exhaust Manifold Bank 2 Temperature 1	2433	16	1	1	68
Exhaust Temperature	65031	Engine Exhaust Manifold Bank 1 Temperature 1	2434	16	3	1	68
Trip Time Information 2	65200	Trip Engine Running Time	1036	32	9	1	58
Engine Fluid Level/Pressure #1	65263	Engine Fuel Delivery Pressure	94	8	1	1	47
Engine Fluid Level/Pressure #1	65263	Engine Oil Pressure	100	8	4	1	47
Engine Fluid Level/Pressure #1	65263	Engine Crankcase Pressure 1	101	16	5	1	52
Engine Fluid Level/Pressure #1	65263	Engine Coolant Pressure 1	109	8	7	1	53
MTU Eng Fluid Level Pressure 1	65363	MTU Engine Oil Pressure redundant	520292	8	1	1	47
MTU Eng Fluid Level Pressure 1	65363	MTU Engine Fuel Delivery Pressure behind Filter	520286	8	2	1	47
MTU Eng Fluid Level Pressure 1	65363	MTU Engine Fuel Pre-Filter Differential Pressure	520287	8	3	1	53
MTU Eng Contr 4 - Addl Inform	65284	MTU Engine Controller Error Codes	520256	16	1	1	12
Fuel Consumption (Liquid)	65257	Engine Trip Fuel	182	32	1	1	20
Fuel Consumption (Liquid)	65257	Engine Total Fuel Used	250	32	5	1	20
Engine Information	65170	Engine Oil Filter Intake Pressure	1208	8	1	1	47
Shutdown	65252	Engine Protection System has Shutdown Engine	1110	2	5	1	87



Zeichnungs-Nr./Drawing No.

ZNG00026574

Material-Nr./Material No.

XZ00E52000021

Blatt/ Sheet

6
von/of
43

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Buchst./Rev.Ltr.
-.9

Aenderungs-Nr./Revision Notice No.
PR063865

Bearbeitungsstatus/Lifecycle	Released
------------------------------	----------

PGN-Name	PGN	SPN-Name	SPN	BitSize	StartByte	StartBit	SLOT
Shutdown	65252	Engine Protection System Approaching Shutdown	1109	2	5	3	87
Shutdown	65252	Engine Overspeed Test	2812	2	7	7	87
MTU Eng Contr 2 - Speed Dem FB	65361	Engine Demanded Operating Speed	520707	16	1	1	76
Electronic Engine Controller 2	61443	Engine Percent Load At Current Speed	92	8	3	1	46
Electronic Engine Controller 2	61443	Actual Maximum Available Engine - Percent Torque	3357	8	7	1	44
Exhaust Port Temperature 1	65187	Engine Exhaust Gas Port 1 Temperature	1137	16	1	1	68
Exhaust Port Temperature 1	65187	Engine Exhaust Gas Port 2 Temperature	1138	16	3	1	68
Exhaust Port Temperature 1	65187	Engine Exhaust Gas Port 3 Temperature	1139	16	5	1	68
Exhaust Port Temperature 1	65187	Engine Exhaust Gas Port 4 Temperature	1140	16	7	1	68
Fuel Economy (Liquid)	65266	Engine Fuel Rate	183	16	1	1	42
Engine Temperature 2	65188	Engine ECU Temperature	1136	16	3	1	68
Electronic Engine Controller 3	65247	Engine's Desired Operating Speed	515	16	2	1	76
Inlet/Exhaust Conditions 1	65270	Engine Intake Manifold 1 Temperature	105	8	3	1	67
Inlet/Exhaust Conditions 2	64976	Engine Intake Manifold #1 Absolute Pressure	3563	8	5	1	53
Vehicle Electrical Power1	65271	Battery Potential / Power Input 1	168	16	5	1	80
Vehicle Electrical Power1	65271	Key Switch Battery Potential	158	16	7	1	80
Electronic Engine Controller 4	65214	Engine Rated Speed	189	16	3	1	76
Engine Fuel / Lube Systems	65130	Engine Oil Priming Pump Switch	3550	2	6	1	87
MTU Eng Contr 5 - Stat Signals	65367	Engine Status of Startprocedure	520241	32	3	1	245
MTU Eng Contr 5 - Stat Signals	65367	MTU Start Interlock	520266	2	7	1	87
MTU Engine Temperature 1	65364	MTU Engine Coolant Temperature redundant	520302	8	1	1	67
MTU Engine Temperature 1	65364	Engine Charge Air Sequential Control Valve Temperature	520254	16	2	1	68
MTU Engine Temperature 1	65364	Engine Main Bearing Temperature Average	520407	16	4	1	68
MTU Engine Temperature 2	65373	Engine Exhaust Gas Temperature - Left 2	520393	16	1	1	68
MTU Engine Temperature 2	65373	Engine Exhaust Gas Temperature - Right 2	520394	16	3	1	68
Turbocharger	65245	Engine Turbocharger Lube Oil Pressure 1	104	8	1	1	47
Turbocharger	65245	Engine Turbocharger 1 Speed	103	16	2	1	77
Exhaust Port Temperature 4	65184	Engine Exhaust Gas Port 13 Temperature	1149	16	1	1	68
Exhaust Port Temperature 4	65184	Engine Exhaust Gas Port 14 Temperature	1150	16	3	1	68
Exhaust Port Temperature 4	65184	Engine Exhaust Gas Port 15 Temperature	1151	16	5	1	68
Exhaust Port Temperature 4	65184	Engine Exhaust Gas Port 16 Temperature	1152	16	7	1	68
MTU Pressure Limits 1	65395	LM LO P-Lube Oil	520500	8	1	1	47
MTU Pressure Limits 1	65395	LM LOLO P-Lube Oil	520501	8	2	1	47
MTU Pressure Limits 1	65395	LM HI P-Crankcase	520502	16	3	1	52
MTU Pressure Limits 1	65395	LM HIHI P-Crankcase	520503	16	5	1	52
MTU Pressure Limits 1	65395	LM LO P-Coolant	520504	8	7	1	53
MTU Pressure Limits 1	65395	LM LOLO P-Coolant	520505	8	8	1	53
MTU Pressure Limits 2	65396	LM LO P-Fuel	520506	8	1	1	47
MTU Pressure Limits 2	65396	LM LOLO P-Fuel	520507	8	2	1	47
MTU Pressure Limits 2	65396	LM HI P-Charge Air	520508	8	3	1	53
MTU Pressure Limits 2	65396	LM HI P-Lube Oil Filter Diff.	520537	8	5	1	54
MTU Pressure Limits 2	65396	LM HI P-Fuel Filter Diff.	520538	8	6	1	54
MTU Pressure Limits 2	65396	LM LO Limit Engine Turbocharger Lube Oil Pressure 1	520470	8	8	1	47
MTU Pressure Limits 3	65397	LM LO P-Start Air	520540	16	1	1	53
MTU Pressure Limits 3	65397	LM LOLO P-Start Air Start Term	520541	16	3	1	47
MTU Pressure Limits 3	65397	LM LO P-Oil Refill Pump	520542	8	5	1	47
MTU Pressure Limits 3	65397	LM LOLO Limit Engine Turbocharger Lube Oil Pressure 1	520471	8	6	1	47
MTU Pressure Limits 3	65397	LM LO Limit Engine Turbocharger Lube Oil Pressure 2	520472	8	7	1	47
MTU Pressure Limits 3	65397	LM LOLO Limit Engine Turbocharger Lube Oil Pressure 2	520473	8	8	1	47
MTU Pressure Limits 4	65439	LM HIHI Lube Oil Filter Diff Pressure	521580	8	3	1	47
MTU Pressure Limits 4	65439	LM LOLO P-Raw Water	521932	8	4	1	53
MTU Turbocharger 1 and 2 Speed Limits	65398	LM HI ETC 1 Speed	520510	16	1	1	77
MTU Turbocharger 1 and 2 Speed Limits	65398	LM HIHI ETC 1 Speed	520511	16	3	1	77
MTU Turbocharger 1 and 2 Speed Limits	65398	LM HI ETC 2 Speed	520512	16	5	1	77
MTU Turbocharger 1 and 2 Speed Limits	65398	LM HIHI ETC 2 Speed	520513	16	7	1	77
MTU Turbocharger 3 and 4 Speed Limits	65399	LM HI ETC 3 Speed	520514	16	1	1	77
MTU Turbocharger 3 and 4 Speed Limits	65399	LM HIHI ETC 3 Speed	520515	16	3	1	77
MTU Turbocharger 3 and 4 Speed Limits	65399	LM HI ETC 4 Speed	520516	16	5	1	77
MTU Turbocharger 3 and 4 Speed Limits	65399	LM HIHI ETC 4 Speed	520517	16	7	1	77
MTU Temperature Limits 1	65402	LM HI T-Coolant (ECU)	520518	8	1	1	67



Zeichnungs-Nr./Drawing No.

ZNG00026574

Material-Nr./Material No.

XZ00E52000021

Blatt/ Sheet
7
von/of
43

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.
All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.

Aenderungsbeschreibung/Description of Revision war kZ								Kommt vor/Frequency																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
Buchst./Rev.Ltr. -.9	Aenderungs-Nr./Revision Notice No. PR063865							Bearbeitungsstatus/Lifecycle Released																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
<table><tr><th>PGN-Name</th><th>PGN</th><th>SPN-Name</th><th>SPN</th><th>BitSize</th><th>StartByte</th><th>StartBit</th><th>SLOT</th></tr><tr><td>Time/Date</td><td>65254</td><td>Seconds</td><td>959</td><td>8</td><td>1</td><td>1</td><td>63</td></tr><tr><td>Time/Date</td><td>65254</td><td>Minutes</td><td>960</td><td>8</td><td>2</td><td>1</td><td>61</td></tr><tr><td>Time/Date</td><td>65254</td><td>Hours</td><td>961</td><td>8</td><td>3</td><td>1</td><td>3</td></tr><tr><td>Time/Date</td><td>65254</td><td>Month</td><td>963</td><td>8</td><td>4</td><td>1</td><td>62</td></tr><tr><td>Time/Date</td><td>65254</td><td>Day</td><td>962</td><td>8</td><td>5</td><td>1</td><td>60</td></tr><tr><td>Time/Date</td><td>65254</td><td>Year</td><td>964</td><td>8</td><td>6</td><td>1</td><td>66</td></tr><tr><td>MTU System DM1 Producer Extension</td><td>65483</td><td>MTU DM1 Horn Status</td><td>520815</td><td>2</td><td>1</td><td>1</td><td>87</td></tr><tr><td>MTU User Information</td><td>65421</td><td>User Information</td><td>520714</td><td>16</td><td>1</td><td>1</td><td>276</td></tr><tr><td>MTU Splash Oil Temperature 3</td><td>65371</td><td>MTU Splash Oil Temperature Mean</td><td>520467</td><td>16</td><td>1</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 3</td><td>65371</td><td>Splash Oil Temperature 11</td><td>520395</td><td>16</td><td>5</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 3</td><td>65371</td><td>Splash Oil Temperature 12</td><td>520396</td><td>16</td><td>7</td><td>1</td><td>68</td></tr><tr><td>Engine Average Information</td><td>64851</td><td>Engine Exhaust Temperature Average</td><td>4151</td><td>16</td><td>1</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 4</td><td>65370</td><td>Splash Oil Temperature 13</td><td>520397</td><td>16</td><td>1</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 4</td><td>65370</td><td>Splash Oil Temperature 14</td><td>520398</td><td>16</td><td>3</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 4</td><td>65370</td><td>Splash Oil Temperature 15</td><td>520399</td><td>16</td><td>5</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 4</td><td>65370</td><td>Splash Oil Temperature 16</td><td>520400</td><td>16</td><td>7</td><td>1</td><td>68</td></tr><tr><td>MTU Exhaust Temperature Limits</td><td>65411</td><td>LM HI T-Exhaust</td><td>520354</td><td>16</td><td>1</td><td>1</td><td>68</td></tr><tr><td>MTU Exhaust Temperature Limits</td><td>65411</td><td>LM LO T-Exhaust</td><td>520355</td><td>16</td><td>3</td><td>1</td><td>68</td></tr><tr><td>MTU Exhaust Temperature Limits</td><td>65411</td><td>LM HIHI T-Exhaust</td><td>520356</td><td>16</td><td>5</td><td>1</td><td>68</td></tr><tr><td>MTU Exhaust Temperature Limits</td><td>65411</td><td>LM LOLO T-Exhaust</td><td>520357</td><td>16</td><td>7</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 5</td><td>65369</td><td>Splash Oil Temperature 17</td><td>520401</td><td>16</td><td>1</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 5</td><td>65369</td><td>Splash Oil Temperature 18</td><td>520402</td><td>16</td><td>3</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 5</td><td>65369</td><td>Splash Oil Temperature 19</td><td>520403</td><td>16</td><td>5</td><td>1</td><td>68</td></tr><tr><td>MTU Splash Oil Temperature 5</td><td>65369</td><td>Splash Oil Temperature 20</td><td>520404</td><td>16</td><td>7</td><td>1</td><td>68</td></tr><tr><td>Aftertreatment 1 Diesel Exhaust Fluid Tank Volume</td><td>65110</td><td>Aftertreatment 1 Diesel Exhaust Fluid Tank Volume</td><td>1761</td><td>8</td><td>1</td><td>1</td><td>44</td></tr><tr><td>MTU Several Limits</td><td>65442</td><td>LM LO P-RA Filter Out at PFM</td><td>521586</td><td>16</td><td>1</td><td>1</td><td>85</td></tr><tr><td>MTU Several Limits</td><td>65442</td><td>LM HI T-RA at PFM</td><td>521587</td><td>8</td><td>3</td><td>1</td><td>67</td></tr><tr><td>MTU Several Limits</td><td>65442</td><td>LM LO T-RA at PFM</td><td>521588</td><td>8</td><td>4</td><td>1</td><td>67</td></tr><tr><td>MTU Several Limits</td><td>65442</td><td>LM LO RA Tank Level</td><td>521589</td><td>8</td><td>5</td><td>1</td><td>44</td></tr><tr><td>MTU Several Limits</td><td>65442</td><td>LM LOLO RA Tank Level</td><td>521590</td><td>8</td><td>6</td><td>1</td><td>44</td></tr><tr><td>MTU Several Limits</td><td>65442</td><td>LM LO P-Fuel Prefilter</td><td>521591</td><td>8</td><td>7</td><td>1</td><td>MTU_pr01</td></tr><tr><td>MTU Several Limits</td><td>65442</td><td>LM LOLO P-Fuel Prefilter</td><td>521592</td><td>8</td><td>8</td><td>1</td><td>MTU_pr01</td></tr><tr><td>Aftertreatment 1 Diesel Exhaust Fluid Information 1</td><td>64923</td><td>Aftertreatment 1 Diesel Exhaust Fluid Temperature 2</td><td>3515</td><td>8</td><td>1</td><td>1</td><td>67</td></tr><tr><td>Aftertreatment 1 Diesel Exhaust Fluid Information 1</td><td>64923</td><td>Aftertreatment 1 Diesel Exhaust Fluid Concentration</td><td>3516</td><td>8</td><td>2</td><td>1</td><td>254</td></tr><tr><td>Aftertreatment 1 SCR Exhaust Gas Temperature 1</td><td>64830</td><td>Aftertreatment 1 SCR Intake Temperature</td><td>4360</td><td>16</td><td>1</td><td>1</td><td>68</td></tr><tr><td>Aftertreatment 1 SCR Exhaust Gas Temperature 1</td><td>64830</td><td>Aftertreatment 1 SCR Outlet Temperature</td><td>4363</td><td>16</td><td>4</td><td>1</td><td>68</td></tr><tr><td>Aftertreatment 2 SCR Exhaust Gas Temperature 1</td><td>64824</td><td>Aftertreatment 2 SCR Intake Temperature</td><td>4413</td><td>16</td><td>1</td><td>1</td><td>68</td></tr><tr><td>Aftertreatment 2 SCR Exhaust Gas Temperature 1</td><td>64824</td><td>Aftertreatment 2 SCR Outlet Temperature</td><td>4415</td><td>16</td><td>4</td><td>1</td><td>68</td></tr><tr><td>MTU SCR Limits</td><td>65443</td><td>LM HI T-Exhaust SCR</td><td>521582</td><td>16</td><td>1</td><td>1</td><td>68</td></tr><tr><td>MTU SCR Limits</td><td>65443</td><td>LM HIHI T-Exhaust SCR</td><td>521583</td><td>16</td><td>3</td><td>1</td><td>68</td></tr><tr><td>MTU SCR Limits</td><td>65443</td><td>LM HI P-Diff Exhaust SCR 1</td><td>521584</td><td>16</td><td>5</td><td>1</td><td>85</td></tr><tr><td>MTU SCR Limits</td><td>65443</td><td>LM HIHI P-Diff Exhaust SCR 1</td><td>521585</td><td>16</td><td>7</td><td>1</td><td>85</td></tr><tr><td>Aftertreatment 1 SCR Dosing System Information 1</td><td>61475</td><td>Aftertreatment 1 SCR System 1 State</td><td>4332</td><td>4</td><td>3</td><td>1</td><td>89</td></tr><tr><td>Aftertreatment 1 SCR Exhaust Gas Pressures</td><td>64831</td><td>Aftertreatment 1 SCR Differential Pressure</td><td>4358</td><td>16</td><td>1</td><td>1</td><td>85</td></tr><tr><td>Aftertreatment 1 SCR Exhaust Gas Pressures</td><td>64831</td><td>Aftertreatment 1 SCR Intake Pressure</td><td>6586</td><td>16</td><td>4</td><td>1</td><td>355</td></tr><tr><td>EES / Electrical Load</td><td>65171</td><td>Electrical Load</td><td>1204</td><td>16</td><td>1</td><td>1</td><td>55</td></tr><tr><td>AT / Alternator Temperature</td><td>65191</td><td>Engine Alternator Bearing 1 Temperature</td><td>1122</td><td>8</td><td>1</td><td>1</td><td>67</td></tr><tr><td>AT / Alternator Temperature</td><td>65191</td><td>Engine Alternator Bearing 2 Temperature</td><td>1123</td><td>8</td><td>2</td><td>1</td><td>67</td></tr><tr><td>AT / Alternator Temperature</td><td>65191</td><td>Engine Alternator Winding 1 Temperature</td><td>1124</td><td>8</td><td>3</td><td>1</td><td>67</td></tr><tr><td>AT / Alternator Temperature</td><td>65191</td><td>Engine Alternator Winding 2 Temperature</td><td>1125</td><td>8</td><td>4</td><td>1</td><td>67</td></tr><tr><td>AT / Alternator Temperature</td><td>65191</td><td>Engine Alternator Winding 3 Temperature</td><td>1126</td><td>8</td><td>5</td><td>1</td><td>67</td></tr><tr><td>T-Exhaust Combined Limits</td><td>65400</td><td>LM HI T-Exhaust Combined A</td><td>520524</td><td>16</td><td>1</td><td>1</td><td>68</td></tr><tr><td>T-Exhaust Combined Limits</td><td>65400</td><td>LM HIHI T-Exhaust Combined A</td><td>520525</td><td>16</td><td>3</td><td>1</td><td>68</td></tr><tr><td>T-Exhaust Combined Limits</td><td>65400</td><td>LM HI T-Exhaust Combined B</td><td>520526</td><td>16</td><td>5</td><td>1</td><td>68</td></tr><tr><td>T-Exhaust Combined Limits</td><td>65400</td><td>LM HIHI T-Exhaust Combined B</td><td>520527</td><td>16</td><td>7</td><td>1</td><td>68</td></tr><tr><td>T-Winding Limits</td><td>65419</td><td>LM HIHI T-Winding L1</td><td>520726</td><td>8</td><td>1</td><td>1</td><td>67</td></tr><tr><td>T-Winding Limits</td><td>65419</td><td>LM HI T-Winding L1</td><td>520727</td><td>8</td><td>2</td><td>1</td><td>67</td></tr><tr><td>T-Winding Limits</td><td>65419</td><td>LM HIHI T-Winding L3</td><td>520728</td><td>8</td><td>3</td><td>1</td><td>67</td></tr><tr><td>T-Winding Limits</td><td>65419</td><td>LM HI T-Winding L3</td><td>520729</td><td>8</td><td>4</td><td>1</td><td>67</td></tr><tr><td>T-Winding Limits</td><td>65419</td><td>LM HIHI T-Winding L2</td><td>520730</td><td>8</td><td>5</td><td>1</td><td>67</td></tr><tr><td>T-Winding Limits</td><td>65419</td><td>LM HI T-Winding L2</td><td>520731</td><td>8</td><td>6</td><td>1</td><td>67</td></tr><tr><td>T-Winding Limits</td><td>65419</td><td>LM LOLO P-Lube Oil (EMU)</td><td>520723</td><td>8</td><td>7</td><td>1</td><td>47</td></tr><tr><td>T-Winding Limits</td><td>65419</td><td>LM LO P-Lube Oil (EMU)</td><td>520724</td><td>8</td><td>8</td><td>1</td><td>47</td></tr></table>									PGN-Name	PGN	SPN-Name	SPN	BitSize	StartByte	StartBit	SLOT	Time/Date	65254	Seconds	959	8	1	1	63	Time/Date	65254	Minutes	960	8	2	1	61	Time/Date	65254	Hours	961	8	3	1	3	Time/Date	65254	Month	963	8	4	1	62	Time/Date	65254	Day	962	8	5	1	60	Time/Date	65254	Year	964	8	6	1	66	MTU System DM1 Producer Extension	65483	MTU DM1 Horn Status	520815	2	1	1	87	MTU User Information	65421	User Information	520714	16	1	1	276	MTU Splash Oil Temperature 3	65371	MTU Splash Oil Temperature Mean	520467	16	1	1	68	MTU Splash Oil Temperature 3	65371	Splash Oil Temperature 11	520395	16	5	1	68	MTU Splash Oil Temperature 3	65371	Splash Oil Temperature 12	520396	16	7	1	68	Engine Average Information	64851	Engine Exhaust Temperature Average	4151	16	1	1	68	MTU Splash Oil Temperature 4	65370	Splash Oil Temperature 13	520397	16	1	1	68	MTU Splash Oil Temperature 4	65370	Splash Oil Temperature 14	520398	16	3	1	68	MTU Splash Oil Temperature 4	65370	Splash Oil Temperature 15	520399	16	5	1	68	MTU Splash Oil Temperature 4	65370	Splash Oil Temperature 16	520400	16	7	1	68	MTU Exhaust Temperature Limits	65411	LM HI T-Exhaust	520354	16	1	1	68	MTU Exhaust Temperature Limits	65411	LM LO T-Exhaust	520355	16	3	1	68	MTU Exhaust Temperature Limits	65411	LM HIHI T-Exhaust	520356	16	5	1	68	MTU Exhaust Temperature Limits	65411	LM LOLO T-Exhaust	520357	16	7	1	68	MTU Splash Oil Temperature 5	65369	Splash Oil Temperature 17	520401	16	1	1	68	MTU Splash Oil Temperature 5	65369	Splash Oil Temperature 18	520402	16	3	1	68	MTU Splash Oil Temperature 5	65369	Splash Oil Temperature 19	520403	16	5	1	68	MTU Splash Oil Temperature 5	65369	Splash Oil Temperature 20	520404	16	7	1	68	Aftertreatment 1 Diesel Exhaust Fluid Tank Volume	65110	Aftertreatment 1 Diesel Exhaust Fluid Tank Volume	1761	8	1	1	44	MTU Several Limits	65442	LM LO P-RA Filter Out at PFM	521586	16	1	1	85	MTU Several Limits	65442	LM HI T-RA at PFM	521587	8	3	1	67	MTU Several Limits	65442	LM LO T-RA at PFM	521588	8	4	1	67	MTU Several Limits	65442	LM LO RA Tank Level	521589	8	5	1	44	MTU Several Limits	65442	LM LOLO RA Tank Level	521590	8	6	1	44	MTU Several Limits	65442	LM LO P-Fuel Prefilter	521591	8	7	1	MTU_pr01	MTU Several Limits	65442	LM LOLO P-Fuel Prefilter	521592	8	8	1	MTU_pr01	Aftertreatment 1 Diesel Exhaust Fluid Information 1	64923	Aftertreatment 1 Diesel Exhaust Fluid Temperature 2	3515	8	1	1	67	Aftertreatment 1 Diesel Exhaust Fluid Information 1	64923	Aftertreatment 1 Diesel Exhaust Fluid Concentration	3516	8	2	1	254	Aftertreatment 1 SCR Exhaust Gas Temperature 1	64830	Aftertreatment 1 SCR Intake Temperature	4360	16	1	1	68	Aftertreatment 1 SCR Exhaust Gas Temperature 1	64830	Aftertreatment 1 SCR Outlet Temperature	4363	16	4	1	68	Aftertreatment 2 SCR Exhaust Gas Temperature 1	64824	Aftertreatment 2 SCR Intake Temperature	4413	16	1	1	68	Aftertreatment 2 SCR Exhaust Gas Temperature 1	64824	Aftertreatment 2 SCR Outlet Temperature	4415	16	4	1	68	MTU SCR Limits	65443	LM HI T-Exhaust SCR	521582	16	1	1	68	MTU SCR Limits	65443	LM HIHI T-Exhaust SCR	521583	16	3	1	68	MTU SCR Limits	65443	LM HI P-Diff Exhaust SCR 1	521584	16	5	1	85	MTU SCR Limits	65443	LM HIHI P-Diff Exhaust SCR 1	521585	16	7	1	85	Aftertreatment 1 SCR Dosing System Information 1	61475	Aftertreatment 1 SCR System 1 State	4332	4	3	1	89	Aftertreatment 1 SCR Exhaust Gas Pressures	64831	Aftertreatment 1 SCR Differential Pressure	4358	16	1	1	85	Aftertreatment 1 SCR Exhaust Gas Pressures	64831	Aftertreatment 1 SCR Intake Pressure	6586	16	4	1	355	EES / Electrical Load	65171	Electrical Load	1204	16	1	1	55	AT / Alternator Temperature	65191	Engine Alternator Bearing 1 Temperature	1122	8	1	1	67	AT / Alternator Temperature	65191	Engine Alternator Bearing 2 Temperature	1123	8	2	1	67	AT / Alternator Temperature	65191	Engine Alternator Winding 1 Temperature	1124	8	3	1	67	AT / Alternator Temperature	65191	Engine Alternator Winding 2 Temperature	1125	8	4	1	67	AT / Alternator Temperature	65191	Engine Alternator Winding 3 Temperature	1126	8	5	1	67	T-Exhaust Combined Limits	65400	LM HI T-Exhaust Combined A	520524	16	1	1	68	T-Exhaust Combined Limits	65400	LM HIHI T-Exhaust Combined A	520525	16	3	1	68	T-Exhaust Combined Limits	65400	LM HI T-Exhaust Combined B	520526	16	5	1	68	T-Exhaust Combined Limits	65400	LM HIHI T-Exhaust Combined B	520527	16	7	1	68	T-Winding Limits	65419	LM HIHI T-Winding L1	520726	8	1	1	67	T-Winding Limits	65419	LM HI T-Winding L1	520727	8	2	1	67	T-Winding Limits	65419	LM HIHI T-Winding L3	520728	8	3	1	67	T-Winding Limits	65419	LM HI T-Winding L3	520729	8	4	1	67	T-Winding Limits	65419	LM HIHI T-Winding L2	520730	8	5	1	67	T-Winding Limits	65419	LM HI T-Winding L2	520731	8	6	1	67	T-Winding Limits	65419	LM LOLO P-Lube Oil (EMU)	520723	8	7	1	47	T-Winding Limits	65419	LM LO P-Lube Oil (EMU)	520724	8	8	1	47
PGN-Name	PGN	SPN-Name	SPN	BitSize	StartByte	StartBit	SLOT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Time/Date	65254	Seconds	959	8	1	1	63																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Time/Date	65254	Minutes	960	8	2	1	61																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Time/Date	65254	Hours	961	8	3	1	3																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Time/Date	65254	Month	963	8	4	1	62																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Time/Date	65254	Day	962	8	5	1	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Time/Date	65254	Year	964	8	6	1	66																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU System DM1 Producer Extension	65483	MTU DM1 Horn Status	520815	2	1	1	87																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU User Information	65421	User Information	520714	16	1	1	276																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 3	65371	MTU Splash Oil Temperature Mean	520467	16	1	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 3	65371	Splash Oil Temperature 11	520395	16	5	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 3	65371	Splash Oil Temperature 12	520396	16	7	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Engine Average Information	64851	Engine Exhaust Temperature Average	4151	16	1	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 4	65370	Splash Oil Temperature 13	520397	16	1	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 4	65370	Splash Oil Temperature 14	520398	16	3	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 4	65370	Splash Oil Temperature 15	520399	16	5	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 4	65370	Splash Oil Temperature 16	520400	16	7	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Exhaust Temperature Limits	65411	LM HI T-Exhaust	520354	16	1	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Exhaust Temperature Limits	65411	LM LO T-Exhaust	520355	16	3	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Exhaust Temperature Limits	65411	LM HIHI T-Exhaust	520356	16	5	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Exhaust Temperature Limits	65411	LM LOLO T-Exhaust	520357	16	7	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 5	65369	Splash Oil Temperature 17	520401	16	1	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 5	65369	Splash Oil Temperature 18	520402	16	3	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 5	65369	Splash Oil Temperature 19	520403	16	5	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Splash Oil Temperature 5	65369	Splash Oil Temperature 20	520404	16	7	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 1 Diesel Exhaust Fluid Tank Volume	65110	Aftertreatment 1 Diesel Exhaust Fluid Tank Volume	1761	8	1	1	44																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Several Limits	65442	LM LO P-RA Filter Out at PFM	521586	16	1	1	85																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Several Limits	65442	LM HI T-RA at PFM	521587	8	3	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Several Limits	65442	LM LO T-RA at PFM	521588	8	4	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Several Limits	65442	LM LO RA Tank Level	521589	8	5	1	44																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Several Limits	65442	LM LOLO RA Tank Level	521590	8	6	1	44																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Several Limits	65442	LM LO P-Fuel Prefilter	521591	8	7	1	MTU_pr01																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU Several Limits	65442	LM LOLO P-Fuel Prefilter	521592	8	8	1	MTU_pr01																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 1 Diesel Exhaust Fluid Information 1	64923	Aftertreatment 1 Diesel Exhaust Fluid Temperature 2	3515	8	1	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 1 Diesel Exhaust Fluid Information 1	64923	Aftertreatment 1 Diesel Exhaust Fluid Concentration	3516	8	2	1	254																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 1 SCR Exhaust Gas Temperature 1	64830	Aftertreatment 1 SCR Intake Temperature	4360	16	1	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 1 SCR Exhaust Gas Temperature 1	64830	Aftertreatment 1 SCR Outlet Temperature	4363	16	4	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 2 SCR Exhaust Gas Temperature 1	64824	Aftertreatment 2 SCR Intake Temperature	4413	16	1	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 2 SCR Exhaust Gas Temperature 1	64824	Aftertreatment 2 SCR Outlet Temperature	4415	16	4	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU SCR Limits	65443	LM HI T-Exhaust SCR	521582	16	1	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU SCR Limits	65443	LM HIHI T-Exhaust SCR	521583	16	3	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU SCR Limits	65443	LM HI P-Diff Exhaust SCR 1	521584	16	5	1	85																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
MTU SCR Limits	65443	LM HIHI P-Diff Exhaust SCR 1	521585	16	7	1	85																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 1 SCR Dosing System Information 1	61475	Aftertreatment 1 SCR System 1 State	4332	4	3	1	89																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 1 SCR Exhaust Gas Pressures	64831	Aftertreatment 1 SCR Differential Pressure	4358	16	1	1	85																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
Aftertreatment 1 SCR Exhaust Gas Pressures	64831	Aftertreatment 1 SCR Intake Pressure	6586	16	4	1	355																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
EES / Electrical Load	65171	Electrical Load	1204	16	1	1	55																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
AT / Alternator Temperature	65191	Engine Alternator Bearing 1 Temperature	1122	8	1	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
AT / Alternator Temperature	65191	Engine Alternator Bearing 2 Temperature	1123	8	2	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
AT / Alternator Temperature	65191	Engine Alternator Winding 1 Temperature	1124	8	3	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
AT / Alternator Temperature	65191	Engine Alternator Winding 2 Temperature	1125	8	4	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
AT / Alternator Temperature	65191	Engine Alternator Winding 3 Temperature	1126	8	5	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Exhaust Combined Limits	65400	LM HI T-Exhaust Combined A	520524	16	1	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Exhaust Combined Limits	65400	LM HIHI T-Exhaust Combined A	520525	16	3	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Exhaust Combined Limits	65400	LM HI T-Exhaust Combined B	520526	16	5	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Exhaust Combined Limits	65400	LM HIHI T-Exhaust Combined B	520527	16	7	1	68																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Winding Limits	65419	LM HIHI T-Winding L1	520726	8	1	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Winding Limits	65419	LM HI T-Winding L1	520727	8	2	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Winding Limits	65419	LM HIHI T-Winding L3	520728	8	3	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Winding Limits	65419	LM HI T-Winding L3	520729	8	4	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Winding Limits	65419	LM HIHI T-Winding L2	520730	8	5	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Winding Limits	65419	LM HI T-Winding L2	520731	8	6	1	67																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Winding Limits	65419	LM LOLO P-Lube Oil (EMU)	520723	8	7	1	47																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
T-Winding Limits	65419	LM LO P-Lube Oil (EMU)	520724	8	8	1	47																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Zeichnungs-Nr./Drawing No.	ZNG00026574						Blatt/ Sheet 9 von/of 43																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	Material-Nr./Material No.	XZ00E52000021																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz. All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

Aenderungsbeschreibung/Description of Revision

war kZ

Kommt vor/Frequency

Buchst./Rev.Ltr.

-.9

Aenderungs-Nr./Revision Notice No.

PR063865

Bearbeitungsstatus/Lifecycle

Released

PGN-Name	PGN	SPN-Name	SPN	BitSize	StartByte	StartBit	SLOT
MTU Generator Temperatures 1	65445	T-Coolant Gen Out	521810	8	3	1	68
MTU Generator Temperatures 1	65445	T-Air Inlet Gen	521839	8	1	1	67
MTU Generator Temperatures 1	65445	T-Air Outlet Gen	521840	8	2	1	67
MTU Binary Signals	65420	Ready For Start Stop FMCS	520718	2	1	7	87
MTU Binary Signals	65420	Engine Stop Active	520719	2	2	1	87
MTU Binary Signals	65420	Start Active	520720	2	2	3	87
MTU Generator Temperatures 1	65445	T-Coolant Gen In	521811	8	4	1	68
T-Winding Limits	65419	LM HI T-Bearing GenDE	521816	8	21	1	68
T-Winding Limits	65419	LM HIHI T-Bearing GenDE	521817	8	22	1	68
T-Winding Limits	65419	LM HI T-Bearing GenNDE	521818	8	23	1	68
T-Winding Limits	65419	LM HIHI T-Bearing GenNDE	521819	8	24	1	68
T-Winding Limits	65419	LM HI T-AirInlet Gen	521820	8	17	1	68
T-Winding Limits	65419	LM HIHI T-AirInlet Gen	521821	8	18	1	68
T-Winding Limits	65419	LM HI T-AirOutlet Gen	521822	8	19	1	68
T-Winding Limits	65419	LM HIHI T-AirOutlet Gen	521823	8	20	1	68
MTU Binary Signals	65420	FIFI Mode Active	521824	2	3	1	87
MTU Binary Signals	65420	Cmd Generator Shutdown	521825	2	3	3	87
T-Winding Limits	65419	LM HI T-Coolant Gen Out	521812	8	13	1	68
T-Winding Limits	65419	LM HI T-Coolant Gen In	521813	8	14	1	68
T-Winding Limits	65419	LM HIHI T-Coolant Gen Out	521814	8	15	1	68
T-Winding Limits	65419	LM HIHI T-Coolant Gen In	521815	8	16	1	68
Dash Display 2	64671	Engine Oil Filter Differential Pressure (Extended)	6321	16	1	1	52
MTU Eng Contr 4 - Addtl Inform	65284	Engine Load Reserve	521826	8	8	1	44
Engine Electronic Controller #1	61444	Injection Quantity 0-120	512	8	2	1	44
MTU Eng Fluid Level Pressure 1	65363	P-Exhaust Back	521828	16	6	1	52
T-Winding Limits	65419	LM HI P-Exhaust Back	521829	16	9	1	52
T-Winding Limits	65419	LM HIHI P-Exhaust Back	521830	16	11	1	52
MTU Several Limits 2	65448	LM AL RA Tank Empty	521933	8	1	1	44
Aftertreatment 2 SCR Exhaust Gas Pressures	64825	Aftertreatment 2 SCR Differential Pressure	4411	16	1	1	85
Aftertreatment 2 SCR Exhaust Gas Pressures	64825	Aftertreatment 2 SCR Intake Pressure	6587	16	4	1	355



Zeichnungs-Nr./Drawing No.

ZNG00026574

Material-Nr./Material No.

XZ00E52000021

Blatt/ Sheet

10

von/of

43

Alle Rechte aus Schutzrechtsanmeldungen vorbehalten. Weitergabe, Vervielfältigung oder sonstige Verwertung ohne Zustimmung nicht gestattet. Zuwiderhandlungen verpflichten zum Schadensersatz.

All industrial property rights reserved. Disclosure, reproduction or use for any other purpose is prohibited unless our express permission has been given. Any infringement results in liability to pay damages.