

FG FG DESIGNATION
004 LABELS AND MISCELLANEOUS MATERIALS
011 CRANKCASE
013 CYLINDER LINER
014 OIL PAN
016 END HOUSING, MAIN PTO END AND AUX PTO END
018 CRANKCASE BREATHER
024 GEARCASE, AUX PTO END
031 CRANKSHAFT
032 CRANKSHAFT SUPPORT BEARINGS, MAIN PTO END
035 CRANKSHAFT, PTO, AUX PTO END
036 CRANKSHAFT TRANSPORTATION LOCKING DEVICE
037 PISTON
038 CONROD
041 CYLINDER HEAD
042 CYLINDER HEAD ATTACHMENTS
051 CAMSHAFT
054 ROLLER TAPPETS, PUSH RODS
071 INJEKCTION PUMP DRIVE / PUMP DRIVE HIGH PRESSURE
073 INJECTION PUMP / HP PUMP
075 FUEL INJECTOR
077 HP FUEL LINE / HP LINE
079 TIMING ADJUSTMENT
081 FUEL PIPEWORK BEFORE DELIVERY PUMP
083 FUEL FILTER
084 FUEL SUPPLY TO INJECTION PUMP
087 LEAK-OFF FUEL MONITORING
090 CONTROL LINKAGE
096 ELECTRONIC ENGINE GOVERNOR (ON-ENGINE SCOPE OF SUPPLY)
101 TURBOCHARGER (H.P)
114 CHARGE AIR COOLING, CENTRAL
121 AIR FILTER
123 AIR SYSTEM
124 AIR SUPPLY TO CYLINDERS
141 EXHAUST SYSTEM, CYLINDER HEAD - EXH. MANIFOLD
143 CARRIER HOUSING
144 EXHAUST FLOW CONTROL FLAP WITH CONTROLS
172 ELECTRIC STARTING
181 LUBE OIL PUMP AND DRIVE
182 ADDITIONAL EQUIPMENT FOR DRY SUMP LUBRICATION
183 OIL FILTRATION/COOLING
184 CRANKCASE-INTERNAL OIL SUPPLY
187 VALVE SEAT LUBRICATION
202 HIGH-TEMPERATURE CIRCUIT
205 COOLANT COOLER ATTACHING H/WARE
206 COOLANT PIPEWORK WITH THERMOSTAT
207 RAW WATER PUMP WITH CONNECTIONS
208 COOLANT EXPANSION TANK

TYPE: 12V396TE94
SERIAL NO.: 5584046

5584046

FG/FGS:
BOM NO.: 12V396TE94

FG FG DESIGNATION

213 GENERATOR

231 ENGINE MOUNTING

241 CONNECTION PARTS,ENGINE/GEARBOX,DRIVING END

251 STEEL-SPRING COUPLING

507 GENERAL WIRING, ENGINE/GEARBOX/PLANT

508 ENGINE GOVERNOR (ELECTRONIC) CONTROL SYSTEM

515 PRESSURE/TEMPERATURE MONITORING SYSTEMS (EXCL. EXHAUST GAS)

519 LEVEL MONITORING SYSTEM

522 MEASURING SYSTEMS (PRESSURE/TEMPERATURE/POSITION/WEIGHT)

TYPE: 12V396TE94
SERIAL NO.: 5584046

5584046

FG/FGS: 004
BOM NO.:

GROUP NUMBER (FG)
GROUP NAME
BOM NO.

Achtung! Motorenöl nur bis zur oberen Markierung am Ölmeßstab einfüllen
ATTENTION! Fill engine oil only up to the upper mark on dipstick
ATTENTION! Ne remplir de l'huile-moteur que jusqu'au repère supérieur sur la jauge d'huile
Atención! Rellenar aceite motor sólo hasta la marcación superior de la varilla indicadora del nivel de aceite
Atenção! Encher óleo de motor só até a marcação superior da vareta medidora do nível de óleo
Attenzione! Introdurre olio motore solo fino alla graduazione superiore dell'asta livello olio
Dikkat! Motor yağını, yağ seviyesi ölçme çubuğunun sadece üst işaretine kadar doldurunuz

61 MMN 425

PLATE
000.01003

00400044a

TYPE: 12V396TE94
SERIAL NO.: 5584046

PLATE

FG/FGS: 004 05
BOM NO.: 000.01003

20

Achtung! Motorenöl nur bis zur oberen Markierung am Ölmeßstab einfüllen

ATTENTION! Fill engine oil only up to the upper mark on dipstick

ATTENTION! Ne remplir de l'huile-moteur que jusqu'au repère supérieur sur la jauge d'huile

Atención! Rellenar aceite motor sólo hasta la marcación superior de la varilla indicadora del nivel de aceite

Atenção! Encher óleo de motor só até a marcação superior da vareta medidora do nível de óleo

Attenzione! Introdurre olio motore solo fino alla graduazione superiore dell'asta livello olio

Dikkat! Motor yágini, yág seviyesi ölçme çubugunun sadece üst isaretine kadar doldurunuz

61 MMN 425

00400044a






TYPE: 12V396TE94
SERIAL NO.: 5584046

PLATE

FG/FGS: 004 05
BOM NO.: 000.01003

30

45



00400045a

Vor Tausch des Filtereinsatzes unbedingt Ölschlamm ablassen.

Prior to replacement of filter insert oil sludge must positively be drained.

Avant de remplacer l'élément filtrant, il faut absolument vidanger les crasses d'huile.

Antes de substituir o elemento filtrante, é indispensável despejar a lama de óleo.

Antes de cambiar el elemento filtrante, es imprescindible evacuar el todo de aceite.

Prima di sostituire la cartuccia filtrante è assolutamente necessario di scaricare la morchia.

SÜZGEÇ ELAMANI DEĞİSTİRİLMEDEN ÖNCE BİRİKİNTİ YAĞLAR TÜMÜYLE BOSALTILMALIDIR.

Før innsetting av nytt filter må oljeslam fjernes.

Πριν την αντικατάσταση του φίλτρου εισαγωγής πρέπει να γίνει οποιαδήποτε αποστράγγιση ελαίου

قبل تغيير وليجة والمرشح يجب تصفية رواسب الزيت تماماً .

41.4 MMN 426

00400046a

Achtung

**Vor Inbetriebnahme beziehungsweise Durchdrehen des Motors
Transportsicherungen für Kurbelwelle, Motorlagerung und
Anbauten nach Vorschrift abbauen.**


Warning

**Before barring or starting the engine, remove
transportation locks from crankshaft, engine mounts
and attachments as per instructions.**

53 MMN 425

00400047a

95



00400048a


POS.	PART NO.	DESIGNATION	QTY.	UNITS	FN	MEASUREMENT	STANDARD
20	700425000115	"PLATE"	1	PC		61	MMN425
30	700425000005	"PLATE"	1	PC		04	MMN425
35	(001476003007)	"GROOVED PIN"	4	PC	KE	3 X 6	ISO8746
45	700425000108	"PLATE"	1	PC		40.3	MMN425
55	700425000109	"PLATE"	1	PC		41.4	MMN425
65	700425000052	"PLATE"	1	PC		36.1	MMN425
75	700425000073	"PLATE"	1	PC		51 ; TYPENSCHILD UNBESCHRIFTET	MMN425
85	700425000085	"PLATE"	2	PC		53	MMN425
95	700425000112	"PLATE"	1	PC		47.2	MMN425

TYPE: 12V396TE94
SERIAL NO.: 5584046


5584046

FG/FGS: 011
BOM NO.:

GROUP NUMBER (FG)
GROUP NAME
BOM NO.



CRANKCASE
010.00419




COVER FOR CAMSHAFT GEAR
010.00457

TYPE: 12V396TE94
SERIAL NO.: 5584046

CRANKCASE

FG/FGS: 011 05
BOM NO.: 010.00419




01100608a

TYPE: 12V396TE94
SERIAL NO.: 5584046

CRANKCASE

FG/FGS: 011 05
BOM NO.: 010.00419




01100609a

TYPE: 12V396TE94
SERIAL NO.: 5584046

5584046

FG/FGS: 011 05
BOM NO.: 010.00419

POS.	PART NO.	DESIGNATION	QTY.	UNITS	FN	MEASUREMENT	STANDARD
295	5580107206	"CRANKCASE"	1	PC			
305	700521012100	"WASHER"	1	PC		12,1	MMN521
310	000933012049	"SCREW"	1	PC		M 12 X 60	DIN933
320	007603045101	"SEALING RING"	2	PC		A 45 X 52	DIN7603
325	000908045003	"PLUG"	2	PC		M 45 X 1,5	DIN908
335	007603012110	"SEALING RING"	1	PC		A 12 X 17	DIN7603
340	000908012003	"PLUG"	1	PC		M 12 X 1,5	DIN908
350	007603048101	"SEALING RING"	1	PC		A 48 X 55	DIN7603
355	000908048004	"PLUG"	1	PC		M 48 X 1,5	DIN908
365	0000110032	"COVER"	12	PC			
370	5500110132	"COVER"	1	PC	NN		
380	700429075002	"O-RING"	1	PC		75 X 3,5	MMN429
385	000125008427	"WASHER"	2	PC		A 8,4	DIN125
390	304017008081	"SCREW"	2	PC		M 8 X 25	ISO4017
400	007603020101	"SEALING RING"	1	PC		A 20 X 24	DIN7603
405	000908020000	"PLUG"	1	PC		M 20 X 1,5	DIN908
410	007603030101	"SEALING RING"	1	PC		A 30 X 36	DIN7603
415	000908030002	"PLUG"	1	PC		M 30 X 1,5	DIN908
425	007603022102	"SEALING RING"	2	PC		A 22 X 27	DIN7603
430	000908022001	"PLUG"	2	PC		M 22 X 1,5	DIN908
440	5550140333	"COVER"	1	PC			
445	5550140380	"GASKET"	1	PC			
450	000137010202	"SPRING WASHER"	2	PC		B 10	DIN137
455	000933010035	"SCREW"	2	PC		M 10 X 25	DIN933
465	007603016105	"SEALING RING"	1	PC		A 16 X 20	DIN7603
470	000908016001	"PLUG"	1	PC		M 16 X 1,5	DIN908
480	5591870037	"INTERMEDIATE MEMBER"	1	PC	NN		
485	700429050003	"O-RING"	2	PC		50 X 4	MMN429
495	700429166000	"O-RING"	1	PC		166 X 6	MMN429
500	5909970440	"SEALING RING"	2	PC			MMN387
505	007603014102	"SEALING RING"	2	PC		A 14 X 18	DIN7603
510	000908014001	"PLUG"	2	PC		M 14 X 1,5	DIN908
515	5599970032	"PLUG"	2	PC			
520	5550101251	"OIL SPRAY NOZZLE"	6	PC	SB		
530	000137008203	"SPRING WASHER"	12	PC		B 8	DIN137
535	000933008242	"SCREW"	12	PC		M 8 X 65	DIN933
545	5531870224	"BRACKET"	1	PC			
550	700429021000	"O-RING"	2	PC		21 X 4	MMN429
560	007603026104	"SEALING RING"	1	PC		A 26 X 31	DIN7603
565	5501870169	"SCREW-FITTING UNION"	1	PC			



01100607a

POS.	PART NO.	DESIGNATION	QTY.	UNITS	FN	MEASUREMENT	STANDARD
5	(5580113101)	"CRANKCASE"	1	PC	KE		
10	(5550130024)	"OIL PIPE"	1	PC	KE		
15	(5580110124)	"OIL PIPE"	1	PC	KE		
30	5550111070	"STUD"	14	PC			
35	5550111170	"STUD"	14	PC			
40	5500110511	"CRANKSHAFT BRG CAP"	1	PC			
45	5550110312	"CRANKSHAFT BRG CAP"	6	PC			
55	5500110154	"SLEEVE"	14	PC			
60	5379900150	"COLLAR NUT"	28	PC			
65	000933018009	"SCREW"	2	PC		M 18 X150	DIN933
70	5500110052	"WASHER"	2	PC			
80	000443050002	"COVER"	10	PC		A 50	DIN443
90	5500330074	"PIN"	7	PC			
100	000835010062	"STUD"	4	PC		M 10 X 20	DIN835
105	000835010074	"STUD"	8	PC		M 10 X 35	DIN835
115	000835008076	"STUD"	6	PC		M 8 X 13	DIN835
125	000835010063	"STUD"	8	PC		M 10 X 14	DIN835
135	5500540432	"GUIDE BUSHING"	24	PC			
145	000007012221	"DOWEL PIN"	16	PC		12 H8 X 28	DIN7
155	5500511710	"CAMSHAFT BEARING"	13	PC	M		
165	5500511810	"CAMSHAFT BUSHING SIZE 1-0"	2	PC	M		