

Maintenance Schedule

Diesel Engine

EPA

6 R 1600 M20 S

Application Group 3A

MSE50123/01E



Power. Passion. Partnership.

Table 1: Applicability

1 Maintenance Schedule

1.1 Preface

The maintenance schedule is applicable to products certified in accordance with U.S. emissions regulations and operated in the area of applicability of these regulations.

The following instructions must be observed for these products:

The maintenance schedule is an integral part of the emissions certification. Nonobservance of the maintenance instructions can result in violation of the statutory emission specifications. Modification or removal of mechanical or electronic components or the installation of additional components as well as the execution of calibration processes that might affect the emission characteristics of the product are prohibited by emission regulations. Emission-related components, e.g. control units, sensors, cylinder heads, injectors and exhaust flaps can only be serviced, replaced or repaired if components approved by MTU or equivalent components are used.

The maintenance system for MTU products is based on a preventive maintenance concept. Preventive maintenance facilitates advance operational planning and ensures a high level of equipment availability. The maintenance intervals and the scope of required maintenance activities are the result of operational experience and therefore represent recommendations. Severe operating and ambient conditions may require additional maintenance work and/or modification of the maintenance intervals.

Maintenance activities are specified with intervals based on hours in operation and time limits. Whichever value is reached first shall apply.

The individual maintenance intervals are classified in accordance with the qualification levels QL1 to QL4.

QL1: Operational monitoring and maintenance work which does not require disassembly of the product.

QL2: Exchange of components and parts (corrective only, not part of the maintenance schedule).

QL3: Maintenance work which requires partial disassembly of the product.

QL4: Maintenance work which requires complete disassembly of the product.

Additional notes on maintenance and preservation:

For change intervals for fluids and lubricants as well as for preservation specifications, refer to the relevant instructions of the component manufacturers and the MTU Fluids and Lubricants Specifications. The latest version is available at: <http://www.mtu-online.com>.

Components which are not listed in this maintenance schedule must be serviced in accordance with Manufacturer's Instructions.

Application Group

3A Continuous operation, unrestricted

Load profile

Load	110%	100%	75%	50%	30%	<10%
Corresponding operating time	<1%	3%	15%	40%	25%	16%

1.2 Maintenance schedule matrix

0-14,500 Operating hours

Task	Limit	Operating hours [h]																													
		Daily	500	1,000	1,500	2,000	2,500	3,000	3,500	4,000	4,500	5,000	5,500	6,000	6,500	7,000	7,500	8,000	8,500	9,000	9,500	10,000	10,500	11,000	11,500	12,000	12,500	13,000	13,500	14,000	14,500
Engine																															
W1008	2 a																														
W0500	-	X																													
W0501	-	X																													
W0507	-	X																													
W0521	-	X																													
W1001	2 a		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
W1675	2 a		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
W1003	2 a			X		X		X		X		X		X		X		X		X		X		X		X		X		X	
W1207	2 a			X		X				X				X				X				X				X				X	
W1505	3 a							X						X						X						X					
W1005	3 a							X						X						X						X					
W1914	9 a							X						X						X						X					
W1055	6 a											X										X									
W1006	18 a																X														
W1178	18 a																X														
W1298	18 a																X														
W1636	18 a																X														
W2017	9 a																X														
W2062	9 a																X														
W2072	9 a																X														
W2126	9 a																X														
W1038	18 a																X														
W1615	9 a																					X									
W1250	6 a																														
W1251	6 a																														
W1063	9 a																														
W1007	18 a																														
W1042	18 a																														
W3141	18 a																														
Engine mounts																															
W1865	3 a							X						X						X						X					
W1866	3 a							X						X						X						X					
W1464	18 a																														
w = weeks m = months a = years																															

TIM-ID: 0000000003 - 001