



9. STOPPING A CHARGE REMOTELY



Mobile Apps and other UIs




When stopping a charge locally, the process is similar than using **an RFID tag** to start a charge. The station sends a **StopTransaction** message to the central system, which confirms receipt of the message.

Another way to use stations is to start charge through **mobile app** or through another remote interface, such as **web-based admin system**. In these cases the flow is a bit different: The Central System initiates the stop with a **RemoteStopTransaction**.



Step 1: RemoteStopTransaction.req -message




Mobile apps, web-based UIs, or other user interfaces for EV charging can connect to the central system through methods such as a REST API.

When the central system decides it is okay to stop a charging transaction on a station, it sends a **RemoteStopTransaction.req** command to the station with the **transaction ID** of the transaction to be stopped.



Step 2: RemoteStopTransaction.conf -message




Upon receiving the request message, the station checks whether the transaction can be stopped and sends either an **Accepted** or **Rejected** response back to the central system. It's important to note that the station's

Accepted response to the remote stop request only indicates that it **is now possible to stop** the transaction, and does not necessarily mean that the charging process has actually been stopped.




Step 3: StopTransaction.req-message



Once the charging process **has actually been stopped** at the station and the EV is no longer being charged, the station will send a normal **StopTransaction.req** message to the central system. This message follows the same structure and flow as a StopTransaction message that is sent during a charging process that is initiated using an RFID tag.




Step 4: StopTransaction.conf-message



As the final step in the flow, the central system sends a **StopTransaction.conf** message back to the charging station to confirm that it has received the information about the stopped transaction.




Summary: Remote vs. Local stop



Local stop flow:

1. An EV driver presents their RFID tag to the charging station.
2. The station sends a "**StopTransaction.req**" message to the central system.
3. The central system responds with a "**StopTransaction.conf**" message, indicating that it has received the stop message.



Remote stop flow:

1. An EV driver stops charging from an app. The app calls an API in the central system, which checks that stopping is allowed.
2. The central system sends a "**RemoteStopTransaction.req**" message to the charging station, which either accepts or rejects the request.
3. If the station accepts the remote stop, it sends a "StopTransaction.req" message and central system confirms it

