# Trees - Introduction

- A tree is a nonlinear hierarchical data structure that consists of nodes connected by edges.

- Different tree data structures allow quicker and easier access to the data as it is a non-linear data structure.

Properties of Trees

- There is one and only one path between every pair of vertices in a tree.

- A tree with n vertices has n-1 edges.

- A graph is a tree if and if only if it is minimally connected.

- Any connected graph with n vertices and n-1 edges is a tree.

Tree Applications

- Binary Search Trees(BSTs) are used to quickly check whether an element is present in a set or not.

- Heap is a kind of tree that is used for heap sort.

- A modified version of a tree called Tries is used in modern routers to store routing information.

- Most popular databases use B-Trees and T-Trees, which are variants of the tree structure we learned above to store their data

- Compilers use a syntax tree to validate the syntax of every program you write.

Tree terminologies

- **Node** - A node is an entity that contains a key or value and pointers to its child nodes.
  - The last nodes of each path are called **leaf nodes or external nodes** that do not contain a link/pointer to child nodes.
  - The node having at least a child node is called an **internal node**.
- **Edge -**It is the link between any two nodes.
- **Root -** It is the topmost node of a tree.

Tree terminologies

Root

- The first node from where the tree originates is called as a **root node**.
- In any tree, there must be only one root node.
- We can never have multiple root nodes in a tree data structure.

Edge

- The connecting link between any two nodes is called as an **edge**.
- In a tree with n number of nodes, there are exactly (n-1) number of edges.

Parent

- The node which has a branch from it to any other node is called as a **parent node**.
- In other words, the node which has one or more children is called as a parent node.
- In a tree, a parent node can have any number of child nodes.

Parent of B and C

- Node A is the parent of nodes B and C
- Node B is the parent of nodes D, E and F
- Node C is the parent of nodes G and H
- Node E is the parent of nodes I and J
- Node G is the parent of node K

Child

- The node which is a descendant of some node is called as a **child node**.
- All the nodes except root node are child nodes.

Child of A

Child of B

- Nodes B and C are the children of node A
- Nodes D, E and F are the children of node B
- Nodes G and H are the children of node C
- Nodes I and J are the children of node E
- Node K is the child of node G

Siblings

- Nodes which belong to the same parent are called as **siblings**.
- In other words, nodes with the same parent are sibling nodes.

- Nodes B and C are siblings
- Nodes D, E and F are siblings
- Nodes G and H are siblings
- Nodes I and J are siblings

Degree

- **Degree of a node** is the total number of children of that node.
- **Degree of a tree** is the highest degree of a node among all the nodes in the tree.

Degree(B) = 3   Degree(C) = 2

- Degree of node A = 2
- Degree of node B = 3
- Degree of node C = 2
- Degree of node D = 0
- Degree of node E = 2
- Degree of node F = 0
- Degree of node G = 1
- Degree of node H = 0
- Degree of node I = 0
- Degree of node J = 0
- Degree of node K = 0

Internal node

- The node which has at least one child is called as an **internal node**.

- Internal nodes are also called as **non-terminal nodes**.

- Every non-leaf node is an internal node.

Here, nodes A, B, C, E and G are internal nodes.

Leaf node

- The node which does not have any child is called as a **leaf node**.

- Leaf nodes are also called as **external nodes** or **terminal nodes**.


Here, nodes D, I, J, F, K and H are leaf nodes.

Level

- In a tree, each step from top to bottom is called as **level of a tree**.
- The level count starts with 0 and increments by 1 at each level or step.

Height

- Total number of edges that lies on the longest path from any leaf node to a particular node is called as **height of that node**.
- **Height of a tree** is the height of root node.
- Height of all leaf nodes = 0

- Height of node A = 3
- Height of node B = 2
- Height of node C = 2
- Height of node D = 0
- Height of node E = 1
- Height of node F = 0
- Height of node G = 1
- Height of node H = 0
- Height of node I = 0
- Height of node J = 0
- Height of node K = 0

Depth

- Total number of edges from root node to a particular node is called as **depth of that node**.
- **Depth of a tree** is the total number of edges from root node to a leaf node in the longest path.
- Depth of the root node = 0
- The terms "level" and "depth" are used interchangeably.

Depth(B) = 1

Depth(H) = 2

- Depth of node A = 0
- Depth of node B = 1
- Depth of node C = 1
- Depth of node D = 2
- Depth of node E = 2
- Depth of node F = 2
- Depth of node G = 2
- Depth of node H = 2
- Depth of node I = 3
- Depth of node J = 3
- Depth of node K = 3

Subtree

- In a tree, each child from a node forms a **subtree** recursively.
- Every child node forms a subtree on its parent node.

Forest

- A forest is a set of disjoint trees.

Forest

Types of Tree

- General Tree
- Binary Tree
- Binary Search Tree
- AVL Tree
- Red-Black Tree
- N-ary Tree

Binary Tree

- Binary tree is a special tree data structure in which each node can have at most 2 children.

- Thus, in a binary tree, Each node has either 0 child or 1 child or 2 children.

Binary Tree Example

Unlabeled Binary Tree

- A binary tree is unlabeled if its nodes are not assigned any label.

Unlabeled Binary Tree

Number of different Binary Trees possible with 'n' unlabeled nodes $= \dfrac{^{2n}C_n}{n+1}$

Example

- Consider we want to draw all the binary trees possible
- Number of binary trees possible with 3 unlabeled nodes
- $= {}^{2 \times 3}C_3 / (3 + 1)$
- $= {}^{6}C_3 / 4$
- $= 5$

Binary Trees Possible With 3 Unlabeled Nodes

Labeled Binary Tree

- A binary tree is labelled if all its nodes are assigned a label.

Labeled Binary Tree

$$\text{Number of different Binary Trees possible with 'n' labeled nodes} = \frac{^{2n}C_n}{n+1} \times n!$$

Example

- Consider we want to draw all the binary trees possible with 3 labeled nodes.
- Number of binary trees possible with 3 labeled nodes
- $= \{\, ^{2 \times 3}C_3 / (3 + 1) \,\} \times 3!$
- $= \{\, ^6C_3 / 4 \,\} \times 6$
- $= 5 \times 6$
- $= 30$


It Gives Rise to Following 6 Labeled Structures

# Types of Binary Trees

Rooted Binary Tree

- A **rooted binary tree** is a binary tree that satisfies the following 2 properties:
 - It has a root node.
  - Each node has at most 2 children.

Rooted Binary Tree

Full/Strictly Binary Tree

- A binary tree in which every node has either 0 or 2 children is called as a **Full binary tree**.

- Full binary tree is also called as **Strictly binary tree**.

Complete /Perfect Binary Tree

- A **complete binary tree** is a binary tree that satisfies the following 2 properties:
  - Every internal node has exactly 2 children.
 - All the leaf nodes are at the same level.

Almost Complete Binary Tree

- An **almost complete binary tree** is a binary tree that satisfies the following 2 properties-
  - All the levels are completely filled except possibly the last level.
 - The last level must be strictly filled from left to right.

Skewed Binary Tree

- A **skewed binary tree** is a binary tree that satisfies the following 2 properties-
- All the nodes except one node has one and only one child.
- The remaining node has no child.

OR

- A **skewed binary tree** is a binary tree of n nodes such that its depth is (n-1).

**Left Skewed Binary Tree**   **Right Skewed Binary Tree**

Tree Traversal

- In order to perform any operation on a tree, you need to reach to the specific node. The tree traversal algorithm helps in visiting a required node in the tree.

- Tree Traversal refers to the process of visiting each node in a tree data structure exactly once.

Tree traversal techniques

Depth First Traversal

- Following three traversal techniques fall under Depth First Traversal-

  1. Preorder Traversal

  2. Inorder Traversal

  3. Postorder Traversal

Preorder Traversal

- **Algorithm-**
  - Visit the root
  - Traverse the left sub tree i.e. call Preorder (left sub tree)
  - Traverse the right sub tree i.e. call Preorder (right sub tree)

Preorder Traversal : A , B , D , E , C , F , G

Preorder Traversal Shortcut

Traverse the entire tree starting from the root node keeping yourself to the left.

Preorder Traversal : A , B , D , E , C , F , G

Inorder Traversal

- **<u>Algorithm-</u>**
  - Traverse the left sub tree i.e. call Inorder (left sub tree)
  - Visit the root
  - Traverse the right sub tree i.e. call Inorder (right sub tree)

Inorder Traversal : D , B , E , A , F , C , G

Inorder Traversal Shortcut

Keep a plane mirror horizontally at the bottom of the tree and take the projection of all the nodes.


D   B   E   A   F   C   G

Inorder Traversal : D , B , E , A , F , C , G

Postorder Traversal

- **<u>Algorithm-</u>**
  - Traverse the left sub tree i.e. call Postorder (left sub tree)
  - Traverse the right sub tree i.e. call Postorder (right sub tree)
  - Visit the root


Postorder Traversal : D , E , B , F , G , C , A

Postorder Traversal Shortcut

Pluck all the leftmost leaf nodes one by one.

Postorder Traversal : D , E , B , F , G , C , A

Breadth First Search

- Breadth First Traversal of a tree prints all the nodes of a tree level by level.

- Breadth First Traversal is also called as **Level Order Traversal**.

Level Order Traversal : A , B , C , D , E , F , G

Binary Search Tree construction

- In a binary search tree (BST), each node contains:
  - Only smaller values in its left sub tree
  - Only larger values in its right sub tree

BST construction

- Number of distinct binary search trees possible with 3 distinct Nodes

    $= {}^{2 \times 3}C_3 / 3{+}1$

    $= {}^{6}C_3 / 4$

    $= 5$

- If three distinct Nodes are A, B and C, then 5 distinct binary search trees are: