NAME: MRIGENDRA SINGH CHAUHAN

UNIVERSITY ROLL NO.: 1250264057

SECTION : BCACS12

PROJECT

CASE STUDY 1

What is Blockchain?

A blockchain is a **distributed, decentralized digital ledger** that records transactions across a network of computers. Once data is recorded, it becomes extremely difficult to alter — making it one of the most tamper-resistant data storage systems ever devised.

Think of it as a shared Google Doc that thousands of people hold simultaneously, where every edit is permanently visible, and no single person controls it.

How Blockchain Works

Core Components

1. Blocks Each block contains:

- A set of transaction data
- A timestamp
- A cryptographic hash (unique fingerprint)
- The hash of the previous block (creating the "chain")

2. The Chain Blocks are linked sequentially. Altering any block would invalidate all subsequent blocks, making fraud immediately detectable.

3. Nodes Thousands of computers (nodes) hold identical copies of the blockchain. There is no single point of failure or control.

4. Consensus Mechanisms Before a new block is added, the network must agree it's valid. Common methods include:

Mechanism	How it works	Used by
Proof of Work (PoW)	Miners solve complex puzzles	Bitcoin
Proof of Stake (PoS)	Validators stake crypto as collateral	Ethereum
Delegated PoS	Token holders vote for delegates	EOS, Tron
Proof of Authority	Pre-approved validators	Private chains

Key Properties of Blockchain

- **Decentralization** — No single authority controls the data
- **Immutability** — Records cannot be altered once confirmed
- **Transparency** — All participants can view the ledger
- **Security** — Cryptographic hashing protects each block
- **Trustlessness** — No need to trust a third party (bank, government, intermediary)

Types of Blockchain

1. Public Blockchain

Open to anyone. Fully decentralized. Examples: Bitcoin, Ethereum.

2. Private Blockchain

Controlled by a single organization. Used internally. Examples: Hyperledger Fabric.

3. Consortium (Federated) Blockchain

Controlled by a group of organizations. Semi-decentralized. Examples: R3, Energy Web Chain.

4. Hybrid Blockchain

Combines public and private elements. Example: Dragonchain.

Uses of Blockchain in Detail

1. Cryptocurrency & Finance

The original use case. Bitcoin (2009) was the first application. Blockchain enables:

- Peer-to-peer payments without banks
- Cross-border transfers in minutes (vs. days via SWIFT)
- DeFi (Decentralized Finance) — lending, borrowing, earning interest without banks
- Stablecoins pegged to fiat currencies (USDC, DAI)

2. Supply Chain Management

Blockchain provides end-to-end visibility and traceability:

- **Walmart** uses it to trace food from farm to shelf in seconds (vs. 7 days manually)
- **Maersk** tracks shipping containers globally
- Detects counterfeit goods by verifying product origin
- Reduces paperwork and fraud in import/export

3. Healthcare

- Secure sharing of patient records across hospitals
- Drug traceability — verifying authenticity of medicines
- Clinical trial data integrity — preventing manipulation of results
- Insurance claims automation via smart contracts

4. Voting Systems

- Tamper-proof digital voting
- Increases voter participation via mobile voting
- Real-time, auditable results
- Already piloted in West Virginia (US), Sierra Leone, and Switzerland

5. NFTs & Digital Ownership

- NFTs (Non-Fungible Tokens) prove ownership of digital art, music, collectibles
- Artists earn royalties automatically on resales
- Gaming assets (weapons, skins) can be truly owned and traded
- Ticketing — prevents scalping and fraud

6. Education

- Tamper-proof digital certificates and degrees
- MIT already issues blockchain diplomas
- Instant verification for employers
- Micro-credentials for skills-based learning

7. **Cybersecurity**

- Decentralized DNS to prevent DDoS attacks
- Immutable audit logs for compliance
- Securing IoT devices via blockchain-based authentication

CASE STUDY 2

Topic 1: Smart Contracts & Decentralized Applications (DApps)

Imagine you and a friend make a bet — "If it rains tomorrow, you pay me ₹500." Normally, you'd need to **trust each other** to actually pay. But what if a neutral robot automatically transferred the money the moment it detected rain? That's exactly what a **Smart Contract** does.

A **Smart Contract** is a self-executing program stored on the blockchain. It contains rules written in code, and when those rules are satisfied, the contract **executes automatically** — no human, no bank, no lawyer needed.

Key Characteristics:

- **Automatic** — Executes on its own when conditions are met
- **Transparent** — Everyone can read the code

- **Irreversible** — Once deployed, it cannot be tampered with
- **Trustless** — No need to trust the other party — trust the code

How It Works (Step by Step):

Step 1: Two parties agree on terms

↓

Step 2: Developer writes the agreement in code (Solidity on Ethereum)

↓

Step 3: Contract is deployed on the blockchain

↓

Step 4: Blockchain monitors conditions 24/7

↓

Step 5: Condition is met → Contract auto-executes

↓

Step 6: Result is permanently recorded. No reversals.

What is a DApp?

A **Decentralized Application (DApp)** is an app that runs on a blockchain instead of a centralized server. It uses smart contracts as its backend.

Feature	Traditional App	DApp
Server	Centralized (company-owned)	Decentralized (blockchain)
Control	Company controls your data	You control your data
Downtime	Possible	Nearly impossible
Censorship	Can be shut down	Cannot be shut down
Example	Paytm, Zomato	Uniswap, Aave, OpenSea

How I Would Use This in the Real World

My Idea: Smart Contract-Based Agricultural Loan System for Indian Farmers

India has **millions of farmers** who struggle to get fair loans. They deal with:

- Corrupt middlemen
- Delayed payments
- Unfair interest rates
- Crop insurance fraud

Here's my solution using Smart Contracts:

Step 1 — Farmer Registration The farmer registers on a DApp with their Aadhar-linked digital identity and land records stored on blockchain.

Step 2 — Loan Application via Smart Contract A smart contract is created between the farmer and a lending institution:

IF (crop is sown AND verified by satellite/IoT sensor)

THEN release 50% of loan amount automatically

IF (crop is harvested AND yield is confirmed)

THEN release remaining 50%

Step 3 — Crop Insurance via Smart Contract

IF (rainfall < 200mm in district X during June–August)

THEN automatically transfer insurance amount to farmer's wallet

No claim forms. No agent visits. **Instant, automatic, fair.**

Step 4 — Market Payment When the farmer sells produce to a government mandi, payment is auto-released via smart contract upon delivery confirmation — no delays, no corruption.

Impact:

- Eliminates middlemen and corruption
- Farmers get fair, instant payments
- Banks reduce loan default risk
- Government can track subsidy usage transparently

Topic 2: Network Consensus & Byzantine Fault Tolerance (BFT)

Imagine a group of **10 friends** deciding where to eat dinner over WhatsApp. Some are honest, some are indecisive, and one friend keeps changing their vote to confuse everyone. How does the group still reach a **fair decision**?

This is exactly the problem blockchain solves through **Network Consensus** — how thousands of computers (nodes) across the world, who don't trust each other, all **agree on the same version of truth**.

Why Is Consensus Needed?

In a decentralized network with no central authority, any node could:

- Send false transaction data
- Try to spend the same coin twice (**Double Spending**)
- Attempt to corrupt the ledger

Consensus mechanisms ensure that **the majority of honest nodes always win**.

Major Consensus Mechanisms Explained Simply:

1. Proof of Work (PoW) — Bitcoin

- Nodes (miners) compete to solve a complex mathematical puzzle
- The winner adds the next block and earns a reward (Bitcoin)
- Cheating requires controlling 51% of global computing power — practically impossible
- **Downside:** Wastes enormous electricity

2. Proof of Stake (PoS) — Ethereum

- Validators lock up (stake) their own cryptocurrency as collateral
- Selected randomly (weighted by stake) to validate blocks
- If they cheat, they lose their staked coins (**slashing**)
- **Much more energy-efficient than PoW**

3. Byzantine Fault Tolerance (BFT) This is the theoretical foundation of all consensus. Named after the **Byzantine Generals Problem:**

Imagine several army generals surrounding a city. They must all agree to attack or retreat simultaneously. But some generals might be traitors sending conflicting messages. How do the loyal generals still coordinate correctly?

In blockchain terms:

- Generals = Nodes
- Traitors = Malicious/faulty nodes
- Message = Transaction data

BFT guarantees the system works correctly as long as less than ⅓ of nodes are malicious.

Bitcoin uses PoW to solve BFT. Hyperledger and many enterprise blockchains use **Practical BFT (PBFT)** directly for faster consensus.

Sybil Attacks & How Consensus Prevents Them

A **Sybil Attack** is when one bad actor creates thousands of fake identities (nodes) to take over the network's voting power.

Consensus mechanisms prevent this by making it **expensive** to participate:

- PoW → You need real computing power (hardware + electricity)
- PoS → You need real cryptocurrency staked

Fake identities cost real money — making mass Sybil attacks economically irrational.

How I Would Use This in the Real World

My Idea: BFT-Based Transparent University Examination & Results System

In India, **exam paper leaks, result tampering, and marksheet fraud** are serious problems. Here's how I'd apply consensus and BFT to fix this:

The System Architecture:

Nodes = Universities + CBSE/State Boards + Ministry of Education

(All act as validators in the network)

How It Works:

Step 1 — Question Paper Security

- Exam papers are encrypted and stored on blockchain

- Smart contract releases decryption key **only** at exam time
- Even if one node (university) is compromised, BFT ensures the correct paper is released

Step 2 — Answer Sheet Hashing

- Each student's answer sheet is scanned and its **hash** stored on blockchain immediately after submission
- Any tampering after the fact changes the hash → **instantly detected**

Step 3 — Result Consensus

- Multiple evaluators (nodes) submit marks independently
- A **BFT consensus** algorithm calculates the final result only when ⅔ of evaluators agree
- No single examiner can manipulate a result alone

Step 4 — Tamper-Proof Marksheets

- Final results are recorded permanently on blockchain
- Employers can verify any marksheet in seconds by checking the blockchain
- Fake degrees become **impossible**

Impact:

- Zero paper leaks
- No result tampering
- Instant, verifiable degree certificates
- Builds trust in India's education system globally
- Reduces RTI complaints and court cases over result disputes

---