

Human Fall Flat 実績に関する情報

Msgames79

2026 年 7 月 7 日

目次

1	まえがき	7
2	実績の基礎知識	7
2.1	分類	7
2.2	列挙型 Achievement	7
2.3	実績に関する C# クラス	7
2.3.1	StatsAndAchievements	7
2.4	実績の解除システム	9
3	実績の解説	9
3.1	Stat-Based	9
3.1.1	12. 旅行者、13. 旅人、14. 冒険家	9
3.1.2	15. まるで雨のようだ	10
3.1.3	a	13
3.1.4	a	13
3.1.5	a	13
3.1.6	a	13
3.1.7	a	13
3.1.8	a	13
3.1.9	a	13
3.1.10	a	13
3.1.11	a	14
3.2	General	14
3.2.1	a	14
3.2.2	a	14
3.2.3	a	14
3.2.4	a	14
3.2.5	a	14
3.2.6	a	14
3.2.7	a	14

3.2.8	a	14
3.2.9	a	15
3.2.10	a	15
3.2.11	a	15
3.2.12	a	15
3.2.13	a	15
3.2.14	a	15
3.2.15	a	15
3.2.16	a	15
3.2.17	a	15
3.2.18	a	16
3.2.19	a	16
3.2.20	a	16
3.2.21	a	16
3.2.22	a	16
3.2.23	a	16
3.2.24	a	16
3.2.25	a	16
3.2.26	a	16
3.2.27	a	17
3.2.28	a	17
3.2.29	a	17
3.2.30	a	17
3.2.31	a	17
3.2.32	a	17
3.2.33	a	17
3.2.34	a	17
3.2.35	a	17
3.2.36	a	18
3.2.37	a	18
3.2.38	a	18

3.2.39	a	18
3.2.40	a	18
3.2.41	a	18
3.2.42	a	18
3.2.43	a	18
3.2.44	a	18
3.2.45	a	19
3.2.46	a	19
3.2.47	a	19
3.2.48	a	19
3.2.49	a	19
3.2.50	a	19
3.2.51	a	19
3.2.52	a	19
3.2.53	a	19
3.2.54	a	20
3.2.55	a	20
3.2.56	a	20
3.2.57	a	20
3.2.58	a	20
3.2.59	a	20
3.2.60	a	20
3.2.61	a	20
3.2.62	a	20
3.2.63	a	21
3.2.64	a	21
3.2.65	a	21
3.2.66	a	21
3.2.67	a	21
3.2.68	a	21
3.2.69	a	21

3.2.70	a	21
3.2.71	a	21
3.2.72	a	22
3.2.73	a	22
3.2.74	a	22
3.2.75	a	22
3.2.76	a	22
3.2.77	a	22
3.2.78	a	22
3.2.79	a	22
3.2.80	a	22
3.2.81	a	23
3.2.82	a	23
3.2.83	a	23
3.2.84	a	23
3.2.85	a	23
3.2.86	a	23
3.2.87	a	23
3.2.88	a	23
3.2.89	a	23
3.2.90	a	24
3.2.91	a	24
3.2.92	a	24
3.2.93	a	24
3.2.94	a	24
3.2.95	a	24
3.2.96	a	24
3.2.97	a	24
3.2.98	a	24
3.2.99	a	25
3.2.100	a	25

3.2.101	a	25
3.2.102	a	25
3.2.103	a	25
3.2.104	a	25
3.2.105	a	25
3.2.106	a	25
3.2.107	a	25
3.2.108	a	26
3.2.109	a	26
3.2.110	a	26
3.2.111	a	26
3.2.112	a	26
3.2.113	a	26
3.2.114	a	26
3.2.115	a	26
3.2.116	a	26
3.2.117	a	27
3.2.118	a	27
3.2.119	a	27
3.2.120	a	27
3.2.121	a	27
3.2.122	a	27
3.2.123	a	27
3.2.124	a	27
3.2.125	a	27
3.2.126	a	28
3.2.127	a	28
3.2.128	a	28
3.2.129	a	28
3.2.130	a	28
3.2.131	a	28

3.2.132	a		28
3.2.133	a		28
3.2.134	a		28
3.2.135	a		29
3.2.136	a		29
3.2.137	a		29
3.2.138	a		29
3.2.139	a		29
3.2.140	a		29

1 まえがき

この文書は No Brakes Games が制作、Curve Games が販売を行うゲーム Human Fall Flat の実績についての情報を集めたものである。この文書は常に正しい情報を保証するものではない。また、情報については Steam 版をもとに作成している。

2 実績の基礎知識

実績とは、プレイヤーが起こしたアクションを認めるシステムである。実績の内容(条件)はゲームの制作者が設定し、実績の条件を満たすことを「解除」と呼ぶ。Human Fall Flat では、実績を管理するために C#クラスを用意している。

2.1 分類

General条件を満たすことでいつでも解除することができる、一般的な実績。特定のステージでないと解除できないものが多い。

Stat-Based追跡システムを用いてプレイヤーの行動を記録し、一定条件に達することで解除できる実績。どんな場所でも解除できる。

2.2 列挙型 Achievement

アセンブリ:Assembly-CSharp.dll

各実績に対する AchievementID が書かれている。

2.3 実績に関する C#クラス

2.3.1 StatsAndAchievements

アセンブリ:Assembly-CSharp.dll

インスタンス:DontDestroyOnLoad/Game(Clone)/Achievements

static メソッド(代表的なもの)

- void AddCarry(Human human, float m)
- void AddClimb(Human human, float m)
- void AddDrive(float m)
- void AddDumpster(float m)
- void AddShip(float m)
- void AddTravel(Human human, float m)
- void IncreaseDrownCount(Human human)
- void IncreaseFallCount(Achievement achievement, float amount)
- void OnNotifyUnlockAchievement(Achievement achievement, float amount)
- void PassLevel(string, Human)
- void ResetAchievements(string currentLevelName, Human human)
- void Save(bool triggerSave = true)
- void UnlockAchievement(Achievement achievement, bool incAchievement = false, int localPlayerIndex = -1)
- void UnlockAchievementInternal(Achievement achievement, bool incAchievement, int localPlayerIndex = -1)

static フィールド

- float carryM
- float climbM
- float driveM
- int drown
- float dumpsterM
- int fall
- int jump
- int savedCarryM
- int savedClimbM
- int savedDriveM

- `int savedDumpsterM`
- `int savedShipM`
- `int savedtravelM`
- `float shipM`
- `float travelM`
- `System.Collections.Generic.List<Achievement> unlocked`

2.4 実績の解除システム

ここでは、ゲーム内で実績を解除する時にどんな処理を行っているかについて書く。ここでは、「段差にご注意！」を例に解説する。

1. ステージの Scene 内に実績のためのオブジェクトが生成される。(ここでは `Intro/Level/Achievements/JumpGapAchievement`、また子オブジェクトに `EntryCollider`、`ZoneCollider`、`PassCollider`。親オブジェクトはクラス `JumpGapAchievement` のインスタンスでもある。)
2. メソッド `StatsAndAchievements.UnlockAchievement(Achievement.ACH_INTRO_JUMP_GAP, false, -1)` が呼び出される。

3 実績の解説

`Stat-Based` は実績リストの途中に挿入されているが、今後の更新で増えることはおそらくなく、特殊な分類なので先に取り上げる。また、番号は列挙型 `Achievement` の順番に基づく。

3.1 Stat-Based

`Stat-Based` 系の実績は `StatsAndAchievements.UnlockAchievement` を経由しないことが判明した。よって、ここでは解除の条件と各 (その実績に関係する) `Stat` の増加方法についてのみ述べる。

3.1.1 12. 旅行者、13. 旅人、14. 冒険家

- 条件: `int StatsAndAchievements.savedTravelM` が目標値に達する。
- 旅行者では 1000、旅人では 15000、冒険家では 25000。
- `Stat(savedTravelM)` の増加方法 (原理)
 1. プレイヤーの State が別の状態から Walk になったフレームで `DontDestroyOnLoad/Player(Clone)/Ball` の位置を開始位置 `Vector3 StatMonitorHuman.walkStartPos` とする。
 2. `float UnityEngine.Time.deltaTime` 秒毎に (毎フレーム) `walkStartPos` から現在位置 `Vector3 Human.instance.GameObject.transform.position` の差の Y 成分を 0 にし、大きさ `float magnitude` を求める。
 3. プレイヤーの State が Walk から別の状態になったフレームで、`magnitude` が 0.5m 以上なら `float travelM` に加算する。0.5m 未満なら何もしない。
 4. Walk 中に `magnitude` が 10 を超えた場合、即座に `magnitude` を `travelM` に加算し、`walkStartPos` を現在位置にする。
 5. `travelM` の百の位が 1 以上増加した時点で、`trunc(travelM)` を `int savedTravelM` に保存する。
- 関連するクラス
 - Human
 - StatMonitorHuman

3.1.2 15. まるで雨のようだ

- 条件: `int StatsAndAchievements.fall` が 1000 に達する。
- `Stat(fall)` の増加方法 (原理)
 1. a
- Layer が Triggers 以外に設定されている `FallTrigger`
 - – Halloween/Level/FallTrigger
 - Ice_merged/Level/FallTrigger
 - Factory/Level/Net Scene 6/Conveyor Smasher Furnaces/Con

- veyor 1/Furnace/Fall Trigger
- Factory/Level/Net Scene 6/Conveyor Smasher Furnaces/Conveyor 2/Furnace/Fall Trigger
- Factory/Level/Net Scene 7 (Achievements and end building)/End Building/Portal (1)/Fall trigger
- Factory/Level/Net Scene 6/Last building/Portal/Ring/Field/Electricity (1)
- Factory/Level/Net Scene 6/Level 2/danger blades/Fall Trigger
- Factory/Level/Net Scene 5/Throwy bit/Crane Contraption/Ball Catcher/Fall trigger
- Forest/Level/NetScene1/FallTrigger
- Lab/Level/Scene2: MagnetRoom/BoxRespawner
- Tower/Level/Area 2 (Tower)/Top Section/Gameplay/Top Part/Bottom
- Tower/Level/Area 2 (Tower)/Puzzle Section 1/Gameplay/Tower Lava/Lava Fall Trigger
- CopperWorld/Level/Area3/Puzzle2/Cube
- CopperWorld/Level/Area3/Puzzle2/Cube (1)
- Facility/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/0FallTrigger
- Facility/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerCellsLasers
- Facility/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerControlLasers
- Facility/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerDuringFabrication
- Facility/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTrigger_LB_Lab
- Facility/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerFakeExitLasers1

- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerObservationLasers
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerRGAdv
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerLBTut2
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerFakeExitLasers2
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerCozyLab2
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerLBAdv
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerCozyLab1
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerRGTut
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerUnderElevatorLower
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerCP12
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerFakeExitLasers3
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerLBTut1
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerUnderElevatorUpper
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerUnderElevatorRecycling
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTriggers/FallTriggerUtilExit
- Facillity/Level/0Parent_ObjectsRespawn/0Parent_FallTrig

gers/FallTriggerFakeExitLasers4

- 関連するクラス
 - Game.Fall

3.1.3 a

- a

3.1.4 a

- a

3.1.5 a

- a

3.1.6 a

- a

3.1.7 a

- a

3.1.8 a

- a

3.1.9 a

- a

3.1.10 a

- a

3.1.11 a

- a

3.2 General

3.2.1 a

- a

3.2.2 a

- a

3.2.3 a

- a

3.2.4 a

- a

3.2.5 a

- a

3.2.6 a

- a

3.2.7 a

- a

3.2.8 a

- a

3.2.9 a

- a

3.2.10 a

- a

3.2.11 a

- a

3.2.12 a

- a

3.2.13 a

- a

3.2.14 a

- a

3.2.15 a

- a

3.2.16 a

- a

3.2.17 a

• a

3.2.18 a

• a

3.2.19 a

• a

3.2.20 a

• a

3.2.21 a

• a

3.2.22 a

• a

3.2.23 a

• a

3.2.24 a

• a

3.2.25 a

• a

3.2.26 a

- a

3.2.27 a

- a

3.2.28 a

- a

3.2.29 a

- a

3.2.30 a

- a

3.2.31 a

- a

3.2.32 a

- a

3.2.33 a

- a

3.2.34 a

- a

3.2.35 a

• a

3.2.36 a

• a

3.2.37 a

• a

3.2.38 a

• a

3.2.39 a

• a

3.2.40 a

• a

3.2.41 a

• a

3.2.42 a

• a

3.2.43 a

• a

3.2.44 a

- a

3.2.45 a

- a

3.2.46 a

- a

3.2.47 a

- a

3.2.48 a

- a

3.2.49 a

- a

3.2.50 a

- a

3.2.51 a

- a

3.2.52 a

- a

3.2.53 a

• a

3.2.54 a

• a

3.2.55 a

• a

3.2.56 a

• a

3.2.57 a

• a

3.2.58 a

• a

3.2.59 a

• a

3.2.60 a

• a

3.2.61 a

• a

3.2.62 a

• a

3.2.63 a

• a

3.2.64 a

• a

3.2.65 a

• a

3.2.66 a

• a

3.2.67 a

• a

3.2.68 a

• a

3.2.69 a

• a

3.2.70 a

• a

3.2.71 a

- a

3.2.72 a

- a

3.2.73 a

- a

3.2.74 a

- a

3.2.75 a

- a

3.2.76 a

- a

3.2.77 a

- a

3.2.78 a

- a

3.2.79 a

- a

3.2.80 a

• a

3.2.81 a

• a

3.2.82 a

• a

3.2.83 a

• a

3.2.84 a

• a

3.2.85 a

• a

3.2.86 a

• a

3.2.87 a

• a

3.2.88 a

• a

3.2.89 a

• a

3.2.90 a

• a

3.2.91 a

• a

3.2.92 a

• a

3.2.93 a

• a

3.2.94 a

• a

3.2.95 a

• a

3.2.96 a

• a

3.2.97 a

• a

3.2.98 a

- a

3.2.99 a

- a

3.2.100 a

- a

3.2.101 a

- a

3.2.102 a

- a

3.2.103 a

- a

3.2.104 a

- a

3.2.105 a

- a

3.2.106 a

- a

3.2.107 a

• a

3.2.108 a

• a

3.2.109 a

• a

3.2.110 a

• a

3.2.111 a

• a

3.2.112 a

• a

3.2.113 a

• a

3.2.114 a

• a

3.2.115 a

• a

3.2.116 a

• a

3.2.117 a

• a

3.2.118 a

• a

3.2.119 a

• a

3.2.120 a

• a

3.2.121 a

• a

3.2.122 a

• a

3.2.123 a

• a

3.2.124 a

• a

3.2.125 a

• a

3.2.126 a

• a

3.2.127 a

• a

3.2.128 a

• a

3.2.129 a

• a

3.2.130 a

• a

3.2.131 a

• a

3.2.132 a

• a

3.2.133 a

• a

3.2.134 a

- a

3.2.135 a

- a

3.2.136 a

- a

3.2.137 a

- a

3.2.138 a

- a

3.2.139 a

- a

3.2.140 a

- a