Why Framework? Tode reusability (PHP -> Laravel - Codequiters -> easy to use TAVA - Hybernate Selenium Framework?

(i) Data Driven Framework | Excelebrat Model-DB Securelly

(2) Keyword Driven Framework > Went

Controlled

Controlled SEND-KEYS Presention dayer

(3) Modular (POM) -> Page Object Model Pom in Manen

(A) BDD , Behavior Driven Development Project Object

Model

Model

rage Object Model Where we consto L Pomis a design pattern 7 fb - Login Page - Login Clars Test of Glanes for each Page to out mate the scripts, TestNGlasses Logan Test NG class. WebElementof Password is _ Button Login Forgottenopmd Create New Account properties enterDate ()] Methods
Click (1)

Pom Folder Structure

1. MANEN Project Devloper L'erc/main/java JAVAclasses -> Page Objects (pkg)

(page class)-- utility (pkg) (Common classes)

unit TCs L. sec/test/jang J. Test NG Classes Hssertion Pagetests (pkg)
(testNG classes) Lat Data (Pkg)
(Excelshut, CSV, DB)

At Project Root Level

- config (Folder)

 (config Froperties File)
- -> Screenshots (folder)

(main/sama) Config. (test/jm1) Pageobjects TestNG Clanses driver. find floment (Parent Base Pagelclass) Config. propertus -Base Test (prent) [Inhut) [Login Page (child). HoginTest (C) ep. Methodclathy La cator Home (C) browser - Chromes HomeTen (C) Josephin prode - F. Password By 11d('login) (commondances)

S ReadConfights & (class) Jr Validations Screenshots Assertions > XlsReader (class) failedig Screenshots