


A thick dark blue vertical bar runs down the left side of the page. A blue arrow points to the right from the bar, containing the text [Date].

[Date]

AP USER

[Sous-titre du document]

Several thin, curved lines in dark blue and light grey originate from the bottom left and sweep upwards and to the right.

Ravelosoa MSOILI-DAOUD
[NOM DE LA SOCIETE]

Table des matières

Appliquez la modification à la base.....	2
Créer un fichier de migrations pour insérer des utilisateurs.....	2
Créer le Controller, Modele ainsi que les méthodes et vues index, view ; edit ;delete	3
Création UsersController	4
Dans le dossier templates il faut créer un dossier Users après une fiche index.....	5
Dans le dossier templates Users on crée une fiche edit.....	8
Dans UsersTable rajoute les règles	9
Gérer l'authentification et hash les password.....	10
générer les tables.....	10

cake bake migration CreateUsers name:string lastname:string age:integer email:string
username:string password:string created modified

```
C:\wamp64\www\blog_app\bin>cake bake migration CreateUsers name:string lastname:string age:integer email:string username:string password:string created modified
Creating file C:\wamp64\www\blog_app\config\Migrations\20251008065555_CreateUsers.php
Wrote 'C:\wamp64\www\blog_app\config\Migrations\20251008065555_CreateUsers.php'
```

- Observez le contenu du fichier créé

```
<?php
declare(strict_types=1);

use Migrations\BaseMigration;

class CreateUsers extends BaseMigration
{
    /**
     * Change Method.
     *
     * More information on this method is available here:
     * https://book.cakephp.org/migrations/4/en/migrations.html#the-change-method
     *
     * @return void
     */
    public function change(): void
    {
        $table = $this->table('users');
        $table->addColumn('name', 'string', [
            'default' => null,
            'limit' => 255,
            'null' => false,
        ]);
        $table->addColumn('lastname', 'string', [
            'default' => null,
            'limit' => 255,
            'null' => false,
        ]);
        $table->addColumn('age', 'integer', [
            'default' => null,
            'limit' => 11,
            'null' => false,
        ]);
        $table->addColumn('email', 'string', [
            'default' => null,
            'limit' => 255,
            'null' => false,
        ]);
    }
}
```

Appliquez la modification à la base


```
C:\wamp64\www\blog_app\bin>cake migrations migrate

== 20251008065555 CreateUsers: migrating
== 20251008065555 CreateUsers: migrated 0.1806s
All Done. Took 0.2479s
```

Créer un fichier de migrations pour insérer des utilisateurs

```
C:\wamp64\www\blog_app\bin>cake migrations create InsertUsers

Creating file C:\wamp64\www\blog_app\config\Migrations\20251008071425_InsertUsers.php
Wrote 'C:\wamp64\www\blog_app\config\Migrations\20251008071425_InsertUsers.php'
```



```
C:\wamp64\www\blog_app\bin>cake migrations migrate

== 20251008071425 InsertUsers: migrating
== 20251008071425 InsertUsers: migrated 0.0196s
All Done. Took 0.0705s
```

```
public function up(): void {
    $users = $this->table('users');
    $rows = [
        ['name' => 'name1', 'username' => 'username1', 'lastname' => 'lastname1', 'age' => 12, 'password' => 'password1', 'email' => 'name@'],
        ['name' => 'name2', 'username' => 'username2', 'lastname' => 'lastname2', 'age' => 13, 'password' => 'password2', 'email' => 'name@'],
        ['name' => 'name3', 'username' => 'username3', 'lastname' => 'lastname3', 'age' => 14, 'password' => 'password3', 'email' => 'name@'],
        ['name' => 'name4', 'username' => 'username4', 'lastname' => 'lastname4', 'age' => 15, 'password' => 'password4', 'email' => 'name@'],
        ['name' => 'name5', 'username' => 'username5', 'lastname' => 'lastname5', 'age' => 16, 'password' => 'password5', 'email' => 'name@']
    ];
    $users->insert($rows)->saveData();
}

public function down(): void {
    $this->execute('DELETE from users');
}
```

```
C:\wamp64\www\blog_app\bin>cake migrations rollback
```

```
== 20251008071425 InsertUsers: reverting
== 20251008071425 InsertUsers: reverted 0.0736s
All Done. Took 0.1263s
```


```
C:\wamp64\www\blog_app\bin>cake migrations migrate
```

```
== 20251008071425 InsertUsers: migrating
== 20251008071425 InsertUsers: migrated 0.0570s
All Done. Took 0.1179s
```

		id	name	lastname	age	email	username	password	created	modified
☐	Éditer Copier Supprimer	1	name1	lastname1	12	name@gmail.com	username1	password1	2025-10-08 09:48:32	2025-10-08 09:48:32
☐	Éditer Copier Supprimer	2	name2	lastname2	13	name@gmail.com	username2	password2	2025-10-08 09:48:32	2025-10-08 09:48:32
☐	Éditer Copier Supprimer	3	name3	lastname3	14	name@gmail.com	username3	password3	2025-10-08 09:48:32	2025-10-08 09:48:32
☐	Éditer Copier Supprimer	4	name4	lastname4	15	name@gmail.com	username4	password4	2025-10-08 09:48:32	2025-10-08 09:48:32
☐	Éditer Copier Supprimer	5	name5	lastname5	16	name@gmail.com	username5	password5	2025-10-08 09:48:32	2025-10-08 09:48:32

Créer le Controller, Modele ainsi que les méthodes et vues index, view ; edit ;delete .

a. Création Modele



```

<?php

namespace App\Model\Table;

use Cake\ORM\Table;
use cake\Validation\Validator;

class UsersTable extends Table {

    public function initialize(array $config): void {
        $this->addBehavior('Timestamp');
    }

    public function validationDefault(Validator $validator): Validator {
        $validator
            ->notEmptyString('title', __('veuillez renseigner un title'))
            ->notEmptyString('content', __('veuillez renseigner un content'));

        return $validator;
    }
}

```

Création UsersController

 New PHP File

Steps

1. Choose File Type
2. **Name and Location**

Name and Location

File Name:

Project:

Folder:

Created File:


< Back

Next >

Finish

Cancel

Help




```
<?php
```

```
namespace App\Controller;
```

```
class UsersController extends AppController {

    public function index() {
        //on récupère tous les posts et on les stocke dans $mesUsers
        $mesUsers = $this->Users->find()->all();
        $this->set(compact('mesUsers'));
    }
}
```

Dans le dossier templates il faut créer un dossier Users après une
fiche index



New Folder

Steps

1. Choose File Type

2. **Name and Location**

Name and Location

Folder Name:

Project:

Parent Folder:

Created Folder:

< Back

Next >

Finish

Cancel

Help

New PHP File

Steps

1. Choose File Type

2. **Name and Location**

Name and Location

File Name:

Project:

Folder:

Created File:

< Back

Next >

Finish

Cancel

Help

templatesArticlesErrorPagesUsers

index.php

20251008071425_InsertUsers.phpArticlesController.phpUsersController.phpUsersTable.phpindex.phpindex.phpdetail.php

SourceHistory

```
<h1>Tous les users du Blog</h1>
<?=
$this->html->link('Ajouter un user',
    ['controller' => 'users', 'action' => 'add'],
    ['class' => 'button']);
?>

<table>
    <tr>
        <th>Id</th>
        <th>Name</th>
        <th>LastName</th>
        <th>Username</th>
        <th>Age</th>
        <th>Password</th>
        <th>Email</th>
        <th>created</th>
        <th>modified</th>

    </tr>

    <!-- Ici se trouve l'itération sur l'objet query de notre $mesUsers, l'affichage des infos des users -->
    <?php foreach ($mesUsers as $user): ?>
        <tr>
            <td><?= $user->id ?></td>
            <td><?= $user->name ?></td>
            <td><?= $user->lastname ?></td>
            <td><?= $user->username ?></td>
            <td><?= $user->age ?></td>
            <td><?= $user->password ?></td>
            <td><?= $user->email ?></td>
            <td><?= $user->created->format(DATE_RFC850) ?></td>
            <td><?= $user->modified->format(DATE_RFC850) ?></td>

        </tr>
    <?php endforeach; ?>
</table>

        <?=
        $this->html->link('Modifier',
            ['controller' => 'users', 'action' => 'edit', $user->id],
            [
                'class' => 'button',
                'style' => 'background-color: Orange']);
        ?>
        <?=
        $this->Form->postLink(
            __('Supprimer'),
            ['action' => 'delete', $user->id],
            [
                'confirm' => __("Vraiment supprimer l'utilisateur {0} dont l'id vaut {1} ", $user->username, $user->id),
                'class' => 'button',
                'style' => 'background-color: Black'])
        ?>
    </td>
</tr>
<?php endforeach; ?>
</table>
```

Activier Windows

a. Dans le dossier templates Users on crée une fiche view


```

<h1>Détail de l'utilisateur <?= h($leUser->id) ?></h1>

<p>
    <small>Created : <?= $leUser->created->format(DATE_RFC850) ?></small><br/>
    <small>Modified : <?= $leUser->modified->format(DATE_RFC850) ?></small>
</p>

<table>
    <tr>
        <th>Champs</th>
        <th>Valeur</th>
    </tr>

    <?php foreach ($leUser->toArray() as $userKey => $userValue): ?>
    <tr>
        <td><?= $userKey ?></td><td><?= $userValue ?></td>
    </tr>
    <?php endforeach; ?>
</table>

<?=
    $this->html->link('Retour à la liste des utilisateurs', [
        'controller' => 'users',
        'action' => 'index']);
?>

```

Dans le dossier templates Users on crée une fiche edit

```

<h1>Modifier l'utilisateur "<?= $leUser->username?>" (id = <?= $leUser->id ?>)</h1>

<?php
    echo $this->Form->create($leUser);
    echo $this->Form->control('name');
    echo $this->Form->control('lastname');
    echo $this->Form->control('age');
    echo $this->Form->control('email');
    echo $this->Form->control('username');
    echo $this->Form->control('password');
    echo $this->Form->button(__("Mettre à jour l'utilisateur"));
    echo $this->Form->end();
?>

<br/>
<?=
    $this->html->link('Retour aux utilisateurs',
        ['controller' => 'users', 'action' => 'index'],
        ['class' => 'button']);
?>

```

Tous les utilisateurs du Blog

AJOUTER UN UTILISATEUR

Id	Name	LastName	Age	Username	Email	Password	Date de création	Date de modification	Actions
1	name1	lastname1	12	username1	password1	name@gmail.com	Wednesday, 08-Oct-25 09:48:32 UTC	Wednesday, 08-Oct-25 09:48:32 UTC	MODIFIER SUPPRIMER
2	name2	lastname2	13	username2	password2	name@gmail.com	Wednesday, 08-Oct-25 09:48:32 UTC	Wednesday, 08-Oct-25 09:48:32 UTC	MODIFIER SUPPRIMER

Dans UsersTable rajoute les règles

```
<?php

namespace App\Model\Table;

use Cake\ORM\Table;
use cake\Validation\Validator;

class UsersTable extends Table {

    public function initialize(array $config): void {
        $this->addBehavior('Timestamp');
    }


    public function validationDefault(Validator $validator): Validator {
        $validator
            ->notEmptyString('password', __('veuillez renseigner un titre'))
            ->notEmptyString('name', __('veuillez renseigner un titre'))
            ->notEmptyString('lastname', __('veuillez renseigner un titre'))
            ->notEmptyString('username', __('veuillez renseigner un content'))
            ->notEmptyString('age', __('veuillez renseigner un titre'))
            ->notEmptyString('email', __('veuillez renseigner un titre'));

        return $validator;
    }
}
```

Modifier l'utilisateur "username1" (id = 1)

Name	name1
Lastname	lastname1
Age	12
Email	name@gmail.com
Username	username1
Password	

METTRE À JOUR L'UTILISATEUR



b. Elevez le password

Id	Name	LastName	Age	Username	Email	Date de création	Date de modification	Actions
1	name1	lastname1	12	username1	name@gmail.com	Wednesday, 08-Oct-25 09:48:32 UTC	Wednesday, 08-Oct-25 09:48:32 UTC	MODIFIER SUPPRIMER
2	name2	lastname2	13	username2	name@gmail.com	Wednesday, 08-Oct-25 09:48:32 UTC	Wednesday, 08-Oct-25 09:48:32 UTC	MODIFIER SUPPRIMER

- c. Les mdp sont en claire donc n'importe personne peut voir les mdp. Donc il faut hasher.

Gérer l'authentification et hash les password

```
C:\wamp64\www\blog_app\bin>composer require "cakephp/authentication:^3.3"
No composer.json in current directory, do you want to use the one at C:\wamp64\www\blog_app? [Y,n]? y
Always want to use the parent dir? Use "composer config --global use-parent-dir true" to change the default.
./composer.json has been updated
Running composer update cakephp/authentication
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
- Locking cakephp/authentication (3.3.2)
```

générer les tables.

```
C:\wamp64\www\blog_app\bin>cake bake model Users
One moment while associations are detected.

Baking table class for Users...

File 'C:\wamp64\www\blog_app\src\Model\Table\UsersTable.php' exists
Do you want to overwrite? (y/n/a/q)
[n] > n
Skip 'C:\wamp64\www\blog_app\src\Model\Table\UsersTable.php'

Deleted 'C:\wamp64\www\blog_app\src\Model\Table\.gitkeep'

Baking entity class for User...
```

```

<?php
declare(strict_types=1);

namespace App\Model\Entity;

] use Cake\ORM\Entity;

] /**
 * User Entity
 *
 * @property int $id
 * @property string $name
 * @property string $lastname
 * @property int $age
 * @property string $email
 * @property string $username
 * @property string $password
 * @property \Cake\I18n\DateTime $created
 * @property \Cake\I18n\DateTime $modified
 */
class User extends Entity
] {
]     /**
     * Fields that can be mass assigned using newEntity() or patchEntity().
     *
     * Note that when '*' is set to true, this allows all unspecified fields to
     * be mass assigned. For security purposes, it is advised to set '*' to false
     * (or remove it), and explicitly make individual fields accessible as needed.
     *
     * @var array<string, bool>
     */

```

d. Rajouter use Authentication et protected function pour hasher les mdp

```

6  use Cake\ORM\Entity;
7  use Authentication\PasswordHasher\DefaultPasswordHasher;

52
53  protected function _setPassword(string $password) : ?string{
54      return (new DefaultPasswordHasher())->hash($password);
55  }
56  }

```

```
C:\wamp64\www\blog_app\bin>cake migrations rollback
```

```

== 20251008071425 InsertUsers: reverting
== 20251008071425 InsertUsers: reverted 0.0465s
All Done. Took 0.1065s

```

```
C:\wamp64\www\blog_app\bin>cake migrations migrate
```

```

== 20251008071425 InsertUsers: migrating
== 20251008071425 InsertUsers: migrated 0.0716s
All Done. Took 0.1243s

```

id name lastname age email username password created modified											
			6	name1	lastname1	12	name@gmail.com	naoy	\$2y\$10\$qrEFj9XONez5/m2v7_hJom4o91JrNNooH2k7E#G8...	2025-10-10 05:15:12	2025-10-10 06:16:05
			7	name2	lastname2	13	name@gmail.com	username2	password2	2025-10-10 05:15:12	2025-10-10 05:15:12
			8	name3	lastname3	14	name@gmail.com	username3	password3	2025-10-10 05:15:12	2025-10-10 05:15:12
			9	name4	lastname4	15	name@gmail.com	username4	password4	2025-10-10 05:15:12	2025-10-10 05:15:12
			10	name5	lastname5	16	name@gmail.com	username5	password5	2025-10-10 05:15:12	2025-10-10 05:15:12

New PHP File

Steps

1. Choose File Type

2. **Name and Location**

Name and Location

File Name:

Project:

Folder:

Created File:

< Back

Next >

Finish

Cancel

Help

```
<?php
    echo $this->Form->create($leNewUser);
    echo $this->Form->control('name');
    echo $this->Form->control('lastname');
    echo $this->Form->control('age');
    echo $this->Form->control('email');
    echo $this->Form->control('username');
    echo $this->Form->control('password');
    echo $this->Form->button(__("Créer l'utilisateur"));
    echo $this->Form->end();
?>
<br/>
<?=
$this->html->link('Retour aux utilisateurs',
    ['controller' => 'users', 'action' => 'index'],
    ['class' => 'button']);
?>
```

Modifier l'utilisateur "Djav" (id = 11)

Name

nami

Lastname

omo

Age

15

Email

djaver@gmail.com

Username

Djav

Password

.....

11	nami	omo	15	Djav	djaver@gmail.com	Friday, 10-Oct-25 06:31:32 UTC	Friday, 10-Oct-25 06:31:32 UTC
----	------	-----	----	------	------------------	-----------------------------------	-----------------------------------

MODIFIER

SUPPRIMER

Server Windo
Accédez aux paran

Éditer Copier Supprimer 11 nami omo 15 djaver@gmail.com Djav \$2y\$10\$lw0/bB.wDaGvYv9as7CSXesuwuRXfOeS7RAyVN MQEY... 2025-10-10 06:31:32 2025-10-10 06:31:32