

AP M2L

[SOUS-TITRE DU DOCUMENT]


Ravelosoa MSOILI-DAOUD



[NOM DE LA SOCIETE] | [ADRESSE DE LA SOCIETE]


Table des matières

I.	Installer PostgreSQL.....	1
II.	Installer pgadmin	7
III.	Installer composer	11
IV.	Installer le Project M2L.....	15
V.	Configuration de la BDD	15
VI.	Régler le problème des extasions	16
VII.	Générer les tables	20
VIII.	Résultat Final	24


I. Installer PostgreSQL







MDP : Bts2025@



Installation



Port

Sélectionnez le numéro du port sur lequel le serveur devra écouter

Port

InstallBuilder

< Retour

Suivant >

Annuler

Installation



Options avancés

Sélectionnez la locale utilisée par le nouveau cluster de bases de données.



Locale


InstallBuilder

< Retour


Suivant >



Annuler









II. Installer pgadmin










Connect to Server



Please enter the password for the user 'postgres' to connect the server - "PostgreSQL 18"

.....

☒ Save Password



Installer cakephp et le connecter à la BDD PostgreSQL (sur les 2 machines)

III. Installer composer

Select Setup Install Mode





Select install mode



Composer can be installed for all users (requires administrative privileges), or for you only.


Install for all users (recommended)

→ Install for me only

Annuler







Information

Please read the following information before continuing.



Important


You must open a new command window to use Composer for the first time, because your environment has changed and running programs may not be aware of this.

If this does not work, you will have to do one of the following:

- Close all File Explorer windows, then open a new command window. OR
- Logoff and Logon again, then open a new command window.

As a last resort, you may need to restart your computer.

Next



Completing Composer Setup

Setup has installed Composer on your computer.

Usage: Open a command window and type "composer"

Click Finish to exit Setup.

☐ [View online documentation](#)

Back

Finish

IV. Installer le Project M2L

```
Microsoft Windows [version 10.0.26100.6899]
(c) Microsoft Corporation. Tous droits réservés.

C:\wamp64\www>composer create-project --prefer-dist cakephp/app:5.* M2L
Creating a "cakephp/app:5.*" project at "./M2L"
Installing cakephp/app (5.2.0)
- Installing cakephp/app (5.2.0): Extracting archive

PHP CodeSniffer Config installed_paths set to ../../cakephp/cakephp-codesniffer
No security vulnerability advisories found.
> App\Console\Installer::postInstall
Created 'config/app_local.php' file
Created 'C:\wamp64\www\M2L\logs' directory
Created 'C:\wamp64\www\M2L\tmp\cache\views' directory
Set Folder Permissions ? (Default to Y) [Y,n]? y
```

V. Configuration de la BDD

```
SQL Shell (psql)
Server [localhost]:
Database [postgres]:
Port [5432]:
Username [postgres]:
Mot de passe pour l'utilisateur postgres :

psql (18.0)
Attention : l'encodage console (850) diffère de l'encodage Windows (1252).
Les caractères 8 bits peuvent ne pas fonctionner correctement.
Voir la section « Notes aux utilisateurs de Windows » de la page
référence de psql pour les détails.
Saisissez « help » pour l'aide.

postgres=# CREATE DATABASE m2l;
CREATE DATABASE
postgres=# CREATE USER toto WITH PASSWORD 'Bts2025@';
CREATE ROLE
postgres=# GRANT ALL PRIVILEGES ON DATABASE m2l TO toto;
GRANT
postgres=# |
```



```
postgres=# \l
```

Nom	Propriétaire	Encodage	Fournisseur de locale	Collationnement	Type caract.	Locale	Rbgles
ICU :	Droits d'accès						
m2l	postgres	UTF8	libc	French_France.1252	French_France.1252		
	=Tc/postgres	+					
	postgres=CtC/postgres+						
	toto=CtC/postgres						
postgres	postgres	UTF8	libc	French_France.1252	French_France.1252		
template0	postgres	UTF8	libc	French_France.1252	French_France.1252		
	=c/postgres	+					
	postgres=CtC/postgres						
template1	postgres	UTF8	libc	French_France.1252	French_France.1252		
	=c/postgres	+					
	postgres=CtC/postgres						

(4 lignes)

- Changer Mysql en Postgres

Database

✖ CakePHP is NOT able to connect to the database.

Connection to Mysql could not be established: SQLSTATE[HY000]

[1045] Accès refusé pour l'utilisateur: 'toto'@'localhost' (mot de

passe: OUI)

```
Fichier  Edition  Sélection  Affichage  Atteindre  Exécuter  ...  ←  →
Bienvenue  app_local.php 5  app.php 9+ x
C: > wamp64 > www > M2L > config > app.php
10  return [
271      'Datasources' => [
272          /*
280          * in app_local.php depending on the application's needs.
281          */
282          'default' => [
283              'className' => Connection::class,
284              'driver' => Postgres::class,
285              'persistent' => false,
286              'timezone' => 'UTC',
```

VI. Régler le problème des extasions

Database driver `Cake\Database\Driver\Postgres` cannot be used due to a missing PHP extension or unmet dependency. Requested by connection `default`

Cake\Database\Exception\MissingExtensionException

- Sélectionner pgsql et pdo_pgsql

Extensions PHP 8.3.14

✓ bz2

✓ com_dotnet

✓ curl

dba

dl_test

enchant

✓ exif

ffi

✓ fileinfo

ftp

✓ gd

✓ gettext

✓ gmp

✓ imap

✓ intl

✓ ldap

✓ mbstring

✓ mysqli

oci8_19

odbc

✓ openssl

pdo_firebird

pdo_mysql

pdo_oci

pdo_odbc

✓ pdo_pgsql

✓ pdo_sqlite

✓ pgsql

shmop

snmp

✓ soap

✓ sockets

sodium

✓ sqlite3

sysvshm

tidy

✓ xsl

zend_test

✓ zip

Extensions Zend

✓ opcache

✓ xdebug 3.3.2

change the config edit

PHP 8.3.14 [Apache module]

Version

Configuration PHP

Extensions PHP

Wampserver - 3.3.7 - 64bit

Made in France by Dominique Ottello

Localhost

PhpMyAdmin

Adminer 4.8.4

Vos VirtualHosts

Apache 2.4.62.1

PHP 8.3.14

SGBD par défaut : mysql

MySQL 9.1.0


MariaDB 11.5.2

- Enlevez mb4

Database

✖ CakePHP is NOT able to connect to the database.

SQLSTATE[22023]: Invalid parameter value: 7 ERREUR: valeur invalide pour le paramètre « client_encoding » : « utf8mb4 »



The screenshot shows a code editor with a menu bar (Fichier, Edition, Sélection, Affichage, Atteindre, Exécuter, ...) and a tab bar with 'Bienvenue', 'app_local.php 5', and 'app.php 9+'. The main editor area displays the contents of 'app.php' at the path 'C: > wamp64 > www > M2L > config > app.php'. The code is a PHP array configuration for database connections. Line 271 starts with 'return [' and line 272 has a comment '/*'. Line 280 has a comment '* in app_local.php depending on the applicatio'. Line 281 has a comment '*/'. Line 282 starts a 'default' connection array. Line 283 sets 'className' to 'Connection::class'. Line 284 sets 'driver' to 'Postgres::class'. Line 285 sets 'persistent' to 'false'. Line 286 sets 'timezone' to 'UTC'. Line 287 has a comment '/*'. Line 288 has a comment '* For MariaDB/MySQL the internal default c'. Line 289 has a comment '*/'. Line 291 sets 'encoding' to 'utf8'. Line 292 is the closing bracket for the array.




```
C: > wamp64 > www > M2L > config > app.php
10  return [
271      'Datasources' => [
272          /*
280      * in app_local.php depending on the applicatio
281      */
282      'default' => [
283          'className' => Connection::class,
284          'driver' => Postgres::class,
285          'persistent' => false,
286          'timezone' => 'UTC',
287
288          /*
289      * For MariaDB/MySQL the internal default c
290          */
291          'encoding' => 'utf8',
292      ]
293  ]
294  ]
```

Database

 CakePHP is able to connect to the database.

- Enlevez les commentaires de l'extensions de PHP pgsql et pdo_pgsql

```
C:\wamp64\www\M2L\bin>cake migrations migrate
Database driver 'Cake\Database\Driver\Postgres' cannot be used due to a missing PHP extension or unmet dependency. Requested by connection 'default'
```



```
*C:\wamp64\bin\php\php8.3.14\php.ini - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
app.php php.ini
954 extension=gd
955 extension=gettext
956 extension=gmp
957 extension=intl
958 extension=imap
959 extension=mbstring
960 extension=exif ; Must be after mbstring as it depends on it
961 extension=mysqli
962 ;extension=oci8_19 ; Use with Oracle Database 19 Instant Client
963 ;extension=odbc
964 extension=openssl
965 ;extension=pdo_firebird
966 extension=pdo_mysql
967 ;extension=pdo_oci
968 ;extension=pdo_odbc
969 extension=pdo_pgsql
970 extension=pdo_sqlite
971 extension=pgsql
972 ;extension=shmop
973
974 ; The MIBS data available in the PHP distribution must be installed.
975 ; See https://www.php.net/manual/en/snmp.installation.php
976 ;extension=snmp
977
978 extension=soap
979 extension=sockets
980 ;extension=sodium
981 extension=sqlite3
982 extension=sysvshm
983 extension=tidy
984 extension=xsl
985 ;extension=zend_test
986 extension=zip
```

- Faire les relations postgres pour la BDD

```
postgres=# ALTER DATABASE m2l OWNER TO toto;
ALTER DATABASE
postgres=# |
```

VII. Générer les tables


- Créer la table Divisions avec ses initiales.

```
C:\wamp64\www\M2L\bin>cake bake migration CreateDivisions name:string created modified

Creating file C:\wamp64\www\M2L\config\Migrations\20251117113807_CreateDivisions.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251117113807_CreateDivisions.php'

C:\wamp64\www\M2L\bin>cake migrations migrate

== 20251117113807 CreateDivisions: migrating
== 20251117113807 CreateDivisions: migrated 0.1416s
All Done. Took 0.5269s
```



- Créer InsertDivisions et rajouter ses utilisateurs

```


C:\wamp64\www\M2L\bin>cake migrations create InsertDivisions

Creating file C:\wamp64\www\M2L\config\Migrations\20251117115859_InsertDivisions.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251117115859_InsertDivisions.php'

C:\wamp64\www\M2L\bin>cake migrations migrate

== 20251117115859 InsertDivisions: migrating
== 20251117115859 InsertDivisions: migrated 0.0101s
All Done. Took 0.3098s

```



- Dans templates créer un dossier Divisions, dans le dossier Division on crée une fiche index etc.



- Créer la table Divisions avec ses initiales.

```
C:\wamp64\www\M2L\bin>cake bake migration CreateCategories name:string montant:float created modified

Creating file C:\wamp64\www\M2L\config\Migrations\20251210063300_CreateCategories.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251210063300_CreateCategories.php'

C:\wamp64\www\M2L\bin>cake migrations migrate

== 20251210063300 CreateCategories: migrating
== 20251210063300 CreateCategories: migrated 0.1959s
All Done. Took 0.4847s
```

- Créer InsertCategories et rajouter ses utilisateurs

```
C:\wamp64\www\M2L\bin>cake migrations create InsertCategories

Creating file C:\wamp64\www\M2L\config\Migrations\20251210063709_InsertCategories.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251210063709_InsertCategories.php'

C:\wamp64\www\M2L\bin>cake migrations migrate

== 20251210063709 InsertCategories: migrating
== 20251210063709 InsertCategories: migrated 0.0093s
All Done. Took 0.3082s
```

- Créer la table Type_championnats avec ses initiales.

```
C:\wamp64\www\M2L\bin>cake bake migration CreateType_championnats name:string created modified

Creating file C:\wamp64\www\M2L\config\Migrations\20251210064133_CreateTypeChampionnats.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251210064133_CreateTypeChampionnats.php'

C:\wamp64\www\M2L\bin>cake migrations migrate

== 20251210064133 CreateTypeChampionnats: migrating
== 20251210064133 CreateTypeChampionnats: migrated 0.1875s
All Done. Took 0.4743s
```

- Créer Insert Type_championnats

```
C:\wamp64\www\M2L\bin>cake migrations create InsertType_championnats

Creating file C:\wamp64\www\M2L\config\Migrations\20251210064308_InsertTypeChampionnats.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251210064308_InsertTypeChampionnats.php'

C:\wamp64\www\M2L\bin>cake migrations migrate

== 20251210064308 InsertTypeChampionnats: migrating
== 20251210064308 InsertTypeChampionnats: migrated 0.0107s
All Done. Took 0.2969s
```

```

20251117115859_InsertDivisions.php x 20251210064308_InsertTypeChampionnats.php x
Source History
class InsertTypeChampionnats extends BaseMigration
{
    /**
     * Change Method.
     *
     * More information on this method is available here:
     * https://book.cakephp.org/migrations/4/en/migrations.html#the-change-method
     *
     * @return void
     */
    public function up(): void {
        $TypeChampionnats = $this->table('TypeChampionnats');
        $rows = [
            ['name' => 'name1', 'created' => date('Y-m-d H:i:s'), 'modified' => date('Y-m-d H:i:s')],
        ];
        $TypeChampionnats->insert($rows)->saveData();
    }

    public function down(): void {
        $this->execute('DELETE from TypeChampionnats');
    }
}

```

- Créer la table Championnats avec ses initiales et clés étrangères.

```

C:\wamp64\www\M2L\bin>cake bake migration CreateChampionnats name:string num:int num:int num:int created modified
Creating file C:\wamp64\www\M2L\config\Migrations\20251210064845_CreateChampionnats.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251210064845_CreateChampionnats.php'

C:\wamp64\www\M2L\bin>cake migrations migrate

== 20251210064845 CreateChampionnats: migrating
== 20251210064845 CreateChampionnats: migrated 0.0869s
All Done. Took 0.5019s

```

```

20251210064845_CreateChampionnats.php x
Source History
21      'limit' => 255,
22      'null' => false,
23  });
24  $table->addColumn('category_id', 'integer', [
25      'null' => false
26  ]);
27  $table->addColumn('division_id', 'integer', [
28      'null' => false
29  ]);
30  $table->addColumn('type_championnat_id', 'integer', [
31      'null' => false
32  ]);
33  $table->addColumn('created', 'datetime', [
34      'default' => null,
35      'null' => false,
36  ]);
37  $table->addColumn('modified', 'datetime', [
38      'default' => null,
39      'null' => false,
40  ]);
41  $table->addForeignKey('category_id', 'categories', 'id');
42  $table->addForeignKey('division_id', 'divisions', 'id');
43  $table->addForeignKey('type_championnat_id', 'type_championnats', 'id');
44
45  $table->create();
46  }
47

```


- Créer la table Clubs avec ses initiales.

```
C:\wamp64\www\M2L\bin>cake bake migration CreateClubs name:string created modified
Creating file C:\wamp64\www\M2L\config\Migrations\20251212051317_CreateClubs.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251212051317_CreateClubs.php'
```

- Créer Insert Clubs

```
C:\wamp64\www\M2L\bin>cake migrations create InsertClubs
Creating file C:\wamp64\www\M2L\config\Migrations\20251212051347_InsertClubs.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251212051347_InsertClubs.php'
```

- Créer la table Equipes avec ses initiales.

```
C:\wamp64\www\M2L\bin>cake bake migration CreateEquipes num:int name:string num:int created modified
Creating file C:\wamp64\www\M2L\config\Migrations\20251212060056_CreateEquipes.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251212060056_CreateEquipes.php'
```

- Créer Insert Equipes

```
C:\wamp64\www\M2L\bin>cake migrations create InsertEquipes
Creating file C:\wamp64\www\M2L\config\Migrations\20251212060234_InsertEquipes.php
Wrote 'C:\wamp64\www\M2L\config\Migrations\20251212060234_InsertEquipes.php'
```

VIII. Résultat Final

CakePHP

CHAMPIONNATS
EQUIPES
CLUBS
TYPE CHAMPIONNATS
CATEGORIES
DIVISIONS

Tous les championnats du Blog

AJOUTER UN CHAMPIONNAT

Id	Nom	Divisions	Categories	Type championnats	Date de création	Date de modification	Actions
8	ravelo	niveaux régionaux	U15	Ligue 1	Monday, 15-Dec-25 21:02:32 UTC	Monday, 15-Dec-25 21:05:14 UTC	MODIFIER SUPPRIMER

CakePHP

CHAMPIONNATS
EQUIPES
CLUBS
TYPE CHAMPIONNATS
CATEGORIES
DIVISIONS

Tous les clubs du Blog

AJOUTER UN CLUB

Id	Club	Date de création	Date de modification	Actions
2	PSG	Friday, 12-Dec-25 06:28:47 UTC	Friday, 12-Dec-25 06:28:47 UTC	MODIFIER SUPPRIMER

Tous les types championnats du Blog

[AJOUTER UN TYPE CHAMPIONNAT](#)

Id	Type championnat	Date de création	Date de modification	Actions
1	Ligue 1	Friday, 12-Dec-25 04:06:20 UTC	Friday, 12-Dec-25 19:29:15 UTC	MODIFIER SUPPRIMER

Tous les categories du Blog

[AJOUTER UNE CATEGORIE](#)

Id	Catégorie	Montant	Date de création	Date de modification	Actions
3	U6	35	Thursday, 11-Dec-25 17:12:26 UTC	Friday, 12-Dec-25 19:45:48 UTC	MODIFIER SUPPRIMER

