
	Client	Install Location	Sales	Date: 10/25/23	Job #:
SUNSHINE	Maverik Erik Johnson	Maverik	John Boyd 970.390.6800 JohnB@Sunshine.US.com	Revisions:	Date:
316 S. 6th Street, St. Joseph MO 64501 800 821 9013		Client Approval:	Date:		

10" LED's - 2-Price D/F Cabinet w. 6" Programmable Label

15 amp 120v circuit on 24 hours connected to control boxes Total current draw = 4 amps (by others) MUST BE CLEAN CIRCUIT - DO NOT SHARE NEUTRALS AND/OR COMMON LEADS



Build with pirces back-to back (prices toward highway both sides) Paint CabinetSW 7020 - STD Black behind prices and NITRO panels

Build Type:

Same layout both sides
Digits back to back

Cabinet Specs Label Specs Digit Size & Style: 10" LED LED Backlit Label Panel: 5" x 13" Optimum digit spacing This original drawing is provided as part of a planned c(ÅF)ns project and is not to be exhibited, copied or "EF" Digit Color: n/a Label Cap Height & Style: 3" HEL LT COND BLACK Minimum digit spacing reproduced without the written permission of Sunshine LISTED Electronic Display Corporation or its authorized agent. "UNL" Digit Color: Red "EF" Label Panel Color: N/A Weld collars provided/pole specs by others All installation details are suggested only. All signs muscle File Number: E340294 "DSL" Digit Clor: Green be installed in accordance with NATIONAL. STATE. "UNL" Label panel Color:: 3M 3630-33 Red Control box placement to be determined CONFORMS TO UL STD 48 UL STD 1433 102482 CERTIFIED TO CANICSA STD C22.2 NO. 207 ELECTRICAL AND BUILDING CODES, Sunshine Cabinet Size/Color: 2' 0"x 4' 8" x 6" / SW 7020 Electronic Display Corporation has no responsibility for wind loads. installations or electrical circuits. These are "DSL" Label Panel Color: 3M 3936-26 Green Label colors for representation only S/F or D/F:

the sole responsibility of the Buyer/user. All Type Color: White 9.333 sq ft: Surface Mount - no backs Actual LED size and conguration may vary