TemplateSyntaxError at /productos/formulario

```
'add attr' is not a registered tag library. Must be one of:
admin list
admin modify
admin urls
cache
i18n
110n
log
static
tz
        Request Method: GET
            Request URL: http://127.0.0.1:8000/productos/formulario
         Django Version: 4.1.7
         Exception Type: TemplateSyntaxError
         Exception Value: 'add_attr' is not a registered tag library. Must be one of:
                           admin list
                           admin_modify
                           admin_urls
                           cache
                           i18n
                           110n
                           log
                           static
     Exception Location: C:\Users\user\.virtualenvs\productly--ayuexs \Lib\site-
                           packages\django\template\defaulttags.py, line 1028, in find_library
           Raised during: productos.views.formulario
      Python Executable: C:\Users\user\.virtualenvs\productly--ayuexs_\Scripts\python.exe
         Python Version: 3.13.5
             Python Path: ['C:\\Users\\user\\workspace\\productly';
                            'C:\\Users\\user\\.virtualenvs\\productly--ayuexs_\\Scripts\\python313.zip',
                            'C:\\Users\\user\\AppData\\Local\\Programs\\Python\\Python313\\DLLs',
                            'C:\\Users\\user\\AppData\\Local\\Programs\\Python\\Python313\\Lib',
                            'C:\\Users\\user\\AppData\\Local\\Programs\\Python\\Python313',
                            'C:\\Users\\user\\.virtualenvs\\productly--ayuexs_'
                            'C:\\Users\\user\\.virtualenvs\\productly--ayuexs_\\Lib\\site-packages']
             Server time: Mon, 28 Jul 2025 09:32:03 +0000
```

Error during template rendering

In template C:\Users\user\workspace\productly\productos\templates\form_snippet.html, error at line 1

'add_attr' is not a registered tag library. Must be one of: admin_list admin_modify admin_urls cache i18n l10n log static tz

8	{{field}}
9	{% endif %}
10	<div class="invalid-feedback"></div>
11	{%for error in field.errors%}

Traceback Switch to copy-and-paste view

```
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\defaulttags.py, line 1026, in find_library
       1026.
                      return parser.libraries[name]
      Local vars
During handling of the above exception ('add attr'), another exception occurred:
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\core\handlers\exception.py, line 56, in inner
       56.
                            response = get_response(request)
      ▶ Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\core\handlers\base.py, line 197, in _get_response
                             response = wrapped_callback(request, *callback_args, **callback_kwargs)
       197.
      Local vars
C:\Users\user\workspace\productly\productos\views.py, line 34, in formulario
       34.
               return render(
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\shortcuts.py, line 24, in render
               content = loader.render to string(template name, context, request, using=using)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\loader.py, line 62, in render_to_string
       62.
               return template.render(context, request)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\backends\django.py, line 61, in render
       61.
                        return self.template.render(context)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 175, in render
       175.
                                  return self._render(context)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 167, in _render
                     return self.nodelist.render(context)
       167.
      Local vars
\verb|C:\Users\user|.virtualenvs\productly--ayuexs\_Lib\site-packages\django\template\base.py, \ line\ 1005, \ in\ render \\
       1005.
                      return SafeString("".join([node.render_annotated(context) for node in self]))
```

127.0.0.1:8000/productos/formulario

Local vars

```
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 966, in render_annotated
      966.
                        return self.render(context)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\loader_tags.py, line 157, in render
      157.
                        return compiled_parent._render(context)
      ▶ Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 167, in _render
      167.
                    return self.nodelist.render(context)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 1005, in render
      1005.
                     return SafeString("".join([node.render_annotated(context) for node in self]))
      Local vars
966.
                        return self.render(context)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\loader_tags.py, line 63, in render
      63.
                           result = block.nodelist.render(context)
      ▶ Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 1005, in render
                     return SafeString("".join([node.render_annotated(context) for node in self]))
      1005.
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs \Lib\site-packages\django\template\base.py, line 966, in render annotated
      966.
                        return self.render(context)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 1070, in render
      1070.
                    return render_value_in_context(output, context)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 1047, in
render_value_in_context
      1047.
                         value = str(value)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\forms\utils.py, line 75, in render
      75.
                  return mark_safe(renderer.render(template, context))
      Local vars
```

127.0.0.1:8000/productos/formulario 3/13

C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\forms\renderers.py, line 28, in render

```
28.
                    template = self.get_template(template_name)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\forms\renderers.py, line 102, in get_template
                     return get template(template name)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\loader.py, line 15, in get_template
      15.
                        return engine.get_template(template_name)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\backends\django.py, line 33, in
get template
       33.
                        return Template(self.engine.get_template(template_name), self)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\engine.py, line 175, in get_template
       175.
                     template, origin = self.find template(template name)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\engine.py, line 157, in find_template
      157.
                              template = loader.get_template(name, skip=skip)
      ▶ Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\loaders\cached.py, line 57, in
get template
       57.
                        template = super().get_template(template_name, skip)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\loaders\base.py, line 28, in get_template
       28.
                             return Template(
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 154, in __init__
       154.
                     self.nodelist = self.compile_nodelist()
      ▶ Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 200, in compile_nodelist
       200.
                         return parser.parse()
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs \Lib\site-packages\django\template\base.py, line 513, in parse
       513.
                                  raise self.error(token, e)
      Local vars
C:\Users\user\.virtualenvs\productly--ayuexs_\Lib\site-packages\django\template\base.py, line 511, in parse
```

127.0.0.1:8000/productos/formulario

511. compiled_result = compile_func(self, token)

▶ Local vars

 $\verb|C:|Users| user|.virtualenvs| productly--ayuexs_| Lib| site-packages| django| template| defaulttags.py, line 1088, in load | line |$

1088. lib = find_library(parser, name)

▶ Local vars

1028. raise TemplateSyntaxError(

▶ Local vars

Request information

USER admin

GET No GET data

POST No POST data

FILES No FILES data

COOKIES

Variable Value

csrftoken 'OM99JkcJdBMsbNOID2LWOvhgwrMYFPfd'
sessionid '8nzxfc396r6abgd4qasd8prroq7ryhhp'

META

Variable	Value
ALLUSERSPROFILE	'C:\\ProgramData'
APPDATA	<pre>'C:\\Users\\user\\AppData\\Roaming'</pre>
BUNDLED_DEBUGPY_PATH	<pre>'c:\\Users\\user\\.vscode\\extensions\\ms- python.debugpy-2025.10.0-win32- x64\\bundled\\libs\\debugpy'</pre>
CHROME_CRASHPAD_PIPE_NAME	'\\\.\\pipe\\crashpad_7076_OKKPOTXXKOEXQJNF'
COLORTERM	'truecolor'
COMMONPROGRAMFILES	'C:\\Program Files\\Common Files'
COMMONPROGRAMFILES(X86)	'C:\\Program Files (x86)\\Common Files'
COMMONPROGRAMW6432	'C:\\Program Files\\Common Files'
COMPUTERNAME	'PC'
COMSPEC	'C:\\Windows\\system32\\cmd.exe'
CONDA_PROMPT_MODIFIER	'False'
CONTENT_LENGTH	11
CONTENT_TYPE	'text/plain'
CSRF_COOKIE	'OM99JkcJdBMsbNOID2LWOvhgwrMYFPfd'
CSRF_COOKIE_NEEDS_UPDATE	True
DJANGO_SETTINGS_MODULE	'productly.settings'
DRIVERDATA	<pre>'C:\\Windows\\System32\\Drivers\\DriverData'</pre>
FPS_BROWSER_APP_PROFILE_STRING	'Internet Explorer'
FPS_BROWSER_USER_PROFILE_STRING	'Default'
GATEWAY_INTERFACE	'CGI/1.1'
GIT_ASKPASS	'*************************************
HOMEDRIVE	'C:'
HOMEPATH	'\\Users\\user'

	emplateSyntaxError at /productos/formulario
Variable	Value
HTTP_ACCEPT	<pre>'text/html,application/xhtml+xml,application/xml;q=0.9,i mage/avif,image/webp,image/apng,*/*;q=0.8'</pre>
HTTP_ACCEPT_ENCODING	'gzip, deflate, br, zstd'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.8'
HTTP_CONNECTION	'keep-alive'
HTTP_COOKIE	<pre>('csrftoken=0M99JkcJdBMsbNOID2LWOvhgwrMYFPfd; ' 'sessionid=8nzxfc396r6abgd4qasd8prroq7ryhhp')</pre>
HTTP_HOST	'127.0.0.1:8000'
HTTP_SEC_CH_UA	'"Not)A;Brand";v="8", "Chromium";v="138", "Brave";v="138"'
HTTP_SEC_CH_UA_MOBILE	'?0'
HTTP_SEC_CH_UA_PLATFORM	'"Windows"'
HTTP_SEC_FETCH_DEST	'document'
HTTP_SEC_FETCH_MODE	'navigate'
HTTP_SEC_FETCH_SITE	'none'
HTTP_SEC_FETCH_USER	'?1'
HTTP_SEC_GPC	'1'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like ' 'Gecko) Chrome/138.0.0.0 Safari/537.36')
LANG	'en_US.UTF-8'
LOCALAPPDATA	'C:\\Users\\user\\AppData\\Local'
LOGONSERVER	'\\\PC'
NUMBER_OF_PROCESSORS	'4'
ONEDRIVE	'C:\\Users\\user\\OneDrive'
ONEDRIVECONSUMER	'C:\\Users\\user\\OneDrive'
ORIGINAL_XDG_CURRENT_DESKTOP	'undefined'
OS	'Windows_NT'
PATH	('C:\\Program '
	<pre>'Files\\WindowsApps\\Microsoft.PowerShell_7.5.2.0_x648 wekyb3d8bbwe;C:\\Users\\user\\.virtualenvs\\productly ayuexs_\\Scripts;C:\\Program '</pre>
	'Files\\WindowsApps\\Microsoft.PowerShell_7.5.2.0_x648 wekyb3d8bbwe;C:\\Windows\\system32;C:\\Windows\\System32\\\WindowsPowerShell\\v1.0\\;C:\\Windows\\System32\\\OpenSSH\\;C:\\Program
	'Files (x86)\\ZeroTier\\One\\;C:\\Program '
	<pre>'Files\\Git\\cmd;C:\\Users\\user\\AppData\\Local\\Progra ms\\Python\\Python313\\Scripts\\;C:\\Users\\user\\AppData a\\Local\\Programs\\Python\\Python313\\;C:\\Users\\user\\AppData\\Local\\Programs\\Python\\Launcher\\;C:\\Windows\\System32;C:\\Windows\\System32\\Wbem;C:\\Windows\\System32\\Wbem;C:\\Windows\\System32\\WindowsPowerShell\\v1.0\\;C:\\Windows\\System32\\OpenSSH\\;C:\\Program 'Files (x86)\\ZeroTier\\One\\;C:\\Program Files\\Git\\cmd; ' '~\\Downloads\\scrcpy-win64- v3.2\\scrcpy.exe;C:\\Users\\user\\AppData\\Local\\Program ms\\Microsoft ' 'VS ' 'Code\\bin;c:\\Users\\user\\.vscode\\extensions\\ms- python.debugpy-2025.10.0-win32- x64\\bundled\\scripts\\noConfigScripts;c:\\Users\\user\\ AppData\\Roaming\\Code\\User\\globalStorage\\github.copi lot-chat\\debugCommand')</pre>

Te	emplateSyntaxError at /productos/formulario
Variable	Value
PATHEXT	'.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.CPL'
PATH_INFO	'/productos/formulario'
PIPENV_ACTIVE	'1'
PIP_DISABLE_PIP_VERSION_CHECK	'1'
PIP_PYTHON_PATH	<pre>'C:/Users/user/.virtualenvs/productly ayuexs_/Scripts/python.exe'</pre>
POSH_CURSOR_COLUMN	'1'
POSH_CURSOR_LINE	'1'
POSH_INSTALLER	'winget'
POSH_SESSION_ID	'cd30cafb-ec66-4e45-ab0c-63f385ac6756'
POSH_SHELL	'pwsh'
POSH_SHELL_VERSION	'7.5.2'
POSH_THEME	<pre>'C:\\Users\\user\\AppData\\Local\\Programs\\oh-my- posh\\themes\\pure.omp.json'</pre>
POSH_THEMES_PATH	<pre>'C:\\Users\\user\\AppData\\Local\\Programs\\oh-my- posh\\themes\\'</pre>
POWERLINE_COMMAND	'oh-my-posh'
PROCESSOR_ARCHITECTURE	'AMD64'
PROCESSOR_IDENTIFIER	'Intel64 Family 6 Model 78 Stepping 3, GenuineIntel'
PROCESSOR_LEVEL	'6'
PROCESSOR_REVISION	'4e03'
PROGRAMDATA	'C:\\ProgramData'
PROGRAMFILES	'C:\\Program Files'
PROGRAMFILES(X86)	'C:\\Program Files (x86)'
PROGRAMW6432	'C:\\Program Files'
PSMODULEPATH	('C:\\Users\\user\\Documents\\PowerShell\\Modules;C:\\Program '
	'Files\\PowerShell\\Modules;c:\\program '
	'files\\windowsapps\\microsoft.powershell_7.5.2.0_x648 wekyb3d8bbwe\\Modules;C:\\Program '
	'Files\\WindowsPowerShell\\Modules;C:\\Windows\\system32 \\WindowsPowerShell\\v1.0\\Modules')
PUBLIC	'C:\\Users\\Public'
PYDEVD_DISABLE_FILE_VALIDATION	'1'
PYENV_VIRTUALENV_DISABLE_PROMPT	'1'
PYTHONDONTWRITEBYTECODE	'1'
QUERY_STRING	11
REMOTE_ADDR	'127.0.0.1'
REMOTE_HOST	11
REQUEST_METHOD	'GET'
RUN_MAIN	'true'
SCRIPT_NAME	11
SERVER_NAME	'PC'
SERVER_PORT	'8000'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SOFTWARE	'WSGIServer/0.2'
SESSIONNAME	'Console'
SYSTEMDRIVE	'C:'
SYSTEMROOT	'C:\\Windows'
TEMP	<pre>'C:\\Users\\user\\AppData\\Local\\Temp'</pre>
TERM_PROGRAM	'vscode'
TERM_PROGRAM_VERSION	'1.102.2'
ТМР	<pre>'C:\\Users\\user\\AppData\\Local\\Temp'</pre>

Variable	Value
USERDOMAIN	'PC'
USERDOMAIN_ROAMINGPROFILE	'PC'
USERNAME	'user'
USERPROFILE	'C:\\Users\\user'
VBOX_MSI_INSTALL_PATH	<pre>'C:\\Program Files\\Oracle\\VirtualBox\\'</pre>
VIRTUAL_ENV	<pre>'C:\\Users\\user\\.virtualenvs\\productlyayuexs_'</pre>
VIRTUAL_ENV_DISABLE_PROMPT	'1'
VSCODE_DEBUGPY_ADAPTER_ENDPOINTS	<pre>'c:\\Users\\user\\.vscode\\extensions\\ms- python.debugpy-2025.10.0-win32- x64\\.noConfigDebugAdapterEndpoints\\endpoint- d9dc6e5be4b4384d.txt'</pre>
VSCODE_GIT_ASKPASS_EXTRA_ARGS	'**********
VSCODE_GIT_ASKPASS_MAIN	'*************************************
VSCODE_GIT_ASKPASS_NODE	'**********
VSCODE_GIT_IPC_HANDLE	'\\\.\\pipe\\vscode-git-0f59dbb9ab-sock'
VSCODE_INJECTION	'1'
WINDIR	'C:\\Windows'
wsgi.errors	<_io.TextIOWrapper name=' <stderr>' mode='w' encoding='utf-8'></stderr>
wsgi.file_wrapper	<class 'wsgiref.util.filewrapper'=""></class>
wsgi.input	<pre><django.core.handlers.wsgi.limitedstream 0x000001ed5784f770="" at="" object=""></django.core.handlers.wsgi.limitedstream></pre>
wsgi.multiprocess	False
wsgi.multithread	True
wsgi.run_once	False
wsgi.url_scheme	'http'
wsgi.version	(1, 0)

Settings

Using settings module productly settings

	ngs
Setting	Value
ABSOLUTE_URL_OVERRIDES	{}
ADMINS	
ALLOWED_HOSTS	
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	'*************************************
AUTH_USER_MODEL	'auth.User'
BASE_DIR	WindowsPath('C:/Users/user/workspace/productly')
CACHES	<pre>{'default': {'BACKEND':</pre>
	'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS	'default'
CACHE_MIDDLEWARE_KEY_PREFIX	'**************
CACHE_MIDDLEWARE_SECONDS	600
CSRF_COOKIE_AGE	31449600
CSRF_COOKIE_DOMAIN	None
CSRF_COOKIE_HTTPONLY	False
CSRF_COOKIE_MASKED	False
CSRF_COOKIE_NAME	'csrftoken'
CSRF_COOKIE_PATH	'/'
CSRF_COOKIE_SAMESITE	'Lax'
CSRF_COOKIE_SECURE	False
CSRF_FAILURE_VIEW	'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME	'HTTP_X_CSRFTOKEN'
CSRF_TRUSTED_ORIGINS	

```
Setting
                                   Value
CSRF USE SESSIONS
                                   False
DATABASES
                                   {'default': {'ATOMIC_REQUESTS': False,
                                                 'AUTOCOMMIT': True,
                                                 'CONN HEALTH CHECKS': False,
                                                 'CONN_MAX_AGE': 0,
                                                 'ENGINE': 'django.db.backends.sqlite3',
                                                 'HOST': '',
                                                 'NAME':
                                   WindowsPath('C:/Users/user/workspace/productly/db.sqlit
                                   e3'),
                                                 'OPTIONS': {},
                                                              '*******************
                                                 'PASSWORD':
                                                 'PORT': ''
                                                 'TEST': {'CHARSET': None,
                                                           'COLLATION': None,
                                                          'MIGRATE': True,
                                                           'MIRROR': None,
                                                           'NAME': None},
                                                 'TIME_ZONE': None,
                                                 'USER': ''}}
DATABASE_ROUTERS
                                   []
DATA UPLOAD MAX MEMORY SIZE
                                   2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                   1000
                                   100
DATA_UPLOAD_MAX_NUMBER_FILES
DATETIME_FORMAT
                                   'N j, Y, P'
                                   ['%Y-%m-%d %H:%M:%S']
DATETIME_INPUT_FORMATS
                                     '%Y-%m-%d %H:%M:%S.%f',
                                    '%Y-%m-%d %H:%M',
                                     '%m/%d/%Y %H:%M:%S'
                                     '%m/%d/%Y %H:%M:%S.%f',
                                     '%m/%d/%Y %H:%M',
                                     '%m/%d/%y %H:%M:%S'
                                     '%m/%d/%y %H:%M:%S.%f',
                                     '%m/%d/%y %H:%M']
DATE_FORMAT
                                    'N j, Y'
                                   ['%Y-%m-%d',
DATE_INPUT_FORMATS
                                     '%m/%d/%Y',
                                    '%m/%d/%y',
                                    '%b %d %Y'
                                    '%b %d, %Y',
                                    '%d %b %Y'
                                    '%d %b, %Y',
                                    '%B %d %Y'
                                    '%B %d, %Y',
                                    '%d %B %Y'
                                     '%d %B, %Y']
DEBUG
                                   True
DEBUG_PROPAGATE_EXCEPTIONS
                                   False
DECIMAL_SEPARATOR
DEFAULT_AUTO_FIELD
                                   'django.db.models.BigAutoField'
DEFAULT_CHARSET
                                   'utf-8'
DEFAULT_EXCEPTION_REPORTER
                                    'django.views.debug.ExceptionReporter'
DEFAULT_EXCEPTION_REPORTER_FILTER 'django.views.debug.SafeExceptionReporterFilter'
DEFAULT_FILE_STORAGE
                                    'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL
                                    'webmaster@localhost'
                                   . .
DEFAULT_INDEX_TABLESPACE
                                   . .
DEFAULT_TABLESPACE
DISALLOWED_USER_AGENTS
EMAIL BACKEND
                                    'django.core.mail.backends.smtp.EmailBackend'
EMAIL HOST
                                    'localhost'
                                    '***************
EMAIL HOST PASSWORD
```

```
Setting
                                                    Value
EMAIL HOST USER
EMAIL PORT
                                                    25
EMAIL_SSL_CERTFILE
                                                    None
                                                     '***************
EMAIL_SSL_KEYFILE
EMAIL_SUBJECT_PREFIX
                                                     '[Django] '
EMAIL_TIMEOUT
                                                    None
EMAIL USE LOCALTIME
                                                    False
EMAIL_USE_SSL
                                                    False
EMAIL USE TLS
                                                    False
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
FILE_UPLOAD_HANDLERS
                                                     ['django.core.files.uploadhandler.MemoryFileUploadHandl
                                                     'django.core.files.uploadhandler.TemporaryFileUploadHan
                                                    dler']
FILE UPLOAD MAX MEMORY SIZE
                                                     2621440
FILE_UPLOAD_PERMISSIONS
                                                    420
FILE_UPLOAD_TEMP_DIR
                                                    None
                                                    0
FIRST_DAY_OF_WEEK
FIXTURE_DIRS
                                                    []
FORCE_SCRIPT_NAME
                                                    None
FORMAT_MODULE_PATH
                                                    None
FORM RENDERER
                                                     'productly.settings.CostumFormRenderer'
IGNORABLE 404 URLS
INSTALLED APPS
                                                     ['django.contrib.admin',
                                                       'django.contrib.auth',
                                                       'django.contrib.contenttypes',
                                                       'django.contrib.sessions',
                                                       'django.contrib.messages',
                                                       'django.contrib.staticfiles',
                                                       'django.forms',
                                                       'productos.apps.ProductosConfig']
INTERNAL_IPS
                                                    [('af', 'Afrikaans'),
  ('ar', 'Arabic'),
LANGUAGES
                                                     ('ar', 'Arabic'),
('ar-dz', 'Algerian Arabic'),
('ast', 'Asturian'),
('bg', 'Bulgarian'),
('be', 'Belarusian'),
('bh', 'Bengali'),
('br', 'Breton'),
('bs', 'Bosnian'),
('ca', 'Catalan'),
('cs', 'Czech'),
('cy', 'Welsh'),
('da', 'Danish'),
('de', 'German'),
('de', 'Greek'),
('en', 'English'),
('en-au', 'Australian English
                                                      ('en-au', 'Australian English'),
('en-gb', 'British English'),
                                                      ('eo', 'Esperanto'), ('es', 'Spanish'),
                                                      ('es', Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-ni', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
                                                      ('et', 'Estonian'),
('eu', 'Basque'),
```

```
Setting
                                                                                                                                       ('fa', 'Persian'),
                                                                                                                                       ('fi', 'Finnish'),
                                                                                                                                       ('fr', 'French'),
                                                                                                                                       ('fy', 'Frisian'),
                                                                                                                                     ( Ty , Frisian ),
('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
('gl', 'Galician'),
('he', 'Hebrew'),
('hi', 'Hindi'),
('hr', 'Croatian'),
('bsh', 'Unner Sorbian')
                                                                                                                                    ('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
('hu', 'Hungarian'),
('hy', 'Armenian'),
('ia', 'Interlingua'),
('id', 'Indonesian'),
('ig', 'Igbo'),
('io', 'Ido'),
('is', 'Icelandic'),
('it', 'Italian'),
('ja', 'Japanese'),
('ka', 'Georgian'),
('kab', 'Kabyle'),
                                                                                                                                     ('ka', 'Georgian'),
('kab', 'Kabyle'),
('kk', 'Kazakh'),
('km', 'Khmer'),
('kn', 'Korean'),
('ko', 'Kyrgyz'),
('lb', 'Luxembourgish'),
('lt', 'Lithuanian'),
('lv', 'Macedonian'),
('ml', 'Malayalam'),
                                                                                                                                       ('ml', 'Malayalam'),
                                                                                                                                       ('mn', 'Mongolian'),
                                                                                                                                       ('mr', 'Marathi'),
                                                                                                                                      ('ms', 'Malay'),
('my', 'Burmese'),
('nb', 'Norwegian Bokmål'),
                                                                                                                                     ('nb', 'Norwegian Bokmai'),
('ne', 'Nepali'),
('nl', 'Dutch'),
('nn', 'Norwegian Nynorsk'),
('os', 'Ossetic'),
('pa', 'Punjabi'),
('pl', 'Polish'),
('pt', 'Portuguese'),
                                                                                                                                       ('pt-br', 'Brazilian Portuguese'),
                                                                                                                                      ('ro', 'Romanian'),
('ru', 'Russian'),
('sk', 'Slovak'),
('sl', 'Slovenian'),
('sq', 'Albanian'),
('sr', 'Serbian'),
                                                                                                                                    ('sr-latn', 'Serbian late')
('sv', 'Swedish'),
('sw', 'Swahili'),
('ta', 'Tamil'),
('te', 'Telugu'),
('tg', 'Tajik'),
('th', 'Thai'),
('tk', 'Turkmen'),
('tr', 'Turkish'),
('tr', 'Tatar'),
('udm', 'Udmurt'),
('udm', 'Ukrainian'),
('ur', 'Urdu'),
('ur', 'Uzbek'),
('vi', 'Vietnamese'),
('zh-hans', 'Simplifice')
                                                                                                                                       ('sr-latn', 'Serbian Latin'),
                                                                                                                                       ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
```

```
Setting
                                   ['he', 'ar', 'ar-dz', 'fa', 'ur']
LANGUAGES BIDI
LANGUAGE_CODE
                                   'en-us'
LANGUAGE COOKIE AGE
                                   None
LANGUAGE_COOKIE_DOMAIN
                                   None
LANGUAGE_COOKIE_HTTPONLY
                                   False
LANGUAGE_COOKIE_NAME
                                   'django_language'
                                   '/'
LANGUAGE COOKIE PATH
LANGUAGE_COOKIE_SAMESITE
                                   None
LANGUAGE COOKIE SECURE
                                   False
LOCALE PATHS
                                   []
LOGGING
                                   {}
                                   'logging.config.dictConfig'
LOGGING_CONFIG
LOGIN_REDIRECT_URL
                                   '/accounts/profile/'
LOGIN URL
                                   '/accounts/login/'
LOGOUT_REDIRECT_URL
                                   None
MANAGERS
                                   []
MEDIA_ROOT
                                   '/'
MEDIA URL
MESSAGE STORAGE
                                   'django.contrib.messages.storage.fallback.FallbackStora
                                   ge'
MIDDLEWARE
                                   ['django.middleware.security.SecurityMiddleware',
                                   'django.contrib.sessions.middleware.SessionMiddleware',
                                    'django.middleware.common.CommonMiddleware',
                                    'django.middleware.csrf.CsrfViewMiddleware',
                                   'django.contrib.auth.middleware.AuthenticationMiddlewar
                                   e',
                                   'django.contrib.messages.middleware.MessageMiddleware',
                                   'django.middleware.clickjacking.XFrameOptionsMiddleware
                                   ']
MIGRATION MODULES
                                   {}
MONTH DAY FORMAT
                                   'F j'
NUMBER GROUPING
                                   '***************
PASSWORD_HASHERS
                                   '****************
PASSWORD RESET TIMEOUT
PREPEND_WWW
                                   False
ROOT URLCONF
                                   'productly.urls'
                                   '****************
SECRET_KEY
                                   '************************'
SECRET_KEY_FALLBACKS
SECURE_CONTENT_TYPE_NOSNIFF
SECURE_CROSS_ORIGIN_OPENER_POLICY 'same-origin'
SECURE_HSTS_INCLUDE_SUBDOMAINS
                                   False
SECURE_HSTS_PRELOAD
                                   False
SECURE_HSTS_SECONDS
                                   0
SECURE_PROXY_SSL_HEADER
                                   None
SECURE_REDIRECT_EXEMPT
SECURE_REFERRER_POLICY
                                   'same-origin'
SECURE SSL HOST
                                   None
SECURE_SSL_REDIRECT
                                   False
SERVER_EMAIL
                                   'root@localhost'
                                   'default'
SESSION_CACHE_ALIAS
SESSION_COOKIE_AGE
                                   1209600
SESSION_COOKIE_DOMAIN
                                   None
```

	mplateSyntaxError at /productos/formulario
Setting	Value
SESSION_COOKIE_HTTPONLY	True
SESSION_COOKIE_NAME	'sessionid'
SESSION_COOKIE_PATH	'/'
SESSION_COOKIE_SAMESITE	'Lax'
SESSION_COOKIE_SECURE	False
SESSION_ENGINE	'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE	False
SESSION_FILE_PATH	None
SESSION_SAVE_EVERY_REQUEST	False
SESSION_SERIALIZER	'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE	'productly.settings'
SHORT_DATETIME_FORMAT	'm/d/Y P'
SHORT_DATE_FORMAT	'm/d/Y'
SIGNING_BACKEND	'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS	[]
STATICFILES_DIRS	
STATICFILES_FINDERS	['django.contrib.staticfiles.finders.FileSystemFinder',
_	
	'django.contrib.staticfiles.finders.AppDirectoriesFinde
	r']
STATICFILES_STORAGE	'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT	None
STATIC_URL	'/static/'
TEMPLATES	[{'APP_DIRS': True,
	'BACKEND': 'django.template.backends.django.DjangoTemplates',
	'DIRS':
	['C:\\Users\\user\\workspace\\productly\\templates'],
	'OPTIONS': {'context_processors':
	['django.template.context_processors.debug',
	'django.template.context_processors.request',
	'django.contrib.auth.context_processors.auth',
	<pre>'django.contrib.messages.context_processors.messages']} }]</pre>
TECT NON CERTALITZED ADDC	
TEST_NON_SERIALIZED_APPS	[]
TEST_RUNNER	'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	, 'p'
TIME_FORMAT	·
TIME_INPUT_FORMATS	['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_ZONE	'UTC'
USE_DEPRECATED_PYTZ	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'productly.wsgi.application'
X_FRAME_OPTIONS	'DENY'
YEAR_MONTH_FORMAT	'F Y'

You're seeing this error because you have <code>DEBUG = True</code> in your Django settings file. Change that to <code>False</code>, and Django will display a standard page generated by the handler for this status code.