Лабораторная работа номер 1

Malkov Roman Sergeevich 01.06.2022

Цель работы

Вспомнить основы работы с системой контроля версий git.

```
PS M:\projects\math_modeling> git config --global user.name "MstislavRomanovski"
PS M:\projects\math_modeling> git config --global user.email "batle.05.frog@gmail.com"
PS M:\projects\math_modeling> git config --global core.autorfl true
PS M:\projects\math_modeling> git config --global core.safecrlf true
PS M:\projects\math_modeling> git config --global core.quotepath off
PS M:\projects\math_modeling> cd M:\projects
PS M:\projects\math_modeling> cd M:\projects
```

Рис. 1: 1.1

```
PS M:\projects\math_modeling> git config --global user.name "MstislavRomanovski"
PS M:\projects\math_modeling> git config --global user.email "batle.05.frog@gmail.com"
PS M:\projects\math_modeling> git config --global core.autorfl true
PS M:\projects\math_modeling> git config --global core.safecrlf true
PS M:\projects\math_modeling> git config --global core.quotepath off
PS M:\projects\math_modeling> cd M:\projects
PS M:\projects\math_modeling> cd M:\projects
```

Рис. 2: 1.1

```
PS M:\projects\math modeling> cd M:\projects
PS M:\projects> mkdir math modeling
   Directory: M:\projects
      LastWriteTime Length Name
Mode
                                     math modeling
d---- 08.02.2024 12:05
PS M:\projects> cd M:\projects\math modeling\
PS M:\projects\math modeling> git init
Initialized empty Git repository in M:/projects/math modeling/.git/
PS M:\projects\math modeling> New-Item hello.html
   Directory: M:\projects\math modeling
       LastWriteTime Length Name
Mode
-a--- 08.02.2024 12:05 0 hello.html
PS M:\projects\math modeling> git add .\hello.html
PS M:\projects\math modeling> git commit -m "Initial Commit"
[master (root-commit) 912d6d8] Initial Commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 hello.html
```

```
PS M:\projects\math_modeling> git add .\hello.html
PS M:\projects\math_modeling> git status
```

Рис. 4: 1.4

Рис. 5: 1.4.2

```
PS M:\projects\math modeling> git commit -m "Added standard HTML page tags"
[master b170bfc] Added standard HTML page tags
1 file changed, 5 insertions(+), 2 deletions(-)
PS M:\projects\math modeling> git status
On branch master
Changes not staged for commit:
 (use "git add <file>..." to update what will be committed)
 (use "git restore <file>..." to discard changes in working directory)
no changes added to commit (use "git add" and/or "git commit -a")
PS M:\projects\math modeling> git add .
PS M:\projects\math modeling> git status
On branch master
Changes to be committed:
 (use "git restore --staged <file>..." to unstage)
PS M:\projects\math modeling> git commit -m "Added HTML header"
[master 75acc37] Added HTML header
1 file changed, 2 insertions(+)
```

Рис. 6: 1.4.21

```
PS M:\projects\math modeling> git log
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
commit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
commit 912d6d81f0ad2db816c465b259e2d51ea579d111
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
```

Рис. 7: 1.4.3

```
PS M:\projects\math modeling> git log
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
 ommit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
 ommit aa37f071e69b312ae624736192f83c5a6e1ca9c1
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
 ommit 912d6d81f0ad2db816c465b259e2d51ea579d111
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
   Initial Commit
 S M:\projects\math modeling> git checkout aa37f071e69b31
Note: switching to 'aa37f071e69b31'.
You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.
If you want to create a new branch to retain commits you create, you may
to so (now or later) by using -c with the switch command. Example:
 git switch -c <new-branch-name>
Or undo this operation with:
 git switch -
Turn off this advice by setting config variable advice.detachedHead to false
HEAD is now at aa37f07 Initial Commit
PS M:\projects\math modeling> cat hello.html
<h1>Hello, World!</h1>
PS M:\projects\math modeling> git checkout master
Previous HEAD position was aa37f07 Initial Commit
Switched to branch 'master'
>S M:\projects\math modeling> cat hello.html
(head>
```

```
HEAD is now at b170bfc Added standard HTML page tags
PS M:\projects\math modeling> cat hello.html
<html>
        <body>
                <h1>Hello, World!</h1>
        </body>
</html>
PS M:\projects\math modeling> git tage v1-beta
git: 'tage' is not a git command. See 'git --help'.
The most similar command is
        stage
PS M:\projects\math modeling> git checkout master
Previous HEAD position was b170bfc Added standard HTML page tags
Switched to branch 'master'
PS M:\projects\math modeling> git tag
PS M:\projects\math modeling> git checkout v1^
Note: switching to 'v1^'.
You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and vou can discard any commits you make in this
state without impacting any branches by switching back to a branch.
If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:
  git switch -c <new-branch-name>
Or undo this operation with:
 git switch -
Turn off this advice by setting config variable advice.detachedHead to false
HEAD is now at b170bfc Added standard HTML page tags
PS M:\projects\math modeling> git tag v1-beta
PS M:\projects\math modeling> git checkout master
Previous HEAD position was b170bfc Added standard HTML page tags
Switched to branch 'master'
PS M:\projects\math modeling> git tag
v1-heta
```

```
PS M:\projects\math_modeling> git tag v1-beta
PS M:\projects\math modeling> git checkout master
Previous HEAD position was b170bfc Added standard HTML page tags
Switched to branch 'master'
PS M:\projects\math modeling> git tag
/1-beta
PS M:\projects\math modeling> git log master --all
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master, tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
ommit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
```

Рис. 10: 1.4.7

```
PS M:\projects\math_modeling> git tag v1-beta
PS M:\projects\math modeling> git checkout master
Previous HEAD position was b170bfc Added standard HTML page tags
Switched to branch 'master'
PS M:\projects\math modeling> git tag
/1-beta
PS M:\projects\math modeling> git log master --all
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master, tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
ommit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
```

Рис. 11: 1.4.7

```
Initial Commit
PS M:\projects\math modeling> git checkout master
Already on 'master'
PS M:\projects\math modeling> git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
no changes added to commit (use "git add" and/or "git commit -a")
PS M:\projects\math_modeling> git checkout hello.html
Updated 1 path from the index
PS M:\projects\math_modeling> git status
On branch master
nothing to commit, working tree clean
PS M:\projects\math modeling> cat hello.html
<head>
</head>
<html>
        <body>
                <h1>Hello, World!</h1>
        </body>
</html>
PS M:\projects\math modeling> git add .\hello.html
PS M:\projects\math modeling> git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
PS M:\projects\math modeling> git reset HEAD hello.html
Unstaged changes after reset:
        hello.html
PS M:\projects\math modeling> git checkout hello.html
Updated 1 path from the index
PS M:\projects\math modeling> git status
On branch master
nothing to commit, working tree clean
```

```
PS M:\projects\math_modeling> git reset HEAD hello.html
Jnstaged changes after reset:

M hello.html
PS M:\projects\math_modeling> git checkout hello.html
Jpdated 1 path from the index
PS M:\projects\math_modeling> git status
On branch master
nothing to commit, working tree clean
```

Рис. 13: 1.6

```
PS M:\projects\math modeling> git add hello.html
PS M:\projects\math modeling> git commit -m "@ops.it wasn't intended to be commited"
master c29d812] 0ops,it wasn't intended to be committed
1 file changed, 5 insertions(+), 4 deletions(-)
OS M:\projects\math modeling> git revert HEAD
[master 6cfb178] Revert "Oops, it wasn't intended to be commited"
1 file changed, 4 insertions(+), 5 deletions(-)
PS M:\projects\math_modeling> git log
commit 6cfb178dc829a816ab400c4abff2c735be684a05 (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:27:09 2024 +0300
   Revert "Oops,it wasn't intended to be committed"
    This reverts commit c29d812ad04bbd7859246920b92a9af9b1e82d4a.
 ommit c29d812ad04bbd7859246920b92a9af9b1e82d4a
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:26:51 2024 +0300
    Oops.it wasn't intended to be committed
 ommit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (tag: v1)
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
    Added HTML header
 ommit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
 ommit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
    Initial Commit
 ommit 912d6d81f0ad2db816c465b259e2d51ea579d111
```

Author: MstislavRomanovski <batle.05.frog@gmail.com>

Date: Thu Feb 8 12:06:15 2024 +0300

```
PS M:\projects\math modeling> git tag oops
PS M:\projects\math_modeling> git log master --all
commit 6cfb178dc829a816ab400c4abff2c735be684a05 (HEAD -> master, tag: oops)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:27:09 2024 +0300
   Revert "Oops, it wasn't intended to be committed"
    This reverts commit c29d812ad04bbd7859246920b92a9af9b1e82d4a.
commit c29d812ad04bbd7859246920b92a9af9b1e82d4a
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:26:51 2024 +0300
   Oops.it wasn't intended to be committed
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
commit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
    Initial Commit
```

17/87

```
PS M:\projects\math modeling> git reset --hard v1
HEAD is now at 75acc37 Added HTML header
PS M:\projects\math_modeling> git log
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master, tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
commit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
commit 912d6d81f0ad2db816c465b259e2d51ea579d111
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
   Initial Commit
PS M:\projects\math modeling>
```

```
commit 912d6d81f0ad2db816c465b259e2d51ea579d111
PS M:\projects\math modeling> git tag -d oops
Deleted tag 'oops' (was 6cfb178)
PS M:\projects\math modeling> git log --all
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master, tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
commit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
commit 912d6d81f0ad2db816c465b259e2d51ea579d111
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
   Initial Commit
PS M:\projects\math modeling>
```

```
Initial Commit
PS M:\projects\math modeling> git add .\hello.html
PS M:\projects\math modeling> git commit -m "Add an author comment"
[master 63ed9e7] Add an author comment
1 file changed, 5 insertions(+), 4 deletions(-)
PS M:\projects\math modeling> git add .\hello.html
PS M:\projects\math_modeling> git commit --amend -m "Add an author/email comment"
[master 6b1a91f] Add an author/email comment
Date: Thu Feb 8 12:42:17 2024 +0300
1 file changed, 5 insertions(+), 4 deletions(-)
PS M:\projects\math_modeling> git log
 ommit 6b1a91f3adb6564df1ff7ac0b222663937e115f1 (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:42:17 2024 +0300
   Add an author/email comment
 ommit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
 ommit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
    Initial Commit
 ommit 912d6d81f0ad2db816c465b259e2d51ea579d111
```

Author: MstislavRomanovski <batle.05.frog@gmail.com>

Date: Thu Feb 8 12:86:15 2024 +0300

```
Initial Commit
PS M:\projects\math modeling> mkdir lib
   Directory: M:\projects\math modeling
lode
                                   Length Name
      08.02.2024 12:46
                                                lib
PS M:\projects\math modeling> git mv hello.html lib
PS M:\projects\math modeling> git status
On branch master
Changes to be committed:
 (use "git restore --staged <file>..." to unstage)
PS M:\projects\math modeling> git commit -m "Moved hello.html to lib"
[master 1aac232] Moved hello.html to lib
1 file changed, 0 insertions(+), 0 deletions(-)
rename hello.html => lib/hello.html (100%)
PS M:\projects\math modeling>
```

Рис. 19: 1.11

```
PS M:\projects\math_modeling> New-Item index.html
   Directory: M:\projects\math_modeling
             LastWriteTime
1ode
                                       Length Name
       08.02.2024 12:48 0 index.html
PS M:\projects\math modeling> git add index.html
PS M:\projects\math modeling> git commit -m "Added index.html"
[master 61bfc3f] Added index.html
1 file changed, 5 insertions(+)
create mode 100644 index.html
PS M:\projects\math modeling> _
```

Рис. 20: 1.12




Рис. 21: 1.13.2

```
PS M:\projects\math_modeling\.git\objects> cat M:\projects\math_modeling\.git\config

[core]
    repositoryformatversion = 0
    filemode = false
    bare = false
    logallrefupdates = true
    symlinks = false
    ignorecase = true
```

Рис. 22: 1.13.3

```
Directory: M:\projects\math modeling\.git\refs
                                          Length Name
              08.02.2024
                            12:50
                                                  heads
              08.02.2024
                            12:40
                                                  tags
PS M:\projects\math modeling\.git> ls refs/heads
   Directory: M:\projects\math modeling\.git\refs\heads
                                          Length Name
              08.02.2024
                            12:50
                                              41 master
PS M:\projects\math modeling\.git> ls refs/tags
   Directory: M:\projects\math_modeling\.git\refs\tags
              08.02.2024
                            12:18
                                              41 v1
              08.02.2024
                            12:19
                                              41 v1-beta
PS M:\projects\math modeling\.git> ls refs/tags/v1
   Directory: M:\projects\math modeling\.git\refs\tags
              08.02.2024
                            12:18
                                              41 v1
```

PS M:\projects\math modeling\.git>

```
PS M:\projects\math_modeling\.git> cat HEAD
ref: refs/heads/master
PS M:\projects\math_modeling\.git>
```

Рис. 24: 1.13.5

```
PS M:\projects\math_modeling\.git> git log --max-count=1
commit 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:50:18 2024 +0300
   Added index.html
PS M:\projects\math modeling\.git> git cat-file -t <hash>
ine |
      git cat-file -t <hash>
      The '<' operator is reserved for future use.
PS M:\projects\math modeling\.git> git cat-file -t 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
commit
PS M:\projects\math modeling\.git> git cat-file -p 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
tree 28ae32661901086a62dcfb52134345cef30521df
parent 1aac232c934f8d63a75d2fc926d9688b2747ca56
author MstislavRomanovski <batle.05.frog@gmail.com> 1707385818 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707385818 +0300
Added index.html
PS M:\projects\math modeling\.git> git cat-file -p 28ae32661901086a62dcfb52134345cef30521df
100644 blob 4259d9fadfd92fdfbdfefbe1d0dbfe3ac19f1a91
                                                        index.html
040000 tree 1003b008aa9a64dc160719e01f66bd814edf635d
                                                        lih
PS M:\projects\math modeling\.git> git cat-file -p 1003b008aa9a64dc160719e01f66bd814edf635d
100644 blob 188a14643bbab8288df777414ed4380c30e7274b
                                                       hello.html
PS M:\projects\math modeling\.git> git cat-file -p 1003b008aa9a64dc160719e01f66bd814edf635d
100644 blob 188a14643bbab8288df777414ed4380c30e7274b hello.html
PS M:\projects\math modeling\.git> git cat-file -p 188a14643bbab8288df777414ed4380c30e7274b
<!-- Author: Roman Malkov : batle.05.frog@gmail.com-->
<html>
cheads
</head>
```

</body>
:/html>

PS M:\projects\math modeling\.git> _

```
PS M:\projects\math modeling\.git> git cat-file -p 1aac232c934f8d63a75d2fc926d9688b2747ca56
tree b1435a41197dd56bd137a102c631df94f5ac3db4
parent 6b1a91f3adb6564df1ff7ac0b222663937e115f1
author MstislavRomanovski <batle.05.frog@gmail.com> 1707385676 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707385676 +0300
Moved hello.html to lib
PS M:\projects\math modeling\.git> git cat-file -p 6b1a91f3adb6564df1ff7ac0b222663937e115f1
tree 1003b008aa9a64dc160719e01f66bd814edf635d
parent 75acc3737010c09fa16f02c30ebc1bff23d47d53
author MstislavRomanovski <batle.05.frog@gmail.com> 1707385337 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707385431 +0300
Add an author/email comment
PS M:\projects\math modeling\.git> git cat-file -p 75acc3737010c09fa16f02c30ebc1bff23d47d53
tree b7d435edbae7c5ea28e63c6b2c459ee14a639c3b
parent b170bfc11f8dbc288ca0ff38ffc553541e15c3e9
author MstislavRomanovski <batle.05.frog@gmail.com> 1707383574 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707383574 +0300
Added HTML header
PS M:\projects\math modeling\.git> git cat-file -p b170bfc11f8dbc288ca0ff38ffc553541e15c3e9
tree 39244a281685d83fbfed8c43d561598030b74d64
parent aa37f071e69b312ae624736192f83c5a6e1ca9c1
author MstislavRomanovski <batle.05.frog@gmail.com> 1707383462 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707383462 +0300
Added standard HTML page tags
PS M:\projects\math modeling\.git> git log aa37f07le69b312ae624736192f83c5a6e1ca9c1
 ommit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
 ommit 912d6d81f0ad2db816c465b259e2d51ea579d111
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
   Initial Commit
PS M:\projects\math modeling\.git> git log 39244a281685d83fbfed8c43d561598030b74d64
PS M:\projects\math modeling\.git> git cat-file -p 39244a281685d83fbfed8c43d561598030b74d64
100644 blob 6c7ba8e1875a418341f33ee7640357855647f7c2 hello.html
PS M:\projects\math modeling\.git> git cat-file -p 6c7ba8e1875a41834<u>1f33ee7640357855647f7c2</u>
<html>
       <body>
                <h1>Hello, World!</h1>
```

```
PS M:\projects\math modeling\.git> git checkout master
fatal: this operation must be run in a work tree
PS M:\projects\math modeling\.git> cd M:\projects\math modeling
PS M:\projects\math modeling> git checkout -b style
Switched to a new branch 'style'
PS M:\projects\math modeling> git status
On branch style
nothing to commit, working tree clean
PS M:\projects\math modeling> New-Item lib/style.css
   Directory: M:\projects\math modeling\lib
 lode
                                          Length Name
              08.02.2024 13:22
                                               0 style.css
PS M:\projects\math modeling> git add lib/style.css
PS M:\projects\math modeling> git commit -m "Added css stylesheet"
[style e04d1c5] Added css stylesheet
1 file changed, 3 insertions(+)
create mode 100644 lib/style.css
PS M:\projects\math modeling> git add lib/hello.html
PS M:\projects\math modeling> git commit -m "Hello uses style.css"
[style 02fffde] Hello uses style.css
1 file changed, 7 insertions(+), 5 deletions(-)
PS M:\projects\math modeling> git add index.html
PS M:\projects\math modeling> git commit -m "Updated index.html"
[style 10f9b29] Updated index.html
                                                                                         29/87
1 file changed, 7 insertions(+), 3 deletions(-)
PS M:\projects\math modeling> _
```

M:\ncoiects\math modeling>

```
S M:\projects\math_modeling> git log --all
ommit 10f9b296905b4adf15d345876bfdd703de1674c9 (HEAD -> style)
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:27:26 2024 +0300
   Undated index.html
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:26:04 2024 +0300
   Hello uses style.css
  mmit e04d1c516619d03b20188253eb26bdb3d3b05547
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
 ate: Thu Feb 8 13:23:39 2024 +0300
   Added css stylesheet
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:50:18 2024 +0300
    Added index.html
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
 ate: Thu Feb 8 12:47:56 2024 +0300
   Moved hello.html to lib
  mmit 6b1a91f3adb6564df1ff7ac0b222663937e115f1
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:42:17 2024 +0300
   Add an author/email comment
PS M:\projects\math modeling> git checkout master
Switched to branch 'master
PS M:\projects\math modeling> cat lib/hello.html
<!-- Author: Roman Malkov : batle.05.frog@gmail.com-->
 head>
 /head>
<h1>Hello, World!</h1>
 /hody>
PS M:\projects\math modeling> git checkout style
Switched to branch 'style'
PS M:\projects\math modeling> cat lib/hello.html
<!-- Author: Roman Malkov : batle.05.frog@gmail.com-->
 html>
        k type="text/css" rel="stylesheet"
                media="all" href="style.css" />
                <h1>Hello, World!</h1>
```

```
S M:\projects\math_modeling> git checkout master
Switched to branch 'master'
PS M:\projects\math modeling> New-Item READNE.md
    Directory: M:\projects\math modeling
               08.02.2024 13:31
                                                 @ README.md
PS M:\projects\math_modeling> git add README.md
PS M:\projects\math_modeling> git commit -m "Added README"
[master 88df991] Added README
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 READNE.md
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:31:44 2024 +0300
      Added README
    Author: MstislavRomanovski <batle.05.frog@gmail.com>
    Date: Thu Feb 8 13:27:26 2024 +0300
        Updated index.html
    Author: MstislavRomanovski <batle.05.frog@gmail.com>
    Date: Thu Feb 8 13:26:04 2024 +0300
        Hello uses style.css
    Author: MstislavRomanovski <batle.05.frog@gmail.com>
    Date: Thu Feb 8 13:23:39 2024 +0300
        Added css stylesheet
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 12:50:18 2024 +0300
      Added index.html
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 12:47:56 2024 +0300
     Moved hello.html to lib
 ...skipping...
commit 88df991874ce361bcf2cceec723838d3d8e8777c (HEAD -> master)
Authon: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:31:44 2024 +0300
      Added README
    Author: MstislavRomanovski <batle.05.from@gmail.com>
    Date: Thu Feb 8 13:27:26 2024 +0300
        Updated index.html
```

```
S M:\projects\math_modeling> git checkout master
lready on 'master'
S M:\projects\math_modeling> git checkout style
S M:\projects\math_modeling> git merge master
lerge made by the 'ort' strategy.
1 file changed, 0 insertions(+), 0 deletions(-)
file changed, 9 invertables, 15 create mode 109544 README.md

5 M:\projects\math.modeling git log --graph --ml1

6 M:\projects\math.modeling git log --graph --ml1

6 M:\projects\math.math.modeling git log --graph --ml1
  Merge: 10f9b29 88df991
  Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:33:48 2024 +0300
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:31:44 2024 +0300
   commit 18f9b296905b4adf15d345876bfdd703de1674c9
Author: MstislavRomanovski (batle.05.fromBemail.com)
   Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:26:84 2824 +8388
   Date: Thu Feb 8 13:23:39 2024 +0300
 Author: MstislavRomanovski <batle.05.froeBemail.com>
 Date: Thu Feb S 12:58:18 2824 +8388
  Merge: 10f9b29 88df991
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:33:48 2024 +0300
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:31:44 2024 +0300
   Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
```

32/87

```
PS M:\projects\math modeling> git checkout master
Switched to branch 'master'
PS M:\projects\math modeling> git add lib/hello.html
PS M:\projects\math modeling> git commit -m "Life is Pain"
[master 4e34d52] Life is Pain
1 file changed, 3 insertions(+), 2 deletions(-)
PS M:\projects\math modeling> git log --graph --al
fatal: unrecognized argument: --al
PS M:\projects\math_modeling> git log --graph --all
 commit 4e34d52f630d9f8a3debefc9ee6e0b27d35bd3a6 (HEAD -> master)
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:39:23 2024 +0300
     Life is Pain
     commit a53f6be4f8270bc47a9e3a187ab78638de1295bb (style)
     Merge: 10f9b29 88df991
     Author: MstislavRomanovski <batle.05.frog@gmail.com>
     Date: Thu Feb 8 13:33:48 2024 +0300
         Merge branch 'master' into style
   commit 88df991874ce361bcf2cceec723838d3d8e8777c
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
    Date: Thu Feb 8 13:31:44 2024 +0300
       Added README
   commit 10f9b296905b4adf15d345876bfdd703de1674c9
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
   commit 02fffdef8ebfd3d6f04723eb01a64bd798ea2f89
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:26:04 2024 +0300
       Hello uses style.css
```

```
Added standard HTML page tags
PS M:\projects\math_modeling> git checkout style
Switched to branch 'style'
PS M:\projects\math_modeling> git merge master
Auto-merging lib/hello.html
Automatic merge failed; fix conflicts and then commit the result.
PS M:\projects\math_modeling> git add .\lib\hello.html
PS M:\projects\math_modeling> git vommit -m "Merge conflict solution"
git: 'vommit' is not a git command. See 'git --help'.

The most similar command is
commit
PS M:\projects\math_modeling> git commit -m "Merge conflict solution"
git: 'vommit' is not a git command. See 'git --help'.
```

Рис. 32: 1.21

```
S M:\projects\math modeling> git checkout style
lready on 'style'
% M:\projects\math_modeling> git log --graph
commit 18446c12d349e95215b62e22d781475629844b81 (HEAD -> style)
  Merge: a53f6be 4e34d52
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:46:27 2024 +0300
       Merge conflict solution
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:39:23 2024 +0300
   commit a53f6be4f8270bc47a9e3a187ab78638de1295bb
   Merge: 10f9b29 88df991
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:33:48 2024 +0300
       Merge branch 'master' into style
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:31:44 2024 +0300
       Added READNE
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:26:04 2024 +0300
S M:\projects\math modeling> git checkout master
Switched to branch 'master
S M:\projects\math modeling> git checkout style
Switched to branch 'style
S M:\projects\math modeling> git reset --hard 10f9b296905b4adf15d345876bfdd703de1674c9
HEAD is now at 18f9b29 Updated index.html
PS M:\projects\math_modeling> git log --graph --all
* commit 4e34d52f630d9f8a3debefc9ee6e0b27d35bd3a6 (master)
| Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:39:23 2024 +0300
 commit 88df991874ce361bcf2cceec723838d3d8e8777c
Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:31:44 2024 +0300
  Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
```

```
S M:\projects\math modeling> git checkout master
Switched to branch 'master
PS M:\projects\math_modeling> git log --graph
* commit 4e34d52f630d9f8a3debefc9ee6e0b27d35bd3a6 (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:39:23 2024 +0300
    Life is Pain
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:31:44 2024 +0300
    Added README
 commit 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:50:18 2024 +0300
    Added index.html
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:47:56 2024 +0300
    Moved hello, html to lib
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:42:17 2024 +0300
    Add an author/email comment
 commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
    Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc55354le15c3e9 (tag: v1-beta)
PS M:\projects\math modeling> git reset --hard 88df991874ce361bcf2cceec723838d3d8e8777c
HEAD is now at 88df991 Added README
S M:\projects\math_modeling> git log -graph --all
atal: unrecognized argument: -graph
S M:\projects\math_modeling> git log --graph --all
commit 88df991874ce361bcf2cceec723838d3d8e8777c (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:31:44 2024 +0300
    Added README
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
  Date: Thu Feb 8 13:26:04 2024 +0300
```

```
PS M:\projects\math modeling> git checkout style
Switched to branch 'style'
PS M:\projects\math_modeling> git rebase master
successfully rebased and updated refs/heads/style.
PS M:\projects\math_modeling> git log --graph --all
* commit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (HEAD -> style)
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:27:26 2024 +0300
     Undated index.html
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:26:04 2024 +0300
     Hello uses style.css
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:23:39 2024 +0300
     Added css stylesheet
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:31:44 2024 +0300
     Added READNE
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 12:50:18 2024 +0300
     Added index.html
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 12:47:56 2024 +0300
     Moved hello.html to lib
 ...skipping...
commit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (HEAD -> style)
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:27:26 2024 +0300
     Undated index.html
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:26:04 2024 +0300
     Hello uses style.css
 commit 1093debb34652e76947dab7db91848d54b368a88
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
```

Date: Thu Feb 8 13:23:39 2024 +0300

Added index.html

```
commit 6b1a91f3adb6564df1ff7ac0b222663937e115f1
PS M:\projects\math modeling> git checkout master
Switched to branch 'master'
PS M:\projects\math modeling> git merge style
Updating 88df991..644d4d6
 ast-forward
 index.html
                1 10 ++++++
lib/hello.html | 12 ++++++
lib/style.css | 3 +++
3 files changed, 17 insertions(+), 8 deletions(-)
 create mode 100644 lib/style.css
PS M:\projects\math modeling> git log
 commit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (HEAD -> master, style)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:27:26 2024 +0300
    Updated index.html
 commit e0c9a12973bfcb370a31c35a8a79faf5e1d729a7
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:26:04 2024 +0300
   Hello uses style.css
commit 1093debb34652e76947dab7db91848d54b368a88
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:23:39 2024 +0300
   Added css stylesheet
 commit 88df991874ce361bcf2cceec723838d3d8e8777c
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:31:44 2024 +0300
    Added README
 ommit 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:50:18 2024 +0300
```

```
mit 6b1a91f3adb6564df1ff7ac0b222663937e115f1
 M:\projects\math_modeling> cd M:\projects
 M:\projects> git clone math modeling cloned
loning into 'cloned'...
S M:\projects> cd cloned
S M:\projects\cloned> ls
  Directory: M:\projects\cloned
             08,02,2024
                                                lib
             08,02,2024
                           14:05
                                            197 index.html
             08.02.2024 14:05
                                              @ README.md
S M:\projects\cloned> git log --all
 ommit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (HEAD -> master, origin/style, origin/master, origin/HEAD)
uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Nate: Thu Feb 8 13:27:26 2024 +0300
  Updated index.html
outhor: MstislavRomanovski <batle.05.frog@gmail.com>
ate: Thu Feb 8 13:26:04 2024 +0300
  Hello uses style.css
 mmit 1093debb34652e76947dab7db91848d54b368a88
uthor: MstislavRomanovski chatle.05.from@gmail.com>
Nate: Thu Feb 8 13:23:39 2024 +0300
  Added css stylesheet
uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:31:44 2024 +0300
  Added README
 ommit 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
kuthor: MstislavRomanovski <batle.05.froe@gmail.com>
ate: Thu Feb 8 12:50:18 2024 +0300
  Added index.html
 thor: MstislavRomanovski <batle.05.frog@gmail.com>
```

```
Initial Commit
PS M:\projects\cloned> git remote
origin
PS M:\projects\cloned> git remote show origin
 remote origin
 Fetch URL: M:/projects/math modeling
 Push URL: M:/projects/math modeling
 HEAD branch: master
  Remote branches:
    master tracked
    style tracked
  Local branch configured for 'git pull':
    master merges with remote master
  Local ref configured for 'git push':
    master pushes to master (up to date)
PS M:\projects\cloned> git branch
PS M:\projects\cloned> git branch -a
            igin/HEAD -> origin/master
PS M:\projects\cloned>
```

40/87

```
PS M:\projects\cloned> cat README.md
PS M:\projects\cloned> git merge origin/master
Updating 644d4d6..5ecd808
Fast-forward
README.md | 1 +
1 file changed, 1 insertion(+)
PS M:\projects\cloned> cat README.md
This is the Hello World example from the git tutorial.
PS M:\projects\cloned> git branch --track style origin/style
branch 'style' set up to track 'origin/style'.
PS M:\projects\cloned> git branch -a
 style
          origin/HEAD -> origin/master
S M:\projects\cloned> git log --max-count=2
 ommit 5ecd808e7dacc4116009bf36615b5416cd2d975e (HEAD -> master, origin/master, origin/HEAD)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 14:11:06 2024 +0300
   Changed README in origin repo
 commit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (origin/style, style)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:27:26 2024 +0300
```

Рис. 39: 1.30

Рис. 40: 1.31

```
PS M:\projects\math_modeling> git remote remove shared
S M:\projects\math modeling> git remote -d shared ../math modeling.git
error: unknown switch `d'
usage: git remote [-v | --verbose]
 or: git remote add [-t <branch] [-m <master>] [-f] [--tags | --no-tags] [--mirror=<fetch|push>] <name> <url>
  or: git remote rename [--[no-]progress] <old> <new>
  or: git remote remove <name>
  or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
  or: git remote [-v | --verbose] show [-n] <name>
  or: git remote prune [-n | --dry-run] <name>
  or: git remote [-v | --verbose] update [-p | --prune] [(<group> | <remote>)...]
  or: git remote set-branches [--add] <name> <branch>...
  or: git remote get-url [--push] [--all] <name>
  or: git remote set-url [--push] <name> <newurl> [<oldurl>]
  or: git remote set-url --add <name> <newurl>
  or: git remote set-url --delete <name> <url>
   -v. --verbose
                         be verbose; must be placed before a subcommand
PS M:\projects\math_modeling> git remote add shared ../math_modeling.git
S M:\projects\math modeling> git push shared master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 423 bytes | 423.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To ../math modeling.git
 5ecd808..048f10e master -> master
S M:\projects\math modeling> _
```

Рис. 41: 1.32

```
Please make sure you have the correct access rights
and the repository exists.
PS M:\projects\cloned> git remote add shared ../math modeling.git
PS M:\projects\cloned> git pull shared master
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Jnpacking objects: 100% (3/3), 403 bytes | 2.00 KiB/s, done.
From ../math modeling
* branch
                    master -> FETCH_HEAD
* [new branch] master -> shared/master
Updating 5ecd808..048f10e
ast-forward
README.md | 3 ++-
1 file changed, 2 insertions(+), 1 deletion(-)
PS M:\projects\cloned> cat README.md
This is the Hello World example from the git tutorial.
(CHANGED IN ORIGINAL AND PUSHED TO SHARED)
PS M:\projects\cloned> _
```

Цель работы

Вспомнить основы работы с системой контроля версий git.

```
PS M:\projects\math_modeling> git config --global user.name "MstislavRomanovski"
PS M:\projects\math_modeling> git config --global user.email "batle.05.frog@gmail.com"
PS M:\projects\math_modeling> git config --global core.autocrlf true
PS M:\projects\math_modeling> git config --global core.safecrlf true
PS M:\projects\math_modeling> git config --global core.quotepath off
PS M:\projects\math_modeling> cd M:\projects
PS M:\projects\math_modeling> cd M:\projects
```

Рис. 43: 1.1

```
PS M:\projects\math_modeling> git config --global user.name "MstislavRomanovski"
PS M:\projects\math_modeling> git config --global user.email "batle.05.frog@gmail.com"
PS M:\projects\math_modeling> git config --global core.autoorfl true
PS M:\projects\math_modeling> git config --global core.safecrlf true
PS M:\projects\math_modeling> git config --global core.quotepath off
PS M:\projects\math_modeling> git config --global core.quotepath off
PS M:\projects\math_modeling> cd M:\projects
PS M:\projects> mkdir math_modeling
```

Рис. 44: 1.1

```
PS M:\projects\math modeling> cd M:\projects
PS M:\projects> mkdir math modeling
   Directory: M:\projects
       LastWriteTime Length Name
Mode
                                      math modeling
d---- 08.02.2024 12:05
PS M:\projects> cd M:\projects\math modeling\
PS M:\projects\math modeling> git init
Initialized empty Git repository in M:/projects/math modeling/.git/
PS M:\projects\math modeling> New-Item hello.html
   Directory: M:\projects\math modeling
        LastWriteTime Length Name
Mode
-a--- 08.02.2024 12:05 0 hello.html
PS M:\projects\math modeling> git add .\hello.html
PS M:\projects\math modeling> git commit -m "Initial Commit"
[master (root-commit) 912d6d8] Initial Commit
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 hello.html
```

```
PS M:\projects\math_modeling> git add .\hello.html
PS M:\projects\math_modeling> git status
```

Рис. 46: 1.4

Рис. 47: 1.4.2

```
PS M:\projects\math modeling> git commit -m "Added standard HTML page tags"
[master b170bfc] Added standard HTML page tags
1 file changed, 5 insertions(+), 2 deletions(-)
PS M:\projects\math modeling> git status
On branch master
Changes not staged for commit:
 (use "git add <file>..." to update what will be committed)
 (use "git restore <file>..." to discard changes in working directory)
no changes added to commit (use "git add" and/or "git commit -a")
PS M:\projects\math modeling> git add .
PS M:\projects\math modeling> git status
On branch master
Changes to be committed:
 (use "git restore --staged <file>..." to unstage)
PS M:\projects\math modeling> git commit -m "Added HTML header"
[master 75acc37] Added HTML header
1 file changed, 2 insertions(+)
```

Рис. 48: 1.4.21

```
PS M:\projects\math modeling> git log
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
commit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
commit 912d6d81f0ad2db816c465b259e2d51ea579d111
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
```

Рис. 49: 1.4.3

```
PS M:\projects\math modeling> git log
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
 ommit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
 ommit aa37f071e69b312ae624736192f83c5a6e1ca9c1
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
 ommit 912d6d81f0ad2db816c465b259e2d51ea579d111
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
   Initial Commit
 S M:\projects\math modeling> git checkout aa37f071e69b31
Note: switching to 'aa37f071e69b31'.
You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and you can discard any commits you make in this
state without impacting any branches by switching back to a branch.
If you want to create a new branch to retain commits you create, you may
to so (now or later) by using -c with the switch command. Example:
 git switch -c <new-branch-name>
Or undo this operation with:
 git switch -
Turn off this advice by setting config variable advice.detachedHead to false
HEAD is now at aa37f07 Initial Commit
PS M:\projects\math modeling> cat hello.html
<h1>Hello, World!</h1>
PS M:\projects\math modeling> git checkout master
Previous HEAD position was aa37f07 Initial Commit
Switched to branch 'master'
>S M:\projects\math modeling> cat hello.html
(head>
```

```
HEAD is now at b170bfc Added standard HTML page tags
PS M:\projects\math modeling> cat hello.html
<html>
        <body>
                <h1>Hello, World!</h1>
        </body>
</html>
PS M:\projects\math modeling> git tage v1-beta
git: 'tage' is not a git command. See 'git --help'.
The most similar command is
        stage
PS M:\projects\math modeling> git checkout master
Previous HEAD position was b170bfc Added standard HTML page tags
Switched to branch 'master'
PS M:\projects\math modeling> git tag
PS M:\projects\math modeling> git checkout v1^
Note: switching to 'v1^'.
You are in 'detached HEAD' state. You can look around, make experimental
changes and commit them, and vou can discard any commits you make in this
state without impacting any branches by switching back to a branch.
If you want to create a new branch to retain commits you create, you may
do so (now or later) by using -c with the switch command. Example:
  git switch -c <new-branch-name>
Or undo this operation with:
 git switch -
Turn off this advice by setting config variable advice.detachedHead to false
HEAD is now at b170bfc Added standard HTML page tags
PS M:\projects\math modeling> git tag v1-beta
PS M:\projects\math modeling> git checkout master
Previous HEAD position was b170bfc Added standard HTML page tags
Switched to branch 'master'
PS M:\projects\math modeling> git tag
v1-heta
```

```
PS M:\projects\math_modeling> git tag v1-beta
PS M:\projects\math modeling> git checkout master
Previous HEAD position was b170bfc Added standard HTML page tags
Switched to branch 'master'
PS M:\projects\math modeling> git tag
/1-beta
PS M:\projects\math modeling> git log master --all
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master, tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
ommit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
```

Рис. 52: 1.4.7

```
PS M:\projects\math_modeling> git tag v1-beta
PS M:\projects\math modeling> git checkout master
Previous HEAD position was b170bfc Added standard HTML page tags
Switched to branch 'master'
PS M:\projects\math modeling> git tag
/1-beta
PS M:\projects\math modeling> git log master --all
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master, tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
ommit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
```

Рис. 53: 1.4.7

```
Initial Commit
PS M:\projects\math modeling> git checkout master
Already on 'master'
PS M:\projects\math modeling> git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
no changes added to commit (use "git add" and/or "git commit -a")
PS M:\projects\math_modeling> git checkout hello.html
Updated 1 path from the index
PS M:\projects\math_modeling> git status
On branch master
nothing to commit, working tree clean
PS M:\projects\math modeling> cat hello.html
<head>
</head>
<html>
        <body>
                <h1>Hello, World!</h1>
        </body>
</html>
PS M:\projects\math modeling> git add .\hello.html
PS M:\projects\math modeling> git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
PS M:\projects\math_modeling> git reset HEAD hello.html
Unstaged changes after reset:
        hello.html
PS M:\projects\math modeling> git checkout hello.html
Updated 1 path from the index
PS M:\projects\math modeling> git status
On branch master
nothing to commit, working tree clean
```

```
PS M:\projects\math_modeling> git reset HEAD hello.html
Jnstaged changes after reset:
M hello.html
PS M:\projects\math_modeling> git checkout hello.html
Jpdated 1 path from the index
PS M:\projects\math_modeling> git status
On branch master
nothing to commit, working tree clean
```

Рис. 55: 1.6

```
PS M:\projects\math modeling> git add hello.html
PS M:\projects\math modeling> git commit -m "@ops.it wasn't intended to be commited"
master c29d812] 0ops,it wasn't intended to be committed
1 file changed, 5 insertions(+), 4 deletions(-)
PS M:\projects\math modeling> git revert HEAD
[master 6cfb178] Revert "Oops, it wasn't intended to be commited"
1 file changed, 4 insertions(+), 5 deletions(-)
PS M:\projects\math_modeling> git log
commit 6cfb178dc829a816ab400c4abff2c735be684a05 (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:27:09 2024 +0300
   Revert "Oops, it wasn't intended to be committed"
    This reverts commit c29d812ad04bbd7859246920b92a9af9b1e82d4a.
 ommit c29d812ad04bbd7859246920b92a9af9b1e82d4a
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:26:51 2024 +0300
    Oops.it wasn't intended to be committed
 ommit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (tag: v1)
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
    Added HTML header
 ommit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
 ommit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
    Initial Commit
 ommit 912d6d81f0ad2db816c465b259e2d51ea579d111
```

Author: MstislavRomanovski <batle.05.frog@gmail.com>

Date: Thu Feb 8 12:06:15 2024 +0300

```
PS M:\projects\math modeling> git tag oops
PS M:\projects\math_modeling> git log master --all
commit 6cfb178dc829a816ab400c4abff2c735be684a05 (HEAD -> master, tag: oops)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:27:09 2024 +0300
   Revert "Oops, it wasn't intended to be committed"
    This reverts commit c29d812ad04bbd7859246920b92a9af9b1e82d4a.
commit c29d812ad04bbd7859246920b92a9af9b1e82d4a
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:26:51 2024 +0300
   Oops.it wasn't intended to be committed
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
commit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
    Initial Commit
```

60/87

```
PS M:\projects\math modeling> git reset --hard v1
HEAD is now at 75acc37 Added HTML header
PS M:\projects\math_modeling> git log
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master, tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
commit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
commit 912d6d81f0ad2db816c465b259e2d51ea579d111
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
   Initial Commit
PS M:\projects\math modeling>
```

```
commit 912d6d81f0ad2db816c465b259e2d51ea579d111
PS M:\projects\math modeling> git tag -d oops
Deleted tag 'oops' (was 6cfb178)
PS M:\projects\math modeling> git log --all
commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (HEAD -> master, tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
commit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
commit 912d6d81f0ad2db816c465b259e2d51ea579d111
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
   Initial Commit
PS M:\projects\math modeling>
```

```
Initial Commit
PS M:\projects\math modeling> git add .\hello.html
PS M:\projects\math modeling> git commit -m "Add an author comment"
[master 63ed9e7] Add an author comment
1 file changed, 5 insertions(+), 4 deletions(-)
PS M:\projects\math modeling> git add .\hello.html
PS M:\projects\math_modeling> git commit --amend -m "Add an author/email comment"
[master 6b1a91f] Add an author/email comment
Date: Thu Feb 8 12:42:17 2024 +0300
1 file changed, 5 insertions(+), 4 deletions(-)
PS M:\projects\math_modeling> git log
 ommit 6b1a91f3adb6564df1ff7ac0b222663937e115f1 (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:42:17 2024 +0300
   Add an author/email comment
 ommit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
   Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc553541e15c3e9 (tag: v1-beta)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:11:02 2024 +0300
   Added standard HTML page tags
 ommit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
    Initial Commit
 ommit 912d6d81f0ad2db816c465b259e2d51ea579d111
```

Author: MstislavRomanovski <batle.05.frog@gmail.com>

Date: Thu Feb 8 12:86:15 2024 +0300

```
Initial Commit
PS M:\projects\math modeling> mkdir lib
   Directory: M:\projects\math modeling
lode
                                   Length Name
      08.02.2024 12:46
                                                lib
PS M:\projects\math modeling> git mv hello.html lib
PS M:\projects\math modeling> git status
On branch master
Changes to be committed:
 (use "git restore --staged <file>..." to unstage)
PS M:\projects\math modeling> git commit -m "Moved hello.html to lib"
[master 1aac232] Moved hello.html to lib
1 file changed, 0 insertions(+), 0 deletions(-)
rename hello.html => lib/hello.html (100%)
PS M:\projects\math modeling>
```

Рис. 61: 1.11

```
PS M:\projects\math modeling> New-Item index.html
   Directory: M:\projects\math_modeling
             LastWriteTime Length Name
1ode
       08.02.2024 12:48 0 index.html
PS M:\projects\math modeling> git add index.html
PS M:\projects\math modeling> git commit -m "Added index.html"
[master 61bfc3f] Added index.html
1 file changed, 5 insertions(+)
create mode 100644 index.html
PS M:\projects\math modeling> _
```

Рис. 62: 1.12




Рис. 63: 1.13.2

```
PS M:\projects\math_modeling\.git\objects> cat M:\projects\math_modeling\.git\config

[core]

repositoryformatversion = 0

filemode = false

bare = false

logallrefupdates = true

symlinks = false

ignorecase = true
```

Рис. 64: 1.13.3

```
Directory: M:\projects\math modeling\.git\refs
                                          Length Name
              08.02.2024
                            12:50
                                                  heads
              08.02.2024
                            12:40
                                                  tags
PS M:\projects\math modeling\.git> ls refs/heads
   Directory: M:\projects\math modeling\.git\refs\heads
                                          Length Name
              08.02.2024
                            12:50
                                              41 master
PS M:\projects\math modeling\.git> ls refs/tags
   Directory: M:\projects\math_modeling\.git\refs\tags
              08.02.2024
                            12:18
                                              41 v1
              08.02.2024
                            12:19
                                              41 v1-beta
PS M:\projects\math modeling\.git> ls refs/tags/v1
   Directory: M:\projects\math modeling\.git\refs\tags
              08.02.2024
                            12:18
                                              41 v1
```

PS M:\projects\math modeling\.git>

```
PS M:\projects\math_modeling\.git> cat HEAD
ref: refs/heads/master
PS M:\projects\math_modeling\.git>
```

Рис. 66: 1.13.5

```
PS M:\projects\math_modeling\.git> git log --max-count=1
commit 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:50:18 2024 +0300
   Added index.html
PS M:\projects\math modeling\.git> git cat-file -t <hash>
ine |
      git cat-file -t <hash>
      The '<' operator is reserved for future use.
PS M:\projects\math modeling\.git> git cat-file -t 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
commit
PS M:\projects\math modeling\.git> git cat-file -p 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
tree 28ae32661901086a62dcfb52134345cef30521df
parent 1aac232c934f8d63a75d2fc926d9688b2747ca56
author MstislavRomanovski <batle.05.frog@gmail.com> 1707385818 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707385818 +0300
Added index.html
PS M:\projects\math modeling\.git> git cat-file -p 28ae32661901086a62dcfb52134345cef30521df
100644 blob 4259d9fadfd92fdfbdfefbe1d0dbfe3ac19f1a91
                                                        index.html
040000 tree 1003b008aa9a64dc160719e01f66bd814edf635d
                                                        lih
PS M:\projects\math modeling\.git> git cat-file -p 1003b008aa9a64dc160719e01f66bd814edf635d
100644 blob 188a14643bbab8288df777414ed4380c30e7274b
                                                       hello.html
PS M:\projects\math modeling\.git> git cat-file -p 1003b008aa9a64dc160719e01f66bd814edf635d
100644 blob 188a14643bbab8288df777414ed4380c30e7274b hello.html
PS M:\projects\math modeling\.git> git cat-file -p 188a14643bbab8288df777414ed4380c30e7274b
<!-- Author: Roman Malkov : batle.05.frog@gmail.com-->
<html>
cheads
</head>
```

/html>

PS M:\projects\math modeling\.git> _

```
PS M:\projects\math modeling\.git> git cat-file -p 1aac232c934f8d63a75d2fc926d9688b2747ca56
tree b1435a41197dd56bd137a102c631df94f5ac3db4
parent 6b1a91f3adb6564df1ff7ac0b222663937e115f1
author MstislavRomanovski <batle.05.frog@gmail.com> 1707385676 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707385676 +0300
Moved hello.html to lib
PS M:\projects\math modeling\.git> git cat-file -p 6b1a91f3adb6564df1ff7ac0b222663937e115f1
tree 1003b008aa9a64dc160719e01f66bd814edf635d
parent 75acc3737010c09fa16f02c30ebc1bff23d47d53
author MstislavRomanovski <batle.05.frog@gmail.com> 1707385337 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707385431 +0300
Add an author/email comment
PS M:\projects\math modeling\.git> git cat-file -p 75acc3737010c09fa16f02c30ebc1bff23d47d53
tree b7d435edbae7c5ea28e63c6b2c459ee14a639c3b
parent b170bfc11f8dbc288ca0ff38ffc553541e15c3e9
author MstislavRomanovski <batle.05.frog@gmail.com> 1707383574 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707383574 +0300
Added HTML header
PS M:\projects\math modeling\.git> git cat-file -p b170bfc11f8dbc288ca0ff38ffc553541e15c3e9
tree 39244a281685d83fbfed8c43d561598030b74d64
parent aa37f071e69b312ae624736192f83c5a6e1ca9c1
author MstislavRomanovski <batle.05.frog@gmail.com> 1707383462 +0300
committer MstislavRomanovski <batle.05.frog@gmail.com> 1707383462 +0300
Added standard HTML page tags
PS M:\projects\math modeling\.git> git log aa37f07le69b312ae624736192f83c5a6e1ca9c1
 ommit aa37f071e69b312ae624736192f83c5a6e1ca9c1
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:07:17 2024 +0300
   Initial Commit
 ommit 912d6d81f0ad2db816c465b259e2d51ea579d111
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:06:15 2024 +0300
   Initial Commit
PS M:\projects\math modeling\.git> git log 39244a281685d83fbfed8c43d561598030b74d64
PS M:\projects\math modeling\.git> git cat-file -p 39244a281685d83fbfed8c43d561598030b74d64
100644 blob 6c7ba8e1875a418341f33ee7640357855647f7c2 hello.html
PS M:\projects\math modeling\.git> git cat-file -p 6c7ba8e1875a41834<u>1f33ee7640357855647f7c2</u>
<html>
       <body>
                <h1>Hello, World!</h1>
        </body>
```

```
PS M:\projects\math_modeling\.git> git checkout master
fatal: this operation must be run in a work tree
PS M:\projects\math modeling\.git> cd M:\projects\math modeling
PS M:\projects\math modeling> git checkout -b style
Switched to a new branch 'style'
PS M:\projects\math modeling> git status
On branch style
nothing to commit, working tree clean
PS M:\projects\math modeling> New-Item lib/style.css
   Directory: M:\projects\math modeling\lib
 lode
                                          Length Name
              08.02.2024 13:22
                                                0 style.css
PS M:\projects\math modeling> git add lib/style.css
PS M:\projects\math modeling> git commit -m "Added css stylesheet"
[style e04d1c5] Added css stylesheet
1 file changed, 3 insertions(+)
create mode 100644 lib/style.css
PS M:\projects\math modeling> git add lib/hello.html
PS M:\projects\math modeling> git commit -m "Hello uses style.css"
[style 02fffde] Hello uses style.css
1 file changed, 7 insertions(+), 5 deletions(-)
PS M:\projects\math modeling> git add index.html
PS M:\projects\math modeling> git commit -m "Updated index.html"
[style 10f9b29] Updated index.html
                                                                                         72/87
1 file changed, 7 insertions(+), 3 deletions(-)
PS M:\projects\math modeling>
```

M:\ncoiects\math modeling>

```
S M:\projects\math_modeling> git log --all
ommit 10f9b296905b4adf15d345876bfdd703de1674c9 (HEAD -> style)
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:27:26 2024 +0300
   Undated index.html
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:26:04 2024 +0300
   Hello uses style.css
  mmit e04d1c516619d03b20188253eb26bdb3d3b05547
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
 ate: Thu Feb 8 13:23:39 2024 +0300
   Added css stylesheet
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:50:18 2024 +0300
    Added index.html
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
 ate: Thu Feb 8 12:47:56 2024 +0300
   Moved hello.html to lib
  mmit 6b1a91f3adb6564df1ff7ac0b222663937e115f1
 uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:42:17 2024 +0300
   Add an author/email comment
PS M:\projects\math modeling> git checkout master
Switched to branch 'master
PS M:\projects\math modeling> cat lib/hello.html
<!-- Author: Roman Malkov : batle.05.frog@gmail.com-->
 head>
 /head>
<h1>Hello, World!</h1>
PS M:\projects\math modeling> git checkout style
Switched to branch 'style'
PS M:\projects\math modeling> cat lib/hello.html
<!-- Author: Roman Malkov : batle.05.frog@gmail.com-->
 html>
        k type="text/css" rel="stylesheet"
                media="all" href="style.css" />
                <h1>Hello, World!</h1>
```

```
S M:\projects\math_modeling> git checkout master
Switched to branch 'master'
PS M:\projects\math modeling> New-Item READNE.md
    Directory: M:\projects\math modeling
               08.02.2024 13:31
                                                 @ README.md
PS M:\projects\math_modeling> git add README.md
PS M:\projects\math_modeling> git commit -m "Added README"
[master 88df991] Added README
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 READNE.md
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:31:44 2024 +0300
      Added README
    Author: MstislavRomanovski <batle.05.frog@gmail.com>
    Date: Thu Feb 8 13:27:26 2024 +0300
        Updated index.html
    Author: MstislavRomanovski <batle.05.frog@gmail.com>
    Date: Thu Feb 8 13:26:04 2024 +0300
        Hello uses style.css
    Author: MstislavRomanovski <batle.05.frog@gmail.com>
    Date: Thu Feb 8 13:23:39 2024 +0300
        Added css stylesheet
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 12:50:18 2024 +0300
      Added index.html
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 12:47:56 2024 +0300
     Moved hello.html to lib
 ...skipping...
commit 88df991874ce361bcf2cceec723838d3d8e8777c (HEAD -> master)
Authon: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:31:44 2024 +0300
      Added README
    Author: MstislavRomanovski <batle.05.from@gmail.com>
    Date: Thu Feb 8 13:27:26 2024 +0300
        Updated index.html
```

```
S M:\projects\math_modeling> git checkout master
lready on 'master'
S M:\projects\math_modeling> git checkout style
S M:\projects\math_modeling> git merge master
lerge made by the 'ort' strategy.
1 file changed, 0 insertions(+), 0 deletions(-)
file changed, 9 invertables, 15 create mode 109544 README.md 
is M:\projects\math.modeling git log --graph --ml1 
is M:\projects\math.modeling git log --graph --ml1 
(File invertable) (MEAD -> style)
  Merge: 10f9b29 88df991
  Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:33:48 2024 +0300
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:31:44 2024 +0300
   commit 18f9b296985b4adf15d345876bfdd783de1674c9
Author: MstislavRomanovski (batle.05.fromBemail.com)
   Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:26:84 2824 +8388
   Date: Thu Feb 8 13:23:39 2024 +0300
 Author: MstislavRomanovski <batle.05.froeBemail.com>
 Date: Thu Feb S 12:58:18 2824 +8388
  Merge: 10f9b29 88df991
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:33:48 2024 +0300
  Author: MstislavRomanovski <br/>batle.05.frog@gmail.com>
Date: Thu Feb 8 13:31:44 2024 +0300
   Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
```

75/87

```
PS M:\projects\math modeling> git checkout master
Switched to branch 'master'
PS M:\projects\math modeling> git add lib/hello.html
PS M:\projects\math modeling> git commit -m "Life is Pain"
[master 4e34d52] Life is Pain
1 file changed, 3 insertions(+), 2 deletions(-)
PS M:\projects\math modeling> git log --graph --al
fatal: unrecognized argument: --al
PS M:\projects\math_modeling> git log --graph --all
 commit 4e34d52f630d9f8a3debefc9ee6e0b27d35bd3a6 (HEAD -> master)
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:39:23 2024 +0300
     Life is Pain
     commit a53f6be4f8270bc47a9e3a187ab78638de1295bb (style)
     Merge: 10f9b29 88df991
     Author: MstislavRomanovski <batle.05.frog@gmail.com>
     Date: Thu Feb 8 13:33:48 2024 +0300
         Merge branch 'master' into style
   commit 88df991874ce361bcf2cceec723838d3d8e8777c
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
    Date: Thu Feb 8 13:31:44 2024 +0300
       Added README
   commit 10f9b296905b4adf15d345876bfdd703de1674c9
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
   commit 02fffdef8ebfd3d6f04723eb01a64bd798ea2f89
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:26:04 2024 +0300
       Hello uses style.css
```

```
Added standard HTML page tags
PS M:\projects\math_modeling> git checkout style
Switched to branch 'style'
PS M:\projects\math_modeling> git merge master
Auto-merging lib/hello.html
Automatic merge failed; fix conflicts and then commit the result.
PS M:\projects\math_modeling> git add .\lib\hello.html
PS M:\projects\math_modeling> git vommit -m "Merge conflict solution"
git: 'vommit' is not a git command. See 'git --help'.

The most similar command is
PS M:\projects\math_modeling> git commit -m "Merge conflict solution"
gts: 'svommit' is not a git commit -m "Merge conflict solution"
SM:\projects\math_modeling> git commit -m "Merge conflict solution"
SM:\projects\math_modeling> git commit -m "Merge conflict solution"
PS M:\projects\math_modeling> git commit -m "Merge conflict solution"
```

Рис. 74: 1.21

```
S M:\projects\math modeling> git checkout style
lready on 'style'
% M:\projects\math_modeling> git log --graph
commit 18446c12d349e95215b62e22d781475629844b81 (HEAD -> style)
  Merge: a53f6be 4e34d52
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:46:27 2024 +0300
       Merge conflict solution
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:39:23 2024 +0300
   commit a53f6be4f8270bc47a9e3a187ab78638de1295bb
   Merge: 10f9b29 88df991
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:33:48 2024 +0300
       Merge branch 'master' into style
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:31:44 2024 +0300
       Added READNE
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
   Date: Thu Feb 8 13:26:04 2024 +0300
S M:\projects\math modeling> git checkout master
Switched to branch 'master
S M:\projects\math modeling> git checkout style
Switched to branch 'style
S M:\projects\math modeling> git reset --hard 10f9b296905b4adf15d345876bfdd703de1674c9
HEAD is now at 18f9b29 Updated index.html
PS M:\projects\math_modeling> git log --graph --all
* commit 4e34d52f630d9f8a3debefc9ee6e0b27d35bd3a6 (master)
| Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:39:23 2024 +0300
 commit 88df991874ce361bcf2cceec723838d3d8e8777c
Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:31:44 2024 +0300
  Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
```

```
S M:\projects\math modeling> git checkout master
Switched to branch 'master
PS M:\projects\math_modeling> git log --graph
* commit 4e34d52f630d9f8a3debefc9ee6e0b27d35bd3a6 (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:39:23 2024 +0300
    Life is Pain
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:31:44 2024 +0300
    Added README
 commit 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:50:18 2024 +0300
    Added index.html
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:47:56 2024 +0300
    Moved hello.html to lib
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:42:17 2024 +0300
    Add an author/email comment
 commit 75acc3737010c09fa16f02c30ebc1bff23d47d53 (tag: v1)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:12:54 2024 +0300
    Added HTML header
commit b170bfc11f8dbc288ca0ff38ffc55354le15c3e9 (tag: v1-beta)
PS M:\projects\math modeling> git reset --hard 88df991874ce361bcf2cceec723838d3d8e8777c
HEAD is now at 88df991 Added README
S M:\projects\math_modeling> git log -graph --all
atal: unrecognized argument: -graph
S M:\projects\math_modeling> git log --graph --all
commit 88df991874ce361bcf2cceec723838d3d8e8777c (HEAD -> master)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:31:44 2024 +0300
    Added README
  Author: MstislavRomanovski <batle.05.frog@gmail.com>
  Date: Thu Feb 8 13:27:26 2024 +0300
       Updated index.html
   Author: MstislavRomanovski <batle.05.frog@gmail.com>
  Date: Thu Feb 8 13:26:04 2024 +0300
```

```
PS M:\projects\math modeling> git checkout style
Switched to branch 'style'
PS M:\projects\math_modeling> git rebase master
successfully rebased and updated refs/heads/style.
PS M:\projects\math_modeling> git log --graph --all
* commit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (HEAD -> style)
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:27:26 2024 +0300
     Undated index.html
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:26:04 2024 +0300
     Hello uses style.css
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:23:39 2024 +0300
     Added css stylesheet
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:31:44 2024 +0300
     Added READNE
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 12:50:18 2024 +0300
     Added index.html
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 12:47:56 2024 +0300
     Moved hello.html to lib
 ...skipping...
commit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (HEAD -> style)
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:27:26 2024 +0300
     Undated index.html
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
 Date: Thu Feb 8 13:26:04 2024 +0300
     Hello uses style.css
 commit 1093debb34652e76947dab7db91848d54b368a88
 Author: MstislavRomanovski <batle.05.frog@gmail.com>
```

Date: Thu Feb 8 13:23:39 2024 +0300

Added index.html

```
commit 6b1a91f3adb6564df1ff7ac0b222663937e115f1
PS M:\projects\math modeling> git checkout master
Switched to branch 'master'
PS M:\projects\math modeling> git merge style
Updating 88df991..644d4d6
 ast-forward
 index.html
                1 10 ++++++
lib/hello.html | 12 ++++++
lib/style.css | 3 +++
3 files changed, 17 insertions(+), 8 deletions(-)
create mode 100644 lib/style.css
PS M:\projects\math modeling> git log
 commit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (HEAD -> master, style)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:27:26 2024 +0300
    Updated index.html
 commit e0c9a12973bfcb370a31c35a8a79faf5e1d729a7
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:26:04 2024 +0300
   Hello uses style.css
commit 1093debb34652e76947dab7db91848d54b368a88
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:23:39 2024 +0300
   Added css stylesheet
 commit 88df991874ce361bcf2cceec723838d3d8e8777c
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:31:44 2024 +0300
    Added README
 ommit 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 12:50:18 2024 +0300
```

```
mit 6b1a91f3adb6564df1ff7ac0b222663937e115f1
 M:\projects\math_modeling> cd M:\projects
 M:\projects> git clone math modeling cloned
loning into 'cloned'...
S M:\projects> cd cloned
S M:\projects\cloned> ls
  Directory: M:\projects\cloned
             08,02,2024
                                                lib
             08,02,2024
                           14:05
                                            197 index.html
             08.02.2024 14:05
                                              @ README.md
S M:\projects\cloned> git log --all
 ommit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (HEAD -> master, origin/style, origin/master, origin/HEAD)
uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Nate: Thu Feb 8 13:27:26 2024 +0300
  Updated index.html
outhor: MstislavRomanovski <batle.05.frog@gmail.com>
ate: Thu Feb 8 13:26:04 2024 +0300
  Hello uses style.css
 mmit 1093debb34652e76947dab7db91848d54b368a88
uthor: MstislavRomanovski chatle.05.from@gmail.com>
Nate: Thu Feb 8 13:23:39 2024 +0300
  Added css stylesheet
uthor: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:31:44 2024 +0300
  Added README
 ommit 61bfc3f852c98ef6e368b1652cc2736daaf8fa3d
kuthor: MstislavRomanovski <batle.05.froe@gmail.com>
ate: Thu Feb 8 12:50:18 2024 +0300
  Added index.html
 thor: MstislavRomanovski <batle.05.frog@gmail.com>
```

```
Initial Commit
PS M:\projects\cloned> git remote
origin
PS M:\projects\cloned> git remote show origin
 remote origin
 Fetch URL: M:/projects/math modeling
 Push URL: M:/projects/math modeling
 HEAD branch: master
  Remote branches:
    master tracked
    style tracked
  Local branch configured for 'git pull':
    master merges with remote master
  Local ref configured for 'git push':
    master pushes to master (up to date)
PS M:\projects\cloned> git branch
PS M:\projects\cloned> git branch -a
            igin/HEAD -> origin/master
PS M:\projects\cloned>
```

83/87

```
PS M:\projects\cloned> cat README.md
PS M:\projects\cloned> git merge origin/master
Updating 644d4d6..5ecd808
Fast-forward
README.md | 1 +
1 file changed, 1 insertion(+)
PS M:\projects\cloned> cat README.md
This is the Hello World example from the git tutorial.
PS M:\projects\cloned> git branch --track style origin/style
branch 'style' set up to track 'origin/style'.
PS M:\projects\cloned> git branch -a
 style
          origin/HEAD -> origin/master
PS M:\projects\cloned> git log --max-count=2
 ommit 5ecd808e7dacc4116009bf36615b5416cd2d975e (HEAD -> master, origin/master, origin/HEAD)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 14:11:06 2024 +0300
   Changed README in origin repo
 commit 644d4d6b7b5efb3bc3b4486174778d1054dd0cd5 (origin/style, style)
Author: MstislavRomanovski <batle.05.frog@gmail.com>
Date: Thu Feb 8 13:27:26 2024 +0300
```

Puc. 81: 1.30

Рис. 82: 1.31

```
PS M:\projects\math_modeling> git remote remove shared
S M:\projects\math modeling> git remote -d shared ../math modeling.git
error: unknown switch `d'
usage: git remote [-v | --verbose]
 or: git remote add [-t <branch] [-m <master>] [-f] [--tags | --no-tags] [--mirror=<fetch|push>] <name> <url>
  or: git remote rename [--[no-]progress] <old> <new>
  or: git remote remove <name>
  or: git remote set-head <name> (-a | --auto | -d | --delete | <branch>)
  or: git remote [-v | --verbose] show [-n] <name>
  or: git remote prune [-n | --dry-run] <name>
  or: git remote [-v | --verbose] update [-p | --prune] [(<group> | <remote>)...]
  or: git remote set-branches [--add] <name> <branch>...
  or: git remote get-url [--push] [--all] <name>
  or: git remote set-url [--push] <name> <newurl> [<oldurl>]
  or: git remote set-url --add <name> <newurl>
  or: git remote set-url --delete <name> <url>
   -v. --verbose
                         be verbose; must be placed before a subcommand
S M:\projects\math modeling> git remote add shared ../math_modeling.git
S M:\projects\math modeling> git push shared master
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 4 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 423 bytes | 423.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To ../math modeling.git
 5ecd808..048f10e master -> master
S M:\projects\math modeling> _
```

Рис. 83: 1.32

```
Please make sure you have the correct access rights
and the repository exists.
PS M:\projects\cloned> git remote add shared ../math modeling.git
PS M:\projects\cloned> git pull shared master
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Jnpacking objects: 100% (3/3), 403 bytes | 2.00 KiB/s, done.
From ../math modeling
* branch
                    master -> FETCH_HEAD
* [new branch] master -> shared/master
Updating 5ecd808..048f10e
ast-forward
README.md | 3 ++-
1 file changed, 2 insertions(+), 1 deletion(-)
PS M:\projects\cloned> cat README.md
This is the Hello World example from the git tutorial.
(CHANGED IN ORIGINAL AND PUSHED TO SHARED)
PS M:\projects\cloned> _
```