

Cucumber Report

18-Nov-2024, 10:06:49 pm

Start : Nov 18, 10:06:42.095 pm

End : Nov 18, 10:06:47.718 pm

Duration : 5.623 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 24




| Feature | | Scenario | | | | Step | | | |
|--|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Labcorp Careers Page Navigation</u> | 5.563 s | 1 | 0 | 1 | 0 | 3 | 0 | 1 | 2 |
| <u>Job Position Search and Selection</u> | 0.007 s | 1 | 0 | 1 | 0 | 9 | 0 | 0 | 9 |
| <u>Request to Sample API Validation</u> | 0.007 s | 1 | 0 | 1 | 0 | 6 | 0 | 0 | 6 |
| <u>POST Request to Sample API</u> | 0.004 s | 1 | 0 | 1 | 0 | 7 | 0 | 0 | 7 |

| # | Feature Name | Scenario Name |
|---|--|---|
| 1 | <u>Labcorp Careers Page Navigation</u> | <u>User navigates to Careers page from Labcorp home page</u> |
| 2 | <u>Job Position Search and Selection</u> | <u>Search and view a Any Job position</u> |
| 3 | <u>Request to Sample API Validation</u> | <u>Validate response from sample API</u> |
| 4 | <u>POST Request to Sample API</u> | <u>Validate POST request response for customer, payment, and product data</u> |

| TAG | Scenario | | | | Feature | | | |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @Ui | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |
| @Api | 2 | 0 | 2 | 0 | 2 | 0 | 2 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Labcorp Careers Page Navigation</u> | 1 | 0 | 1 | 0 | 5.563 s |
| 2 | <u>Job Position Search and Selection</u> | 1 | 0 | 1 | 0 | 0.007 s |
| 3 | <u>Request to Sample API Validation</u> | 1 | 0 | 1 | 0 | 0.007 s |
| 4 | <u>POST Request to Sample API</u> | 1 | 0 | 1 | 0 | 0.004 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|---|---|---|---|----------|
| 1 | <u>Labcorp Careers Page Navigation</u> | <u>User navigates to Careers page from Labcorp home page</u> | 3 | 0 | 1 | 2 | 5.562 s |
| 2 | <u>Job Position Search and Selection</u> | <u>Search and view a Any Job position</u> | 9 | 0 | 0 | 9 | 0.007 s |
| 3 | <u>Request to Sample API Validation</u> | <u>Validate response from sample API</u> | 6 | 0 | 0 | 6 | 0.007 s |
| 4 | <u>POST Request to Sample API</u> | <u>Validate POST request response for customer, payment, and product data</u> | 7 | 0 | 0 | 7 | 0.004 s |

Labcorp Careers Page Navigation

| | | | | | |
|--|---------------------------|--|---|--|---|
| FAILED | DURATION - 5.563 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 3 Pass - 0 Fail - 1 Skip - 2 |  |
| / 10:06:42.095 pm // 10:06:47.658 pm / | | | | | |
| | | | | | |



User navigates to Careers page from Labcorp home page

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 5.562 s</div> | | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div> | <div></div> |
| <div>/ 10:06:42.096 pm // 10:06:47.658 pm /</div> | | | | |
| <div>Labcorp Careers Page Navigation</div> | | | | |
| <div>@Ui</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| 1 | <p>Given the user opens a browser and goes to Labcorp home page.</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.69) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.2.1', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c9a909e281d54c896b6113291fc35ed4, findElement {using=id, value=onetrust-accept-btn-handler}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.69, chrome: {chromedriverVersion: 131.0.6778.69 (77e2244bbcd..., userDataDir: /var/ folders/s2/h_1cb9qn0ns...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51418}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51418/devtoo..., se:cdpVersion: 131.0.6778.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c9a909e281d54c896b6113291fc35ed4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</pre> | FAILED | 3.731 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy40.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at org.example.pages.HomePage.acceptAllCookies(HomePage.java:48) at org.example.stepdefs.HomeStepDef.the_user_opens_a_browser_and_goes_to_labcorp_home_page(HomeStepDef.java:36) at ?.the user opens a browser and goes to Labcorp home page.(file:///Users/sushantnew/Documents/BDD-Selenium-2/src/test/java/org/example/features/1Home.feature:5) * Not displayable characters are replaced by '?'. </pre> | | |
| 2 | When the user finds and clicks the "Careers" link | SKIPPED | 0.000 s |
| 3 | Then the user should be navigated to the Careers page | SKIPPED | 0.000 s |

Job Position Search and Selection

| | | | | | | | | | |
|--|--|--------------------|--|--|---|--|---|--|--|
| FAILED | | DURATION - 0.007 s | | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 9 Pass - 0 Fail - 0 Skip - 9 |  | | |
| / 10:06:47.681 pm // 10:06:47.688 pm / | | | | | | | | | |
| | | | | | | | | | |



Search and view a Any Job position

| | | | | |
|---|--|--|---|---|
| <div><div>FAILED</div><div>DURATION - 0.007 s</div></div> | |  | <div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div> |  |
| / 10:06:47.681 pm // 10:06:47.688 pm / | | | | |
| Job Position Search and Selection | | | | |
| @Ui | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| | BEFORE - org.example.stepdefs.HomeStepDef.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.69) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.2.1', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c9a909e281d54c896b6113291fc35ed4, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.69, chrome: {chromedriverVersion: 131.0.6778.69 (77e2244bbcd..., userDataDir: /var/folders/s2/h_1cb9qn0ns...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51418}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:51418/devtoo..., se.cdpVersion: 131.0.6778.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c9a909e281d54c896b6113291fc35ed4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043) at org.example.stepdefs.HomeStepDef.setUp(HomeStepDef.java:26) | FAILED | 0.003 s |
| 1 | Given I am on the job search page | SKIPPED | 0.001 s |
| 2 | When I search for job position | SKIPPED | 0.000 s |
| 3 | Then I should see a list of available positions that match the search | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 4 | When I select the position from Search result | SKIPPED | 0.000 s |
| 5 | And the page should display the job title match with possition serached | SKIPPED | 0.000 s |
| 6 | And the page should display the job Location | SKIPPED | 0.000 s |
| 7 | And the page should display the job Id | SKIPPED | 0.000 s |
| 8 | Then i click on click Apply Now button | SKIPPED | 0.000 s |
| 9 | Then I click to Return link | SKIPPED | 0.001 s |

Request to Sample API Validation

| | | | | | |
|--|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 0.007 s | Scenarios |  | Steps |  |
| / 10:06:47.700 pm // 10:06:47.707 pm / | | Total - 1 | | Total - 6 | |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 6 | |



Validate response from sample API

| | | | | |
|---|--|---|-----------|--|
| <div>FAILED</div> <div>DURATION - 0.007 s</div> | |  | Steps |  |
| / 10:06:47.700 pm // 10:06:47.707 pm / | | | Total - 6 | |
| Request to Sample API Validation | | | Pass - 0 | |
| @Api | | | Fail - 0 | |
| | | | Skip - 6 | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <div>BEFORE - org.example.stepdefs.HomeStepDef.setUp()</div> <div>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.69) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.2.1', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c9a909e281d54c896b6113291fc35ed4, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.69, chrome: {chromedriverVersion: 131.0.6778.69 (77e2244bbcd..., userDataDir: /var/folders/s2/h_1cb9qn0ns...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51418}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:51418/devtoo..., se:cdpVersion: 131.0.6778.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,</div> | FAILED | 0.003 s |

| # | Step / Hook Details | Status | Duration | | | | | | | | |
|-----------------|--|---------|-------------------------|------------|---|--------|------|-----------------|--------------|--|--|
| | <pre>webauthn:virtualAuthenticators: true} Session ID: c9a909e281d54c896b6113291fc35ed4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043) at org.example.stepdefs.HomeStepDef.setUp(HomeStepDef.java:26)</pre> | | | | | | | | | | |
| 1 | Given the API endpoint for sample-request | SKIPPED | 0.001 s | | | | | | | | |
| 2 | When I send a GET request to the endpoint | SKIPPED | 0.000 s | | | | | | | | |
| 3 | Then the response status code should be 200 | SKIPPED | 0.000 s | | | | | | | | |
| 4 | And the response should include the path field | SKIPPED | 0.000 s | | | | | | | | |
| 5 | And the response should include the ip field | SKIPPED | 0.000 s | | | | | | | | |
| 6 | And the response headers should include | SKIPPED | 0.002 s | | | | | | | | |
| | <table><tr><td>Host</td><td>echo.free.beeceptor.com</td></tr><tr><td>User-Agent</td><td>Apache-HttpClient/4.5.13 (Java/17.0.10)</td></tr><tr><td>Accept</td><td>/*/*</td></tr><tr><td>Accept-Encoding</td><td>gzip,deflate</td></tr></table> | Host | echo.free.beeceptor.com | User-Agent | Apache-HttpClient/4.5.13 (Java/17.0.10) | Accept | /*/* | Accept-Encoding | gzip,deflate | | |
| Host | echo.free.beeceptor.com | | | | | | | | | | |
| User-Agent | Apache-HttpClient/4.5.13 (Java/17.0.10) | | | | | | | | | | |
| Accept | /*/* | | | | | | | | | | |
| Accept-Encoding | gzip,deflate | | | | | | | | | | |

POST Request to Sample API

| | | | | | |
|--|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 0.004 s | Scenarios | | Steps | |
| / 10:06:47.714 pm // 10:06:47.718 pm / | | Total - 1 |  | Total - 7 |  |
| | | Pass - 0 | | Pass - 0 | |
| | | Fail - 1 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 7 | |

Validate POST request response for customer, payment, and product data

| | | | | |
|--|---------------------------|--|---|---|
| FAILED | DURATION - 0.004 s |  | Steps Total - 7 Pass - 0 Fail - 0 Skip - 7 |  |
| / 10:06:47.714 pm // 10:06:47.718 pm / | | | | |
| POST Request to Sample API | | | | |
| @Api | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------------|----------|
| | BEFORE - org.example.stepdefs.HomeStepDef.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.69) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.2.1', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c9a909e281d54c896b6113291fc35ed4, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.69, chrome: {chromedriverVersion: 131.0.6778.69 (77e2244bbcd..., userDataDir: /var/folders/s2/h_1cb9qn0ns...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51418}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:51418/devtoo..., se.cdpVersion: 131.0.6778.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c9a909e281d54c896b6113291fc35ed4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043) at org.example.stepdefs.HomeStepDef.setUp(HomeStepDef.java:26) | FAILED | 0.002 s |
| 1 | Given the API default endpoint | SKIPPED | 0.000 s |
| 2 | When I send a POST request to the endpoint with the payload | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 3 | Then The response status code should be 200 | SKIPPED | 0.000 s |
| 4 | And the response should include customer information: | SKIPPED | 0.001 s |
| | nameJane Smith | | |
| | emailjanesmith@example.com | | |
| | phone1-987-654-3210 | | |
| 5 | And the response should include payment details: | SKIPPED | 0.000 s |
| | methodcredit_card | | |
| | transaction_idtxn_67890 | | |
| | amount111.97 | | |
| | currencyUSD | | |
| 6 | And the response should include product1 information: | SKIPPED | 0.000 s |
| | product_idA101 | | |
| | nameWireless Headphones | | |
| | quantity1 | | |
| | price79.99 | | |
| 7 | And the response should include product2 information: | SKIPPED | 0.000 s |
| | product_idB202 | | |
| | nameSmartphone Case | | |
| | quantity2 | | |
| | price15.99 | | |