

Cucumber Report

18-Nov-2024, 8:41:37 pm

Start : Nov 18, 8:41:30.929 pm

End : Nov 18, 8:41:37.589 pm

Duration : 6.660 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 0
FAILED - 4
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 24




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Labcorp Careers Page Navigation</u>	6.604 s	1	0	1	0	3	0	1	2
<u>Job Position Search and Selection</u>	0.007 s	1	0	1	0	9	0	0	9
<u>Request to Sample API Validation</u>	0.007 s	1	0	1	0	6	0	0	6
<u>POST Request to Sample API</u>	0.006 s	1	0	1	0	7	0	0	7

#	Feature Name	Scenario Name
1	<u>Labcorp Careers Page Navigation</u>	<u>User navigates to Careers page from Labcorp home page</u>
2	<u>Job Position Search and Selection</u>	<u>Search and view a Any Job position</u>
3	<u>Request to Sample API Validation</u>	<u>Validate response from sample API</u>
4	<u>POST Request to Sample API</u>	<u>Validate POST request response for customer, payment, and product data</u>

<i>TAG</i>	<i>Scenario</i>				<i>Feature</i>			
<i>Name</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@Ui	2	0	2	0	2	0	2	0
@Api	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Labcorp Careers Page Navigation</u>	1	0	1	0	6.604 s
2	<u>Job Position Search and Selection</u>	1	0	1	0	0.007 s
3	<u>Request to Sample API Validation</u>	1	0	1	0	0.007 s
4	<u>POST Request to Sample API</u>	1	0	1	0	0.006 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Labcorp Careers Page Navigation</u>	<u>User navigates to Careers page from Labcorp home page</u>	3	0	1	2	6.602 s
2	<u>Job Position Search and Selection</u>	<u>Search and view a Any Job position</u>	9	0	0	9	0.007 s
3	<u>Request to Sample API Validation</u>	<u>Validate response from sample API</u>	6	0	0	6	0.006 s
4	<u>POST Request to Sample API</u>	<u>Validate POST request response for customer, payment, and product data</u>	7	0	0	7	0.006 s

Labcorp Careers Page Navigation

FAILED	DURATION - 6.604 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
/ 8:41:30.929 pm // 8:41:37.533 pm /					



User navigates to Careers page from Labcorp home page

<div><div>FAILED</div><div>DURATION - 6.602 s</div></div>		<div><div><div></div><div></div><div></div></div><div><div>1</div><div>2</div><div>3</div></div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 2</div></div>	<div><div></div><div>3</div></div>
/ 8:41:30.931 pm // 8:41:37.533 pm /				
Labcorp Careers Page Navigation				
@Ui				



#	Step / Hook Details	Status	Duration
1	<p>Given the user opens a browser and goes to Labcorp home page.</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.69) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.2.1', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [034c30df2f9e5575238d9351b541c20a, findElement {value=onetrust-accept-btn-handler, using=id}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.69, chrome: {chromedriverVersion: 131.0.6778.69 (77e2244bbcd..., userDataDir: /var/ folders/s2/h_1cb9qn0ns...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61146}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:61146/devtoo..., se:cdpVersion: 131.0.6778.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 034c30df2f9e5575238d9351b541c20a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</pre>	FAILED	4.404 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy39.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:48) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at org.example.pages.HomePage.acceptAllCookies(HomePage.java:48) at org.example.stepdefs.HomeStepDef.the_user_opens_a_browser_and_goes_to_labcorp_home_page(HomeStepDef.java:36) at ?.the user opens a browser and goes to Labcorp home page.(file:///Users/sushantnew/Documents/BDD-Selenium-2/src/test/java/org/example/features/1Home.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When the user finds and clicks the "Careers" link	SKIPPED	0.001 s
3	Then the user should be navigated to the Careers page	SKIPPED	0.001 s

Job Position Search and Selection

FAILED DURATION - 0.007 s / 8:41:37.552 pm // 8:41:37.559 pm /	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 0 Fail - 0 Skip - 9	
---	--	---	--	---



Search and view a Any Job position

<div><div>FAILED</div><div>DURATION - 0.007 s</div></div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 9</div>	
/ 8:41:37.552 pm // 8:41:37.559 pm /				
Job Position Search and Selection				
@Ui				



#	Step / Hook Details	Status	Duration
	BEFORE - org.example.stepdefs.HomeStepDef.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.69) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.2.1', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [034c30df2f9e5575238d9351b541c20a, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.69, chrome: {chromedriverVersion: 131.0.6778.69 (77e2244bbcd..., userDataDir: /var/folders/s2/h_1cb9qn0ns...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61146}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:61146/devtoo..., se.cdpVersion: 131.0.6778.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 034c30df2f9e5575238d9351b541c20a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043) at org.example.stepdefs.HomeStepDef.setUp(HomeStepDef.java:26)	FAILED	0.004 s
1	Given I am on the job search page	SKIPPED	0.000 s
2	When I search for job position	SKIPPED	0.000 s
3	Then I should see a list of available positions that match the search	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	When I select the position from Search result	SKIPPED	0.000 s
5	And the page should display the job title match with possition serached	SKIPPED	0.000 s
6	And the page should display the job Location	SKIPPED	0.000 s
7	And the page should display the job Id	SKIPPED	0.000 s
8	Then i click on click Apply Now button	SKIPPED	0.000 s
9	Then I click to Return link	SKIPPED	0.000 s

Request to Sample API Validation

FAILED	DURATION - 0.007 s	Scenarios		Steps	
/ 8:41:37.568 pm // 8:41:37.575 pm /		Total - 1		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 6	



Validate response from sample API

FAILED	DURATION - 0.006 s		Steps	
/ 8:41:37.569 pm // 8:41:37.575 pm /			Total - 6	
Request to Sample API Validation			Pass - 0	
@Api			Fail - 0	
			Skip - 6	



#	Step / Hook Details	Status	Duration
	BEFORE - org.example.stepdefs.HomeStepDef.setUp()	FAILED	0.003 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.69) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.2.1', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [034c30df2f9e5575238d9351b541c20a, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.69, chrome: {chromedriverVersion: 131.0.6778.69 (77e2244bbcd..., userDataDir: /var/folders/s2/h_1cb9qn0ns...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61146}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:61146/devtoo..., se:cdpVersion: 131.0.6778.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

#	Step / Hook Details	Status	Duration								
	<pre>webauthn:virtualAuthenticators: true} Session ID: 034c30df2f9e5575238d9351b541c20a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043) at org.example.stepdefs.HomeStepDef.setUp(HomeStepDef.java:26)</pre>										
1	Given the API endpoint for sample-request	SKIPPED	0.000 s								
2	When I send a GET request to the endpoint	SKIPPED	0.000 s								
3	Then the response status code should be 200	SKIPPED	0.000 s								
4	And the response should include the path field	SKIPPED	0.000 s								
5	And the response should include the ip field	SKIPPED	0.000 s								
6	And the response headers should include	SKIPPED	0.001 s								
	<table><tr><td>Host</td><td>echo.free.beeceptor.com</td></tr><tr><td>User-Agent</td><td>Apache-HttpClient/4.5.13 (Java/17.0.10)</td></tr><tr><td>Accept</td><td>/*/*</td></tr><tr><td>Accept-Encoding</td><td>gzip,deflate</td></tr></table>	Host	echo.free.beeceptor.com	User-Agent	Apache-HttpClient/4.5.13 (Java/17.0.10)	Accept	/*/*	Accept-Encoding	gzip,deflate		
Host	echo.free.beeceptor.com										
User-Agent	Apache-HttpClient/4.5.13 (Java/17.0.10)										
Accept	/*/*										
Accept-Encoding	gzip,deflate										

POST Request to Sample API

FAILED	DURATION - 0.006 s	Scenarios		Steps	
/ 8:41:37.583 pm // 8:41:37.589 pm /		Total - 1		Total - 7	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 7	

Validate POST request response for customer, payment, and product data

<div>FAILED</div>	<div>DURATION - 0.006 s</div>		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 8:41:37.583 pm // 8:41:37.589 pm /				
POST Request to Sample API				
@Api				

#	Step / Hook Details	Status	Duration
	BEFORE - org.example.stepdefs.HomeStepDef.setUp() org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=131.0.6778.69) Build info: version: '4.23.0', revision: '4df0a231af' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '13.2.1', java.version: '17.0.10' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [034c30df2f9e5575238d9351b541c20a, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.69, chrome: {chromedriverVersion: 131.0.6778.69 (77e2244bbcd..., userDataDir: /var/folders/s2/h_1cb9qn0ns...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61146}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:61146/devtoo..., se.cdpVersion: 131.0.6778.69, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 034c30df2f9e5575238d9351b541c20a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:527) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:604) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1043) at org.example.stepdefs.HomeStepDef.setUp(HomeStepDef.java:26)	FAILED	0.003 s
1	Given the API default endpoint	SKIPPED	0.001 s
2	When I send a POST request to the endpoint with the payload	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
3	Then The response status code should be 200	SKIPPED	0.000 s
4	And the response should include customer information:	SKIPPED	0.000 s
	nameJane Smith		
	emailjanesmith@example.com		
	phone1-987-654-3210		
5	And the response should include payment details:	SKIPPED	0.000 s
	methodcredit_card		
	transaction_idtxn_67890		
	amount111.97		
	currencyUSD		
6	And the response should include product1 information:	SKIPPED	0.000 s
	product_idA101		
	nameWireless Headphones		
	quantity1		
	price79.99		
7	And the response should include product2 information:	SKIPPED	0.000 s
	product_idB202		
	nameSmartphone Case		
	quantity2		
	price15.99		