

45

MOST ASKED SQL

INTERVIEW QUESTIONS



MySQL®



QUESTION .1

COMBINE TWO TABLES

WRITE AN SQL QUERY TO REPORT THE FIRST NAME, LAST NAME, CITY, AND STATE OF EACH PERSON IN THE PERSON TABLE. IF THE ADDRESS OF A PERSONID IS NOT PRESENT IN THE ADDRESS TABLE, REPORT NULL INSTEAD

Return the result table in any order.

Table **Person**

Column Name	Type
personid	int
lastName	varchar
FirstName	varchar

personid is the primary key column for this table. This table contains information about the ID of some persons and their first and last names.

Table **Address**

Column Name	Type
addressId	int
personId	int
city	varchar
state	varchar

addressId is the primary key column for this table. Each row of this table contains information about the city and state of one person with ID = PersonId

+91 89517 96123

www.datavizon.com



Swipe Left

QUESTION .2

SECOND HIGHEST SALARY

WRITE AN SQL QUERY TO REPORT THE SECOND HIGHEST SALARY FROM THE EMPLOYEE TABLE. IF THERE IS NO SECOND HIGHEST SALARY, THE QUERY SHOULD REPORT NULL.

Return the result table in any order.

Table **Employee**

Column Name	Type
id	int
Salary	int

**ID IS THE PRIMARY KEY COLUMN FOR THIS TABLE.
EACH ROW OF THIS TABLE CONTAINS
INFORMATION ABOUT THE SALARY OF AN
EMPLOYEE**

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .3

NTH HIGHEST SALARY

WRITE AN SQL QUERY TO REPORT THE NTH HIGHEST SALARY FROM THE EMPLOYEE TABLE. IF THERE IS NO NTH HIGHEST SALARY, THE QUERY SHOULD REPORT NULL.

Table **Employee**

Column Name	Type
id	int
Salary	int

id is the primary key column for this table. Each row of this table contains information about the salary of an employee.



QUESTION .4

RANK SCORES

WRITE AN SQL QUERY TO RANK THE SCORES, THE RANKING SHOULD BE CALCULATED ACCORDING TO THE FOLLOWING RULES :

- The scores should be ranked from the highest to the lowest.
- If there is a tie between two scores, both should have the same ranking.
- After a tie, the next ranking number should be the next consecutive integer value. in other words, there should be no holes between ranks

Return the result table ordered by score in descending order.

Table

Scores

Column Name	Type
id	int
score	decimal

id is the primary key for this table. Each row of this table contains the score of a game, Score is a floating point value with two decimal places,

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .5

CONSECUTIVE NUMBERS

WRITE AN SQL QUERY TO FIND ALL NUMBERS THAT APPEAR AT LEAST THREE TIMES CONSECUTIVELY.

Return the result table in any order.

Table

Scores

Column Name	Type
id	int
num	varchar

**id is the primary key for this table.
id is an autoincrement column.**

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .6

EMPLOYEES EARNING MORE THAN THEIR MANAGERS

WRITE AN SQL QUERY TO FIND THE EMPLOYEES WHO EARN MORE THAN THEIR MANAGERS.

Return the result table in any order.

Table **Employee**

Column Name	Type
id	int
name	varchar
salary	int
managerId	int

id is the primary key column for this table. Each row of this table indicates the ID of an employee, their name, salary, and the ID of their manager.



QUESTION .7

DUPLICATE EMAILS

WRITE AN SQL QUERY TO REPORT ALL THE DUPLICATE EMAILS. NOTE THAT IT'S GUARANTEED THAT THE EMAIL FIELD IS NOT NULL.

Return the result table in any order.

Table **Employee**

Column Name	Type
id	int
email	varchar

id is the primary key column for this table. Each row of this table contains an email. The emails will not contain uppercase letters.



QUESTION .8

CUSTOMERS WHO NEVER ORDER

WRITE AN SQL QUERY TO REPORT ALL CUSTOMERS WHO NEVER ORDER ANYTHING.

Return the result table in any order.

Table **Customers**

Column Name	Type
id	int
name	varchar

id is the primary key column for this table. Each row of this table indicates the ID and name of a customer.

Table **Orders**

Column Name	Type
id	int
customerID	varchar

id is the primary key column for this table. customerID is a foreign key of the ID from the Customers table. Each row of this table indicates the ID of an order and the ID of the customer who ordered it.



QUESTION .9

DEPARTMENT HIGHEST SALARY

WRITE AN SQL QUERY TO FIND EMPLOYEES WHO HAVE THE HIGHEST SALARY IN EACH OF THE DEPARTMENTS.

Return the result table in any order.

Table **Employee**

Column Name	Type
id	int
name	varchar
salary	int
departmentID	int

id is the primary key column for this table. departmentID is a foreign key of the ID from the Department table. Each row of this table indicates the ID, name, and salary of an employee. It also contains the ID of their department.

Table **Department**

Column Name	Type
id	int
name	varchar

id is the primary key column for this table. departmentID is a foreign key of the ID from the Department table. Each row of this table indicates the ID, name, and salary of an employee. It also contains the ID of their department.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .10

DEPARTMENT TOP THREE SALARIES

A COMPANY'S EXECUTIVES ARE INTERESTED IN SEEING WHO EARNS THE MOST MONEY IN EACH OF THE COMPANY'S DEPARTMENTS. A HIGH EARNER IN A DEPARTMENT IS AN EMPLOYEE WHO HAS A SALARY IN THE TOP THREE UNIQUE SALARIES FOR THAT DEPARTMENT.

WRITE AN SQL QUERY TO FIND THE EMPLOYEES WHO ARE HIGH EARNERS IN EACH OF THE DEPARTMENTS.

Return the result table in any order.

Table **Employee**

Column Name	Type
id	int
name	varchar
salary	int
departmentID	int

id is the primary key column for this table. departmentID is a foreign key of the ID from the Department table. Each row of this table indicates the ID, name, and salary of an employee. It also contains the ID of their department.

Table **Department**

Column Name	Type
id	int
name	varchar

id is the primary key column for this table. Each row of this table indicates the ID of a department and its name

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .11

DELETE DUPLICATE EMAILS

WRITE AN SQL QUERY TO DELETE ALL THE DUPLICATE EMAILS, KEEPING ONLY ONE UNIQUE EMAIL WITH THE SMALLEST ID. NOTE THAT YOU ARE SUPPOSED TO WRITE A DELETE STATEMENT AND NOT A SELECT ONE.

AFTER RUNNING YOUR SCRIPT, THE ANSWER SHOWN IS THE PERSON TABLE. THE DRIVER WILL FIRST COMPILE AND RUN YOUR PIECE OF CODE AND THEN SHOW THE PERSON TABLE. THE FINAL ORDER OF THE PERSON TABLE DOES NOT MATTER.

Return the result table in any order.

Table

Person

Column Name	Type
id	int
email	varchar

id is the primary key column for this table. Each row of this table contains an email. The emails will not contain uppercase letters.

+91 89517 96123

www.datavizon.com



Swipe Left

QUESTION .12

RISING TEMPERATURE

WRITE AN SQL QUERY TO FIND ALL DATES' ID WITH HIGHER TEMPERATURES COMPARED TO ITS PREVIOUS DATES (YESTERDAY).

Return the result table in any order.

Table **Weather**

Column Name	Type
id	int
recordDate	date
temperature	int

id is the primary key for this table. This table contains information about the temperature on a certain day.



QUESTION .13

TRIPS AND USERS

THE CANCELLATION RATE IS COMPUTED BY DIVIDING THE NUMBER OF CANCELED (BY CLIENT OR DRIVER) REQUESTS WITH UNBANNED USERS BY THE TOTAL NUMBER OF REQUESTS WITH UNBANNED USERS ON THAT DAY.

WRITE A SQL QUERY TO FIND THE CANCELLATION RATE OF REQUESTS WITH UNBANNED USERS (BOTH CLIENT AND DRIVER MUST NOT BE BANNED) EACH DAY BETWEEN "2013-10-01" AND "2013-10-03". ROUND CANCELLATION RATE TO TWO DECIMAL POINTS.

Return the result table in any order.

Table

Users

Column Name	Type
users_id	int
banned	enum
role	enum

users_id is the primary key for this table. The table holds all users. Each user has a unique **users_id**, and **role** is an ENUM type of ('client', 'driver', 'partner'). **banned** is an ENUM type of ('Yes', 'No').



QUESTION .14

FIND CUSTOMER REFEREE

WRITE AN SQL QUERY TO REPORT THE NAMES OF THE CUSTOMER THAT ARE NOT REFERRED BY THE CUSTOMER WITH ID = 2.

Return the result table in any order.

Table **Customer**

Column Name	Type
id	int
name	varchar
referee_id	int

id is the primary key column for this table. Each row of this table indicates the id of a customer, their name, and the id of the customer who referred them.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .15

CUSTOMER PLACING THE LARGEST NUMBER OF ORDERS

WRITE AN SQL QUERY TO FIND THE CUSTOMER_NUMBER FOR THE CUSTOMER WHO HAS PLACED THE LARGEST NUMBER OF ORDERS.

THE TEST CASES ARE GENERATED SO THAT EXACTLY ONE CUSTOMER WILL HAVE PLACED MORE ORDERS THAN ANY OTHER CUSTOMER.

Return the result table in any order.

Table

Orders

Column Name	Type
order_number	int
customer_number	enum

id is the primary key column for this table. Each row of this table indicates the ID and name of a customer.

+91 89517 96123

www.datavizon.com



Swipe Left

QUESTION .16

BIG COUNTRIES

A COUNTRY IS BIG IF:

- * IT HAS AN AREA OF AT LEAST THREE MILLION (I.E., 3000000 KM2), OR
- * IT HAS A POPULATION OF AT LEAST TWENTY-FIVE MILLION (I.E., 25000000).

WRITE AN SQL QUERY TO RETURN THE NAME, POPULATION, AND AREA OF THE BIG COUNTRIES.

Return the result table in any order.

Table

World

Column Name	Type
name	varchar
continent	varchar
area	int
population	int
gdp	bigint

name is the primary key column for this table. Each row of this table gives information about the name of a country, the continent to which it belongs, its area, the population, and its GDP value.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .17

CLASSES MORE THAN 5 STUDENTS

WRITE AN SQL QUERY TO REPORT ALL THE CLASSES THAT HAVE AT LEAST FIVE STUDENTS.

Return the result table in any order.

Table

Courses

Column Name	Type
student	varchar
class	varchar

**(student, class) is the primary key column for this table.
Each row of this table indicates the name of a student
and the class in which they are enrolled.**



QUESTION .18

HUMAN TRAFFIC OF STADIUM

WRITE AN SQL QUERY TO DISPLAY THE RECORDS WITH THREE OR MORE ROWS WITH CONSECUTIVE ID'S, AND THE NUMBER OF PEOPLE IS GREATER THAN OR EQUAL TO 100 FOR EACH

Return the result table ordered by visit_date in ascending order.

Table

Stadium

Column Name	Type
id	int
visit_date	date
people	int

visit_date is the primary key for this table. Each row of this table contains the visit date and visit id to the stadium with the number of people during the visit. No two rows will have the same visit_date, and as the id increases, the dates increase as well.

QUESTION .19

SALES PERSON

WRITE AN SQL QUERY TO REPORT THE NAMES OF ALL THE SALESPERSONS WHO DID NOT HAVE ANY ORDERS RELATED TO THE COMPANY WITH THE NAME "RED"

Return the result table in any order.

Table

SalesPerson

Column Name	Type
sales_id	int
name	varchar
salary	int
commission_rate	int
hire_date	date

sales_id is the primary key column for this table. Each row of this table indicates the name and the ID of a salesperson alongside their salary, commission rate, and hire date.

Table

Orders

Column Name	Type
order_id	int
order_date	date
com_id	int
sales_id	int
amount	int

order_id is the primary key column for this table. **com_id** is a foreign key to **com_id** from the Company table. **sales_id** is a foreign key to **sales_id** from the SalesPerson table. Each row of this table contains information about one order. This includes the ID of the company, the ID of the salesperson, the date of the order, and the amount paid.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .19

Table

Company

Column Name	Type
com_id	int
name	varchar
city	varchar

com_id is the primary key column for this table. Each row of this table indicates the name and the ID of a company and the city in which the company is located.



QUESTION .20

TREE NODE

EACH NODE IN THE TREE CAN BE ONE OF THREE TYPES.

- "LEAF": IF THE NODE IS A LEAF NODE
- "ROOT": IF THE NODE IS THE ROOT OF THE TREE
- "NNER": IF THE NODE IS NEITHER A LEAF NODE NOR A ROOT NODE.

WRITE AN SQL QUERY TO REPORT THE TYPE OF EACH NODE IN THE TREE

Return the result table in any order.

Table

Tree

Column Name	Type
id	int
p_id	int

id is the primary key column for this table.

Each row of this table contains information about the id of a node and the id of its parent node in a tree.

The given structure is always a valid tree.



QUESTION .21

NOT BORING MOVIES

WRITE AN SQL QUERY TO REPORT THE MOVIES WITH AN ODD-NUMBERED ID AND A DESCRIPTION THAT IS NOT "BORING".

Return the result table ordered by rating in descending order.

Table

Cinema

Column Name	Type
id	int
movie	varchar
description	varchar
rating	int

id is the primary key for this table.

Each row contains information about the name of a movie, its genre, and its rating.

rating is a 2 decimal places float in the range [0, 10]

+91 89517 96123

www.datavizon.com



Swipe Left

QUESTION .22

EXCHANGE SEATS

WRITE AN SQL QUERY TO SWAP THE SEAT ID OF EVERY TWO CONSECUTIVE STUDENTS. IF THE NUMBER OF STUDENTS IS ODD, THE ID OF THE LAST STUDENT IS NOT SWAPPED.

Return the result table ordered by id in ascending order.

Table

Seat

Column Name	Type
id	int
student	varchar

id is the primary key column for this table. Each row of this table indicates the name and the ID of a student. id is a continuous increment



QUESTION .23

SWAP SALARY

WRITE AN SQL QUERY TO SWAP ALL 'F' AND 'M' VALUES (I.E., CHANGE ALL 'F' VALUES TO 'M' AND VICE VERSA) WITH A SINGLE UPDATE STATEMENT AND NO INTERMEDIATE TEMPORARY TABLES.

Note that you must write a single update statement, do not write any select statement for this problem.

Table

Salary

Column Name	Type
id	int
name	varchar
sex	ENUM
salary	int

id is the primary key for this table. The sex column is ENUM value of type ('m', 'f'). The table contains information about an employee.



QUESTION .24

ACTORS AND DIRECTORS WHO COOPERATED AT LEAST THREE TIMES

WRITE A SQL QUERY FOR A REPORT THAT PROVIDES THE PAIRS (ACTOR_ID, DIRECTOR_ID) WHERE THE ACTOR HAS COOPERATED WITH THE DIRECTOR AT LEAST THREE TIMES.

Return the result table in any order.

Table

ActorDirector

Column Name	Type
actor_id	int
director_id	int
timestamp	int

timestamp is the primary key column for this table.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .25

SALES ANALYSIS III

WRITE AN SQL QUERY THAT REPORTS THE PRODUCTS THAT WERE ONLY SOLD IN THE FIRST QUARTER OF 2019. THAT IS, BETWEEN 2019-01-01 AND 2019-03-31 INCLUSIVE.

Return the result table in any order.

Table

Sales

Column Name	Type
seller_id	int
product_id	int
buyer_id	int
sale_date	date
quantity	int
price	int

This table has no primary key, it can have repeated rows. product_id is a foreign key to the Product table. Each row of this table contains some information about one sale.

Table

Product

Column Name	Type
product_id	int
product_name	varchar
unit_price	int

product_id is the primary key of this table. Each row of this table indicates the name and the price of each product.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .26

GAME PLAY ANALYSIS I

WRITE AN SQL QUERY TO REPORT THE FIRST LOGIN DATE FOR EACH PLAYER.

Return the result table in any order.

Table

Activity

Column Name	Type
player_id	int
device_id	int
event_date	date
games_played	int

(player_id, event_date) is the primary key of this table. This table shows the activity of players of some games. Each row is a record of a player who logged in and played a number of games (possibly 0) before logging out on someday using some device.



QUESTION .27

USER ACTIVITY FOR THE PAST 30 DAYS I

WRITE AN SQL QUERY TO FIND THE DAILY ACTIVE USER COUNT FOR A PERIOD OF 30 DAYS ENDING 2019-07-27 INCLUSIVELY. A USER WAS ACTIVE ON SOMEDAY IF THEY MADE AT LEAST ONE ACTIVITY ON THAT DAY

Return the result table in any order.

Table

Activity

Column Name	Type
user_id	int
session_id	int
activity_date	date
activity_type	enum

There is no primary key for this table, it may have duplicate rows. The activity_type column is an ENUM of type ('open_session', 'end_session', 'scroll_down', 'send_message'). The table shows the user activities for a social media website. Note that each session belongs to exactly one user.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .28

ARTICLE VIEWS I

WRITE AN SQL QUERY TO FIND ALL THE AUTHORS THAT VIEWED AT LEAST ONE OF THEIR OWN ARTICLES.

Return the result table sorted by id in ascending order.

Table

Activity

Column Name	Type
article_id	int
author_id	int
viewer_id	int
view_date	date

There is no primary key for this table, it may have duplicate rows. Each row of this table indicates that some viewer viewed an article (written by some author) on some date. Note that equal author_id and viewer_id indicate the same person.



QUESTION .29

MARKET ANALYSIS I

WRITE AN SQL QUERY TO FIND FOR EACH USER, THE JOIN DATE AND THE NUMBER OF ORDERS THEY MADE AS A BUYER IN 2019.

Return the result table in any order.

Table

Orders

Column Name	Type
order_id	int
order_date	int
item_id	int
buyer_id	date
seller_id	int

order_id is the primary key of this table. **item_id** is a foreign key to the Items table. **buyer_id** and **seller_id** are foreign keys to the Users table.

Table

Users

Column Name	Type
user_id	int
join_date	date
favorite_brand	varchar

user_id is the primary key of this table. This table has the info of the users of an online shopping website where users can sell and buy items.



QUESTION .29

Table

Items

Column Name	Type
item_id	int
item_brand	varchar

item_id is the primary key of this table.



QUESTION .30

REFORMAT DEPARTMENT TABLE

WRITE AN SQL QUERY TO REFORMAT THE TABLE SUCH THAT THERE IS A DEPARTMENT ID COLUMN AND A REVENUE COLUMN FOR EACH MONTH.

Return the result table in any order.

Table

Department

Column Name	Type
id	int
revenue	int
month	varchar

(id, month) is the primary key of this table. The table has information about the revenue of each department per month.

The month has values in ["Jan","Feb","Mar","Apr","May","Jun","Jul","Aug","Sep","Oct","Nov","Dec"].

+91 89517 96123

www.datavizon.com



Swipe Left

QUESTION .31

CAPITAL GAIN/LOSS

WRITE AN SQL QUERY TO REPORT THE CAPITAL GAIN/LOSS FOR EACH STOCK. THE CAPITAL GAIN/LOSS OF A STOCK IS THE TOTAL GAIN OR LOSS AFTER BUYING AND SELLING THE STOCK ONE OR MANY TIMES.

Return the result table in any order.

Table

Stocks

Column Name	Type
order_id	int
order_date	int
item_id	int
buyer_id	date
seller_id	int

(stock_name, operation_day) is the primary key for this table. The operation column is an ENUM of type ('Sell', 'Buy') Each row of this table indicates that the stock which has stock_name had an operation on the day operation_day with the price. It is guaranteed that each 'Sell' operation for a stock has a corresponding 'Buy' operation in a previous day. It is also guaranteed that each 'Buy' operation for a stock has a corresponding 'Sell' operation in an upcoming day.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .32

TOP TRAVELLERS

WRITE AN SQL QUERY TO REPORT THE DISTANCE TRAVELED BY EACH USER.

Return the result table ordered by travelled_distance in descending order, if two or more users traveled the same distance, order them by their name in ascending order.

Table

Rides

Column Name	Type
id	int
user_id	int
distance	int

id is the primary key for this table.
user_id is the id of the user who traveled the distance "distance".

Table

Users

Column Name	Type
id	int
name	varchar

id is the primary key for this table.
name is the name of the user.



QUESTION .33

GROUP SOLD PRODUCTS BY THE DATE

WRITE AN SQL QUERY TO FIND FOR EACH DATE THE NUMBER OF DIFFERENT PRODUCTS SOLD AND THEIR NAMES.

THE SOLD PRODUCTS NAMES FOR EACH DATE SHOULD BE SORTED LEXICOGRAPHICALLY.

Return the result table ordered by sell_date.

Table

Activities

Column Name	Type
sell_date	date
product	varchar

There is no primary key for this table, it may contain duplicates. Each row of this table contains the product name and the date it was sold in a market.



QUESTION .34

PATIENTS WITH A CONDITION

WRITE AN SQL QUERY TO REPORT THE PATIENT_ID, PATIENT_NAME AND CONDITIONS OF THE PATIENTS WHO HAVE TYPE I DIABETES. TYPE I DIABETES ALWAYS STARTS WITH DIABI PREFIX.

Return the result table in any order.

Table

Patients

Column Name	Type
patient_id	int
patient_name	varchar
conditions	varchar

patient_id is the primary key for this table. 'conditions' contains 0 or more code separated by spaces. This table contains information of the patients in the hospital.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .35

CUSTOMER WHO VISITED BUT DID NOT MAKE ANY TRANSACTIONS

WRITE A SQL QUERY TO FIND THE IDS OF THE USERS WHO VISITED WITHOUT MAKING ANY TRANSACTIONS AND THE NUMBER OF TIMES THEY MADE THESE TYPES OF VISITS.

Return the result table sorted in any order

Table

Transactions

Column Name	Type
transaction_id	int
visit_id	int
amount	int

transaction_id is the primary key for this table. This table contains information about the transactions made during the visit_id.

Table

Visits

Column Name	Type
visit_id	int
customer_id	int

visit_id is the primary key for this table. This table contains information about the customers who visited the mall.



QUESTION .36

BANK ACCOUNT SUMMARY II

WRITE AN SQL QUERY TO REPORT THE NAME AND BALANCE OF USERS WITH A BALANCE HIGHER THAN 10000. THE BALANCE OF AN ACCOUNT IS EQUAL TO THE SUM OF THE AMOUNTS OF ALL TRANSACTIONS INVOLVING THAT ACCOUNT.

Return the result table sorted in any order.

Table

Transactions

Column Name	Type
trans_id	int
account	int
amount	int
transacted_on	date

trans_id is the primary key for this table. Each row of this table contains all changes made to all accounts. amount is positive if the user received money and negative if they transferred money. All accounts start with a balance of 0.

Table

Users

Column Name	Type
account	int
name	varchar

account is the primary key for this table. Each row of this table contains the account number of each user in the bank. There will be no two users having the same name in the table.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .37

FIX NAMES IN A TABLE

WRITE AN SQL QUERY TO FIX THE NAMES SO THAT ONLY THE FIRST CHARACTER IS UPPERCASE AND THE REST ARE LOWERCASE.

Return the result table ordered by user_id.

Table

Users

Column Name	Type
user_id	int
name	varchar

user_id is the primary key for this table. This table contains the ID and the name of the user. The name consists of only lowercase and uppercase characters



QUESTION .38

FIND FOLLOWERS COUNT

WRITE AN SQL QUERY THAT WILL, FOR EACH USER, RETURN THE NUMBER OF FOLLOWERS.

Return the result table ordered by user_id in ascending order.

Table

Users

Column Name	Type
user_id	int
follower_id	int

(user_id, follower_id) is the primary key for this table. This table contains the IDs of a user and a follower in a social media app where the follower follows the user.

+91 89517 96123

www.datavizon.com



Swipe Left

QUESTION .39

FIND FOLLOWERS COUNT

WRITE AN SQL QUERY THAT WILL, FOR EACH USER, RETURN THE NUMBER OF FOLLOWERS.

Return the result table ordered by user_id in ascending order.

Table

Followers

Column Name	Type
user_id	int
follower_id	int

(user_id, follower_id) is the primary key for this table. This table contains the IDs of a user and a follower in a social media app where the follower follows the user.



QUESTION .40

FIND TOTAL TIME SPENT BY EACH EMPLOYEE

WRITE AN SQL QUERY TO CALCULATE THE TOTAL TIME IN MINUTES SPENT BY EACH EMPLOYEE ON EACH DAY AT THE OFFICE. NOTE THAT WITHIN ONE DAY, AN EMPLOYEE CAN ENTER AND LEAVE MORE THAN ONCE. THE TIME SPENT IN THE OFFICE FOR A SINGLE ENTRY IS $OUT_TIME - IN_TIME$.

Return the result table in any order.

Table

Employees

Column Name	Type
emp_id	int
event_day	date
in_time	int
out_time	int

(emp_id, event_day, in_time) is the primary key of this table. The table shows the employees' entries and exits in an office. event_day is the day at which this event happened, in_time is the minute at which the employee entered the office, and out_time is the minute at which they left the office. in_time and out_time are between 1 and 1440. It is guaranteed that no two events on the same day intersect in time, and $in_time < out_time$.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .41

RECYCLABLE AND LOW FAT PRODUCTS

WRITE AN SQL QUERY TO FIND THE IDS OF PRODUCTS THAT ARE BOTH LOW FAT AND RECYCLABLE.

Return the result table in any order.

Table

Users

Column Name	Type
product_id	int
low_fats	enum
recyclable	enum

product_id is the primary key for this table.
low_fats is an ENUM of type ('Y', 'N') where 'Y' means this product is low fat and 'N' means it is not.
recyclable is an ENUM of types ('Y', 'N') where 'Y' means this product is recyclable and 'N' means it is not.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .42

REARRANGE PRODUCTS TABLE

WRITE AN SQL QUERY TO REARRANGE THE PRODUCTS TABLE SO THAT EACH ROW HAS (PRODUCT_ID, STORE, PRICE). IF A PRODUCT IS NOT AVAILABLE IN A STORE, DO NOT INCLUDE A ROW WITH THAT PRODUCT_ID AND STORE COMBINATION IN THE RESULT TABLE.

Return the result table in any order.

Table

Products

Column Name	Type
product_id	int
store1	date
store2	int
store3	int

product_id is the primary key for this table. Each row in this table indicates the product's price in 3 different stores: store1, store2, and store3. If the product is not available in a store, the price will be null in that store's column.



QUESTION .43

CALCULATE SPECIAL BONUS

WRITE AN SQL QUERY TO CALCULATE THE BONUS OF EACH EMPLOYEE. THE BONUS OF AN EMPLOYEE IS 100% OF THEIR SALARY IF THE ID OF THE EMPLOYEE IS AN ODD NUMBER AND THE EMPLOYEE NAME DOES NOT START WITH THE CHARACTER 'M'. THE BONUS OF AN EMPLOYEE IS 0 OTHERWISE.

Return the result table ordered by employee_id.

Table

Employees

Column Name	Type
employee_id	int
name	varchar
salary	int

(emp_id, event_day, in_time) is the primary key of this table. The table shows the employees' entries and exits in an office. event_day is the day at which this event happened, in_time is the minute at which the employee entered the office, and out_time is the minute at which they left the office. in_time and out_time are between 1 and 1440. It is guaranteed that no two events on the same day intersect in time, and in_time < out_time.

+91 89517 96123

• www.datavizon.com



Swipe Left

QUESTION .44

THE LATEST LOGIN IN 2020

WRITE AN SQL QUERY TO REPORT THE LATEST LOGIN FOR ALL USERS IN THE YEAR 2020. DO NOT INCLUDE THE USERS WHO DID NOT LOGIN IN 2020.

Return the result table in any order.

Table

Logins

Column Name	Type
user_id	int
time_stamp	datetime

(user_id, time_stamp) is the primary key for this table. Each row contains information about the login time for the user with ID user_id.



QUESTION .45

EMPLOYEES WITH MISSING INFORMATION

WRITE AN SQL QUERY TO REPORT THE IDS OF ALL THE EMPLOYEES WITH MISSING INFORMATION. THE INFORMATION OF AN EMPLOYEE IS MISSING IF:

- THE EMPLOYEE'S NAME IS MISSING, OR
- THE EMPLOYEE'S SALARY IS MISSING.

Return the result table ordered by employee_id in ascending order.

Table

Employees

Column Name	Type
employee_id	int
name	varchar

employee_id is the primary key for this table. Each row of this table indicates the name of the employee whose ID is employee_id.

Table

Salaries

Column Name	Type
employee_id	int
salary	int

employee_id is the primary key for this table. Each row of this table indicates the salary of the employee whose ID is employee_id.

