MARKET-BASKET-ANALYSIS

Documentation

TEAM MEMBER : M.SWETHA

REG NO   : 513421106047

PHASE   : 5

PROJECT   : MARKET BASKET ANALYSIS

October 30, 2023

```
[1]:  #This is a kaggle notebook.

      import numpy as np # linear algebra
      import pandas as pd # data processing, CSV file I/O (e.g. pd.read_csv)
      import os
      for dirname, _, filenames in os.walk('/kaggle/input'):
          for filename in filenames:
              print(os.path.join(dirname, filename))
```

/kaggle/input/market-basket-analysis/Assignment-1_Data.xlsx
/kaggle/input/market-basket-analysis/Assignment-1_Data.csv

1 Market Basket Analysis Project

1.1 Overview

This notebook is part of a project focused on market basket analysis. We will begin by loading and preprocessing the dataset.

1.2 Dataset Information

The dataset is stored in the file Assignment-1_Data.xlsx located at /kaggle/input/market-basket-analysis/. It contains information related to market transactions.

1.3 Loading the Dataset

Let's start by loading the dataset into a DataFrame using pandas.

```
[2]:  import pandas as pd

      # Load the dataset
      dataset_path = '/kaggle/input/market-basket-analysis/Assignment-1_Data.xlsx'
      df = pd.read_excel(dataset_path)
```

2 Initial Exploration

We'll perform an initial exploration of the dataset to understand its structure and characteristics.

```
[3]: # Display basic information about the dataset
     print("Number of rows and columns:", df.shape)
     print("\nData Types and Missing Values:")
     print(df.info())
     print("\nFirst few rows of the dataset:")
     print(df.head())
```

Number of rows and columns: (522064, 7)

Data Types and Missing Values:
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 522064 entries, 0 to 522063
Data columns (total 7 columns):
 #   Column   Non-Null Count   Dtype
--- ------   --------------   -----
 0   BillNo   522064 non-null object
 1   Itemname   520609 non-null object
 2   Quantity   522064 non-null int64
 3   Date   522064 non-null datetime64[ns]
 4   Price   522064 non-null float64
 5   CustomerID 388023 non-null float64
 6   Country   522064 non-null object
dtypes: datetime64[ns](1), float64(2), int64(1), object(3)
memory usage: 27.9+ MB
None

First few rows of the dataset:
   BillNo   Itemname Quantity   Date \
0 536365   WHITE HANGING HEART T-LIGHT HOLDER   6 2010-12-01 08:26:00
1 536365   WHITE METAL LANTERN   6 2010-12-01 08:26:00
2 536365   CREAM CUPID HEARTS COAT HANGER   8 2010-12-01 08:26:00
3 536365 KNITTED UNION FLAG HOT WATER BOTTLE   6 2010-12-01 08:26:00
4 536365   RED WOOLLY HOTTIE WHITE HEART.   6 2010-12-01 08:26:00

   Price CustomerID   Country
0   2.55   17850.0 United Kingdom
1   3.39   17850.0 United Kingdom
2   2.75   17850.0 United Kingdom
3   3.39   17850.0 United Kingdom
4   3.39   17850.0 United Kingdom
```

## 3 Preprocessing

We'll preprocess the data to ensure it's ready for analysis.

```
[4]: #Check Missing Values
     print("Missing Values:")
```

```python
print(df.isnull().sum())

#Drop Rows with Missing Values
df.dropna(inplace=True)
```

```
Missing Values:
BillNo            0
Itemname       1455
Quantity          0
Date              0
Price             0
CustomerID    134041
Country           0
dtype: int64
```

```python
[5]:  # Convert dataframe into transaction data
      transaction_data = df.groupby(["BillNo", "Date"])["Itemname"].apply(lambda x:
        ', '.join(x)).reset_index()

      #Drop Unnecessary Columns
      columns_to_drop = ["BillNo", "Date"]
      transaction_data.drop(columns=columns_to_drop, inplace=True)

      # Save the transaction data to a CSV file
      transaction_data_path = '/kaggle/working/transaction_data.csv'
      transaction_data.to_csv(transaction_data_path, index=False)
```

```python
[6]:  # Display the first few rows of the transaction data
      print("\nTransaction Data for Association Rule Mining:")
      print(transaction_data.head())
      transaction_data.shape
```

```
Transaction Data for Association Rule Mining:
                                              Itemname
0   WHITE HANGING HEART T-LIGHT HOLDER, WHITE META...
1   HAND WARMER UNION JACK, HAND WARMER RED POLKA DOT
2   ASSORTED COLOUR BIRD ORNAMENT, POPPY'S PLAYHOU...
3   JAM MAKING SET WITH JARS, RED COAT RACK PARIS ...
4                             BATH BUILDING BLOCK WORD
```

[6]: (18192, 1)

4.1 Formatting the transaction data in a suitable format for analysis

Developing the preprocessed data into analysis. Split the 'Itemname' column in `transaction_data` into individual items using `str.split(', ', expand=True)`.Concatenate the original DataFrame (`transaction_data`) with the items DataFrame (`items_df`) using `pd.concat`.Drop the original 'Itemname' column since individual items are now in separate columns.Display the resulting DataFrame.

```python
[7]:  # Split the 'Itemname' column into individual items
      items_df = transaction_data["Itemname"].str.split(', ', expand=True)

      # Concatenate the original DataFrame with the new items DataFrame
      transaction_data = pd.concat([transaction_data, items_df], axis=1)

      # Drop the original 'Itemname' column
      transaction_data = transaction_data.drop("Itemname", axis=1)

      # Display the resulting DataFrame
      print(transaction_data.head())
```

```
                                   0                           1  \
0  WHITE HANGING HEART T-LIGHT HOLDER          WHITE METAL LANTERN
1               HAND WARMER UNION JACK   HAND WARMER RED POLKA DOT
2          ASSORTED COLOUR BIRD ORNAMENT    POPPY'S PLAYHOUSE BEDROOM
3                JAM MAKING SET WITH JARS  RED COAT RACK PARIS FASHION
4                 BATH BUILDING BLOCK WORD                        None

                                  2                               3  \
0  CREAM CUPID HEARTS COAT HANGER  KNITTED UNION FLAG HOT WATER BOTTLE
1                            None                                None
2         POPPY'S PLAYHOUSE KITCHEN     FELTCRAFT PRINCESS CHARLOTTE DOLL
3  YELLOW COAT RACK PARIS FASHION          BLUE COAT RACK PARIS FASHION
4                            None                                None

                                4                               5  \
0  RED WOOLLY HOTTIE WHITE HEART.       SET 7 BABUSHKA NESTING BOXES
1                          None                                None
2         IVORY KNITTED MUG COSY  BOX OF 6 ASSORTED COLOUR TEASPOONS
3                          None                                None
4                          None                                None

                                6                             7  \
0  GLASS STAR FROSTED T-LIGHT HOLDER                        None
1                              None                        None
2        BOX OF VINTAGE JIGSAW BLOCKS  BOX OF VINTAGE ALPHABET BLOCKS
3                              None                        None
```

```
                              8                                   9   ...   534    535    536  \
0                          None                                None  ...  None   None   None
1                          None                                None  ...  None   None   None
2   HOME BUILDING BLOCK WORD   LOVE BUILDING BLOCK WORD  ...  None   None   None
3                          None                                None  ...  None   None   None
4                          None                                None  ...  None   None   None

    537    538    539    540    541    542    543
0  None   None   None   None   None   None   None
1  None   None   None   None   None   None   None
2  None   None   None   None   None   None   None
3  None   None   None   None   None   None   None
4  None   None   None   None   None   None   None

[5 rows x 544 columns]
```

4 Association Rules - Data Mining

4.1 Converting Items to Boolean Columns

To prepare the data for association rule mining, we convert the items in the transaction_data DataFrame into boolean columns using one-hot encoding. This is achieved through the pd.get_dummies function, which creates a new DataFrame (df_encoded) with boolean columns representing the presence or absence of each item.

```
[8]:  # Convert items to boolean columns
      df_encoded = pd.get_dummies(transaction_data, prefix='', prefix_sep='').
       ↪groupby(level=0, axis=1).max()

      # Save the transaction data to a CSV file
      df_encoded.to_csv("transaction_data_encoded.csv", index=False)
```

4.2 Association Rule Mining

We apply the Apriori algorithm to perform association rule mining on the encoded transaction data. The min_support parameter is set to 0.007 to filter out infrequent itemsets. The resulting frequent itemsets are then used to generate association rules based on a minimum confidence threshold of 0.5.Finally, we print the generated association rules.

```
[9]:  # Load transaction data into a DataFrame
      df_encoded = pd.read_csv("transaction_data_encoded.csv")

      from mlxtend.frequent_patterns import apriori, association_rules

      # Association Rule Mining
      frequent_itemsets = apriori(df_encoded, min_support=0.007, use_colnames=True)
```

```
rules = association_rules(frequent_itemsets, metric="confidence",␣
  ↪min_threshold=0.5)

# Display information of the rules
print("Association Rules:")
print(rules.head())
```

Association Rules:
```
                          antecedents                          consequents  \
0               (CHOCOLATE BOX RIBBONS)              (6 RIBBONS RUSTIC CHARM)
1   (60 CAKE CASES DOLLY GIRL DESIGN)  (PACK OF 72 RETROSPOT CAKE CASES)
2         (60 TEATIME FAIRY CAKE CASES)  (PACK OF 72 RETROSPOT CAKE CASES)
3       (ALARM CLOCK BAKELIKE CHOCOLATE)        (ALARM CLOCK BAKELIKE GREEN)
4       (ALARM CLOCK BAKELIKE CHOCOLATE)         (ALARM CLOCK BAKELIKE PINK)

   antecedent support  consequent support   support  confidence       lift  \
0            0.012368            0.039193  0.007036    0.568889  14.515044
1            0.018525            0.054529  0.010059    0.543027   9.958409
2            0.034631            0.054529  0.017315    0.500000   9.169355
3            0.017150            0.042931  0.011379    0.663462  15.454151
4            0.017150            0.032652  0.009125    0.532051  16.294742

   leverage  conviction  zhangs_metric
0  0.006551    2.228676       0.942766
1  0.009049    2.068984       0.916561
2  0.015427    1.890941       0.922902
3  0.010642    2.843862       0.951613
4  0.008565    2.067210       0.955009
```

# 5 Visualization

## 5.1 Visualizing Market Basket Analysis Results

We use matplotlib and seaborn libraries to create a scatterplot visualizing the results of the market basket analysis. The plot depicts the relationship between support, confidence, and lift for the generated association rules.

```
[10]: import matplotlib.pyplot as plt
      import seaborn as sns

      # Plot scatterplot for Support vs. Confidence
      plt.figure(figsize=(12, 8))
      sns.scatterplot(x="support", y="confidence", size="lift", data=rules,␣
        ↪hue="lift", palette="viridis", sizes=(20, 200))
      plt.title('Market Basket Analysis - Support vs. Confidence (Size = Lift)')
      plt.xlabel('Support')
      plt.ylabel('Confidence')
```

```
plt.legend(title="Lift", loc="upper right", bbox_to_anchor=(1.2, 1))
plt.show()
```


Market Basket Analysis - Support vs. Confidence (Size = Lift)

5.2 Interactive Market Basket Analysis Visualization

We leverage the Plotly Express library to create an interactive scatter plot visualizing the results of the market basket analysis. This plot provides an interactive exploration of the relationship between support, confidence, and lift for the generated association rules.

```
[11]: import plotly.express as px

      # Convert frozensets to lists for serialization
      rules['antecedents'] = rules['antecedents'].apply(list)
      rules['consequents'] = rules['consequents'].apply(list)

      # Create an interactive scatter plot using plotly express
      fig = px.scatter(rules, x="support", y="confidence", size="lift",
                       color="lift", hover_name="consequents",
                       title="Market Basket Analysis - Support vs. Confidence",
                       labels={'support': 'Support', 'confidence': 'Confidence'})

      # Customize the layout
      fig.update_layout(
          xaxis_title="Support",
          yaxis_title="Confidence",
          coloraxis_colorbar_title="Lift",
```

```
        showlegend=True
)

# Show the interactive plot
fig.show()
```

Market Basket Analysis - Support vs. Confidence

5.3 Interactive Network Visualization for Association Rules

We utilize the NetworkX and Plotly libraries to create an interactive network graph visualizing the association rules. This graph represents relationships between antecedent and consequent items, showcasing support as edge weights.

```
[12]: import networkx as nx
      import matplotlib.pyplot as plt
      import plotly.graph_objects as go

      # Create a directed graph
      G = nx.DiGraph()

      # Add nodes and edges from association rules
      for idx, row in rules.iterrows(): G.add_node(tuple(row['antecedents']),
          color='skyblue') G.add_node(tuple(row['consequents']),
          color='orange') G.add_edge(tuple(row['antecedents']),
          tuple(row['consequents']),
        ↪weight=row['support'])

      # Set node positions using a spring layout
      pos = nx.spring_layout(G)

      # Create an interactive plot using plotly
      edge_x = []
```

```python
node_x = []
node_y = []
for node in G.nodes():
    x, y = pos[node]
    node_x.append(x)
    node_y.append(y)

node_trace = go.Scatter(
    x=node_x, y=node_y,
    mode="markers",
    hoverinfo="text",
    marker=dict(
        showscale=True,
        colorscale="YlGnBu",
        size=10,
        colorbar=dict(
            thickness=15,
            title="Node Connections",
            xanchor="left",
            titleside="right"
        )
    )
)

# Customize the layout
layout = go.Layout(
    showlegend=False,
    hovermode="closest",
    margin=dict(b=0, l=0, r=0, t=0),
)

# Create the figure
fig = go.Figure(data=[edge_trace, node_trace], layout=layout)

# Show the interactive graph
fig.show()
```

5.4 Interactive Sunburst Chart for Association Rules

We use Plotly Express to create an interactive sunburst chart visualizing association rules. This chart represents the relationships between antecedent and consequent items, showcasing lift as well as support through color intensity.

```
[13]: import plotly.express as px

      # Combine antecedents and consequents into a single column for each rule
```

```
rules['rule'] = rules['antecedents'].astype(str) + ' -> ' +
 ↪rules['consequents'].astype(str)

# Create a sunburst chart
fig = px.sunburst(rules, path=['rule'], values='lift',
                  title='Market Basket Analysis - Sunburst Chart',
                  color='support', color_continuous_scale='YlGnBu')

# Customize the layout
fig.update_layout(
    margin=dict(l=0, r=0, b=0, t=40),
)

# Show the interactive plot
fig.show()
```

Market Basket Analysis - Sunburst Chart