Simulation Tests of AlmaLinux-9 Operating System

Motohiko Tanaka, PhD, Japan May 27, 2024


Settings and tests of simulations

Install the linux, AlmaLinux-9, Mar. 2024 Use the Windows 11, VirtualBox 7.0.14 Open gfortran and pip packages


Simulations

- >> three-dimensional ES p3m code, with tip5, Ewald sum
- >> Siesta-4.1b, with mpich, fft3w, OpenBLAS, Scalapack

Firefox works for showing AlmaLinux and MIT sites




Terminal using mpich-4, fftw-3 and Siesta-4.1



Test of @p3mtip5p07a.f03 H2O 8640 atoms, 6 cpu/3 GHz

```
3. 0737E+01
                          1.8313E-01
  5. 1659E-04 -1. 3778E+02
                             4. 282D+02
                                        1. 024D-01
                                                   0.000D+00
                                                               8.708D-04
 1.060D-04
                           2. 404D-04
                                        3.511D-01
                                                     5.815D-03
                                      0.0000E+00 -1.7059E+02
             1. 4686E+00
                        1. 9438E-01
                                                               3. 1085E+01
                                                               8. 499D-04
 1. 125D-04
                         2. 0854E-01
                                                               3. 1106E+01
  4. 9661E-04 -1. 3793E+02
                          7. 130D+02 9. 940D-02
                                                   0.000D+00
                                                               8. 725D-04
               3. 551D-01 2. 391D-04 3. 493D-01
1. 207D-04
                                                    5. 572D-03
   Final: t8, it, tmax= 50.724999999998190
                                                           2030
                                                                  50.5000
0000000000
 Final write(12) at t8= 50.724999999998190
```



Test of Siesta-4.1b on AlmaLinux-9

In the arch.make, the keyword -fallow-argument-mismatch is added of AlmaLinux-9 to avoid non-necessary errors.

```
Siesta Version : v4.1-b4
Architecture : gfortran-MPI
Compiler version: GNU Fortran (GCC) 4.8.5 20150623 (Red Hat 4.8.5-44)
Compiler flags : mpifort -O2 -fPIC -ftree-vectorize -march=native
PP flags : -DMPI -DFC_HAVE_ABORT
Libraries : -Igomp -L/opt/openblas/lib -lopenblas_omp -L/opt/sc
alapack-2.2.0/lib -lscallapack
PARALLEL version
★ Running on 6 nodes in parallel
>> Start of run: 10-MAY-2024 17:39:33
                                                                    its
                                                                    /Bohr**3
                                                                   /Ang**3
reinit: Reading from c12h48.fdf
                                                                   ar
                (Free) E+ p\_basis*V\_orbitals = -2615.811579
                (Free) Eharris+ p_basis*V_orbitals = -2615.811579
                dhscf: Vacuum level (max, mean) = -0.569553 -0.682007 eV
                >> End of run: 10-MAY-2024 17:40:33
                Job completed
```