


FOUNDATION DETAIL

SCALE 1:25

foundation depth to be dertermined on site, minimal depth = 700mm


THIS PROPERTY BELONGS TO AMBITIOUS DESIGNS;
THEREFORE PUBLISHING, DUPLICATING AND ADVERTISING
OF THIS PROPERTY MUST BE PERMITTED BY OWNER
Contact me @+263 78 000 6559 / +263 71 531 3827 for more details



SCALE 1:500

EXPANSION JOINT DETAIL

SCALE 1:25



CLIENT'S NAME

Farai Mike Gwada

GENERAL NOTES DETAIL

figured dimensions to be to be taken in preference to scaling off drawings. all dimensions, levels and other relevant details to be checked on site prior to construction. all workmanship and materials shall comply with the relevant code of practice and related documents.

manufacturers of prefabricated components to verify dimensions on site with contractor prior to manufacture.

FOUNDATIONS

Foundation depth to be determined on site,min 700mm. 230×500 concrete strip footing under 115 brick wall & 230×690 under 230 brick wall

BRICKWORK

Above DPC, brickforce should be inserted after every 4 courses Pre-stressed lintels over openings

External brickwork woodflat sand/cement render to take two coats

WALL

All bricks to have d.p.c on slab .B.f.c after every three courses.

SPECIAL SERVICES:

Electrical services by specialists.
Sliding Gate to be installed by specialists.

SIGNIFICANT NOTES:

BOUNDARY LINES SHOULD NOT BE ENCROACHED
BUILDING LINES SHOULD BE OBSERVED THROUGHLY
10mm KAYLITE ON EVERY EXPANSION JOINT

CONSTRUCTION MASTERS

HOME OF ARCHITECTURAL SERVICES #FREE YOUR IMAGINATIONS #NYIKA INOVAKWA NEVENE VAYO

LIST OF SCALES 1:25

1:100 1:500

DATE: 24/ 08/ 2024

MAINHOUSE in Mistview, Chipinge

PROPOSED

