

SokaSoko — SCOUT Subscription Test Script (Internal)

Version 1.0 · Internal QA — includes admin path and backend enforcement

What you're testing

SCOUT subscription — single flat PRO tier, no free trial, no age brackets, no grandfather. An unsubscribed SCOUT is blocked at three enforcement points: match creation (scouts array), /request-scout, and scout-report submission. This document also covers admin activation, /users enrichment, and the subscription screen's SCOUT-specific view.

Prerequisites

- Android device on the latest internal-testing build.
- SCOUT test account with NO active subscription.
- SCOUT test account WITH an active PRO subscription (or admin access to activate one).
- Team-owner account (ACADEMY/CLUB/SCHOOL/COACH) that can schedule matches.
- Player account for report-target and request-scout paths.
- Render logs + MongoDB access for backend verification.

Environment

- Backend: <https://sokasoko.onrender.com> (verify /v1/subscriptions/catalog returns SCOUT PRO under prices+features).
- Backend commit: 3c5b5cc or later on main.
- Mobile: sokasoko-mobile main branch commit e5cbb5c or later.
- Note: this commit also aligned REFEREE_GRANDFATHER_DAYS from 15 to 5.

Test cases

1. Menu visibility for SCOUT

- Log in as SCOUT, open Profile, tap ■.

Expected: 'Uandikishaji' entry appears in the menu (previously PLAYER + REFEREE only).

2. Fresh SCOUT — unsubscribed state

- Open Uandikishaji on a SCOUT with no active PRO subscription.
- Confirm GET /v1/subscriptions/me payload.

Expected: scoutStatus = { eligible:false, subscribed:false, reason:'SUBSCRIPTION_REQUIRED', subscription:null }. Screen shows 'Hujisajili' status card and info banner listing all three blocked capabilities. Plan cards for Monthly / Quarterly / Biannual are rendered.

3. Catalog pricing

- GET /v1/subscriptions/catalog and inspect prices.SCOUT.PRO.

Expected: MONTHLY: TZS 10000. QUARTERLY: TZS 25000. BIANNUAL: TZS 40000. No ANNUAL plan. USD field is null for all three.

4. Enforcement — POST /v1/matches with unsubscribed scout

- As a team-owner, POST /v1/matches with the unsubscribed SCOUT in scouts:[].

Expected: 403 with reason='SCOUT_SUBSCRIPTION_REQUIRED' and error naming the ineligible scout. No Match doc created. If multiple scouts are on the array and any one is unsubscribed, the whole request is rejected.

5. Enforcement — /request-scout

- As a PLAYER or team-owner, POST /v1/matches/:id/request-scout targeting the unsubscribed SCOUT.

Expected: 403 with reason='SCOUT_SUBSCRIPTION_REQUIRED' and error: 'Scout hana uandikishaji hai — hawezi kupokea maombi ya kazi rasmi.' No scouts[] entry added.

6. Enforcement — POST /v1/scout-reports

- As the unsubscribed SCOUT, POST /v1/scout-reports with a valid player + eventId.

Expected: 403 with reason='SCOUT_SUBSCRIPTION_REQUIRED'. No ScoutReport doc created. The duplicate-report guard still runs first, so a duplicate returns 409 as before.

7. Subscribe flow — payment sheet

- Tap 'Kila mwezi (TSh 10,000)' on the SCOUT subscription screen.
- Enter reference TESTSCOUT001 via M-Pesa; tap Wasilisha.

Expected: POST /v1/subscriptions creates Subscription with user=, userType=SCOUT, tier=PRO (server-forced regardless of client tier value), plan=MONTHLY, status=PENDING, transactionId=TESTSCOUT001, amount=10000. Client snackbar success.

8. Admin activation

- As admin, POST /v1/subscriptions/:id/activate on the PENDING record.

Expected: Subscription flips to ACTIVE with startDate, endDate (+1mo), gracePeriodEndsAt (endDate+5d). GET /v1/subscriptions/me now returns scoutStatus.subscribed=true, reason='SUBSCRIBED'.

9. Post-subscription — all three actions succeed

- Re-run cases 4, 5, and 6 with the now-subscribed SCOUT.

Expected: Case 4: 201 Match created. Case 5: 200 scouts[] entry added. Case 6: 201 ScoutReport created. No regressions on other flows (duplicate guard, ScoutInvoice generation, chat notifications).

10. /v1/users?type=SCOUT enrichment

- GET /v1/users?type=SCOUT&limit;=20
- GET /v1/users?type=SCOUT&limit;=20&onlySubscribed;=1

Expected: First: each row has scoutSubscribed boolean. Second: rows with scoutSubscribed=false are excluded from the response entirely (client-side filter is unnecessary). Total count is not adjusted post-filter (it's the original count) — known small quirk.

11. /v1/users/eligible-scouts enrichment

- GET /v1/users/eligible-scouts

Expected: SCOUT rows carry scoutSubscribed. Sports-teacher (COACH) rows do not have the flag (coaching subscription is a separate future scope).

12. Tier override protection

- POST /v1/subscriptions with userType=SCOUT and tier=STANDARD in the body.

Expected: Backend ignores client tier and forces PRO. Response tier is PRO. Amount matches PRO monthly (10,000). This prevents a client from smuggling a cheaper tier.

13. Lapse & grace (long-running)

- Manually POST /v1/subscriptions/lapse-sweep with a Subscription whose endDate is in the past.

Expected: ACTIVE → GRACE at endDate. GRACE → EXPIRED at gracePeriodEndsAt (endDate+5d). getScoutEligibility returns eligible=true during GRACE (getActiveSubscription still returns it), returns eligible=false after EXPIRED. Bell notifications fire on each transition.

14. Referee grandfather realignment

- For any referee subscribed BEFORE this deploy who already has a stamped refereeGrandfatherUntil = deploy+15d, verify their current window in DB.

Expected: Existing stamps are preserved (data already written). The new 5-day value only applies to first-time eligibility checks post-deploy. If you want existing stamps backfilled, run a one-off script.

15. Overflow / typography

- Test SCOUT screen on Pixel 4a-class widths.

Expected: No text cutoff on status card. Info banner wraps cleanly. Plan card prices ('TSh 40,000') fit within the ListTile subtitle at fontSize 17.

How to report a bug

Field	Example
Test case #	9 — Post-subscription action fails
Device / OS	Pixel 6a · Android 14
App version	1.0.1+14
Backend commit	3c5b5cc
Account (type + number)	SCOUT · TFH-S-A000009
subscription.status (from /me)	ACTIVE
Endpoint (if backend)	POST /v1/scout-reports
Expected	201 ScoutReport created
Actual	403 SCOUT_SUBSCRIPTION_REQUIRED
Screenshot / repro	attached
Render log excerpt	attached

Known limitations (not bugs)

- No free trial and no grandfather window for SCOUT — strict interpretation of spec ('If they are not subscribed they cannot be selected for official scouting work').
- Payment gateway not wired; paid subs stay PENDING until admin activation.
- Placeholder phone numbers in _paymentInstructions() must be replaced with real merchant numbers before external testers.
- Mobile scout-picker in the schedule-match screen does not yet grey out or hide unsubscribed scouts; backend enrichment (scoutSubscribed / onlySubscribed=1) is ready for the client to consume.
- Server-side check does not currently validate that userType in POST /v1/subscriptions matches the user's actual type — a UI/session guard is a follow-up.

- The REFEREE grandfather realignment (15 -> 5 days) does not backfill existing stamps; run a one-off script if desired.