

Index

A_{LR}^f (polarization asymmetry at Z^0), 710–712, 728, 760–763, 771–772
 Abelian group, 487, 496
 Abelian Higgs model, 690–692, 732–739
 Accelerated track, xiv
 Acknowledgments, xvii
 Action, 15, 277
 Active transformations, 35–37
Ad hoc subtraction, 195, 221–222, 230
 Adjoint representation, 499, 501–502
 Adler-Bell-Jackiw anomaly, 661–667, 672–676, 686, 688, 705–707
 operator equation, 661
 ALEPH experiment, 711
 Alloys, binary, 267–268, 272, 437
 α (critical exponent), 441, 446–447
 α (fine-structure constant), xxi, 125, 809
 measurements of, 197–198
 radiative corrections to, 252–257, 335, 424, 762–764
 α_* ($\alpha(m_Z)$), 759
 α_s , 260–262, 550, 573, 712
 measurements of, 593–595
 running of, 551–553, 594–595
 α^i (Dirac matrices), 52
 Altarelli-Parisi equations, xvi, 590–593, 597–598, 644–647, 649
 splitting functions for QED, 587
 splitting functions for QCD, 590
 initial conditions, 587, 591
 Ambiguity in choice of momentum scale, 552, 573
 Amplitude, in quantum mechanics, 276
 Amplitude (\mathcal{M}), see Scattering amplitude
 Amputated diagrams, 109, 113–114, 175, 227–229, 331
 Analogies to statistical mechanics, 266–275, 292–294, 364, 367 (table), 395, 440–442, 788
 Analytic continuation to Euclidean space, 293
 Analytic properties of amplitudes, 211–237, 252–253, 619–621, 633, 808
 Angular momentum, 6–7, 38–39, 60, 144, 147
 Annihilation, see e^+e^- annihilation, Cross section
 Annihilation operators, 26, 58, 123
 Anomalous dimensions, 427, 447, 613–615, see also γ
 Anomalous magnetic moment, 188, 210
 of electron, 196–198
 of muon, 197–198, 773
 Anomaly, see Axial vector anomaly, Adler-Bell-Jackiw anomaly, Trace anomaly
 Anomaly cancellation, 705–707, 799
 Anomaly coefficient, 680–681, 687–688
 Anomaly-free theories, 679–681, 786
 Anticommutation relations, Dirac, 40, 56
 Anticommuting numbers, 73, 298–302, 518
 Antifermions, 59, 61, 804
 Antiferromagnets, 449–450
 Antilinear operator, 67
 Antiparticles, 4, 14, 29
 Antiquarks, see Quarks, Parton distribution functions
 Antiscreening, 542–543

Antiunitary operator, 67
 Area of d -dimensional unit sphere, 249
 Arnowitt-Fickler gauge, 544
 Arrogance, 81
 Arrows, in diagrams, 5, 118–119
 Asterisk in Contents, xiv
 Asymmetries at Z resonance, see A_{LR}^f
 Asymptotic behavior of amplitudes, 265, 341, 344–345, 418–421
 Asymptotic freedom, 425–427, 505
 in Gross-Neveu model, 438
 in nonlinear sigma model, 458–461
 in QCD, 140, 479–480, 551–554, 627, 782, 784
 in gauge theories, 531–543
 intuitive explanations, 460, 541–543
 price of, 543
 see also α_s , β
 Asymptotic states, 102–104, 108–109, 223–226, 298
 classification by BRST operator, 519–520
 Asymptotic symmetry, 438
 Atomic energy levels, effects of QED, 197–198, 253
 effects of weak interaction, 709, 712
 Atomic scale, 266–267, 272, 395, 402
 Attractive forces, 122–125
 Auxiliary field, 74, 517
 Averaging over short-wavelength fluctuations, 460–461
 Awkward phases and overlap factors, 108–109, 284
 Axial vector anomaly, in 2 dimensions, 651–658
 in 4 dimensions, 661–667, 672–676, 686, 688, 705–707
 in d dimensions, 667
 Axial vector currents, 50–51, 651–667, 705–707
 of QCD, 668–676, 794
 Axion, 210, 726
 Background field perturbation theory, 533–535, 685
 Background gauge fields, 304–305, 533–540, 653–667, 684–685, see also Classical source, Effective action
 Backward polarization, 511
 Bacteria, 418–420, 433–434
 Bar notation, 43, 44, 132
 Bare coupling constants, 247, 252, 258, 334–335, 410, 425
 Bare Green's functions, 410
 perturbation theory with, 323, 326, 353, 416–417
 Bare mass, 214
 Barn (cross section unit), 810
 Baryon number current, 668
 Baryon number, nonconservation of, 647
 Baryons, 473, 546–547
 Beams of particles, 99–100, 151
 Bessel functions, 34
 β (Callan-Symanzik function), 410–417, 420, 424–428, 684–685
 sign of, 424–426
 zero of, 425, see also Fixed point
 in d dimensions, 435, 449
 dependence on conventions, 427–428
 for ϕ^4 theory, 413
 for linear sigma model, 448
 for nonlinear sigma model, 457, 464
 for Gross-Neveu model, 438
 for Yukawa theory, 438
 for scalar QED, 470
 for non-Abelian gauge theories, 531, 544
 in supersymmetric models, 787, 796–797
 see also Asymptotic freedom
 β (critical exponent), 274, 441, 446–447
 $B(\alpha, \beta)$ (Beta function), 250
 beta-brass, 449–450
 beta decay, 671, 709
 Bethe's ansatz, 792
 Bhabha scattering ($e^+e^- \rightarrow e^+e^-$), 10, 152–153, 157, 170, 171, 235–236, 253, 256
 Bianchi identity, 500
 Bifurcation, at critical point, 269
 Bilinears of Dirac fields, 49–52, 71
 Binary alloys, 267–268, 272, 437
 Binary fluids, 449–450
 Bjorken, J. D., 476
 Bjorken scaling, 478–480, 558, 635
 violation of, 480, 545, 562, 574, 588, 593–594, 635

- Bloch, F., 202
 Bogliubov, N. N., 337–338
 Bohr radius, 809
 Boldface type, xix
 Bookkeeping, alternative methods, 326
 Boosts, 40–41, 71–72
 Born approximation, 121
 Bose-Einstein statistics, 22
 Bound states, 76, 140–141, 148–153, 213
 production amplitude for, 149–150
 Boundary conditions, Feynman, 95
 BPHZ (Bogliubov-Parasiuk-Hepp-Zimmermann) theorem, 338, 384, 386
 Branch cut singularities, 215–216, 230,
 see also Analytic properties of amplitudes
 Breit-Wigner formula, 101, 237, 728
 Bremsstrahlung, 11, 175–184, 208, 580–584
 classical theory, 177–182
 Broad resonances, 237
 BRST (Becchi-Rouet-Stora-Tyutin) symmetry, 517–521, 734

 C (charge conjugation), 64, 70–71, 75–76, 135, 318, 720–727
 $C(r)$ (invariant of Lie algebra representation), 498, 500–502, 504, 806
 $C_2(r)$ (quadratic Casimir operator), 500–502, 504, 806
 Cabibbo angle, 605, 714, 724, see also CKM matrix
 Cactus diagram, 92
 Callan, C., 411, 418
 Callan-Gross relation, 558, 626, 632
 Callan-Symanzik equation, 410–414, 418–423, 452, 464
 solution of, 418–423
 with local operators, 430, 433–434, 613–614
 for 1PI Green's functions, 444
 for effective action, 445
 for electromagnetic potential, 423
 for annihilation cross-section, 551–552
 for operator product coefficients, 613–614

 Callan-Symanzik functions, see β , γ
 Cancellations, see Unphysical degrees of freedom
 Cartan, E., 496
 Casimir operator, see $C_2(r)$
 Causality, 13–15, 27–29, 54
 CDF experiment, 573, 772
 CDHS experiment, 561
 Center-of-mass frame, 4, see also Kinematics
 Center-of-mass coordinate, 148
 Channels, 157
 Characteristics, method of, 418
 Charge conjugation, see C
 Charge, conserved, 18
 of a Dirac particle, 62
 see also Coupling constants, Current
 Charged-current weak interactions, 709
 Cheats, in Part I, 211
 Chiral fermions, 267, 676–678
 Chiral gauge theories, 676–682
 Chiral representation of γ^μ , 41
 Chiral symmetry, 51, 319
 in functional formalism, 664–667
 breaking of, 669–671, 719, 789
 see also Axial vector currents, Axial vector anomaly
 CKM (Cabibbo-Kobayashi-Maskawa) matrix, 714, 723, 730, 790
 phase, 724–726
 Classical electromagnetism, 33, 221, see also Bremsstrahlung
 Classical electron radius, 809
 Classical field theory, 15–19, 266, 682–683
 Classical field (of the effective potential formalism), 366–367, see also Background field, Effective action
 Classical groups, 496
 Classical path, 276
 Classical solutions, nontrivial, 793–794
 Classical source, 32–33, 126–127, 290–292, 365–367
 Clebsch-Gordan coefficients, 7, 145
 Clusters of spins, 267–268
 Coleman, S., 418
 Coleman-Mandula theorem, 795
 Coleman-Weinberg model, 469–470

- Collinear emission
 of photons, 173–174, 181–184, 209–210, 574–587, 710–711
 of e^+e^- pairs, 584–586
 of gluons, 550, 553–554, 574–575, 587–588
 Color (of quarks), 139–140, 546–548
 confinement of, 547–548, 782, 784
 factor of 3, 140, 259, 548–549, 564, 589, 674, 770
 see also Group theory relations
 Combining denominators, see Feynman parameters
 Commutation relations, for fields, 19–20, 52, see also Lie algebras
 Commutator of covariant derivatives, 485, 488
 Commutator of field operators, 28
 Comparator, 482–484, 487, see also Wilson line
 Completeness relation for states, 23, 212
 Completeness relations for spinors, 48–49
 Complex conjugation, of fermion bilinears, 132
 Complex scalar field, 18, 29, 33–34, 75–76, 312
 Compton formula, 162–163
 Compton scattering ($e^-\gamma \rightarrow e^-\gamma$), 11, 158–167, 623
 Compton wavelength, xix, 122, 294, 809
 Condensate of $q\bar{q}$ pairs, 669
 Condensed matter physics, xiv, 266–274, 792
 Conformally invariant theories, 792–793
 Conjugate representation, 498
 Connected correlation function, 380
 Connected diagrams, 109, 111–114
 Connection, 483, 487
 Conservation laws, 17–18, 34, 306, 308–310
 for Dirac vector current, 51, 160, 244, 311
 see also Angular momentum, Axial vector currents, Current, Energy-momentum tensor
 Constituents of the proton, see Parton model
 Contact terms, 307–312

 Continuous symmetry groups, see Groups, continuous
 Contractions, 89, 116, 118
 counting of equivalent, 92–93
 for external states, 110, 117
 in functional formalism, 288
 Conversion factors, 809–810
 Convexity of effective potential, 368–369
 Correction-to-scaling exponent, 466
 Corrections to this book, 815
 Correlation functions, 82
 perturbation expansion for, 87
 Feynman rules for, 94–95
 analytic structure of, 211–230
 relation to S -matrix, 227–229
 of Dirac fields, 115, 302
 of spin field, 272–273, 293, 389, 395, 440–442
 functional computation, 283–284, 302
 of non-gauge-invariant operators, 296–298
 scaling of, 406
 defined at scale M , 408
 bare vs. renormalized, 410
 see also Asymptotic behavior of amplitudes
 Correlation length, 272–273, 294, 436, 440–441, 783
 Cosmological constant, 790–791, 797
 Coulomb gauge, 79, 541
 Coulomb potential, xxi, 125, 179, 503, 542, 782
 radiative corrections to, 253–255, 423, 762
 Coulomb scattering, 129–130, 155, 169–170
 Counterterms, 324–326
 for ϕ^4 theory, 324–329, 408–409
 for Yukawa theory, 329–330, 409
 for QED, 331–334
 for linear sigma model, 353–354
 constrained by symmetry, 353–363, 383–386, 738
 for $J(x)$, 370
 for computation of effective action, 370–372
 relation to β and γ , 412–416
 for local operators, 429–432

- Counterterms, cont.
 - for non-Abelian gauge theory, 527–533, 544
 - for GWS theory, 758
 - see also β , γ
- Counting, see Color, Contractions, Identical particles
- Coupling constants, 77–80
 - dimensions of, 80, 322
 - bare vs. renormalized, 246–247, 252, 258, 334–335, 410, 425
 - effective or scale-dependent, 247, 255–257, see also Running coupling constant
 - equality of (in gauge theories), 508–510
 - in GWS theory, 701–703, 713–716
 - extrapolation to GUT scale, 786–787, 797
 - see also α , α_s , $\sin^2 \theta_w$
- Coupling to EM field, 78
- Covariant derivative, 78, 483, 485, 487–488, 490, 499
 - in GWS theory, 703
- CP invariance, 64–65, 596, 721–726, 790
- CP^N model, 466–468
- CPT invariance, 64, 71, 76
- Creation and annihilation operators, 26, 58, 123
- Critical exponents, 272–274, 435–438, 440–451, 462, 466
 - definitions, 441
 - relations among, 447
 - measurements of, 437, 449–451
- Critical point, 267, 269–274, 395, 406, 436, 440, 461, 465, 788
- Cross section, 4, 99–107, 237, 808
 - relation to S -matrix, 106–107
 - Rutherford, 130
 - Thomson, 163, 809
 - for linear sigma model, 128
 - for Coulomb scattering, 130, 154, 169
 - for $e^+e^- \rightarrow \mu^+\mu^-$, 136, 143, 809
 - for $e^+e^- \rightarrow$ hadrons, 140, 262, 552
 - for bound state production, 151
 - for Compton scattering, 163
 - for $e^+e^- \rightarrow \gamma\gamma$, 168
 - for Bhabha scattering, 170
 - for ep elastic scattering, 208
- Cross section, cont.
 - for $e^+e^- \rightarrow q\bar{q}g$, 261, 553
 - for deep inelastic scattering, 558
 - for deep inelastic ν , $\bar{\nu}$ scattering, 561
 - for Drell-Yan process, 566, 568
 - for parton-parton reactions, 568
 - for elementary QCD processes, 569–572
 - for $e^+e^- \rightarrow W^+W^-$, 757, 773
 - for $d\bar{u} \rightarrow W^-\gamma$, 773
- Crossing symmetry, 155, 168, 230
- CTEQ collaboration, 563, 573, 590, 643
- Current, conserved, 18, 244
 - electromagnetic, xxi
 - of charged scalar field, 18
 - of classical point particle, 177
 - of Dirac fields, 50–51
 - for rotations, 60
 - normalization of, 430
 - of fermions in non-Abelian gauge theory, 491, 533
 - of fermions in GWS theory, 705
 - see also Axial vector current, Conservation laws, Noether's theorem, Ward identity
- Custodial $SU(2)$ symmetry, 719
- Cutkosky rules, 233–236, 515
- Cutoff, ultraviolet, 80, 266–268, 394–406, 409, 464–465, 788–790
 - momentum, as a regulator, 257, 394–395, 458–461, 662
- Cutting rules, see Cutkosky rules
- D (degree of divergence), 316
- \mathcal{D} (measure of functional integral), 276
- D0 experiment, 772
- D_F , see Feynman propagator
- de Broglie wavelength, 103, 277
- Decay rate of a particle, 101, 107–108, 127, 151, 237, 808
- Decomposition of group representations, 501–502
- Deep inelastic scattering, 475–480, 547, 555–563, 591–592, 621–647
 - from a photon, 649
 - neutral-current, 709, 712, 729
 - neutrino, 559–561, 593–594, 606, 634–635, 709, 712

- Definition of a quantum field theory, 283
- Definition of a theory at scale M , 408
- Definition of physical parameters, 325
- Degree of divergence, see D
- DELCO experiment, 138
- Delicate adjustments, 406, 788
- DELPHI experiment, 711
- δ (critical exponent), 441, 446–447
- δ function, xx–xxi
 - functional, 295
 - in parton splitting functions, 580–581
- δ_Z , δ_m , δ_1 , etc., see Counterterms
- $\Delta I = 1/2$ rule, 611–612
- Δ^{++} baryon, 546
- Democracy, functional, 276
- Derivative interactions, 80, 312, 399
- Detector sensitivity, 200–202, 207–208
- Determinant, see Functional determinant
- Dielectric property of vacuum, 255, 541
- Differential cross section, see Cross section
- Dilatation current, 683
- Dimensional analysis of renormalizability, 80, 322, 402
- Dimensional regularization, 248–251, 257, 333, 409, 524, 662, 681, 684, 767, 807–808
- Dimension of space, effect on scalar field theory, 465–466
- Dirac, P. A. M., 40
- Dirac algebra, see γ^μ
- Dirac equation, 3, 13, 35, 40–44, 803
 - solutions of, 45–48
 - see also γ^μ
- Dirac field, 42–75
 - bilinears of, 49–52
 - quantized, 58
 - see also Feynman rules
- Dirac Hamiltonian, 52
- Dirac hole theory, 61, 658–659, 790
- Dirac matrices, see γ^μ
- Dirac representation, 40–41
 - reducibility of, 41–50
- Dirac spinors, 41, 803
- Disclaimers, xv–xvi
- Disconnected diagrams, 96, see also Connected diagrams, Exponentiation
- Discontinuities, see Analytic properties of amplitudes
- Discrete symmetry, 348, see also C , P , T
- Disorder, 460–461
- Dispersion relations, 619–621, 632–634
- Displacive phase transitions, 469
- Distribution functions, see Parton distribution functions
- Distributions, xx–xxi
 - $1/(1-x)_+$, 581
- Divergence-free theories, 321, 797
- Divergences, see Infrared divergences, Ultraviolet divergences
- Domains in a ferromagnet, 267
- Double logarithm, see Sudakov double logarithm, Two-loop diagrams
- Double-slit experiment, 276–277
- Double-well potential, 271, 349
- Drell-Yan process, 564–568
- Duality, particle-wave, 26
- Dyson, F., 82
- e (electron charge), xxi
 - in GWS theory, 702
- e^+e^- annihilation
 - to muons or τ leptons, 4, 131–153, 171
 - to hadrons, 139–141, 259–262, 474, 548–554, 615–621, 710–711, 728–729
 - to scalars, 312, 750–754
 - to W^+W^- , 750–757, 773
- E_6 , E_7 , E_8 (Lie algebras), 497, 681
- $E[J]$ (vacuum energy), 365–367
- Eating, of Goldstone boson, 692, 744
- Effective action, 364–391, 443–444, 533, 535–537, 720
 - computation of, 370–379
 - as generating functional, 379–383
 - Callan-Symanzik equation for, 444
- Effective coupling constant, see Running coupling constant
- Effective field theory, 266, 800
- Effective Lagrangian, 396–403
 - for W exchange, 559, 605
- Effective mass, 403, 600–603, 669–670
- Effective potential, 367–369, 375, 384, 391, 443–445
 - for $O(N)$ ϕ^4 theory, 376–379, 451–453
 - for Coleman-Weinberg model, 469–470

Electric dipole moment of neutron, 726
 Electromagnetic current, 18, 50–51, 705
 Electromagnetic field, 78–79
 quantization of, 79, 123, 124, 294–298
 in GWS theory, 701–702
 Electromagnetic field tensor, 33, 78, 484–485, 492
 Electromagnetic potential, see Coulomb potential
 Electromagnetism, xxi, 33, 64, 473, see also QED
 Electron, 4, 124
 structure of, 575–587
 see also Cross sections, e^+e^- annihilation, $\Sigma(p)$
 Electroweak theory, see GWS theory
 Energy functional, 365–367, 370, 372, 379–380
 Energy, in EM field, 179
 Energy, infinite, 21
 Energy, negative, 26, 54
 Energy-momentum fractions, see Parton distribution functions
 Energy-momentum tensor, 19, 310, 430, 682–685, 790–791
 symmetric, 642
 for electromagnetic field, 33, 683–685
 for QCD, 630, 642, 685
 Enhancements, see Logarithmic enhancements
 $\epsilon(4-d)$, 250, 377, 449
 ϵ expansion, 436, 449
 $\epsilon^{\mu\nu\rho\sigma}$, xx
 contraction identities, 134, 805
 Equal-time commutation relations, 20
 Equality of coupling constants, 514, 531
 Equation of motion, 16, 25
 for Green's functions, 306–312
 for gauge field, 500
 Equivalence theorem, Goldstone boson, 743–758
 Equivalent photon approximation, 209–210, 579
 Estimation of divergent part of a diagram, 529
 η (critical exponent), 273–274, 441, 443, 447, 466
 Euclidean space, 293, 394–395, 439, 807
 4-momentum in, 193
 Euler-Lagrange equation, 16, 308
 Event shapes, 593–594
 Evolution equations, see Altarelli-Parisi equations
 Evolution of parameters, see Running coupling constant, Callan-Symanzik equation
 Evolution of parton distributions, 574–593, 644–647
 Exactly solvable field theories, 81, 405, 791–794
 for large N , 463–465, 467
 Exotic contributions to anomalous magnetic moments, 210
 Experimental tests of quantum field theory, see Critical exponents, QED, QCD, GWS theory
 Exponentiation, 126, 207
 of disconnected diagrams, 96–98, 113, 399
 Extended supersymmetry, 425, 796–797
 External field, 185, 292, 304
 Feynman rule for, 129
 External leg corrections, 113, 175, 195
 External lines, see Feynman rules
 External source, see Classical source
 Extreme limit $q^2 \rightarrow \infty$, 642–643
 $f_e(x)$ (distribution function of electron in electron), 580–581, 583
 $f_f(x)$ (distribution function), 477, 556
 $f_\gamma(x)$ (distribution function of photon in electron), 579, 583
 $f^+(x)$ (distribution function), 632
 $f^-(x)$ (distribution function), 635
 f^{abc} (structure constants), 490, 495, 498–499, 806
 f_π (pion decay constant), 670–676, 687
 $F_1(q^2)$ (form factor), 186, 196, 230, 260, 334
 infrared divergence, 199–200
 $F_2(q^2)$ (form factor), 186, 196
 F_4 (exceptional Lie algebra), 497
 F^a_k (matrix connecting currents to Goldstone bosons), 698–700, 718, 739–742
 of $SU(3)$, 502
 see also Lie algebra

$F_{\mu\nu}$ (field tensor)
 electromagnetic, 33, 78, 484–485, 492
 non-Abelian, 488–489, 494
 Faddeev-Popov Lagrangian, 514, 517
 Faddeev-Popov method, 295–298, 512–515, 533–534, 731–734, 741, see also Ghosts
 Fermi constant, see G_F
 Fermi-Dirac statistics, 57, 120, 313, 546–547
 Fermion couplings, in GWS theory, 703–705
 Fermion loops, 120, 801
 Fermion masses, 723
 in GWS theory, 704, 713–715
 Fermion minus signs, 116, 119–120
 Fermion number nonconservation, 657–659, 686–687
 Fermion self-energy, see $\Sigma(p)$
 Fermion-antifermion annihilation, see e^+e^- annihilation, Cross section
 Fermion-fermion scattering
 nonrelativistic, 121–123, 125–126
 in broken gauge theory, 735–737
 Fermions and antifermions, 59
 Feynman rules for, 115–120
 Ferromagnets, see Magnets
 Feynman, R. P., 82, 275, 476
 Feynman boundary conditions, 31, 95, 287–288
 Feynman diagrams, 3, 5, 211
 for correlation functions, 90–99
 for scattering amplitudes, 109–115
 general procedure for evaluating, 138
 relation to S -matrix, 229
 optical theorem for, 232–236
 for computing functional determinants, 304–305
 for computation of V_{eff} , 375
 see also Feynman rules, Perturbation theory
 Feynman gauge, 297, 416, see also Feynman-'t Hooft gauge
 Feynman parameters, 189–190, 342, 806
 Feynman prescription, see Feynman boundary conditions
 Feynman propagator, 31, 63, 213, 287–288, 293, 302
 Feynman rules, 5, 8, 94–95, 114–115, 801–803
 position-space, 94, 114
 momentum-space, 95, 115
 symmetry factors, 93, 118
 for correlation functions, 94–95
 for scattering amplitudes, 114–115
 for interaction with an external field, 129, 304
 for counterterms, 325, 331–332, 528
 functional derivation of, 284–289
 for ϕ^4 theory, 94–95, 114–115, 325, 801
 for Yukawa theory, 118
 for QED, 123, 303, 331–332, 801–802
 for scalar QED, 312
 for linear sigma model, 353–354
 for nonlinear sigma model, 455–456
 for non-Abelian gauge theory, 506–508, 514–515, 528, 802–803
 for scalar non-Abelian gauge theory, 544
 for Abelian Higgs model, 734–735
 for broken gauge theory, 742
 for GWS theory, 716, 743, 752–753
 Feynman-'t Hooft gauge, 513, 535, 640, 732, 737–738, 746, 749–750
 Fictitious heavy photons, see Pauli-Villars regularization
 Field operator, 20
 interpretation of, 24, 26
 Field rescaling, see Field-strength renormalization
 Field tensor, see $F_{\mu\nu}$
 Field-strength renormalization, 211–230, 408–410, 417, 421–422
 for electron (Z_2), 216, 220–221, 330–335
 for photon (Z_3), 246
 for ϕ^4 theory, 328–329, 345
 for Yukawa scalar, 330
 for non-Abelian gauge theory, 531–533
 for local operators (Z_O), 429–432
 see also Counterterms
 Fierz transformations, 51–52, 75, 170, 607–609, 805
 Fine-structure constant, see α
 Finite quantum field theories, 425

First-order phase transition, 269–270
 Fixed point (of renormalization group),
 401–405, 424–426, 791–793
 free-field, 401–403, 407
 and critical exponents, 443
 Wilson-Fisher, 405, 435, 439, 441, 445,
 448–449, 454, 461–462, 466
 effect on operator product expansion,
 614
 see also Renormalization group,
 Running coupling constant
 Flavor (of quarks), 139, 259, 546
 Flavor mixing, 714–715
 Flavor symmetry, 670–671
 Flavor-changing neutral currents, 725
 Flipped spinor, 68
 Flow of coupling constant, 420
 Flow of Lagrangian, 401
 Fluctuations, 294, 393–394, see also
 Correlation length
 Fluids, 266, 437, 439
 Forces of Nature, symmetries of, 64,
 719–727
 Form factors
 for QED current, 184–188, 208–209,
 229
 for axial vector current, 671–672
 for deep inelastic scattering, 625,
 647–648
 Forward Compton amplitude, 623–627
 Forward polarization, 511
 Forward scattering amplitude, 230–232
 Forward-backward asymmetry, 711–712
 4π , factors of, xxi
 Four-gauge-boson vertex, 507
 Four-momentum, xix, 212–213
 Four-photon amplitude, QED, 320, 344
 Four-point function, see Correlation
 functions, Asymptotic behavior of
 amplitudes
 Four-vectors, xix
 built out of spinors, 72
 Fourier transforms, xx–xxi
 Fourth neutrino species, 729
 Fractional charges, 546, 786
 Free energy, 364–367, see also Gibbs free
 energy
 Free field theory, 19–29, 404, 458
 Free-field fixed point, 439, 441
 Frequency, positive/negative, 26, 45, 48
 Fujikawa's derivation of axial vector
 anomaly, 664–667
 Functional, 276
 Functional delta function, 295
 Functional derivative, 276, 289–290
 Functional determinant, 287, 295, 304–
 305, 313, 371–375, 391, 512–514,
 517, 535–540
 from Gaussian integration, 301
 methods for evaluating, 304, 374
 Functional integral, 275–314, 394–400,
 458, 503, 512–514, 534
 methods for evaluating, 284–288,
 299–301, 370–373
 momentum slicing, 395–399
 chiral transformation of, 664–667
 lattice definition, 783–785
 Functional quantization
 of scalar fields, 282–292
 of spinor fields, 298–303
 of gauge fields, 294–298, 512–515,
 733–734, 741–743
 Fundamental constants, 809–810
 Fundamental representation, 499, 501
 Furry's theorem, 318
 g (Landé g -factor), 188, see Anomalous
 magnetic moment
 G_2 (exceptional Lie algebra), 497
 G_F (Fermi constant), 559, 708, 760–763,
 809
 γ (Callan-Symanzik function), 410–417,
 427
 for operators, 428–435, 604, 612–615
 matrix, 430, 610–611, 615
 for ϕ^4 theory, 413, 466
 for linear sigma model, 448
 for nonlinear sigma model, 457, 464
 for QED, 416
 for ϕ^2 , 432, 448
 for currents, 432, 602
 for $\bar{q}q$, 601
 for nonleptonic weak interactions, 611
 for twist-2 operators, 636, 640
 for proton decay operator, 647
 γ (critical exponent), 441, 447

γ (Euler-Mascheroni constant), 250, 377
 γ^μ (Dirac matrices), 8, 40–41, 803
 traces of, 132–135, 805
 contraction identities, 135, 805
 contraction identities in d dimensions,
 251, 808
 in two dimensions, 652
 in d dimensions, 251
 see also Fierz identities
 γ^5 (chirality matrix), 50
 traces including, 134, 805
 in d dimensions, 662, 667, 681–682,
 767
 see also Axial vector anomaly
 $\Gamma(x)$ (Gamma function), 250, 807
 $\Gamma[\phi_c]$ (effective action), 366–367
 Gauge boson mass, see Higgs mechanism
 Gauge dependence, 416, 526, 601
 Gauge field, 79, 295, 481–491, see also
 Gauge invariance, Photon, $\Pi^{\mu\nu}(q)$
 Gauge hierarchy problem, 788
 Gauge invariance, 78–79, 244, 295,
 481–494, 533, 689–777
 of S -matrix, 298
 and axial current conservation, 651,
 658
 Gauge transformation, 78, 482–491
 Gauge-covariant derivative, see Covari-
 ant derivative
 Gauge-dependent mass, 734
 Gauge-fixing function, 295–296, 733,
 741, see also Faddeev-Popov method
 Gaugino, 796
 Gauss's law, for non-Abelian gauge
 theory, 542
 Gaussian integrals, infinite-dimensional,
 279, 285, 300–301, see also Func-
 tional integration
 Gell-Mann, M., 545–546
 Generalized couplings, 433–435, 442
 Generating functional, 379–383
 of Green's functions, 290–292, 302
 of connected correlation functions, 380
 of 1PI correlation functions, 383
 Generations of quarks and leptons, 707,
 714–715, 721
 Generators of a Lie algebra, 38, 490, 495
 of Lorentz transformations, 71–72
 see also Lie algebra
 Geometric series, in self-energy dia-
 grams, 220, 228
 Geometry, discrete or nonlocal, 798–800
 Georgi-Glashow model, 696, 794
 Ghosts, 514–521
 interpretation of, 515–517
 in Abelian Higgs model, 734
 in non-Abelian Higgs theories, 742–743
 see also BRST symmetry, Faddeev-
 Popov method, Feynman rules
 Gibbs free energy, 269–271, 293, 364–
 367, 443, 445–446
 Callan-Symanzik equation for, 445
 Glashow, S., 700
 Glashow-Weinberg-Salam theory, see
 GWS theory
 Global aspect of nonconservation of
 axial current, 657–659
 Global properties of Lie groups, 496
 Gluons, 127, 259, 476, 480, 547
 polarization sums, 571
 spin of, 596
 see also Cross sections, Parton distri-
 bution functions, Twist-2 operators
 God-given units, xix
 Goldberger-Trieman relation, 672
 Goldstone boson, 267, 351–352, 455, 460,
 690–700, 672, 718, 731–732, 741–743,
 see also Higgs mechanism
 Goldstone boson equivalence theorem,
 743–758
 Goldstone's theorem, 351–352, 363, 388,
 669–670, 699
 Gordon identity, 72, 186, 192
 Graininess of spacetime, 402
 Grand unification, 681, 786–791, 799
 scale of, 786–787, 797
 Grassmann numbers, 73, 298–302, 518
 Gravitational anomaly, 681, 706–707
 Graviton, 126, 798–799
 Gravity, 64, 402, 683, 787–791, 795–800
 Greek indices, xix
 Green's function
 retarded, 30, 32, 62–63
 Feynman, 31, 63
 for Klein-Gordon equation, 30–32, 503
 for Dirac equation, 62–63
 for interacting fields, 82, 406–422
 see also Correlation functions

Greenberg, O., 546
 Gribov-Lipatov equations, xvi, 586–587,
 see also Altarelli-Parisi equations
 Gross, D. J., 479, 531
 Gross-Neveu model, 390–391, 438, 792
 Ground state, 20–22, 82, 86, see also
 Vacuum
 Group theory relations, 495–502, 805–
 806
 use in diagram computations, 523,
 529–530, 569–572
 Groups, continuous, 38, 486, 495
 GUT, see Grand unification
 GWS (Glashow-Weinberg-Salam) theory
 of weak interactions, 474, 677, 689,
 700–719, 740, 742–743, 747–775
 experimental tests of, 707–713, 771–
 772
 stripped-down version, 735
 symmetries of, 64, 719–727
 see also W , Z , Higgs boson, Fermion
 masses, Gauge boson masses

 Hadron-hadron collisions, 563–573, 785
 Hadrons, 473, 546–547, 552, 782
 Hall effect, quantum, 197–198
 Hamiltonian, 16, 19
 Dirac, 58
 abandoning of, 283
 see also Analogies to statistical me-
 chanics
 Han, M., 546
 Harmonic oscillator, 20, 313
 \hbar , as unit of action, 277
 h.c. (Hermitian conjugate), xx
 Heaviside step function, xx
 Heaviside-Lorentz units, xxi
 Heavy quarks
 as constituents of proton, 559, 643
 photoproduction of, 597
 radiative corrections from, 688, 760–
 772
 Heisenberg equation of motion, 25
 Heisenberg picture, 20, 25, 283
 Helicity, 47
 projection operators, 142
 dependence of $\mu^+\mu^-$ production,
 141–146

 Helicity conservation, 142, 166
 Helium, superfluid, 267, 437
 Helmholtz free energy, 364–367
 Hepp, K., 337–338
 Hidden symmetry, 347
 Hierarchy problem, 788
 Higgs boson, 210, 715–717, 740, 743
 mass, 716
 couplings to fermions, 721
 decays of, 775–777
 production in hadron collisions, 777
 effect on radiative corrections, 712,
 772, 774
 origin of, 787–789
 Higgs field, 734
 vacuum expectation value, 701, 719
 in model with two doublets, 729–730
 in supersymmetric models, 797
 Higgs mechanism, 470, 690–700, 744–747
 gauge boson masses from, 693, 700
 vacuum polarization and, 691, 698–700
 see also Gauge invariance, Unphysical
 degrees of freedom
 Higgs sector, 717–719, 726, 760, 789, 798
 symmetries of, 721
 High-momentum degrees of freedom,
 393–406
 History of quantum field theory, xv
 Holes as antiparticles, 61, 658
 Horrible products of bilinears, 52
 HRS experiment, 169, 256
 Hydrodynamic-bacteriological analogy,
 418–420
 Hydrogen, see Atomic energy levels
 Hydrogen maser, 197
 Hyperboloid of 4-momentum vectors, 24
 Hyperboloids in energy-momentum
 space, 212–213
 Hyperfine splitting, 197–198

 $i\epsilon$ in functional integrals, 286
 Identical particles, 22, 108
 Imaginary part of scattering amplitude,
 230–237, 253, see also Analytic
 properties of amplitudes
 Impact parameter, 103
 Improper Lorentz transformation, 64

In states, see Asymptotic states
 Inconsistencies, in vector field theories,
 81, 508–511, 757–758
 Infinitesimal group element, 495
 Infinities, see Infrared divergences,
 Ultraviolet divergences
 Infrared divergences, 55, 176, 184, 195,
 260–262, 550, 553, 574
 of electron vertex function, 199–202
 of electron self-energy, 217
 interpretation of, 202–208
 regulator for, 195, 207, 217, 361
 Infrared-stable fixed point, 427, 435
 Initial conditions, see Altarelli-Parisi
 equations
 Instantons, 794
 Integrals
 in d dimensions, 249–250, 807
 over anticommuting numbers, 299–301
 Interaction picture, 6, 83–87
 Interactions among vector fields, 489,
 491
 Interactions found in Nature, 79, 473
 Interactions, effect on single-particle
 states, 109
 Interchange identities, see Fierz transfor-
 mations
 Interference phenomena, in condensed-
 matter systems, 197–198
 Internal lines, 5, 8
 Interpolation of V_{eff} , 368–369
 Interpretation of field operator, 24, 26
 Invariant mass distribution for jet
 production, 572–573
 Invariant matrix element (\mathcal{M}), see
 S -matrix, scattering amplitude
 Inverse Compton scattering, 167
 Inverse propagator, 381, 383
 Invisible decays of Z boson, 728–729
 Irreducible representation, 498, 501–502
 Irrelevant operators, 402, 407, 443, 451,
 485
 Isospin singlet axial current, 673–674
 Isospin, 127, 486, 546, 611, 668, 670, 719
 Isotriplet currents, 668
 Isotropic magnets, 437
 ITEP sum rules, 620–621

 $J(x)$ (source term in \mathcal{L}), 290
 J/ψ particle, 141, 152, 593–594
 Jackiw, R., 370
 Jacobi identity, 495–496, 499, 597
 Jets of hadrons, 140, 261, 476, 553–554
 in hadron collisions, 568–573
 Jona-Lasinio, G., 668
 Josephson effect, 197–198

 K meson, 259, 612, 725
 Källén-Lehmann spectral representa-
 tion, 214, 619, see also Analytic
 properties of amplitudes
 Killing, W., 496
 Kinematics, 104
 for e^+e^- annihilation, 136
 for Compton scattering, 162–164
 for deep inelastic scattering, 476–477
 for hadron-hadron collisions, 565–568
 for collinear particle emission, 576–578
 for massive vector bosons, 745
 Klein-Gordon equation, 13, 17, 25
 Lorentz invariance of, 36
 complex, 18, 75–76
 see also Feynman rules, scalar field
 Klein-Gordon Lagrangian, 16
 Klein-Nishina formula, 163

 L subscript, 605
 L3 experiment, 711
 Lab frame, 162
 Ladder operators, 26, 58, 123
 Lagrange equation, 16
 Lagrangian, 15, 35
 fundamental significance, 283, 466,
 798–800
 most general gauge-invariant, 485, 489,
 720–722
 Klein-Gordon, 16
 Dirac, 43
 Maxwell, 37
 for ϕ^4 theory, 77
 for QED, 78, 483
 for scalar QED, 80
 for Yukawa theory, 79
 for linear sigma model, 349–350
 for nonlinear sigma model, 454–455
 for non-Abelian gauge theory, 489, 491

Lagrangian, cont.
 for GWS theory, 704, 715–716, 720–724
 see also Effective Lagrangian
 Lagrangian density, 15
 Lagrangians, space of, 401
 Lamb shift, 197–198, 253
 λ (coupling constant), 77
 λ (cosmological constant), 790
 λ_* (fixed point), 426
 λ_e (electron-Higgs coupling), 713
 Λ (ultraviolet cutoff), 80, 194
 Λ (QCD scale), 552
 Landé g -factor, see Anomalous magnetic moment
 Landau gauge, 297, 470, 529
 Landau theory of phase transitions, 269–272, 293, 436, 439, 447, 450
 Landau-Ginzburg free energy, 470
 Large-distance behavior of QCD, 548, 782–785
 Large- N limit, 463–465, 467
 Laser, polarized, 167
 Lattice gauge theory, 547–548, 782–785
 Lattice statistical mechanical models, 449–451
 Least action, principle of, 15
 Lee, B., 347
 Left-handed current, 51
 Left-handed particle, 6, 47
 Left-handed spinors, 44
 Left-handedness of W couplings, 559–560, 703
 Left-moving fermions, 652
 Legendre transform, 365–366, 370
 Lehmann, H., 222
 Lehmann spectral representation, 214
 Length contraction, 23
 Lepton number conservation, 727
 Lepton pair production in hadron collisions, 564–568
 Leptons, 473, 726–727
 Lie algebras, 38, 495–504
 classification of, 496
 see also Group theory relations, Groups
 Lifetime, see Decay rate
 Light-cone, 14
 Lightlike polarization states, 511
 Linear sigma model, 127–128, 349–363, 373–379, 385–387, 389–390, see also Feynman rules
 Liquid crystals, 367
 Liquid-gas critical point, 449–450
 Liquid-gas transition, 267, 272–274
 Local conservation laws, 18
 Local divergence, 337
 Local phase rotation, see Gauge transformation
 Local symmetry, see Gauge invariance
 Locality of ultraviolet divergences, 386
 Logarithm of a dimensionful quantity, 251
 Logarithmic enhancements
 in Compton scattering, 164
 in bremsstrahlung, 184, 200–202, 207–208
 from multiloop diagrams, 341, 422, 551
 in corrections to V_{eff} , 378–379, 451–453
 from mass singularities, 574–575, 579
 from QCD, 603–612, 647
 Long-range correlations, 395, 442, see also Correlation length
 Longitudinal fraction, 477, 555
 Longitudinal polarization, 161, 481
 of massive gauge boson, 692, 732, 743
 see also Higgs mechanism, Goldstone boson equivalence theorem
 Longitudinal rapidity, 566
 Longitudinal W production, 754
 Loop diagrams, 12, 401, see also One-loop diagrams
 Loop integrals, evaluation of, 189–195, 806–808
 Loops of fermions, 120
 Lorentz algebra, 39
 Lorentz contraction, 23
 Lorentz gauge, 79, 123, 178, 295, 737, 745
 generalized, 296, 513
 Lorentz group, 7, 38, 71–72
 Lorentz invariance, 35, 186, 212
 of Dirac equation, 42
 violation by gauge fixing, 544
 Lorentz transformations, 35–47
 of Dirac field, 42, 59

Lorentz-invariant 3-momentum integral, 23
 Low-energy hadronic interactions, 782
 Lowering operators, 497
 LSZ (Lehmann-Symanzik-Zimmermann) reduction formula, 222–230

 $\bar{m}(Q)$ (running mass parameter), 600–603
 m_Z (Z boson mass), 593
 M (renormalization scale), 377–378, 407–408, 410–417
 $M^2(p)$ (scalar self-energy), 227–228, 236–237, 328–329
 two-loop contribution, 345
 in linear sigma model, 361–363
 sign convention for, 228
 \mathcal{M} (scattering amplitude), 104
 Magnetic field, 179, 269, 292, 293, 364–367
 Magnetic moment, see Anomalous magnetic moment
 Magnetic monopole, 794
 Magnetic susceptibility, 266, 441, 446–447
 Magnetization, 269, 364–367, 440, 441, 446, 788
 Magnets, 266–274, 293, 347, 364–367, 406, 439, 449–450, 783, 788, 792
 symmetry of, 437–438
 in $d > 4$, 404
 see also Analogies to statistical mechanics
 Majorana equation, 73
 Majorana fermions, 73–74
 Majorana mass term, 73, 678, 726–727
 Mandelstam variables, 156–158, 162, 170, 476
 at parton level, 557
 Marginal operators, 402, 407, 451, 454
 Mass(es)
 table of values, 809
 bare vs. physical, 214
 of an unstable particle, 237
 relation to correlation length, 273
 derived from effective action, 383
 of σ , π fields, 348–352, 355, 363
 of quarks, 599–603, 670–671
 Mass(es), cont.
 of top quark, 772
 of π meson, 670
 of nucleon, 672
 of hadrons, 782, 785
 of vector field, 81, 470, 484–485, 758
 of photon in two dimensions, 653, 791
 of W and Z bosons, 701, 703, 710, 712, 740, 762
 of unphysical particles, 733–734
 of fundamental fermions, 713–715, 723, 789–790
 of neutrinos, 714–715, 726
 of Higgs boson, 716
 see also Higgs mechanism
 Mass matrix, in scalar field theory, 351–352
 in broken gauge theory, 693, 700
 Mass operator, 402, 406, 431–436, 442
 Mass renormalization, 220–221, 227–228, 328–333, 397, 408–409, 431–436
 in classical electrodynamics, 221
 in supersymmetric models, 796
 see also $M^2(p)$, $\Sigma(p)$, $\Pi^{\mu\nu}(q)$
 Mass scale, arbitrary, see Renormalization scale
 Mass shell, 33
 Mass singularities, 554, 574–575, 579, 587–588
 Massive gauge bosons, 689–777
 propagator for, 734
 see also W boson, Z boson
 Massive vector boson, 173–174
 Massless particles, 128, 267–268, 350–352, 388, see also Goldstone boson
 Matrix element, see Scattering amplitude
 Maxwell construction, 368–369
 Maxwell's equations, xxi, 3, 33, 37, 78–79, 177, 474, 500
 Measure of functional integral, 276–279, 281–282, 285
 chiral transformation of, 664–667
 Measurement, 28
 Meissner effect, 692
 Mermin-Wagner theorem, 460–461
 Mesons, 546–549
 Metastable vacuum state, 368–369
 Metric tensor, xix

Minimal coupling, 78, 473
 Minimal subtraction, see \overline{MS}
 Minimum of effective potential, 378–379
 Minus signs for fermions, 116, 119–120
 Miracle, 353–354
 Mixing
 of operators, 430, 610–612, 615
 of quark flavors, 605, 714–715, 722
 Model quantum field theories, 791–794
 Möller scattering (e^-e^- scattering), 157
 Moment sum rules, 634, 641–643
 Momentum, canonical, 16
 Momentum conservation in diagrams, 111
 Momentum cutoff, see Cutoff
 Momentum density, 16
 Momentum operator, xx, 19, 26, 58
 Momentum scale, for evaluating α_s , 552, 554, 568, 573
 Momentum sum rule for parton distributions, 563, 644
 Momentum transfer, in hadron collisions, 475
 Momentum-space Feynman rules, see Feynman rules
 Monte Carlo method, 785
 Mott formula, 169–170, 209
 \overline{MS} (modified minimal subtraction), 377, 391, 470, 593
 Multiloop diagrams, 335–345
 asymptotic behavior, 341, 344–345
 Multiparticle branch cut, see Analytic properties of amplitudes
 Multiple photon emission, 202–207, 582–584
 Multiplets of leptons and quarks, 707
 Muon, 4, 131, 335, 473, see also Anomalous magnetic moment
 Muon decay, 709, 727
 radiative corrections to, 760–761, 763
 Muon neutrinos, 559
 Muon-proton scattering, 555
 Muonium, hyperfine splitting, 197–198
 Mythology, xvi

 N (number of spin components), 437
 Nambu, Y., 546, 668

 Naturalness, see Delicate adjustments,
 Zeroth-order natural relations
 Ne'eman, Y., 546
 Negative degrees of freedom, 517, 520
 Negative energy, 13, 26, 54, 658, 790
 Negative frequency, 48
 Negative mass squared, 348
 Negative norm, 79, 124, 161, 481, see
 also BRST symmetry, Unphysical
 degrees of freedom
 Nested divergences, 335–338
 Neutral-current weak interactions,
 709–712, 729
 Neutrinos, 473, 559–561, 704, 729
 mass, 714–715, 726
 number of, 729
 see also Deep inelastic scattering
 Neutron, 546, 562, 671
 Compton wavelength, 197–198
 electric dipole moment, 726
 Nilpotent operator, 519
 Noether's theorem, 17, 60, 308–310, 683,
 see also Current, Symmetry
 Non-Abelian gauge symmetry, see Gauge
 invariance
 Non-Abelian gauge theories, 81, 479–
 480, 486–491, 505–548, 692–700,
 739–743
 Non-Abelian group, 487
 Noncompact group, 41
 Nonleptonic decay, 605
 Nonlinear sigma model, 454–467, 793,
 see also Asymptotic freedom, Feyn-
 man rules
 Nonlinear terms in Lagrangian, 77
 Nonlocal divergence, 337, 343–344
 Nonorthochronous transformation, 64
 Nonperturbative methods, 405, 782–785,
 791–794
 Nonperturbative QCD, 612, 782–785
 Nonrelativistic bound states, 148
 Nonrelativistic expansion of spinors, 187
 Nonrelativistic quantum mechanics,
 275–282
 Nonrenormalizable interactions, 321–
 322, 399, 434, 485
 Nonuniversal correction, 466
 Nordsieck, A., 202
 Norm, see Negative norm

Normal order, 88, 116
 Normalization of distribution functions,
 562–563
 Normalization of spinors, 45–48
 Normalization of states, 22, 149
 Notation, xix–xxi
 ν (critical exponent), 436–437, 440–441,
 443, 447, 449, 462, 465
 ν (kinematic variable in deep inelastic
 scattering), 633
 Nuclear force, 122
 Nucleon, 79, 671–672
 Numerical computations of quarkonium
 spectra, 593–594
 Numerical lattice calculations, 785

 $O(2)$, 389, 438
 $O(3)$, 486, 496
 $O(4)$, 127, 719
 $O(N)$, 74, 349, 351, 454–455, 497
 $O(N)$ -symmetric ϕ^4 theory, see Linear
 sigma model
 Oblique corrections, 761
 Odd parity, 67
 ω (critical exponent), 466
 Ω (vacuum of interacting theory), 82, 86
 On-shell particle, 33
 One-loop corrections
 to electron scattering, 211
 in GWS theory, 758–772
 One-loop diagrams, computation of
 in QED, 189–196, 216–218, 247–252,
 332–334
 in ϕ^4 theory, 326–330
 in linear sigma model, 356–363
 in non-Abelian gauge theories, 521–
 533
 1PI (one-particle-irreducible) diagrams,
 219, 228, 245, 328, 331, 381–383,
 408, see also Callan-Symanzik
 equation, Effective action
 One-particle states, Dirac, 59
 One-point amplitude
 in QED, 317–318, 344
 in linear sigma model, 355, 360–361
 OPAL experiment, 711
 OPE, see Operator product expansion
 Operator mixing, 430, 638, see also γ

 Operator product expansion, 612–649,
 see also Callan-Symanzik equation
 Operator rescaling, 429–432, see also γ
 Operators, relevant vs. irrelevant, 402,
 407
 Optical theorem, 230–237, 257, 511–512,
 515, 616, 622–623, see also Analytic
 properties of amplitudes
 Orbital angular momentum, 60–61
 Order parameter, 269, 273
 Orthochronous transformation, 64
 Orthogonal group, see $O(N)$
 Orthogonality of spinors, 48
 Oscillations in total cross section, 621
 Out states, see Asymptotic states
 Overlapping divergences, 335–338

 P (parity), 65–67, 71, 75–76, 185, 344–
 345, 485, 720–727
 in gauge theories, 676
 violation in weak interactions, 64, 709,
 712
 Pair annihilation, see e^+e^- annihilation,
 Cross section
 Pair creation, 13
 Paradigm interactions, 77–79
 Paradigm reaction, 131
 Parasiuk, O., 337–338
 Parity-violating deep inelastic form
 factor, 647–649
 Partial-wave analysis, 750
 Particle-wave duality, 26
 Particles, as field excitations, 22
 Partition function, 292, 312–314, 364,
 367
 Parton distribution functions, 477–478,
 556, 562–563, 588–593, 621–622, 632,
 634–635
 for proton, 562–563
 for neutron, 562
 for photon, 649
 antiquark component, 561, 562–563,
 588
 gluon component, 562–563, 588, 777
 evolution of, 574–593, 644–647
 at small x , 597–598
 see also Altarelli-Parisi equations

- Parton model, 476–480, 547, 556–557, 597, 625–627, 648
- Path dependence of comparator, 491–494
- Path integral, 275–282, see also Functional integral
- Path ordering, 493, 504
- Pauli sigma matrices, xx, 34, 804
- Pauli, W., 58
- Pauli-Villars regularization, 194, 218, 248, 257, 662, 686, 688
- Periodic boundary conditions, 657–658, 687
- Perturbation theory, 5, 77, 82
in quantum mechanics, 5–6
for correlation functions, 87
validity of, 401, 405–406, 422, 425, 552, 554
- Phase, CP -violating, 724–726
- Phase diagram, for a ferromagnet, 270
- Phase invariance, local, 482
- Phase rotation, 78, 496
- Phase space, 106, 137
two-body, 808
three-body, 260–261
- Phase transitions, 268–274, 791, see also Critical exponents, Critical point
- ϕ^4 theory, 77, 82–99, 109–115, 289, 323–329, 439–440
- Feynman rules for, 94–95, 114–115, 325, 801
- two-particle scattering in, 109–112
- divergences of, 324
- one-loop structure, 326–329
- spontaneously broken, 348
- renormalization group analysis, 394–406
- existence of, 404
- mass renormalization of, 409
- limit $m_\sigma \rightarrow \infty$, 454–455
- see also Linear sigma model
- ϕ^6 interaction, 398
- ϕ_{cl} (classical field), 366–367, 370
- Photon, 6, 78–79, 701–702
- see also Bremsstrahlung, Compton scattering, Electromagnetic field, Feynman rules, $\Pi(q^2)$
- Photon distribution function, 579, 583
- Photon mass, 81, 653, 690–691
as infrared regulator, 195
induced by bad regulator, 248
- Photon polarization sums, 159–160
- Photon self-energy, see $\Pi^{\mu\nu}(q)$
- Photon sources, polarized, 167
- Photon structure functions, 649
- Photon-photon scattering, 210, 320, 344
- Photoproduction of heavy quarks, 597
- Physical charge and mass, 214, 246, 266, 331, 423
- Physical constants, 809–810
- Physical parameters of a quantum field theory, 325
- Physical pole in two-point function, 408
- π meson, 79, 122, 128, 259, 475, 669–676
as Goldstone boson, 669–671
coupling to nucleon, 672
decay of π^+ , 687
decay of π^0 , 674–676
- π^k (field of sigma model), 350
- π^k (Goldstone boson field), 698, 718
- \prod symbol, symbolic use of, 103, 278
- $\prod(q^2)$ (QED vacuum polarization amplitude), 176, 245–256, 331–333
contribution of scalars, 312
- $\Pi^{\mu\nu}(q)$ (gauge boson self-energy), 244–256, 320, 522–526
in two-dimensional QED, 653–655
in Higgs mechanism, 691, 693–694, 700
in GWS theory, 718, 761–771
sign convention for, 762
- Π_h (hadronic vacuum polarization), 616–620
- Pictures,
Heisenberg and Schrödinger, 20, 283
interaction, 83
- Pion decay constant, see f_π
- Pion, see π meson
- Planck scale, 787, 798–800
- Plane waves, xx
- Plane-wave solutions, Dirac, 45–48
- Poisson distribution, 127, 208
- Polarization asymmetry, see A_{LR}^f
- Polarization of fermions, 4, 141
sums over, 48–49, 575, 804
- Polarization of photons and vector bosons, 123, 145–146, 511, 748–749
sums over, for photons, 159–160
sums over, for gluons, 571
sums over, for massive vector bosons, 260, 748–749
of intermediate-state photons, 576
of intermediate-state gluons, 589
see also Longitudinal polarization, Timelike polarization, Unphysical degrees of freedom
- Polarized laser, 167
- Pole at $d = 2$, 251, 524–525
- Poles in dimensional regularization, 250
- Poles in two-point function, 215–216
- Politzer, H. D., 479, 531
- Polyakov, A. M., 458, 533
- Position-space Feynman rules, 94
- Positive frequency, 45, 48
- Positive norm, 124
- Positronium
annihilation rates, 171–172, 197–198
energy levels, 197–198
selection rules for, 76
- Potential, double-well, 349
- Potential, electromagnetic, xxi
- Potential, for spontaneous symmetry breaking, 348–350
- Potential functions
Yukawa, 121–123
Coulomb, 125, 253–255
- Power laws, see Anomalous dimensions, Critical exponents
- Poynting vector, 33
- Predictions, unambiguous, 387
- Pressure, 292
- Price of asymptotic freedom, 543
- Principle of least action, 15
- Probability of scattering, 104–105
- Products of group representations, 501–502
- Projection
onto helicity states, 142, 804
onto transverse polarization states, 245
- Propagation amplitude, 13, 27, 34
- Propagator (Feynman), 92
Klein-Gordon, 29–31
Dirac, 62–63, 302, 506
- Propagator, cont.
photon, 123–124, 294, 297
non-Abelian gauge field, 506, 513
ghost, 514–515
massive gauge boson, 734, 742
unphysical bosons, 735, 742
in background field, 504
see also Feynman rules
- Propagator, interaction picture, 84, see also Time-evolution operator
- Proper Lorentz transformation, 64
- Proton, 197, 486, 475, 546, 564, 588, 622
form factors, 188, 208–209
decay, 647
see also Parton model, Parton distribution functions
- Pseudo-scalar, 50, 66, 71
- Pseudo-vector, 50, 66, 71
- Pseudoreal representation, 499
- Pseudoscalar operators, 720
- ψ particles, 593–594
- Q^2 (momentum transfer in deep inelastic scattering), 477, 555
- QCD (Quantum Chromodynamics), 139–140, 259–260, 545–649, 677–678
use of perturbation theory in, 551–554
elementary processes of, 568–572
experimental tests of, 593–595
chiral symmetries of, 667–676
strong-coupling regime, 547–548, 782–785
see also α_s , Parton model, Quarks, Strong interactions
- QED (Quantum Electrodynamics), 3, 78, 303, 482–486
scope of, 3
elementary processes of, 131–174
radiative corrections in, 175–210, 216–222, 244–258
scalar, 312
precision tests, 196–198
renormalization of, 318–320, 330–335, 344
evolution equations for, 586–587
in d dimensions, 320–321
in two dimensions, 651–659, 791

- QED, cont.
 see also α , Cross section, Electromagnetic field, Gauge invariance, Photon
- Quadratic divergence in self-energy, 409, 525
- Quantization
 of Klein-Gordon field, 19–24
 of Dirac field, 52–63
 see also Functional quantization
- Quantization, second, 19
- Quantum Chromodynamics, see QCD
- Quantum Electrodynamics, see QED
- Quantum field theory, xi
 necessity for, 13
 domain of, 798–800
- Quantum gravity, 402
- Quantum mechanics, xx, 275–282
- Quantum statistical mechanics, 312–314
- Quark-gluon scattering, 572–573
- Quark-quark potential, 782, 784
- Quark-quark reactions, 568–573, 573, 596
- Quarkonium, 152
 decays, 593–594
 spectra, 593–594, 785
- Quarks, 127, 139–140, 473, 474, 476, 546–548, 559
 masses of, 599–603, 670–671
 number of in proton, 635
 production in e^+e^- annihilation, 139–140
 weak interactions of, 428–429
- R (ratio of hadronic to leptonic cross sections), 141, 593–594, 622, see also e^+e^- annihilation
- R unit (annihilation cross section), 140, 809
- R_ξ gauges, 731–743
- Radiative corrections, 9, 175–176, 256
 see also QED, QCD, GWS theory
- Raising and lowering operators, 497
- Ralston, J., 597–598
- Ramsey, N., 197
- Range of Yukawa force, 122
- Rapidity, 46, 565
- Rapidity, longitudinal, 566
- Real representation, 498
- Rearrangement identities, see Fierz transformations
- Reducibility of Dirac representation, 50
- Reducible representation, 43, 498
- Redundancy, in functional integration over gauge fields, 295
- Regularization, 194–195
 effect on symmetries and conservation laws, 248–249, 257, 654–655, 662, 679, 682, 686
 see also Cutoff, Dimensional regularization, Pauli-Villars regularization, Infrared divergences
- Relativistic invariance, 3, 35
- Relativistic quantum mechanics, 13
- Relativistic wave equations, 13
- Relativistically invariant phase space, 106
- Relativity, xix
- Relevant operators, 402, 407, 443
- Renormalizability, xv, 79–80, 265, 321–323, 407
 proof of, 417–418
 of non-Abelian gauge theories, 521, 738
- Renormalizability gauges, 738
- Renormalization, 211–222, 244–256, 315–345
 and spontaneously broken symmetry, 347, 352–363, 383–388
 of local operators, 428–432
 beyond leading order, 335–345
- Renormalization conditions, 325, 527, 532
 for ϕ^4 theory, 325, 328, 408
 for QED, 332
 for linear sigma model, 355
 for GWS theory, 711–712, 758–761
 \overline{MS} , 377, 391, 470, 593
 at spacelike p , 407–410
- Renormalization group, 401–406, 424–428, 432–435
 and critical exponents, 442–447
 in QCD, 551–554, 599–615
- Renormalization group equation, 420, 424–426, 786
 see also Callan-Symanzik equation, Running coupling constant
- Renormalization group flow, 401–406, 417, 422, 466
- Renormalization group improvement of perturbation theory, 453, 470, 552
- Renormalization scale, 377–378, 407–417, 440, 551, 593, 599, 682
- Renormalized perturbation theory, 323–326, 330, 410
 for ϕ^4 theory, 323–330
 for QED, 330–335
 for non-Abelian gauge theories, 528, 531–533
 see also Counterterms
- Representations of Lie algebras, 497–502
 rotation group, 38, 72
 Lorentz group, 39–41
 $SU(3)$, 547
- Repulsive force, 125–126
- Rescaling, see Field strength renormalization, γ , Z
- Resolution of electron structure, 583
- Resolution of hadronic structure, 588, 647
- Resonances, 101, 151, 237
 in e^+e^- annihilation, 151, 621
 see also Breit-Wigner formula
- Retarded boundary conditions, 178
- Retarded Green's function, 30, 32, 62–63
- Right-handed current, 51
- Right-handed neutrino, 704, 715, 726
- Right-handed particle, 6, 47
- Right-handed spinors, 44
- Right-moving fermions, 652
- Roman indices, xix
- Rosenbluth formula, 208–209
- Rotation generators for fermions, 41, 60–61, 71–72
- Rotation group, 38–40, 72
 in N dimensions, see $O(N)$
- Running coupling constant, 255–257, 404–405, 420–422, 424–428
 in ϕ^4 theory, 422
 in QED (α), 255–257, 424
 in nonlinear sigma model, 458–461
 in QCD (α_s), 551–553, 593–596
 see also Asymptotic freedom, β , Fixed point
- Running mass parameter, 600–604
- Rutherford scattering, 129–130, 155
- s (Mandelstam variable), 156
 \hat{s} , \hat{t} , \hat{u} (parton-level Mandelstam variables), 476, 557
- s quark, decay of, 606–612
- $s(x)$ (local spin density), 271
- s_w^2 (definition of $\sin^2 \theta_w$), 763–772, 774
- s_0^2 (definition of $\sin^2 \theta_w$), 759
- s_W^2 (definition of $\sin^2 \theta_w$), 712, 759–772, 774
- s -channel, 157
- S -matrix, 102–115
 relation to cross section, 106–107
 in terms of Feynman diagrams, 114, 229, 324
 relation to correlation functions, 227–229
 in renormalized perturbation theory, 324
 gauge invariance of, 297–298
 see also Analytic properties of amplitudes, Unitarity
- S -wave, 147
- Salam, A., 700
- Scalar field, real, 15–33
 complex, 33–34
 elementary, 406
- Scalar field theory, 321–322, 394–406, 432–468, see also ϕ^4 theory
- Scalar gluon (hypothetical), 596
- Scalar non-Abelian gauge theory, 544
- Scalar particle exchange, 121–123
- Scalar QED, 80, 312
- Scale invariance
 classical description, 682–683
 anomalous breaking, 682–686
- Scale-dependent parameter, see Running coupling constant
- Scaling, see Bjorken scaling
- Scaling behavior in magnets, 436–437
- Scaling laws, in critical phenomena, 440
- Scaling of two-point function, anomalous, 427
- Scattering, see Cross sections, S -matrix
- Scattering amplitude (\mathcal{M}), 5, 104
 near resonance, 101
 see also Analytic properties of amplitudes, S -matrix
- Scattering experiments, 99–100

- Schrödinger equation, 84, 149, 153, 279, 503–504
- Schrödinger picture, 20, 25, 283
- Schrödinger wavefunction, xx, 149
- Schur's lemma, 50
- Schwinger, J., 82, 189, 196, 492, 653
- Schwinger-Dyson equations, 308–312
- Screening, 255, 458, 541
- Second quantization, 19
- Second-order phase transition, 268–274
- Selection rules of positronium, 76
- Self-energy, see $M^2(p)$, $\Sigma(p)$, $\Pi^{\mu\nu}(q)$
- Semi-simple Lie algebra, 496
- Semileptonic decay, 605
- Shift of integration variable, 242, 299, 662
- Short distance scales, effect on theory, 393–406
- σ (cross section), 100
- σ (field of linear sigma model), 350
- σ matrices, see Pauli sigma matrices
- Sigma model, see Linear sigma model, Nonlinear sigma model
- σ^μ , $\bar{\sigma}^\mu$ (components of γ^μ), 44
- $\Sigma(p)$ (fermion self-energy), 216–222, 318–319, 331–333
- in non-Abelian gauge theory, 528–529
- sign convention for, 220
- Sign of mass shifts, see $M(p)$, $\Sigma(p)$, $\Pi^{\mu\nu}(q)$
- Simple harmonic oscillator, 20, 313
- Simple Lie algebra, 496
- $\sin^2 \theta_w$, 702, 705, 809
- definitions of, 711–712, 759–760
- measurements of, 711–713
- see also GWS theory
- Single-particle states, affected by interactions, 109
- Single-particle wave equations, 13, 35
- Singularities of Feynman diagrams, 211, 164–167, 407
- in QCD, 553–554, 574–575
- see also Analytic properties of amplitudes
- SLAC-MIT experiments, 475, 478
- Slash notation, 49
- $SO(4)$, 127
- $SO(10)$, 681
- $SO(N)$, 497, see also $O(N)$
- Soft photons, 176
- multiple, 202–207
- Solitons, 367, 793–794
- Sound waves, 266–267
- Source, see Classical source
- $Sp(N)$, 497
- Spacelike reference momenta, 407–408
- Spacetime dimension, effect on scalar field theory, 465–466
- Spacetime formulation of perturbation theory, 82
- Spacetime geometry and topology, 402, 798–800
- Spatially varying background field, 386–387
- Specific heat, 441, 446
- Spectator quarks, 555
- Spectral density function, 214
- Spectral representation of two-point function, 214, 619
- Spectroscopy of ψ , Υ , 593–594, 785
- Spectrum of hadrons, 545–547
- Spectrum of harmonic oscillator, 20
- Spectrum of Klein-Gordon theory, 22
- Speed of sound, 266
- Sphere in d dimensions, 193, 249
- Spin, 4, 38–40
- of Dirac particle, 60–61
- conservation of, 147
- in magnetic systems, 266–267
- of gluon, 596
- Spin and statistics, 52–58, 514, 546–547
- Spin chain, 792
- Spin correlation function, 272–273, 293, 442
- Spin density, 271, 389
- Spin field, 293, 395, 440
- Spin sums for fermions, 48–49
- Spin-3/2 field, 795
- Spin-wave theory, 389
- Spinor (of Dirac theory), 41–49
- for antifermions, 61
- high-energy limit, 46–47, 144
- nonrelativistic limit, 187
- two-component (Weyl), 43–44, 68
- Spinor (of $SU(2)$), 5, 45, 486, 501
- Spinor products, 72–73, 170–171, 174
- Splitting functions, see Altarelli-Parisi equations
- Spontaneous symmetry breaking, 128, 347–363, 368, 383–388, 454, 460, 469–470, 474, 689–777, 786, 793–794
- of chiral symmetry, 668–672
- of supersymmetry, 797
- and vacuum energy, 790
- nonperturbative mechanisms, 698–700
- see also Goldstone boson, GWS theory, Higgs mechanism
- Square bracket notation, 276
- Standard model, 781, see also GWS theory, QCD
- Stationary phase, method of, 14
- Statistical mechanics, 269–274, 440–451, 792–793
- quantum, 312–314
- see also Analogies to statistical mechanics, Critical exponents
- Statistics and spin, 22, 52–58
- Stokes's theorem, 492
- Stress-energy tensor, see Energy-Momentum tensor
- Strictly real representation, 499
- String theory, 798–799
- Strings, in describing strong interactions, 784–785
- Strong coupling regime, 405, 547–548, 552
- Strong CP problem, 726–727
- Strong interactions, 64, 127, 139–140, 259–260, 347, 473–480, 545–598, 667–676
- see also α_s , QCD
- Strongly coupled W bosons, 751
- Strongly interacting particles, 139–141
- Strongly ordered, 582–583
- Structure constants, see f^{abc}
- Structure functions, see Parton distribution functions
- Structure of the electron, 583
- $SU(2)$, 34, 486, 496, 502, see also Isospin
- $SU(2)$ gauge theory, 494, 542–543
- spontaneously broken, 694–696, 699–700
- $SU(2) \times SU(2)$, 127
- $SU(2) \times U(1)$ theory, see GWS theory
- $SU(3)$, 502
- $SU(3)$ broken gauge theory, 696–697
- $SU(3)$ color symmetry, 545, 547
- $SU(3)$ flavor symmetry, 546, 670–671
- $SU(3) \times SU(2) \times U(1)$ theory, 781
- $SU(5)$, 728, 786
- $SU(N)$, 496–497, 502, 504, 687–688
- group identities, 806
- Subdiagrams, divergent, 316, 335
- Subtraction of UV divergence, 195
- Sudakov double logarithm, 184, 200, 202, 207–208, 407
- Sudakov form factor, 207–208
- Sum over paths, 276
- Sum rules for distribution functions, 562–563
- Sum rules
- for parton distribution functions, 562–563, 590
- for distribution functions in QED, 587
- for $e^+e^- \rightarrow$ hadrons, 620–621
- for deep inelastic form factors, 634, 641–643
- Summation convention, xix
- Summation of logarithms, 452–453, 551, 575, 584–586, 635, see also Exponentiation, Mass singularities
- Sums over polarizations, see Polarization
- Super-renormalizable interactions, 321–322, 402
- Superconductivity, 470, 669, 692, 697
- Superficial degree of divergence, 316–323
- Superfluids, 267, 272, 437, 449–450
- Superposition principle in quantum mechanics, 94, 276
- Superpotential, 75
- Supersymmetry, 74, 789, 795–799
- extended, 425, 796–797
- Susceptibility, magnetic, 441, 446–447
- Symanzik, K., 222, 411
- symm lim, 655
- Symmetric integration tricks, 251, 807
- Symmetries, 17, 283, 306–312, 383, 800
- more fundamental than Lagrangian, 249, 466
- in presence of divergences, 248–249, 347, 352–363, 383–388, 651–686
- see also C , P , T , Gauge invariance, Noether's theorem, Lie algebras, Spontaneous symmetry breaking
- Symmetry current, see Current, Noether's theorem

Symmetry factors, see Feynman rules
 Symmetry generators, see Lie algebras
 Symplectic transformations, 497

t (Mandelstam variable), 156
 t^a (group representation matrices), 490, 498
 identities for, 805–806
 T (time reversal), 64, 67–69, 71, 75–76, 485, 720–727
 T -matrix, 104, 109–112, 231
 T^a (group representation matrices on real vectors), 693
 T_C (critical temperature), 269–274
 t -channel, 157
 't Hooft, G., 248, 479, 531, 662
 't Hooft-Veltman definition of γ^5 , 681
 Tables
 C , P , T transformations, 71
 attractive/repulsive forces, 126
 measurements of α , 198
 analogies between magnetic system and field theory, 367
 values of critical exponents, 450
 measurements of α_s , 594
 measurements of $\sin^2 \theta_w$, 712
 integrals in d dimensions, 807
 Tadpole diagrams, 373
 in QED, 317–318, 344
 in linear sigma model, 355
 in non-Abelian gauge theory, 522
 τ lepton, 137–138, 473
 decay, 594
 Technicolor, 719, 789
 Temperature, 267–274, 364, 441, 446–447, 461
 Tensor, 37
 Tensor, energy-momentum, see Energy-momentum tensor
 Tensor notation, xix–xx
 Tensor particle exchange, 126
 Tensors built from Dirac fields, 49–52
 Thermal fluctuations, 267
 Thermodynamics of early universe, 469
 θ function (step function), xx
 θ_0 (weak mixing angle), 759
 θ_c (Cabibbo angle), 714

θ_w (weak mixing angle), 702, see also GWS theory, $\sin^2 \theta_w$
 Thirring model, 791–792, 794
 Thomson cross section, 163, 809
 Three-body phase space, 260–261
 Three-gauge-boson vertex, 507
 Three-jet events, 261
 Three-photon amplitude, QED, 318
 Three-point function, see Correlation functions
 Three-vectors, xix
 Threshold, 137–138, 146
 see also Analytic properties of amplitudes
 Threshold of photon detection, 200–202, 207–208
 Thresholds, effect on renormalization group, 553
 Tilde notation, xxi
 Time-dependent perturbation theory, 82
 Time-evolution operator, 84, 102, 275, 278–282
 Time-ordered product, 31, 63, 85, 115, 307
 Time reversal, see T
 Timelike polarization, 161, 481, 732, 737, 741, 746
 Tomonaga, S., 82
 Top quark, 546, 747
 decay of, 747–750
 radiative corrections from, 712, 770–772
 prediction of mass, 772
 Topology of vacuum states, 794
 Total cross section, for identical particles, 108
 tr (trace of matrix), 304
 Tr (trace of operator), 304
 Trace anomaly, 684–686, 688
 Trace of Dirac matrices, 132–135, 805
 Trajectory in space of Lagrangians, 401
 Transition energies in hydrogen, 197–198
 Translations, 18
 Transverse momentum, of pp collision products, 475
 Transverse polarization vectors, 124, 160, 804
 Tree-level processes, 175

Triangle diagrams, 661–664, 679, 705–707, see also Adler-Bell-Jackiw anomaly
 Tube of gauge field, 548
 Tuning of parameters, 267
 Tunneling, 368–369
 Twist, 631
 Two-body phase space, 808
 Two-component magnet, 438
 Two-component spinors, 68
 Two-dimensional model theories, 390–391, 405, 454, 791–794
 Two-dimensional QED, 651–659
 Two-level system, in statistical mechanics, 313
 Two-loop diagrams, 336–345
 double logarithms in, 314, 344
 and renormalization group relations, 595–596
 Two-point amplitude, 82, 214
 analytic structure, 211–222
 scaling behavior, 418–421
 see also $M^2(p)$, $\Sigma(p)$, $\Pi^{\mu\nu}(q)$
 Two-state model system, 57

 u (Mandelstam variable), 156
 U gauge, 691, 715, 723, 730, 738, 749
 $U(1)$, 496
 $U(1)$ charge, in GWS theory, 702–704
 $U(1)$ factors, and gravitational anomaly, 681
 $U(1)$ gauge theory, 482–486, 690–692, 732–734
 $U(1)$ symmetry, broken, 389
 $U(y, x)$ (comparator), 482–484, 487
 u -channel, 157
 Uehling potential, 255
 Ultraviolet divergences, xii, 12, 80, 393
 in zero-point energy, 21
 in QED, 176, 193–195, 220–221, 248, 251–252, 318–320
 in scalar field theory, 321–322
 in ϕ^4 theory, 324
 in linear sigma model, 353–354
 in GWS theory, 758, 764–765
 effect upon shift of integration variable, 242
 classification of, 315

Ultraviolet divergences, cont.
 in subdiagrams, 316
 overlapping, 336
 local vs. nonlocal, 337, 343–344, 386
 effect on symmetries, 347, 352–363, 383–388
 in V_{eff} , 375
 origin of, 265–266
 viewpoint toward, 265–266
 reinterpretation of, 398
 Ultraviolet-stable fixed point, 427, 461
 Unification of the fundamental interactions, 347, 497, 786–791
 with gravity, 787, 791, 798
 Unified electroweak model, of Georgi and Glashow, 696
 Unified electroweak theory, see GWS theory
 Unitarity gauge, see U gauge
 Unitarity of S -matrix, 231, 298, 520–521, 679, 746
 in broken gauge theories, 731, 738
 limit on \mathcal{M} , 750–751
 see also BRST symmetry
 Unitary implementation of Lorentz transformations, 59
 Unitary transformations, 496–497
 Units, xix, xxi
 Universality (in critical phenomena), 268, 272, 437, 447, 449, 466
 classes, 273–274
 Universality of coupling constants, 533, 717
 Unphysical degrees of freedom, 124, 505, 508–512, 517, 520, 738, 743
 cancellation of, 160–161, 298, 510, 520, 735–736
 Unsolved problems, 781–800
 Unstable particles, 236–237, see also Decay rate
 Υ particle, 141, 152, 593–594

 $V(x)$ (gauge transformation matrix), 486
 Vacuum (ground state), 21–22, 82, 86, 368–369, 383
 Vacuum bubble diagrams, 96–98, 113
 Vacuum energy, 21, 98, 317, 790–791, 796–797

- Vacuum expectation value, 348–350, 364, 372, see also Higgs field
- Vacuum polarization, see $\Pi(q^2)$, $\Pi^{\mu\nu}(q)$, Π_h
- Vector boson, 173–174, 757–758
see also Gauge field, Higgs mechanism, Photon, W , Z
- Vector, built from Dirac fields, 50
- Vector current, see Current
- Vector meson, 150–153
- Vector particle exchange, 125
- Vector potential, xxi, 483
- Veltman, M. J. G., 248, 662
- Vertex, see Feynman rules
- Vertex corrections, 175, 184–202, 529–530
- Violence
to discrete and flavor symmetries, 722
to gauge invariance, 656, 679
in high-energy behavior, 758
- Virtual particles, 5, 113, 393–406, 479
almost real, 155, 209–210, 575
 e^+e^- pairs, 245, 255
- Viscosity, 266
- Volume, transformation under boosts, 23
- W boson, 428–429, 474, 559–560, 696, 701
mass, 710, 712, 762–764, 771–772, 809
decays, 728
in QCD corrections, 609
production in hadron collisions, 593–594, 710
see also e^+e^- annihilation
- W_1, W_2 (deep inelastic form factors), 625–634, 648–649
- W_3 (deep inelastic form factor), 648–649
- Ward identity, 160–161, 186, 192, 238, 242, 245–251, 257, 316, 334, 481, 505, 616, 625
trick for proving, 239
violation by bad regulator, 248, 654
in non-Abelian gauge theories, 508–511, 522, 679, 698, 705–706, 744
of GWS theory, 752
in string theory, 799
see also BRST symmetry, Unphysical degrees of freedom
- Ward-Takahashi identity, 238–244, 297
for arbitrary symmetry, 311
and counterterm relations, 243, 311–312, 334
- Wave equations, relativistic, 13, 35
- Wave-particle duality, 26
- Wavefunction of a bound state, 148–153
- Wavepackets, 102–103, 224–226
- Weak coupling regime, 548
- Weak interactions, 473–474, 700–719
at low energies, 428–429, 559–560, 605–606, 708–709
QCD enhancements to, 605–612
see also GWS theory
- Weak mixing angle, see $\sin^2 \theta_w$
- Weak-interaction gauge theory, see GWS theory
- Weinberg, S., 202, 700
- Weinberg's nose, 729
- Weiszacker-Williams distribution function, 174, 210, 579
- Wess-Zumino term, 793
- Weyl equations, 44
- Weyl ordering, 281
- Weyl representation, 41
- Weyl spinors, 43
- Wick rotation, 192–193, 292–293, 394, 807
- Wick's theorem, 88–90, 110, 115, 116, 288, 302
- Width of a resonance, see Breit-Wigner formula
- Width of Z resonance, see Z boson
- Wilczek, F., 479, 531
- Wilson, K., 266, 393–394, 533, 547, 613
- Wilson-Fisher fixed point, 405, 435, 439, 441, 445, 448–449, 454, 462, 466
- Wilson line, 491–494, 504, 655–657, 783
- Wilson loop, 492, 494, 503, 658, 783–784
- Wilson's approach to renormalization, 393–406
- Wonderful trick, 619
- x (kinematic variable in deep inelastic scattering), 477–478, 557
- ξ (correlation length), 272
- ξ (gauge parameter), 296–297, 505, 513, 526, 733
dependence of results on, 297, 526, 734–739, 773
- ξ (longitudinal fraction of parton), 477, 555
- ξ (spinor), 45, 68, 803–804
- y (kinematic variable in deep inelastic scattering), 558, 561
- y (longitudinal rapidity), 566
- Y (rapidity), 565
- Y ($U(1)$ charge), 702–704
- Yang-Mills Lagrangian, 489, 506
- Yang-Mills theories, see Non-Abelian gauge theories
- Yennie gauge, 297
- Yukawa coupling constant, 79
- Yukawa potential, 121–123
- Yukawa theory, 79, 116–123, 257, 329–330
Feynman rules for, 118
renormalization of, 344–345
- Yukawa theory, cont.
counterterms for, 408–409
 β functions of, 438
- Z^0 boson, 173, 474, 593, 701, 710–711
decay of, 594, 710, 712, 728
mass of, 593, 710, 712, 762–764
see also A_{LR}^f
- Z (field-strength renormalization), 214
- Z_1 (QED vertex rescaling), 230, 331, 334–335
relation to Z_2 , 243
- Z_2, Z_3 , see Field-strength renormalization
- Z_O , 429–430
- $Z[J]$ (generating functional), 290–292, 302, 365, 367, 394
- Zero-point energy, 21, 790
- Zero-point function, in QED, 317
- Zeroth-order natural relations, 387, 389–390, 758, 774
in GWS theory, 759–766
- Zimmermann, W., 222, 338
- Zweig, G., 545