

Test Evidence log

Draft app: Liga-MX Generation

Versión *1.0*

Historial de cambios

Fecha	Versión	Descripción	Autor
14/06/202	1.0	Se genera documento	Otoniel Martinez

CONTENT

1. Introduction	4
2. Test Context	4
3. Test conditions	5
4. Test execution result	6
4.1 Test Cycle 1	6
4.1.1 TC-001 Generate Draft Order with 1 Player	6
4.1.2 TC-002 Generate Draft Order with 8 Players	7
4.1.3 TC-003 System generates a valid randomized Draft Order.	8
4.1.4 TC-004 Verify No Duplicate Players in Draft Order	9
4.1.5 TC-005 Verify Draft Order Display	10
4.1.6 TC-006 Responsive Validation (Mobile)	11
4.1.7 TC-007 Responsive Validation (Landscape)	12
4.1.8 TC-008 Negative Scenario - Empty Player Name	14
4.1.9 TC-009 Verify Support for Minimum Value	15
4.1.10 TC-010 Verify Support for Maximum Value	16
4.1.11 TC-011 Duplicate player names	17
4.1.12 TC-012 Special Charecters in player name	18
4.1.13 TC-013 Refresh Browser	19
4.1.14 TC-014 Leading / Trailing Spaces	20
4.1.15 TC-015 Duplicate Names Different Case	21
4.1.16 TC-016 Verify Draft Lock After Generation	22
4.1.17 TC-017 Verify User Cannot Generate Draft Twice	23
4.1.18 TC-018 Verify Reset Button Visibility	24
4.1.19 TC-019 Verify Reset Clears Draft Results	25
4.1.20 TC-020 Verify New Draft Generation After Reset	26
4.1.21 TC-021 Generate Draft Without Selecting Player Count	27
5. Test Execution Results	28
6. Conclusion	29

1. Introduction

The purpose of this document is to provide evidence of the test execution performed for the Liga MX Draft Generator application and to document the results obtained during the Quality Assurance process.

2. Test Context

The testing scope covers the functionalities implemented in User Story HU-01: Generate Random Draft Order and all related validations and supporting features.

Scope

The application allows users to:

- Generate a random draft order.
- Assign a unique main team to each player.
- Assign steal teams.
- Validate player names.
- Support between 1 and 8 players.
- Display responsive layouts.
- Prevent duplicate draft generation.
- Reset the application state.

Features Covered

- Random Draft Generation
- Player Name Validation
- Team Assignment Logic
- Responsive Design
- Draft Lock Functionality
- Reset Draft Functionality

Acceptance Criteria

- Draft order must be generated successfully.
- Duplicate player names must not be allowed.
- Empty player names must not be allowed.
- Special characters must not be allowed.
- Application must support between 1 and 8 players.
- User must be able to reset the application.
- User must not generate multiple drafts without resetting.

3. Test conditions

Testing execution may be affected under the following conditions:

- Application is unavailable.
- Critical defects prevent execution of core functionality.
- Required browser or environment is unavailable.
- Test data cannot be generated.

Test Environment

Item	Value
Enviroment	Production
Browser	Brave
Reslution	Desktop / Mobile
Tester	Otoniel martinez

4. Test execution result

4.1 Test Cycle 1

4.1.1 TC-001 Generate Draft Order with 1 Player

The screenshot shows a web browser window with the URL `draft-ligamx.netlify.app`. The app's title is "DRAFT APP" with the subtitle "LIGA MX DRAFT GENERATOR". The "Number of Players:" is set to 1. The "Player 1" field contains the name "Oto". The "Draft Order:" section shows "Pick #1 - Oto". Below this, the player's profile is displayed with the name "Oto", a red and white striped jersey icon, and the "Main Team: Necaxa" with three yellow stars. The "Steal Teams:" section lists "Mazatlan" and "Queretaro".

draft-app

draft-ligamx.netlify.app

DRAFT APP

LIGA MX DRAFT GENERATOR

Number of Players: 1

Generate Draft

Reset Draft

Player 1 Oto

Draft Order:

Pick #1 - Oto

Oto




Main Team: Necaxa

Steal Teams:



Mazatlan

Queretaro



4.1.2 TC-002 Generate Draft Order with 8 Players



4.1.3 TC-003 System generates a valid randomized Draft Order.



4.1.4 TC-004 Verify No Duplicate Players in Draft Order



4.1.5 TC-005 Verify Draft Order Display

Draft Order:

Pick #1 - Armando




Pick #2 - Gael

Pick #3 - Diego




Pick #4 - Alex

Pick #5 - Oto

4.1.6 TC-006 Responsive Validation (Mobile)



4.1.7 TC-007 Responsive Validation (Landscape)





4.1.8 TC-008 Negative Scenario - Empty Player Name

The screenshot shows a web browser window with the address bar displaying 'draft-app' and 'draft-ligamx.netlify.app'. The page title is 'DRAFT APP' with the subtitle 'LIGA MX DRAFT GENERATOR'. Below the title, there is a section for 'Number of Players' with a dropdown menu set to '1' and two buttons: 'Generate Draft' (blue) and 'Reset Draft' (grey). Underneath, there is a label 'Player 1' followed by an input field containing the placeholder text 'Player 1 Name'. Below the input field, the text 'Draft Order:' is displayed. At the bottom, under the heading 'Errors:', a red message states 'Player 1 name is required.'.

draft-app x +

draft-ligamx.netlify.app 🔍 📄 📁 📌 📎 📏 📐 📑 📒 📓 📔 📕 📖 📗 📘 📙 📚 📛 📞 📟 📠 📡 📢 📣 📤 📥 📦 📧 📨 📩 📪 📫 📬 📭 📮 📯 📰 📱 📲 📳 📴 📵 📶 📷 📸 📹 📺 📻 📼 📽 📾 📿

DRAFT APP

LIGA MX DRAFT GENERATOR

Number of Players: 1 Generate Draft Reset Draft

Player 1 Player 1 Name

Draft Order:

Errors:

Player 1 name is required.

4.1.9 TC-009 Verify Support for Minimum Value

The screenshot shows a web browser window with the address bar displaying 'draft-app' and 'draft-ligamx.netlify.app'. The main content area has a dark background with the title 'DRAFT APP' in large white letters, followed by 'LIGA MX DRAFT GENERATOR' in smaller white letters. Below this, there is a section for 'Number of Players:' with a dropdown menu set to '1'. To the right of the dropdown are two buttons: 'Generate Draft' (disabled, grey) and 'Reset Draft' (active, blue). Below the 'Number of Players:' section, there is a 'Player 1' label and a text input field containing 'Oto'. Further down, the 'Draft Order:' section shows 'Pick #1 - Oto'. At the bottom, there is a player card for 'Oto' featuring a red and white striped jersey icon. Below the player card, it says 'Main Team: Necaxa' with three yellow stars. Underneath, it says 'Steal Teams:' followed by 'Mazatlan' and 'Queretaro'.

draft-app

draft-ligamx.netlify.app

DRAFT APP

LIGA MX DRAFT GENERATOR

Number of Players: 1

Generate Draft

Reset Draft

Player 1 Oto

Draft Order:

Pick #1 - Oto

Oto




Main Team: Necaxa

Steal Teams:

Mazatlan

Queretaro

4.1.10 TC-010 Verify Support for Maximum Value



4.1.11 TC-011 Duplicate player names

The screenshot shows the 'DRAFT APP' interface with the title 'LIGA MX DRAFT GENERATOR'. The 'Number of Players' is set to 2. The 'Generate Draft' button is highlighted in blue. Below, 'Player 1' and 'Player 2' both have the name 'Oto' entered. The 'Draft Order' section is empty.

DRAFT APP
LIGA MX DRAFT GENERATOR

Number of Players: 2 **Generate Draft** Reset Draft

Player 1 Oto Player 2 Oto

Draft Order:

This screenshot is identical to the previous one, but it includes an error message at the bottom. The 'Errors:' section displays the text: 'Player 2 name is duplicated. Please choose a different name.' in red.

DRAFT APP
LIGA MX DRAFT GENERATOR


Number of Players: 2 **Generate Draft** Reset Draft

Player 1 Oto Player 2 Oto


Draft Order:

Errors:
Player 2 name is duplicated. Please choose a different name.

4.1.12 TC-012 Special Charecters in player name





The screenshot shows the 'DRAFT APP' interface. At the top, the title 'DRAFT APP' is displayed in large white letters, with 'LIGA MX DRAFT GENERATOR' in smaller letters below it. On the left, 'Number of Players:' is followed by a dropdown menu set to '1'. To the right of the dropdown are two buttons: 'Generate Draft' (blue) and 'Reset Draft' (grey). Below this, 'Player 1' is followed by a text input field containing 'Player 1 Name'. At the bottom, the text 'Draft Order:' is visible.





The screenshot shows the 'DRAFT APP' interface after clicking 'Generate Draft'. The 'Player 1' text input field now contains the string 'Oto!#\$%&()/='. Below the input field, the text 'Draft Order:' is visible. Further down, the text 'Errors:' is displayed, followed by a red error message: 'Player 1 name contains invalid characters. Please use only letters and spaces.'

4.1.13 TC-013 Refresh Browser



4.1.14 TC-014 Leading / Trailing Spaces



4.1.15 TC-015 Duplicate Names Different Case

The screenshot shows the 'DRAFT APP' interface with the subtitle 'LIGA MX DRAFT GENERATOR'. The 'Number of Players' is set to 2. The 'Generate Draft' button is highlighted in blue. Below the player count, there are two input fields: 'Player 1' with the text 'Oto' and 'Player 2' with the text 'OTO'. The 'Draft Order:' section is empty.

DRAFT APP
LIGA MX DRAFT GENERATOR

Number of Players: 2 **Generate Draft** Reset Draft

Player 1 Oto Player 2 OTO

Draft Order:

The screenshot shows the same 'DRAFT APP' interface, but with an error message displayed below the 'Draft Order:' section. The error message states: 'Player 2 name is duplicated. Please choose a different name.' The 'Errors:' section is highlighted in red.

DRAFT APP
LIGA MX DRAFT GENERATOR



Number of Players: 2 **Generate Draft** Reset Draft

Player 1 Oto Player 2 OTO

Draft Order:

Errors:
Player 2 name is duplicated. Please choose a different name.

4.1.16 TC-016 Verify Draft Lock After Generation



4.1.17 TC-017 Verify User Cannot Generate Draft Twice

The screenshot shows a web browser window with the address bar displaying 'draft-app' and 'draft-ligamx.netlify.app'. The main heading is 'DRAFT APP' with the subtitle 'LIGA MX DRAFT GENERATOR'. Below this, there is a form with 'Number of Players:' set to '2'. A red rectangle highlights the 'Generate Draft' button. To the right of this button is a 'Reset Draft' button. Below the form, there are two player selection boxes: 'Player 1' with 'OtoA' and 'Player 2' with 'OtoB'. Underneath, the 'Draft Order:' is listed as 'Pick #1 - OtoA' and 'Pick #2 - OtoB'. The interface then displays two columns of team information. The first column for 'OtoA' shows the FC Juarez logo, 'Main Team: FC Juarez' with three stars, and 'Steal Teams: Cruz Azul, Necaxa'. The second column for 'OtoB' shows the Cruz Azul logo, 'Main Team: Cruz Azul' with three stars, and 'Steal Teams: Atlas, Toluca'.

DRAFT APP
LIGA MX DRAFT GENERATOR


Number of Players: 2 **Generate Draft** **Reset Draft**

Player 1: OtoA Player 2: OtoB



Draft Order:
Pick #1 - OtoA
Pick #2 - OtoB

OtoA	OtoB
	
Main Team: FC Juarez ★★★	Main Team: Cruz Azul ★★★
Steal Teams: Cruz Azul Necaxa	Steal Teams: Atlas Toluca




4.1.18 TC-018 Verify Reset Button Visibility





4.1.19 TC-019 Verify Reset Clears Draft Results



4.1.20 TC-020 Verify New Draft Generation After Reset



4.1.21 TC-021 Generate Draft Without Selecting Player Count




5. Test Execution Results

Metric	Value
Total Test Cases	21
Executed	21
Passed	21
Failed	0
Blocked	0
Not Executed	0
Execution Progress	100.00%
Pass Rate	100.00%

Execution tests results

● Passed



6. Conclusion

The executed test cases validate the expected behavior of the application according to the defined requirements.

All identified defects were corrected and successfully retested.

The application is considered stable and ready to proceed to automation testing with Playwright.